643

CADLAND PARK

1931 - 1940

1936 A/B

480113

643

Section **A** for the en
AIR MIN

FOR OFFICIAL USE.
RGANIZATION.

FORM 1090.

REC

Kept at Cadla

in the County of Ha

Diameter of Funnel of Gauge
Height of top of Gauge above
,, Ground ,,

concurs.
676573/26

THE MORNING MI

An observer who does not confo
year in the space on the right

g

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·09			·10		·03	·15				1
2	·07	·03						·10	·40				2
3	15	·01	·63	·25	·07		·01	·10	·42				3
4		·03	·05	·75	·08		·24	·31	·20		20		4
5		·18		·15		·45	·07			·06			5
6		·14		·28	·03	·10	·06				·12		6
7				·01	·35	·26		·45		·50			7
8	~~·04~~	·17		·04	·07	·28	·23	·09		·07			8
9	·04	·12				·06	~~1·0~~ ·06				·10		9
10		·10				·20	·44	·03					10
11	·09	·44				·09							11
12							·11						12
13								·03	·40				13
14	·03	·18			·01	·02		·40					14
15	·03	·33			·10		1·0						15
16		·04		·09	·25	1·25	·02	·30					16
17		·10		·07			·19	·03	·10		+ 3.20		17
18			·04	·05		·05	·03		·16				18
19	·03			·07		·04	·06	1·2					19
20	·13	·11	·05					·10					20
21	·03							·47					21
22	·40		·04	·05	·42								22
23	·30		·25	·07	·02								23
24	·04			·45	·25	·38	·45						24
25	·12			·43	·19		·15	·42					25
26				·20	·07		·61			~~·30~~	30		26
27	·18	·35					·48			~~·80~~	·50		27
28	·11			·06	1·70								28
29	·08				·08		·11						29
30		×			·21		·02						30
31	·30	×		×	·16	×	·04		×		×		31 (29.14)
TOTAL	2·13	2·03	1·15	3·02	3·46	2·21	4·38	3·88	1·83	·63	(4·00) ~~·80~~	·42	YEAR'S TOTAL ~~25·94~~
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Thos. Lowry

[P.T.O.

Section **A** for the en

643.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Cadland. Park.
in the County of Hampshire.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground ....ft ....in.
,, Ground ,, Sea Level ....ft.

Total

Nov 3 – Nov.
Nov err by sum [illegible]
Obs concurs.
67657 3/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·09			·10		·03	·15				1
2	·07	·03						·10	·40				2
3	15	·01	·63	·25	·07		·01	·10	·42				3
4		·03	·05	·75	·08		·24	·31	·20		20		4
5		·18		·15		·45	·07			·06			5
6		·14		·28	·03	·10	·06				·12		6
7				·01	·35	·26		·45		·50			7
8	~~·04~~	·17		·04	·07	·28	·23	·09		·07			8
9	·04	·12				·06	~~·40~~ ·06				·10		9
10		·10				·20	·44	·03					10
11	·09	·44				·02							11
12							·11						12
13								·03	·40				13
14	·03	·18			·01	·02		·40					14
15	·03	·33			·10		1·0						15
16		·04		·09	·25	1·25	·02	·30					16
17		·10		·07			·19	·03	·10		+ 3.20		17
18			·04	·05		·05	·03		·16				18
19	·03			·07		·04	·06	1·2					19
20	·13	·11	·05					·10					20
21	·03							·47					21
22	·40		·04	·05	·42								22
23	·30		·25	·07	·02								23
24	·04			·45	·95	·38	·45						24
25	·12			·43	·19		·15	·42					25
26				·20	·07		·61			~~·30~~	·30		26
27	·18	·35					·48			~~·80~~	·50		27
28	·11			·06	1·70								28
29	·08				·08		·11						29
30		×			·21		·02						30
31	·30	×		×	·16	×	·04		×		×		(29·14) 31
TOTAL	2·13	2·03	1·15	3·02	3·46	2·21	4·38	3·88	1·83	·63	(4·00) ~~·80~~	·42	YEAR'S TOTAL ~~25·94~~
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Thos. Lowry

[P.T.O.

643

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 643

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Cadland Gardens Fawley

in the County of Hants

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground × 3 ft 0 × in.

,, Ground ,, Sea Level 80ft (a[illegible]) ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	—	—	·19	·53	—	—	—	·03	·05	·02	·01	1
2	—	—	—	·27	·15	—	·01	·10	·05	—	·02	·45	2
3	—	—	—	·15	—	·28	—	—	·37	—	—	·03	3
4	—	—	—	—	—	·15	—	—	—	—	·04	—	4
5	·45	—	—	—	—	—	·04	—	·22	—	—	—	5
6	·54	—	—	·22	—	—	—	—	·22	—	—	—	6
7	—	—	—	·05	·21	—	—	—	·08	·24	—	—	7
8	—	—	·30	·03	·32	—	—	—	·45	·36	—	—	8
9	·10	—	—	·20	·15	—	—	—	·01	·01	·05	—	9
10	·40	—	—	·27	·12	·12	—	—	—	·13	·15	—	10
11	·10	—	—	·10	·02	—	—	·03	·01	·10	·01	·04	11
12	·45	—	—	—	·01	—	—	—	·09	·26	—	—	12
13	·15	—	—	·27	·15	—	·30	—	—	·83	—	·05	13
14	·18	—	—	·18	·12	—	—	·10	—	·02	·05	—	14
15	·05	—	—	·03	1·55	—	—	—	—	·05	·10	·02	15
16	·18	—	—	·15	·02	—	·05	—	—	—	—	·02	16
17	·03	—	—	·05	—	—	—	—	—	·03	—	—	17
18	·05	—	—	—	·09	—	·12	—	·02	—	·18	—	18
19	·01	—	—	—	—	—	—	—	·05	·42	—	—	19
20	—	—	—	·05	·30	—	·02	·68	—	·99	·10	—	20
21	·01	—	—	·10	·95	—	—	—	—	·54	—	·08	21
22	·03	—	·21	·03	·05	—	·38	·13	·75	·28	·40	·10	22
23	—	·10	—	·05	·65	—	·40	—	·25	·85	·03		23
24	—	—	—	—	·02	—	·60	—	·30	·07	·01		24
25	—	—	—	·02	—	—	1·20	—	·04	·44	·05		25
26	—	—	·10	·06	—	—	·12	—	—	·05	·03		26
27	—	—	·22	·31	·10	·03	—	—	—	·81	—	·03	27
28	—	—	·03	·06	—	—	·25	—	—	·03	—	·02	28
29	—	—	·20	·30	·12	·08	—	·21	·43	·38	·02	·23	29
30	—	×	·10	·44	·05	·95	·15	—	·25	—	·70	·30	30
31	—	×	·15	×	—	×	·03	—	×	—	×	·15	31
TOTAL	2·88	·10	131	358	5·68	161	367	1·25	362	6·94	1·96	1·53	YEAR'S TOTAL 34·13
*Days with ·01 in. or more.	16	1	8	24	21	6	13	6	18	22	17	14	166
*Days with .04 in. or more.	12	1	7	20	18	5	11	5	14	19	10	8	130

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) George E Whitehead

× The Head Gardener

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 643.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Cadland Park Gardens

in the County of Southampton

Diameter of Funnel of Gauge 8¼ in.

Height of top of Gauge above Ground 3 ft — in.

,, Ground ,, Sea Level ~~[illegible]~~ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·64	·14		·02									1
2	·17		·71		·41							·12		2
3	·01	·12	·31		·01									3
4	·23	·05	·01		·30						·01			4
5	·18	·01	·38		·01						~~0~~			5
6	~~·04~~	·16	·02		·23					·09	·07			6
7	·04	·03	·13		·39	~~·01~~	·01			·23				7
8	·02				·01	~~·42~~	·42			·10				8
9	—		·01			~~·37~~	·37			·05	·03			9
10	·01	·23			·10	~~·05~~	·05	·01		·25	·02			10
11	·21					·12	·02							11
12	—			·02	·03		·01		2·02		·01	·04		12
13	·04				·04		·54	·19	·02	·48	·05			13
14	—				·04		·04			·25	·39			14
15	·42		·45				·05	·42		·09	·02			15
16	—		·53			·19		·4	·05					16
17	–		·33			·04		·07	·12		·01			17
18	·34		·09			·17			·01		·01			18
19	·		·12				·03	·03	·18		·11	·04		19
20			·03	·02		·25		·01	·35					20
21		·03	·01			·03		·14	·03	·02				21
22		~~2~~				·15		·25	·02	·23				22
23		·02		·24	·05	·16			·25	·34				23
24		·52		·27		·04		·01	·11	·01				24
25		·77		·33	·02				·08		·01	·~~2~~09		25
26		·55		·17		·19			·02	~~·18~~		·21		26
27					·38				·01	·18		·03		27
28							·53		·01	·		·02		28
29	·08		·01	·07	·07		·03		·01	·02		·07		29
30	·09	×	·06				·04		·06			·06		30
31	·12	×	·06	×		×			×		×	·01		31
TOTAL	2·08	3·43	3·40	1·12	2·11	1·34	2·14	1·13	3·35	2·34	·74	·69	Year's Total ~~23·57~~	24·47
*Days with ·01 in. or more.	15	12	18	7	16	10	13	9	17	14	12	10	153	
*Days with ·04 in. or more.	12	8	12	5	10	9	8	5	9	11	4	7	100	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 643

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Cadland Park

in the County of Hants

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 4 ft 6 in.

,, Ground ,, Sea Level 100. ft.

Total Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·04	-	-	-	-	-	-	·29	·12	-	·02		1
2	·01	·01	-	-	-	-	-	-	-	·14	-	-		2
3	·02	-	-	-	-	·05	-	·49	·02	·14	·05	·99		3
4	·35	-	·10	·04	-	·04	-	·04	1·51	·14	·03	·36		4
5	·08	·02	-	·01	-	-	-	-	·01	·45	-	·20		5
6	·15	-	·10	·15	·09	-	-	-	-	·14	-	·47		6
7	·02	-	·01	-	·01	-	-	·26	·01	·17	·03	·48		7
8	·02	-	·35	·04	·18	-	-	-	-	·31	·45	·92		8
9	·05	-	-	-	-	·02	-	·29	-	·16	-	·32		9
10	-	-	-	-	·31	-	-	-	·15	·01	·76	·05		10
11	·05	-	·08	-	-	-	-	-	·01	-	·94	·45		11
12	·04	-	·20	·17	-	-	-	·04	-	-	·77	·12		12
13	·66	-	·48	·29	-	-	·18	·28	-	-	-	·29		13
14	·04	-	·04	·02	-	-	·04	·23	-	-	·07	·25		14
15	·35	-	·04	·10	-	-	·23	·01	-	-	·06	·35		15
16	·09	-	·38	·01	-	-	-	-	-	·02	·07	·60		16
17	·01	-	·02	-	·04	-	-	-	·01	·15	·08	·69		17
18	·22	-	·30	-	-	-	-	-	·03	-	·01	·15		18
19	·12	-	·08	·01	·01	-	-	-	·06	·04	-	·30		19
20	·06	-	·08	·25	·03	-	-	-	·28	-	-	·55		20
21	-	-	·37	·01	-	·10	-	·	·16	·01	-	·10		21
22	-	-	·08	·07	-	-	·09	·02	·01	·01	-	·02		22
23	-	·03	-	·25	-	·13	·01	·01	·03	·04	-	·01		23
24	-	·01	·01	-	-	-	-	·15	·31	·01	-	·15		24
25	-	-	·08	·30	-	·61		·25	·03	-	-	-		25
26	-	-	-	·06	-	·03	·21	·15	·13	-	-	-		26
27	·44	-	-	·13	-	·01	-	·01	-	·10	-	·66		27
28	·01	-	-	·18	-	·23	-	-	·10	·01	-	·06		28
29	-	-	-	·03	-	·06	-	-	-	·01	-	·29		29
30	·03	×	-	·01	-	·14	-	·99	-	-	-	·47		30
31	-	×	-	×	-	×	·01	·30	×	-	×	·01		31
TOTAL	2·88	·11	2·80	2·13	·67	1·42	·77	3·52	3·15	2·18	3·34	9·33	Year's Total. 32·30 ✓	
* Days with .01 in. or more.	22	5	18	20	7	11	7	16	18	20	12	28	184	
* Days with .04 in. or more.	15	1	15	13	4	9	5	12	9	13	9	24	129	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) George E Whitehead

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 643.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Cadlund Park

in the County of Southampton.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 4 ft. – in.

,, Ground ,, Sea Level 100 ft.

Circ f sent 8.6.36. [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY. This is done Jew.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	·24	–	·07	·12	1·91	–	·16	·08	·28	–		1
2	–	–	·01	–	–	·07	·01	–	–	·53	·05	·02		2
3	–	–	·10	–	–	·01	–	–	·43	·93	·05	–		3
4	–	·14	–	·02	–	·16	–	–	·21	·07	·22	–		4
5	–	·38	·20	·05	–	·02	–	–	·34	·01	·03	·10		5
6	–	·03	–	·33	–	·86	–	–	–	·01	·22	–		6
7	–	–	–	·37	·02	·05	–	–	–	·12	·70	·12		7
8	–	–	–	·30	–	·22	–	–	·01	·38	·54	·02		8
9	·15	–	·02	·38	–	·03	–	–	·24	1·02	·18	–		9
10	·19	–	·25	·02	–	·07	–	–	–	–	·65	–		10
11	·27	·02	·02	·10	–	·14	–	–	·01	·02	·44	–		11
12	·01	·02	–	–	–	[illegible]	–	·05	·19	–	1·08	–		12
13	·05	·15	–	–	·04	·03	–	–	·02	–	·21	–		13
14	–	–	–	·10	·02	·03	–	–	·01	·02	·10	·31		14
15	–	·15	–	·14	–	·05	–	–	·20	·01	·25	·05		15
16	–	·05	·03	·10	–	·43	–	–	·35	–	1·44	–		16
17	–	–	–	·04	·09	·30	–	·05	·15	–	·16	–		17
18	–	·02	–	·26	·15	·02	–	–	·53	–	·04	–		18
19	–	–	–	·04	·34	·06	·28	–	·05	·12	·22	–		19
20	–	·41	–	·03	·06	·01	·04	–	·03	–	·66	–		20
21	–	·24	–	·04	–	–	·02	–	·01	·07	·01	–		21
22	–	·05	–	·09	–	–	–	·05	·08	–	·02	–		22
23	–	·01	·10	·04	–	–	–	·45	–	·39	–	·18		23
24	·03	·48	–	–	·20	–	–	1·63	·42	·08	–	·30		24
25	·08	·02	–	·15	·02	–	–	–	–	–	·03	·23		25
26	–	·30	–	–	–	–	–	·18	·05	–	–	·32		26
27	–	·37	–	–	–	–	–	·06	·14	–	·08	·38		27
28	–	·12	–	–	·16	–	–	·05	·28	–	·02	·13		28
29	–	–	–	–	·02	–	–	·14	·32	–	·01	·35		29
30	·04	×	–	·05	·05	–	–	1·05	–	·20	·53	·44		30
31	–	×	–	×	–	×	–	·05	×	·60	×	·12		31
TOTAL	·84	2·96	·97	2·95	1·24	3·23	2·26	3·76	4·16	4·66	8·22	3·07	Year's Total ~~37·82~~	38·32
* Days with .01 in. or more.	9	18	9	20	13	19	5	11	23	18	27	15	187	
* Days with .04 in. or more.	6	12	5	17	9	12	3	11	17	13	21	13	139	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Geo Whitehead

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 643

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Fawley (Cadland Cottage)

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 100 ft.

Corrected for W.D. May 23rd – Dec.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	94	01	-	-	-	-		-	-	-	~~50~~	~~14~~		1
2	04	65	-	12	-	-	-	-	02	-	50	53		2
3	03	21	02	15	-	-	-	-	05	-	-	20		3
4	10	95	-	-	-	-	-	-	-	-	-			4
5	20	05	04	-	5	-	-	-	-	-	-	28		5
6	13	10	87	09	- +	-	21	-	-	-	-			6
7	-	78	-	07	-	-	06	-	-	03	-			7
8	-	-	-	-	- +	-	13	-	-	09	-	2.84		8
9	-	02	-	25	- +	-	-	-	-	-	-	10		9
10	-	-	48	14	31 +	-	-	-	56	-	-	01		10
11	02	-	02	005/	95	40	-	-	-	-	-	50		11
12	40	27	10	24	05	14	23	-	-	-	-	03		12
13	31	-	50	10	90	-	03	16	38	-	-	30		13
14	02	06	30	50	01	38	-	03	06	-	-	80		14
15	34	20	-	43	-	-	-	33	13	-	-	03		15
16	-	07	31	18	-	-	54	-	13	-	-	20		16
17	50	04	13	-	-	11	-	58	39	-	-			17
18	24	09	-	05	-	-	-	-	0.8	-	20			18
19	16	08	03	16	-	-	-	-	-	-	16	25		19
20	50	-	15	22	-	- +	-	-	03	-	01			20
21	53	26	02	04	-	36 +	-	-	-	-	-	0.8		21
22	30	08	005/	-	14	-	-	-	01	02	02	11		22
23	10	13	-	-	-	03	21	-	-	92	80	10		23
24	34	52	-	-	14	-	11	-	-	23	20	01		24
25	15	14	50	-	03	-	-	-	02	50	-			25
26	03	46	-	-	1.0.3	-	-	-	07	12	-			26
27	-	18	-	12		-	-	-	-	16	-			27
28	15	10	-	-		-	-	-	-	36	-			28
29	10	-	-	-		-	-	-	-	10	-			29
30	37	✕	-	-		-	-	-	-	08	03			30
31	43	✕	-	✕		✕	-	-	✕	30	✕ ·14	(-)		31
TOTAL	6.43	5.45	3.48	2.87	3.56	1.42	1.52	1.10	1.93	2.91	2.06 ~~1.92~~	6.37 ~~6.51~~	Year's Total 39.1X	0 print
* Days with .01 in. or more.	25	23	15	17	12 ~~9~~	~~6~~7	8	4	13	12	8	18	~~158~~	162 GB
* Days with .04 in. or more.	21	21	10	16	10 ~~7~~	~~5~~6	7	3	9	10	5	14	~~128~~	132

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) X MAJOR DRUMMOND X

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 643

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Cadland Cottage

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ft.

Totals

Days

Corrd. for W D

Circ. C. sent 1.2.39

82

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

P. ·33

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.3	18	0.9			21				0.6	29	26		1
2		0.1				16	02		11	0.8		03		2
3										54		03		3
4					0.8		0.5			70	15			4
5	6 ~~005~~						16			19		11		5
6				0.1			30	0.6		30				6
7							05		15	03	08	0.1		7
8	0.1					6 ~~005~~	12	10	13	20		02		8
9							33	40		26		0.3		9
10	38	02								02		47		10
11	9					07						17		11
12	27										14	20		12
13	53				10		04			10				13
14	50									17	34	23		14
15	34				11		05							15
16	06	02					20			49		41		16
17	44	·09 ~~005~~	0.5					0.5		02	02	30		17
18		14	0.3		03				25	10	01			18
19	15				02	04			1.9	0.1	41			19
20								08	16		41			20
21								71	03		50			21
22	07								12		06			22
23						02		30			30	50		23
24											03	02		24
25			27						12		23			25
26	14	03	14		07		01		07	04	73			26
27	42	24			02	·01 ~~005~~			08	07				27
28	14				10	29	27			01	36	25		28
29	9				14	09		46	09			03		29
30		✕			24				04	03	24	04		30
31	05	✕		✕	04	✕			✕	03	✕	·33		31
	·18	·09	–	–	·21	–	–	–	·06	·29	·26		Year's Total	
TOTAL	3·86	·56	·49	·01	1·16	·68	1·60	2·16	1·60	3·70	4·27	3·~~46~~ 53	23·62	
* Days with .01 in. or more.	17	8	4	1	12	7	12	8	14	21	17	18	139	
* Days with .04 in. or more.	16	3	3	0	9	5	10	8	13	18	14	11	106	

3.86

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Major C. Drummond

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 643

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Lockland Cottage

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

,, Ground ,, Sea Level ...... ft.

WD ✓

Total ✓

Days ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	33		21				0,5		02		50			1
2			04	12	0,5				08		60	04		2
3				10	08			122	40		03	01		3
4	39			42				10			25	58		4
5	0,1		37	06	0·6		44	21		76	15			5
6			05	13	15		12			29	50	07		6
7	34		14				43	02			40			7
8		21				04	04	03			12	38		8
9		14	11					04		58	20	16		9
10	0·4	005					02	16		22	07	20		10
11	16							18	15	29	14			11
12			20			03				98				12
13						04				17	04			13
14				0,4			36			142	01	~~07~~		14
15	25				02	06	13			40	56	~~04~~ (1·3)		15
16	75				37	53			04	23	36	04		16
17	35		01	0,9	16	13	29			10	32			17
18	14	05	01		08		13			97	0,6			18
19	0·6				05		92				64			19
20	30						35					04		20
21	46						0,1	02						21
22	10	16	06			09	04							22
23	25	18				11	17				15			23
24				22			02				100			24
25	46			12			11							25
26	52	16	02	0,5		20				10	33			26
27								04		07	43	04		27
28		09	04	0,2		0,8					17			28
29			02			0,2	06				20	17		29
30		✕	05	03			13			19	04			30
31		✕		✕		✕			✕	10	✕	07		31
TOTAL	4·58 ~~4·91~~	1·20 ~~·99~~	1·12 ~~1·33~~	1·40	1·02	1·38 ~~1·33~~	3·57 ~~3·62~~	2·04 ~~2·02~~	·67 ~~·64~~	7·39 ~~6·89~~	6·87 ~~7·37~~	1·93	Year's Total 35·17 ~~33·50~~	✓ ✓
* Days with .01 in. or more.	16 ~~17~~	~~7~~ 8	~~14~~ 13	12	9	~~11~~ 12	~~19~~ 18	~~10~~ 11	~~5~~ 4	~~16~~ 17	~~25~~ 24	~~14~~ 13	15~~7~~8	
* Days with .04 in. or more.	15 ~~16~~	~~7~~ 8	~~10~~ 9	10	8	~~9~~ 10	~~16~~ 15	7	4	~~16~~ 17	~~23~~ 22	~~13~~ 12	13~~7~~8	

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 643

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at CADLAND COTTAGE

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ft.

Days totals

WD. Circ C sent 30/1/41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·25

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			31		05						53			1
2											09			2
3		14		06								03		3
4		23								12	152	42		4
5		35					03			24	06	07		5
6							08				75	31		6
7	45	32					47			51	10	08		7
8	18,	31							13					8
9							04		13	29	03	22		9
10									05	40	21	29		10
11							110			21	07	04		11
12		04									126			12
13			17				28		24		02			13
14			45						17		158			14
15			20	09			34		06	28	"	47		15
16							54		12	01	108			16
17		44	26	06					13	58	143	02		17
18			60				04		01					18
19		37	20	21			26		19	28	02	10		19
20		07	13	10			08		48		34			20
21			05						02	20	03			21
22				04			03				25			22
23			03	03		1-8			05					23
24		09	17								06			24
25							24							25
26			56	02			02							26
27	120	28	14				04							27
28	50	19			35		07			02				28
29	46	02			10									29
30	42	✕	17	19	07							25		30
31	-	✕ .31	02	✕ .05	-	✕	-	-	✕	32 .53	✕	05 .25		31
													Year's Total	
TOTAL	3·21	3·36	3·55	·85	·52	1·80	3·66	—	1·68	3·99	10·00	2·60	35·22	
* Days with .01 in. or more.	6	14	14	10	3	1	16	—	13	14	18	14	123	
* Days with .04 in. or more.	6	13	12	8	3	1	13	–	10	12	14	12	104	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) T. Hosey.

[P.T.O.

644

Section **A** for the e

AIR M

Form 1090.

RE

Kept at Deerhu

in the County of H

Diameter of Funnel of Ga

Height of top of Gauge abov

,, Ground ,,

THE MORNING

An observer who does not co
year in the space on the ri

644

DEERHURST LYNDHURST

1931 - 1932

78 01 13

Y FOR OFFICIAL USE.
ORGANIZATION.

ving

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.01	-	.21		.33	-	-	.12	-			1
2	.25		-	.40		-	-	-	.64	-		.14	2
3	.11		-	.03	.09	-	.01	.12	.27	-	.27	.14	3
4	-		.65	-	-	-	.22	.10	.05	-	.26	-	4
5	-	.25	.06	.13	.01	.42	.17	.91	-	-	.25	-	5
6	-	.16	-	.23	-	.10	-	-	-	.54	.29	.11	6
7	-		-	-	.25	.14	-	1.04	-	-	.38	-	7
8	-	.28	-	.08	.08	.21	.35	.04	-	-	.10	.05	8
9	-	.19	-	.02	-	.12	-	-	-	-	.60	-	9
10	-	-	-	-	-	.17	-	.02	-	-	.24	-	10
11	.16	.41		-	-	.02	-	.01	.05	-	.25	-	11
12	-	.01		-	-	-	.23	-	.11	-	-	-	12
13	-	-	.01	-	-	-	.05	.02	-	-	-	-	13
14	-	.07		.01	-	-	.89	.43	-	-	.01	-	14
15	-	.03		-	.10	-	.28	.50	-	-	-	.03	15
16	-	-		.07	-	30		.17	.18	-	-	-	16
17	-	.15		.08	-	-	.17	1.19	.10	-	-	-	17
18	.02	-	.03	.02	-	40	-	-	-	-	.30	-	18
19	.15	-		.10	-	02	-	.27	-	-	-	-	19
20	-	.20	.18	-	-	-	-	.62	-	-	-	-	20
21	.07	-	.01	-	.41	-	-	-	-	-	-	-	21
22	.35	-	.15	-	-	-	-	-	-	-	-	-	22
23	.25	.05	-	.11	39	.01	-	-	-	-	.30	-	23
24	.04	-	-	.38	15	.34	.33	.58	-	-	-	-	24
25	.11	-	-	.31	-	-	.14	-	-	-	.16	-	25
26	-	-	-	-	-	-	.34	-	-	-	.27	-	26
27	.31	.42	-	-	.95	-	.21	-	-	-	.07	-	27
28	.29	.05	-	.19	.02	-	.10	-	-	.01	-	.10	28
29	.07	-	-	-	.07	-	-	-	-	.08	.07	-	29
30	.02	×	-	.01	-	-	-	.09	.06	-	.02	-	30
31	.43	×	-	×	-	×	.03	-	×	-	×	0.5	31 d.
TOTAL	2.63	2.28	1.09	2.38	2.52	2.58	3.52	5.81	1.58	.63	3.84	.62	YEAR'S TOTAL 29.48
*Days with ·01 in. or more.	~~15~~	~~14~~	~~7~~	~~17~~	~~11~~	~~13~~	~~15~~	~~16~~	~~9~~	~~3~~	~~17~~	~~7~~	~~144~~
*Days with ·04 in. or more.	13	11	4	11	9	10	13	13	9	2	15	6	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ralph Paget.

[P.T.O.

644

Section **A** for the entry of Daily Observations. Y FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Deerhurst. Lyndhurst

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 150 ft. 250'

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.01	-	.21		.33	-	-	.12	-			1
2	.25		-	.40		-	-	-	.64	-		.14	2
3	.11		-	.03	.09	-	.01	.12	.27	-	.27	.14	3
4	-		.65	-	-	-	.22	.10	.05	-	.26	-	4
5	-	.25	.06	.13	.01	.42	.17	.91	-	-	.25	-	5
6	-	.16	-	.23	-	.10	-	-	-	.54	.29	.11	6
7	-		-	-	.25	.14	-	1.04	-	-	.38	-	7
8	-	.28	-	.08	.08	.21	.35	.04	-	-	.10	.05	8
9	-	.19	-	.02	-	.12	-	-	-	-	.60	-	9
10	-	-	-	-	-	.17	-	.02	-	-	.24	-	10
11	.10	.41		-	-	.02	-	.01	.05	-	.25	-	11
12	-	.01		-	-	-	.23	-	.11	-	-	-	12
13	-	-	.01	-	-	-	.05	.02	-	-	-	-	13
14	-	.07		.01	-	-	.89	.43	-	-	.01	-	14
15	-	.03		-	.10	-	.28	.50	-	-	-	.03	15
16	-	-		.07	-	30	-	.17	.18	-	-	-	16
17	-	.15		.08	-	-	.17	1.19	.10	-	-	-	17
18	.02	-	.03	.02	-	40	-	-	-	-	.30	-	18
19	.15	-		.10	-	02	-	.27	-	-	-	-	19
20	-	.20	.18	-	-	-	-	.52	-	-	-	-	20
21	.07	-	.01	-	.41	-	-	-	-	-	-	-	21
22	.35	-	.15	-	-	-	-	-	-	-	-	-	22
23	.25	.05	-	.11	39	.01	-	-	-	-	.30	-	23
24	.04	-	-	.38	15	.34	.33	.58	-	-	-	-	24
25	.11	-	-	.31	-	-	.14	-	-	-	.16	-	25
26	-	-	-	-	-	-	.34	-	-	-	.27	-	26
27	.31	.42	-	-	.95	-	.21	-	-	-	.07	-	27
28	.29	.05	-	.19	.02	-	.10	-	-	.01	-	.10	28
29	.07	-	-	-	.07	-	-	-	-	.08	.07	-	29
30	.02	×	-	.01	-	-	-	.09	.06	-	.02	-	30
31	.43	×	-	×	-	×	.03	-	×	-	×	0.5	31 d.
TOTAL	2.63	2.28	1.09	2.38	2.52	2.58	3.52	5.81	1.58	.63	3.84	.62	YEAR'S TOTAL 29.48
*Days with ·01 in. or more.	~~15~~	~~14~~	~~7~~	~~17~~	~~11~~	~~13~~	~~15~~	~~16~~	9	3	~~17~~	~~7~~	~~[illegible]~~
*Days with ·04 in. or more.	13	11	4	11	9	10	13	13	9	2	15	6	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ralph Paget.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 644

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Deerhurst. Lyndhurst

in the County of Southampton

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. in.

" Ground " Sea Level ft.

da/po

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12			.10	.97	-	-	-	-	-	.04		1
2				.27	.19	-	.10	.10	.04	-		.38	2
3				.23	-	.10	-	-	.45	-	-		3
4				-	-	.24	-	-	.17	-	-		4
5	.32			.18	-	-	.04	-	-	-	-		5
6	.40			-	-	-	-	-	.25	-			6
7	-		.02	-	.14	-	.40	-	.76	.55	-		7
8	-		.26	.06	.22	-	-	-	-	.07	.04	-	8
9	.19			.16	.02	-	-	-	-	-	19		9
10	.32			.26	.10	.07	-	-	-	.21	-		10
11				-	.01	-	-	-	.01		-		11
12	.60				-	-	-	-	.07	.21	-		12
13				.33	.11	-	.20	.05	-	.78	-		13
14	.10			.08	.05	-	-	.05	-	.02	.07	-	14
15	.15			.03	.48	-	-	-	-	.02	-		15
16				.15	-	-	-	-	-	-	-		16
17	.03			-	-	-	-	-	-	-	-		17
18	.04			-	.12	-	-	-		.44	.18		18
19				-	-	-	-	-	.09	.44	-	.05	19
20			.14	-	.26	-	-	.27	-	1.00	.20	.05	20
21			.14	.05	.74	-	-	.01	-	.36	.07		21
22			.10	.14	.11	-	-	-	.69	.22	.29		22
23				-	.12	-	.48	-	.08	63		14	23
24		.13		-	.02	-	.81	-	.17	.45	.01		24
25				-	-	-	.38	-	.02	.45	.09		25
26				.06	-	-	.05	-	-	.09	-		26
27			.47	.39	.14	.05	.01	-	-	.50			27
28			.27	.02	.01	-	.23	-	-	.25	-	.12	28
29		~~.13~~		.23	.30	-	-	.31	.40	-	.11	.15	29
30		×	.20	.40	-	1.60	.08	-	.62	-	.85	.25	30
31	2.27	×	.05	×	-	×	-		×	-	×	.19	31
TOTAL	2.27	.13	1.65	3.14	4.11	2.06	2.78	.79	3.82	6.69	2.14	1.33	YEAR'S TOTAL 30.91
*Days with ·01 in. or more.	10 ~~1~~	~~1~~	9 ~~1~~	18 ~~2~~	19 ~~4~~	~~5~~	11 ~~01~~	6 ~~1~~	14 ~~2~~	18 ~~2~~	12 ~~1~~	8	~~15~~ 131
*Days with ·04 in. or more.	9 8	1	8	16	15	5	10	5	12	16	11	8	11~~5~~6

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ralph Paget

P.T.O.

645

Section **A** for the
AIR M

PY FOR OFFICIAL USE,
ORGANIZATION.

FORM 1090. **R**

Kept at ALLUM GRE

in the County of

Diameter of Funnel of G
Height of top of Gauge ab
,, Ground ,,

THE MORNING

An observer who does not c
year in the space on the r

owing

Jan. 1, following

645

ALLUM GREEN LYNDHURST

1931 ONLY

780113

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·1	—	·18	—	·46	—	·2	·18	—	—	·1	1
2	·25	·7	—	·61	—	—	—	·9	·67	—	·2	·14	2
3	·10	—	·62	·5	—	—	·3	·6	·30	—	·25	·25	3
4	—	—	·16	—	·8	—	·26	·14	·9	·4	·22	—	4
5	—	·19	—	·16	·3	·44	·3	·82	—	·52	·24	·11	5
6	—	·16	—	·26	·2	·11	·13	—	—	·4	·25	·3	6
7	—	—	—	—	·25	·23	·41	1·5	—	—	·42	·1	7
8	—	·28	—	·8	·8	·32	·12	·8	—	—	·11	·8	8
9	—	·27	—	·3	—	·10	—	—	—	—	·75	·1	9
10	—	·4	—	—	—	·26	·5	·3	—	—	·39	—	10
11	·18	·38	—	—	·3	·3	·19	—	·7	—	·30	—	11
12	—	·3	—	—	—	—	·5	—	·13	—	—	—	12
13	—	—	—	—	—	—	—	·5	—	—	—	—	13
14	—	·18	—	—	—	·2	1·27	·45	—	—	·1	—	14
15	·2	·4	—	·3	·13	—	·30	·31	·2	—	—	·5	15
16	—	·5	—	·6	·20	·26	—	—	·17	—	—	—	16
17	—	·15	—	·10	—	·1	·18	—	·13	—	—	—	17
18	·5	—	·3	·3	—	·12	·2	1·22	—	—	·33	—	18
19	·11	—	—	·15	—	·40	~~·4~~	·21	—	—	·1	—	19
20	—	·23	·14	—	—	—	—	·59	—	—	·3	—	20
21	·7	—	—	—	·29	—	—	—	—	—	—	—	21
22	·42	—	·15	—	·1	—	—	—	—	—	·2	—	22
23	·39	—	—	·14	·45	·3	—	—	—	—	·35	—	23
24	·6	—	—	·44	·23	·38	·34	·62	—	—	—	·2	24
25	·12	—	—	·35	—	—	·15	—	—	—	·17	·1	25
26	—	·3	—	·15	—	—	·38	—	—	—	·35	—	26
27	·31	·41	—	—	1·12	—	·25	—	—	—	·9	—	27
28	·18	·7	—	·7	·8	—	—	—	—	·2	—	·14	28
29	·5		—	—	·8	—	·12	·2	—	·8	·8	—	29
30	·4	×	·2	·1	—	—	·3	·6	·8	—	·3	—	30
31	·54	×	—	×	·18	×	·3	—	×	—	×	·5	31
TOTAL	2·89	2·59	1·12	2·90	3·26	3·17	4·34	5·82	1·84	·68	4·32	·91	YEAR'S TOTAL 33·84
*Days with ·01 in. or more.	16	17	6	18	16	15	20	17	10	4	21	13	~~153~~ 173
*Days with ·04 in. or more.	15	15	4	14	12	11	15	14	9	4	15	7	~~126~~ 135

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) S. R. Fenwick

P.T.O.

645

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at ALLUM GREEN, LYNDHURT

in the County of HANTS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·1	—	·18	—	·46	—	·2	·18	—	—	·1	1
2	·25	·7	—	·61	—	—	—	·9	·67	—	·2	·14	2
3	·10	—	·62	·5	—	—	·3	·6	·30	—	·25	·25	3
4	—	—	·16	—	·8	—	·26	·14	·9	·4	·22	—	4
5	—	·19	—	·16	·3	·44	·3	·82	—	·52	·24	·11	5
6	—	·16	—	·26	·2	·11	·13	—	—	·4	·25	·3	6
7	—	—	—	—	·25	·23	·41	1·5	—	—	·42	·1	7
8	—	·28	—	·8	·8	·32	·12	·8	—	—	·11	·8	8
9	—	·27	—	·3	—	·10	—	—	—	—	·75	·1	9
10	—	·4	—	—	—	·26	·5	·3	—	—	·39	—	10
11	·18	·38	—	—	·3	·3	·19	—	·7	—	·30	—	11
12	—	·3	—	—	—	—	·5	—	·13	—	—	—	12
13	—	—	—	—	—	—	—	·5	—	—	—	—	13
14	—	·18	—	—	—	·2	1·27	·45	—	—	·1	—	14
15	·2	·4	—	·3	·13	—	·30	·31	·2	—	—	·5	15
16	—	·5	—	·6	·20	·26	—	—	·17	—	—	—	16
17	—	·15	—	·10	—	·1	·18	—	·13	—	—	—	17
18	·5	—	·3	·3	—	·12	·2	1·22	—	—	·33	—	18
19	·11	—	—	·15	—	·40	·4	·21	—	—	·1	—	19
20	—	·23	·14	—	—	—	—	·59	—	—	·3	—	20
21	·7	—	—	—	·29	—	—	—	—	—	—	—	21
22	·42	—	·15	—	·1	—	—	—	—	—	·2	—	22
23	·39	—	—	·14	·45	·3	—	—	—	—	·35	—	23
24	·6	—	—	·44	·23	·38	·34	·62	—	—	—	·2	24
25	·12	—	—	·35	—	—	·15	—	—	—	·17	·1	25
26	—	·3	—	·15	—	—	·38	—	—	—	·35	—	26
27	·31	·41	—	—	1·12	—	·25	—	—	—	·9	—	27
28	·18	·7	—	·7	·8	—	—	—	—	·2	—	·14	28
29	·5		—	—	·8	—	·12	·2	—	·8	·8	—	29
30	·4	×	·2	·1	—	—	·3	·6	·8	—	·3	—	30
31	·54	×	—	×	·18	×	·3	—	×	—	×	·5	31
TOTAL	2·89	2·59	1·12	2·90	3·26	3·17	4·34	5·82	1·84	·68	4·32	·91	YEAR'S TOTAL 33·84
*Days with ·01 in. or more.	16	17	6	18	16	15	20	17	10	4	21	13	~~173~~ 173
*Days with ·04 in. or more.	15	15	4	14	12	11	15	14	9	4	15	9	~~126~~ 135

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) S. R. Fenwick

P.T.O.

Lat 50

646

Section **A** for the entr

AIR MINIS

FORM 1090.

REG

646

DIBDEN HOUSE HYTHE

SOUTHAMPTON

1931 1935

780113

OFFICIAL USE.

ANIZATION.

Kept at Dibden H

in the County of S

Diameter of Funnel of Gauge....

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA

An observer who does not conform
year in the space on the right of

Jan. 1, following

Date	Jan.	Feb.	Marc									Dec.	*Date*
	in.	in.	in.									in.	
1	—	·03	—									—	1
2	·23	·03	—	·72	—	—	-tr-	·07	·36	·01	—	·16	2
3	·12	—	·55	·03	·07	—	·01	·08	·68	—	·03	·17	3
4	—	—	·05	—	·07	—	·25	·31	·19	·04	·40	—	4
5	—	·14	—	·11	·04	·58	·11	-tr-	·03	—	·04	·15	5
6	—	·15	—	·21	·02	·15	·08	·40	—	·54	·82	·03	6
7	—	—	—	-tr-	·21	·22	·06	—	—	·02	·33	·01	7
8	—	·26	—	·06	·18	·29	·16	·07	—	—	·12	—	8
9	—	·26	snow ·01	—	—	·10	-tr-	—	—	—	·76	—	9
10	·04	·09	—	—	—	·18	·04	·02	—	fog ·01	·41	·01	10
11	·08	·42	—	—	·01	·01	—	-tr-	·06	—	·30	-tr-	11
12	-tr-	·01	—	—	—	—	·09	-tr-	·24	—	—	—	12
13	—	—	—	—	—	—	·05	—	—	—	—	—	13
14	—	·17	—	—	—	·02	·99	·28	-tr-	—	·01	—	14
15	·03	—	—	·03	·12	—	·38	·15	·02	—	—	·02	15
16	—	—	—	·07	·19	·33	·02	-tr-	·25	—	—	—	16
17	—	·18	—	·06	—	—	·15	—	-tr-	—	—	—	17
18	·05	—	·08	·02	—	·10	·04	1·30	—	—	·41	—	18
19	·09	-tr-	—	·13	—	·11	·03	·31	—	—	-tr-	—	19
20	—	·12	·16	-tr-	—	—	—	-tr-	—	—	·02	—	20
21	·05	—	—	—	·20	—	—	—	—	—	—	—	21
22	·49	—	—	·05	-tr-	—	—	—	—	—	·01	—	22
23	·32	—	·29	·12	·42	—	—	—	—	—	·35	·04	23
24	·07	·01	—	·58	·07	·50	·42	·45	—	—	·01	·05	24
25	·08	—	·01	·40	·05	—	·09	—	—	—	·10	·01	25
26	·20	-tr-	—	·12	—	—	·29	—	—	—	·38	—	26
27	—	·38	—	·08	1·08	—	·22	—	—	—	·04	·01	27
28	·09	·10	—	—	·04	—	—	—	—	—	—	·05	28
29	·06	—	—	—	·11	—	·09	·01	—	—	·04	—	29
30	·02	×	—	—	—	—	·02	—	·04	—	·02	-tr-	30
31	·38	×	—	×	·21	×	·02	—	×	—	×	·04	31
TOTAL	2·40	2·35	1·15	3·00	3·09	2·72	3·61	3·36	2·10	·62	4·10	·75	YEAR'S TOTAL 29·25
*Days with ·01 in. or more.	17	15	7	17	17	13	22	13	10	5	20	13	169
*Days with ·04 in. or more.	15	11	5	14	15	11	17	10	8	2	14	7	129
40-9999	2·40	4·75	5·90	8·90	11·99	14·71	18·32	21·68	23·78	24·40	28·50	29·25	

M

*See Instruction 2 (*f*) on other side.

(Signed) H W Kettlewell Lt Col.

[P.T.O.

Lat 50 646

Section **A** for the entry of Daily Observations. 6615605/6 FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Dibden House, Hythe

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 80 ft.

?

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·03	—	·21	—	·13	—	·01	·23	-tr-	—	—	1
2	·23	·03	—	·72	—	—	-tr-	·07	·36	·01	—	·16	2
3	·12	—	·55	·03	·07	—	·01	·08	·68	—	·03	·17	3
4	—	—	·05	—	·07	—	·25	·31	·19	·04	·40	—	4
5	—	·14	—	·11	·04	·58	·11	-tr-	·03	—	·04	·15	5
6	—	·15	—	·21	·02	·15	·08	·40	—	·54	·32	·03	6
7	—	—	—	-tr-	·21	·22	·06	—	—	·02	·33	·01	7
8	—	·26	—	·06	·18	·29	·16	·07	—	—	·12	—	8
9	—	·26	snow ·01	—	—	·10	-tr-	—	—	—	·76	—	9
10	·04	·09	—	—	—	·18	·04	·02	—	fog ·01	·41	·01	10
11	·08	·42	—	—	·01	·01	—	-tr-	·06	—	·30	-tr-	11
12	-tr-	·01	—	—	—	—	·09	-tr-	·24	—	—	—	12
13	—	—	—	—	—	—	·05	—	—	—	—	—	13
14	—	·17	—	—	—	·02	·99	·28	-tr-	—	·01	—	14
15	·03	—	—	·03	·12	—	·38	·15	·02	—	—	·02	15
16	—	—	—	·07	·19	·33	·02	-tr-	·25	—	—	—	16
17	—	·18	—	·06	—	—	·15	—	-tr-	—	—	—	17
18	·05	—	·08	·02	—	·10	·04	1·30	—	—	·41	—	18
19	·09	-tr-	—	·13	—	·11	·03	·21	—	—	-tr-	—	19
20	—	·12	·16	-tr-	—	—	—	-tr-	—	—	·02	—	20
21	·05	—	—	—	·20	—	—	—	—	—	—	—	21
22	·49	—	—	·05	-tr-	—	—	—	—	—	·01	—	22
23	·32	—	·29	·12	·42	—	—	—	—	—	·35	·04	23
24	·07	·01	—	·58	·07	·50	·42	·45	—	—	·01	·05	24
25	·08	—	·01	·40	·05	—	·09	—	—	—	·10	·01	25
26	·20	-tr-	—	·12	—	—	·29	—	—	—	·38	—	26
27	—	·38	—	·08	1·08	—	·22	—	—	—	·04	·01	27
28	·09	·10	—	—	·04	—	—	—	—	—	—	·05	28
29	·06	—	—	—	·11	—	·09	·01	—	—	·04	—	29
30	·02	×	—	—	—	—	·02	—	·04	—	·02	-tr-	30
31	·38	×	—	×	·21	×	·02	—	×	—	×	·04	31
TOTAL	2·40	2·35	1·15	3·00	3·09	2·72	3·61	3·36	2·10	·62	4·10	·75	YEAR'S TOTAL 29·25
*Days with ·01 in. or more.	17	15	7	17	17	13	22	13	10	5	20	13	169
*Days with ·04 in. or more.	15	11	5	14	15	11	17	10	8	2	14	7	129
40·9999	2·40	4·75	5·90	8·90	11·99	14·71	18·32	21·68	23·78	24·40	28·50	29·25	

M

*See Instruction 2 (*f*) on other side.

(Signed) H W Kettlewell Col.

[P.T.O.

Lat. 50° 53' 30" N. Long. 1° 26' W. 646

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Dibden House, Hythe
in the County of Southampton

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 80 ft.

?

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	—	—	·20	1·13	—	—	·40	·32	·03	·02	-tr-	1
2	-tr-	—	—	·23	·25	—	—	·07	·09	—	·02	·44	2
3	—	—	—	·17	-tr-	·12	—	—	·42	·01		·04	3
4	·03	—	—	—	—	·17	·03	—	—	—	·05	—	4
5	·47	—	—	—	—	—	·05	—	·16	—	—	—	5
6	—	—	—	·27	—	—	·23	—	·26	—	—	—	6
7	—	—	-tr-	—	·26	—	—	—	·11	·38	—	·03	7
8	—	—	·33	·06	·29	—	—	—	·63	·14	—	—	8
9	·25	—	—	·23	·14	—	—	-tr-	—	—	·08	—	9
10	·43	·03	—	·28	·08	·11	—	—	-tr-	—	·14	—	10
11	·08	—	—	·04	·01	—	·03	·03	·03	·21	—	·05	11
12	·67	·01	—	—	·02	·01	—	—	·08	·20	—	·01	12
13	·06	—	—	·29	·13	—	·37	·03	—	·82	—	·04	13
14	·11	—	—	·18	·06	—	—	·09	—	·03	—	-tr-	14
15	·07	—	—	·04	·90	—	—	—	—	·06	·16	·03	15
16	·16	—	—	·14	·04	—	·31	—	—	—	—	-tr-	16
17	·03	—	—	·05	·10	—	—	—	—	—	—	—	17
18	·04	—	—	—	—	—	·11	—	—	—	·15	—	18
19	—	—	—	—	·09	—	—	—	·06	·34	-tr-	—	19
20	—	—	—	·06	·36	—	—	·52	—	1·04	·26	·02	20
21	·01		·14	·07	·97	—	—	—	—	·46	—	·09	21
22	·02	-tr-	·09	·03	·16	—	·21	·13	·80	·20	·38	—	22
23	·02	·01	—	—	·36	·01	·20	—	·12	·98	·01	·10	23
24	·01	·04	—	—	—	—	·80	—	·14	·06	-tr-	—	24
25	—		—	—	—	—	·66	—	·03	·48	·08	Fog ·01	25
26	—		·12	·06	—	—	·06	—	—	·07	·01	—	26
27	—	—	·34	·37	·09	·05	·05	—	—	·46	—	·08	27
28	—	—	·01	·05	-tr-	·01	·21	—	—	·06	—	·02	28
29	—	—	·28	·12	·15	·17	—	·21	·50	·45	·05	·11	29
30	—	×	·07	·25	·17	1·23	·12	-tr-	·46	—	·86	·35	30
31	—	×	·20	×	—	×	—	—	×	—	×	·19	34·27. 31
TOTAL	2·58	·09	1·58	3·19	5·76	1·88	3·44	1·48	3·91	6·48	2·27	1·61	YEAR'S TOTAL ~~34·27~~
*Days with ·01 in. or more.	17	4	9	21	21	9	15	8	16	20	14	16	170
*Days with ·04 in. or more.	11	1	8	20	19	6	13	6	13	17	10	10	134
40-9999	2·58	2·67	4·25	7·44	13·20	15·08	18·62	20·10	24·01	30·49	32·76	34·37	

*See Instruction 2 (k) on other side.

M

(Signed) H W Kettlewell (Lt. Col.)

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 646

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Dibden House, Hythe

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ..... ft ..... in.

,, Ground ,, Sea Level 80 ft.

Lat 50° 53′ 30″ N. Long 1° 26′ W.

?

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14	·66	·18	—	·01	—	—	—	—	—	—	·17	1
2	31	—	·79	—	·22	—	—	—	—	—	—	—	2
3	—	·12	·45	—	—	—	—	—	—	—	—	—	3
4	·44	·11	·03	—	·28	—	—	—	—	—	—	—	4
5	·11	-tr-	·49	—	—	—	—	—	—	—	—	—	5
6	—	·22	·01	—	·25	—	—	—	—	·07	·04	—	6
7	·04	-tr-	·02	—	·37	—	—	—	—	·18	—	—	7
8	·01	—	·01	—	·01	—	·44	—	—	·01	·03	—	8
9	—	·05	—	—	—	—	·33	—	—	·23	·01	—	9
10	-tr-	-tr-	—	—	·03	—	·08	—	—	·27	—	—	10
11	·27	—	—	—	—	·26	-tr-	·03	—	—	—	—	11
12	—	—	—	·05	·02	—	·11	-tr-	107	—	—	—	12
13	·08	—	—	—	·05	·02	·41	·02	·01	·05	·05	—	13
14	—	—	—	—	—	—	·15	·08	—	·27	·50	—	14
15	·66	—	·38	—	—	—	·04	·30	—	·08	—	—	15
16	—	·02	·77	—	—	·15	—	—	·02	—	—	—	16
17	—	-tr-	·31	—	—	·07	—	—	·23	tr	—	—	17
18	·21	·01	·11	—	—	·24	—	04	·01	—	·01	—	18
19	—	—	·10	—	—	—	—	·01	·94	—	·12	·07	19
20	—	·04	—	—	—	·06	—	—	·40	—	·01	—	20
21	—	—	—	—	—	·03	—	·11	·01	·02	—	—	21
22	—	—	—	—	—	·23	—	·35	·03	·23	—	—	22
23	—	·04	—	·33	—	·11	—	—	·40	·40	—	—	23
24	—	·79	—	·22	—	-tr-	—	—	·03	·02	—	—	24
25	—	·96	—	30	-tr-	—	·01	—	·06	—	—	·09	25
26	—	·66	—	·13	·20	—	—	—	·04	·06	—	-tr-	26
27	—	—	—	—	·17	—	·01	—	·01	·10	—	·30	27
28	—	—	—	·02	—	—	34	—	—	·02	—	·03	28
29	·09	—	—	·06	·07	—	·02	—	·01	·05	—	·03	29
30	·02	×	·10	—	—	—	·07	—	·05	—	—	·13	30
31	·18	×	·10	×	—	×	—	—	×	—	×	—	31
TOTAL	2·56	3·68	3·85	1·11	1·68	1·17	2·01	·94	3·32	2·06	·77	·82	YEAR'S TOTAL 23·97
*Days with ·01 in. or more.	13	12	15	7	12	9	12	8	16	16	8	7	135
*Days with .04 in. or more.	11	10	11	6	8	7	9	5	8	12	4	6	97
40-9999	2·56	6·24	10·09	11·20	12·88	14·05	16·06	17·00	20·32	22·38	23·15	23·97	

*See Instruction 2 (*f*) on other side.

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 646

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Dibden House, Hythe

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11½ in.

,, Ground ,, Sea Level 80 ft.

Lat. 50° 53' 30" N. Long. 1° 26' W

?

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
4.1	·16	—	—	—	—	·06	—	·47	·05	·14	—	·96		1
1.2	·05	—	·08	·04	·16	·02	—	—	1·07	·26	·05	·25		2
2.3	·20	·03	—	—	—	—	—	-tr-	-tr-	·31	—	·23		3
3.4	·07	—	·14	·10	·13	—	—	—	—	·05	—	·35		4
5	·01	—	-tr-	—	—	—	—	·38	—	·04	—	·51		5
6	·03	—	·38	—	·19	-tr-	—	·03	—	·29	·34	·80		6
7	·08	—	—	·03	—	·03	—	·25	—	·11		·54		7
8	—	—	—	—	·31	—	—	—	·29	—	·52	·04		8
9	·08	—	·17	—	—	—	—	—	—	—	·98	·44		9
10	·14	·01	·29	·24	—	—	—	—	—	—	·60	·11		10
11	·81	—	·40	·36	—	—	·11	·14	—	—	-tr-	·34		11
12	·01	·01	·05	—	—	—	·02	·12	—	—	·08	·32		12
13	·38	—	·06	·14	—	—	·24	·05	—	—	·08	·41		13
14	·10	—	·48	—	—	—	—	—	—	·03	·06	·52		14
15	-tr-	—	·04	—	·10	—	—	—	·01	·16	·11	·61		15
16	·30	-tr-	·46	—	—	—	—	—	·03	·05	—	·11		16
17	·10	—	·01	·01	·01	—	—	—	·07	—	·01	·38		17
18	·04	—	·19	·25	—	—	—	—	·33	—	—	·44		18
19	—	—	·37	·13	—	·04	—	·03	·09	·02	—	·17		19
20	—	—	·06	·19	-tr-	-tr-	·12	—	·01	—	·01	-tr-		20
21	—	·02	-tr-	·12	—	·12	·03	·05	—	·12	—	·01		21
22	—	·01	—	—	—	—	—	·14	·38	—	—	·14		22
23	—	·01	—	·30	—	·51	—	·19	·03	·02	—	·01		23
24	·01	·03	·07	·14	—	·05	—	·10	·13	—	—	—		24
25	·44	—	·25	·13	—	·02	·55	—	—	—	—	·84		25
26	·01	—	—	·04	—	·29	—	—	·15	·13	—	·10		26
27	—	—	—	—	—	·06	—	—	—	—	—	·36		27
28	—	—	—	—	—	·15	—	1·14	—	—	—	·50		28
29	·01	—	—	—	—	—	—	·45	·10	—	·01	·01		29
30	·09	×	—	—	—	—	—	·20	·12	—	—	·34		30
31	·05	×	—	×	—	×	·01	-Tr.-	×	·02	×	·01		31
TOTAL	3·17	·12	3·50	2·22	·90	1·35	1·08	3·74	2·86	1·75	2·85	9·85	Year's Total 33·39	
*Days with ·01 in. or more.	22	7	17	15	6	11	7	15	15	15	12	29	171	
*Days with ·04 in. or more.	16	×	16	13	5	8	4	13	11	11	9	25	131	
		3·29	6·79	9·01	9·91	11·26	12·34	16·08	18·94	20·69	23·54	33·39		

40-9999

† Spare column, no entries required.

*See Instruction 2 (f) on other side.

(Signed) H W Cottewell Lt. Col.

P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 646

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935

Kept at Dibden House, Hythe
in the County of Southampton
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 1 1½ in.
,, Ground ,, Sea Level 80 ft.

Lat. 50° 53′ 30″ N
Long. 1° 26′ W.

Bmth

Sept. partly estimated then

X 661560/26 X

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02		·23		·04	·13	2·27		·13					1
2			–			·14			·04					2
3			10			·03			·30					3
4		·15	–	·05		·27								4
5		·35	·22	·08		·01								5
6	tr	·04		·32		1·22								6
7				·31		·04								7
8				·34		–			·21					8
9	·14			·28		·92			·26					9
10	·14		·18	·01		·06								10
11	·28	·04	·01	·23		·26								11
12	·02	·07				·38		·01						12
13	·04	·14			·05	·17			·11					13
14		·01		·11		·03			–					14
15		·12		·61		·02			·21					15
16		·06	·07	·17		·21			·61					16
17		–		·06	·04	·28		·03	·09					17
18		·03		·28	·08	·04	·14	·01	·55					18
19		–		·05	·30	·04	·15		·08					19
20		·54					·07		·03					20
21		·36		·09			·02		–					21
22		·06						·05	·05					22
23		·13	·10		·05			·47	·02					23
24	·04	·64						1·22	·40					24
25	·10	·08		·16				–	–					25
26		·45			·16	·01		·25	·05					26
27		·37			–			·04	·12					27
28		·06			·06			·02	×					28
29		–			·18			·14	(·65) ×					29
30	·03	×		·09				·91	–		Moved to East Harptree Som/1			30
31		×		×		×		·05	×	#	×			31
TOTAL	·81	3·70	·91	3·24	·96	4·26	2·65	3·20	(3·91)				Year's Total imp	
*Days with ·01 in. or more.	9	19	7	17	9	19	5	12	(19)				–	
*Days with .04 in. or more.	6	18	6	16	9	14	4	8	(17)				–	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Lt. Col.

[P.T.O.

646/7

MINSTEAD "FURZEY"

1935 -1940

78 01 13

Section **A** for the e
AIR M

ion No. 646/7
RGANIZATION.

11/Hants/4

FORM 1090. **RE**

Kept at (FURZ

in the County of

Diameter of Funnel of G
Height of top of Gauge ab
,, Ground ,,

THE MORNING M

An observer who does not c *lowing year in the space on the* r

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·01	·27	[illegible]	·08	·12	·61		·09	·31	·21			1
2						~~·08~~			·04	·48	·03			2
3			·15			·05			·11	·76	·25	·03		3
4		·18		·07		·32			·11	·35	·10	·30		4
5		·30	·17	·11		·05			·23	·02	·05	·03		5
6			·05	·35		1·49					·19			6
7				·34		·04				·15	·35	·15		7
8				·34						·60	·66	·01		8
9	·16			·40		·87			·31	1·06	·86			9
10	·08		·15	·32		·11					·10			10
11	·24	·03		·46		·19				·23	·65			11
12	·04	·14				·41		·01	·12		·50			12
13		·20		·21	·05	·11				·02	·10			13
14		·14		·05	·02	·07			·04	·02	·41	·27		14
15				·73		·12			·32		·66	·14		15
16		·05	·16	·30		·26			·67	·04	1·54			16
17				·10		·29		·10	·04		·13			17
18		·09		·36		·04			·53	·04	·04			18
19		·03		·08	·34	·05	·40		·12	·09	·23			19
20		·69		·19			·09				·82			20
21		·44		·14						·06	·01			21
22		·11	·01					·10			·01			22
23		[illegible]	·23		·03			·21		·84		·30		23
24	·09	1·11		~~·45~~	·15			1·57	·55	·24	—	·44		24
25	·10	·18		·15		·04						·40		25
26		·40				·03		·20	·07			·80		26
27		·56						·05	·17		·13	·62		27
28		·15			·14			·03	·27		·01	·25		28
29			·02					·04	·31			·70		29
30	·03	×		·07	·34			1·10	·03	·31	·50	~~·55~~ 50		30
31		×		×		×		·03	×	1·17	×	·33		31 O.K. [illegible]
													Year's Total.	
TOTAL	·76	4·81	1·21	4·74	1·15	4·74	1·10	3·44	4·13	6·79	8·54	5·27	46·68	✓
* Days with .01 in. or more.	8	18	9	19	8	20	3	11	19	19	25	16	175	✓
* Days with .04 in. or more.	6	15	7	19	6	19	3	8	18	16	21	13	151	✓

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) X B H Dalrymple Esq X

B.H. DALRYMPLE

[P.T.O.

Section **A** **for the entry of Daily Observations.** **Station No.** 646/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

11/Hants 74

Kept at (FURZEY), Minstead

in the County of Hants

Diameter of Funnel of Gauge 5 in. fine

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 280 ft.

48889/36 107.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·01	·27	~~[illegible]~~	·08	·12	·61		·09	·31	·21			1
2						~~·08~~			·04	·48	·03			2
3			·15			·05			·11	·76	·25	·03		3
4		·18		·07		·32			·11	·35	·10	·30		4
5		·30	·17	·11		·05			·23	·02	·05	·03		5
6			·05	·35		1·49					·19			6
7				·34		·04				·15	·35	·15		7
8				·34						·60	·66	·01		8
9	·16			·40		·87			·31	1·06	·86			9
10	·08		·15	·32		·11					·10			10
11	·24	·03		·46		·19				·23	·65			11
12	·04	·14				·41		·01	·12		·50			12
13		·20		·21	·05	·11				·02	·10			13
14		·14		·05	·02	·07			·04	·02	·41	·27		14
15				·73		·12			·32		·66	·14		15
16		·05	·16	·30		·26			·67	·04	1·54			16
17				·10		·29		·10	·04		·13			17
18		·09		·26		·04			·53	·04	·04			18
19		·03		·05	·34	·05	·40		·12	·09	·23			19
20		·69		·19			·09				·82			20
21		·44		·14						·06	·01			21
22		·11	·01					·10			·01			22
23		~~[illegible]~~	·23		·03			·21		·84		·30		23
24	·09	1·11		~~·45~~	·15			1·57	·55	·24	—	·44		24
25	·10	·18		·15		·04						·40		25
26		·40				·03		·20	·07			·80		26
27		·56						·05	·17		·13	·62		27
28		·15			·44			·03	·27		·01	·25		28
29			·02					·04	·31			·70		29
30	·03	×		·07	·34			1·10	·03	·31	·50	~~·55~~	50	30
31		×		×		×		·03	×	1·17	×	·33		31 o.k.
TOTAL	·76	4·81	1·21	4·74	1·15	4·74	1·10	3·44	4·13	6·79	8·54	5·27	Year's Total. 46·68 ✓	
* Days with .01 in. or more.	8	18	9	19	8	20	3	11	19	19	25	16	175 ✓	
* Days with .04 in. or more.	6	15	7	19	6	19	3	8	18	16	21	13	151 ✓	

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) X B H Dalrymple Esq X

B. H. DALRYMPLE

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 646/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Furzey Minstead

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level circa 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

	Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
	1	·20	·12	·01	·49		·40	·21				·13	·04		1
	2	·01	·04		·02		·16	·05	·11			·02			2
	3				·33		·04	·03	·04	·55		·51			3
	4			·18			·02			·28		·20	·04		4
	5	·48		·02					·03	·20			·09		5
	6	·47				·14	·03		·01	·32		·45			6
	7	·07		·18				·09				·27	·08		7
	8	·64		·28				·19				·34	·09		8
	9	·50		·38				·34		·10					9
	10	·26	·03					·42							10
	11	·21	·30					·02		·26		1·12			11
	12	·01			·03	·25	·47	·52		·55		·23			12
	13		·07				·07	·32			·05	·17	1·01		13
	14						·08	·55		·12	·02		·95		14
	15	·04	·05		·02	·12				·01		·05	·41		15
Snow	16	·05	·29			·03		·12				·11	·08		16
	17	·07	1·06			·04		·17		·04		·12	·74		17
Snow 2"	18	·15	·14				·57	·38			·08		·41		18
	19	·44	·09		·05		·15		·14		·03				19
	20	·34	·25	·05	·32		·11			1·10					20
	21		·17		·45		·04	·03		·02					21
Snow	22	·12	·58	·36		·18		·31			·03		·08		22
	23	·11		·16	·17	·02		·30			·07				23
	24	·25	·06	·02		·04		·04			·37				24
	25	·12		·43	·25			·07		·22	·25	·02			25
	26	·16	·15	·11			·74			·03	·07				26
	27	·50		·06				·17		·14	·18				27
	28	·96		·65				·08					·30		28
	29	·02	·05	·06			·23	·07			·12	·15	·04		29
	30	·17	×			·06	·30				·22		·02		30
	31	·27	×	·45	×	·29	×	·21		×	·34	×	1·02	Year's Total.	31
	TOTAL	6·62	3·45	3·32	2·13	1·17	3·41	4·69	·33	3·94	1·83	3·89	5·40	40·18	✓
	* Days with .01 in. or more.	26	16	16	10	10	15	23	5	15	13	15	16	180	✓
	* Days with .04 in. or more.	23	15	13	7	8	13	20	3	12	10	13	15	152	✓

40-9999 3 lots snow

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) B. H. Dalrymple

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 646/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193~~8~~7

Kept at FURZEY, MINSTEAD

in the County of HANTS

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level circa 290 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·46	·08		·15							·52	·55		1
2	·07	1·22	·04	·11								·07		2
3	·04	·41	·07	·04					·02					3
4	·17	1·27		·10								·25		4
5	·17	·03	·11				·17							5
6	~~·14~~	·15	snow trace ·40	·12	·02		·05			·05				6
7		·67		·15						·02		snow 15 inch	15"	7
8		·05			·31						·02	slight snow		8
9				·23	·12	·03	·08		·51			slight snow		9
10	·02	·04	snow trace ·80	·10	·11	·30						·63		10
11	·03		·05	·03	·88	·17	·20							11
12	·48	·30	·11	·12	·50	·08	·02	·31	·27			·43		12
13	·22	·05	·65	·10	·06	·01		·13	·05			·50		13
14	·02	·03	·35	·28				·16	·06			·20		14
15	·38	·26		·32			·40		·18			·06		15
16	·03	·16	·54	·15		·22		·45	·80					16
17	·74	·03	·05				·04		·19		·15			17
18	·18	·09									·13	·28		18
19	·15	·10	·08	·29		·03	·04		·37					19
20	·49		·17	·21		·10						·13		20
21	·69	·28	·04	·08	·07		·01			·01	·07	·16		21
22	·51	·02	snow trace ·05		·29	·16	·21		·01	·88	·86	·15		22
23	·50	·14			·42		·06			·43	·10	·01		23
24	·52	·60			·02				·11	1·48				24
25	·44	·40	·35		1·15				·10	·30		·11		25
26		·22			·09					·15				26
27		·25		·05						·65				27
Snow 28	+·01	·19+								·21				28
1½ inch 29	+·02	snow incl								·38	·08			29
30	·57					·01				·07	·30			30
31	·30									·59				31
TOTAL	7·35	7·04	3·86	2·63	4·04	1·11	1·28	1·05	2·66	5·22	2·23	3·43	Year's Total 41·90	✓
* Days with .01 in. or more.	26	25	16	18	13	10	11	4	12	13	9	14	171	✓
* Days with .04 in. or more.	20	21	16	17	11	6	9	4	10	11	8	13	146	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 646/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Minstead (Furzey)

in the County of Hants

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Au ~~Snow~~ notified 22/2/39

corr. for Dec 19-26 snow.
W.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·07				·10	·08			·08		·03		1
2				·03			·09			·38		·03		2
3					·15					·57	·12			3
4	·02						·35	·06		·21	·01	·26		4
5							·06			·17				5
6	·06						·21		·23	·17	·03	·06		6
7	·04					·04	·86	1·66	·01	·30	·02	·13		7
8	·16						·10	·05		·40		·08		8
9	·06	·04				·05				·02		1·02		9
10	·16						·02				·02	·29		10
11	·10									~~·16~~	·16	·18		11
12	·48				·19		·02			·26				12
13	·35									·17	·46	·81		13
14	·56				·10		·07							14
15	·07				·03		·65			·35	·02	·58		15
16	·53		·02		·02			·05		·03	·09	·02		16
17		Snow ·08	·01						·08	·30	·01			17
18	·16				·08	·04			·12	·01	·68			18
19	·02							·13	·27	~~·81~~	·81			19
20								·41	·04	~~·57~~	·57	Snow	2"	20
21	·06								·11		·05	~~Snow~~ 4	2"	21
22	·02			Trace		Trace		·22			·34	~~·72~~ 4		22
23											·06	(·70)		23
24			·23						·21		·38			24
25	·16	·17	·05		·21				·19		1·18	Snow	1"	25
26	·46	·26			·10				·08	·14		~~·40~~ 4		26
27	·09	·01			·11	·27	·38	·01	·01	·02	·45			27
28	·05	·12			·33	·14		·47	·06		·05	·04		28
29	·03				·44				·10	·08	·53	·04		29
30	·07	×			·21	Trace			·10	·05	·15			30
31	·24	×		×	·17	×			×	·34	×	·40		31
TOTAL	3·95	·75	·31	·03	2·14	·64	2·89	3·06	1·61	4·05	6·19	(4·67) ~~4·49~~	Year's Total ~~30·11~~	30·29
* Days with .01 in. or more.	23	7	4	1	13	6	12	9	14	20	22	17	148	✓
* Days with .04 in. or more.	19	6	2		11	6	10	8	12	16	16	14	120	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) B. Dalrymple

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** — **Station No.** 646/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Furzey, Minstead

in the County of Hants

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ......ft......in.

,, Ground ,, Sea Level 290(?) ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01		.13	.07	.10			.20	.50		.44	.21		1
2				.25				.63	.99		.16	.10		2
3	.73			.47				.07			.25	.24		3
4			.46	.25	.20		.40	1.01		.81	.09	.06		4
5			.03	.15	.40		.20	.02		.23	.68	.09		5
6	.50		.14				.86	.02			.17			6
7	.02	.33	.01				.04	.02		.01	.46	.59		7
8	.07	.30	.09				.07	.20		.35	.30	.35		8
9	.07							.17		.21	.06	.34		9
10	.32		.05			.02		.26	.10	.45	.05			10
11			.15							.25	.02			11
12											.04			12
13				.02		.06	.44			2.20	.02			13
14	.94			.01			.24			.30	.57			14
15	.26				.26	.02	.05		.03	.44	.23			15
16	.56			.11	.05	.84	.12				.32			16
17	.27	.09			.19	.19	.23			.37	.06			17
18	.14				.01	.02	.95				.54			18
19	.39					.20	.18							19
20	.48					.26	.37	.14						20
21	.20	.34	.08		.01	.12	.47							21
22	.44	.25	.02			.15	.03		.04		.25			22
23				.16		.01	.18			.02	1.27			23
snow 24	.48					.39	.04							24
snow 25	.68	.09		.02			.06			.05	.33			25
26		.01						.04		.08	.58	.10		26
27		.14	.05	.01		.03					.14			27
28		.25	.03			.14	.15				.25	.17	Snow 1 inch	28 1" inch
29				.02			.68			.11	.05			29
30		×		.52		.08				.08	.10			30
31		×		×		×	.04	.01	×	.52	×			31
TOTAL	6.56	1.80	1.24	2.06	1.22	2.53	5.80	2.79	1.66	6.48	7.43	2.25	Year's Total 41.82	✓
* Days with .01 in. or more.	18	9	12	13	8	15	21	13	5	17	26	10	167	✓
* Days with .04 in. or more.	16	8	8	8	6	10	20	9	4	15	24	10	138	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 64 6/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at FURZEY, Minstead

in the County of Hants

Diameter of Funnel of Gauge 5 in."

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 300 ft(?)

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1											·13			1
2		·23		·16							·36			2
3		·38								·26	1·04	·13		3
4	·05	·13					·02			·37	·05	·06		4
5		·02					·17			·01	·62	·30		5
6	·33	·48					·14			·49	·02	·12		6
7	·12	·17								·56	·18	·23		7
8										↓	↓	↓		8
9							·02		·03	·20	·71	·34		9
10							·90		·01	·10	·12	·08		10
11							·05				1·05			11
12		snow ·06	·24				·23		·16		·14			12
13			·62						·29		1·17			13
14			snow ·11	·08			·24		·02	·42		·79		14
15					·05	·03	·67		·13	·06	·58	·02		15
16		snow 6" ·504	·45						·26	·66	1·19	·03		16
17			·56							·01	·43			17
18	snow ·02	·43	·40	·22			·21		·04	·39	·05	·10		18
19		·13	·02	·17			·09		·55		·34			19
20			·03	·03					·02	·19	·09			20
21		·02			·08		·07		·01		·72			21
22			·05	·07		·20			·20					22
23		·05	·26	·01					·01	·15	·02			23
24							·28							24
25			·34	·01			·01				·01			25
26	1·05	·50	·03		·25									26
27	·48	·32			·05									27
28	·31	·05			·03									28
29	snow ·25	·32	·23	·21	·10					·01	·	·36		29
30		✕	·04	·17						·65		·04		30
31		✕		✕		✕			✕	·83	✕	·18		31
TOTAL	2·61	3·79	3·38	1·13	·56	·23	3·10	Nil	1·73	5·36	9·02	2·78	Year's Total 33·69	✓
* Days with .01 in. or more.	8	16	14	10	6	2	14	–	13	17	21	14	135	✓
* Days with .04 in. or more.	7	14	11	7	5	1	11	–	7	14	18	12	107	✓

1·04

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) B H Dalrymple

[P.T.O.

647

Section **A** for the … PY FOR OFFICIAL USE.
AIR … ORGANIZATION.

FORM 1090. RE…

CADNAM
~~Kept at~~ Canterton

in the County of S…

Diameter of Funnel of G…
Height of top of Gauge ab…
,, Ground ,,

THE MORNING…

An observer who does not c… owing
year in the space on the r…

Jan. 1, following

647

CADNAM

CANTERTON MANOR

1931 - 1940

78 01 13

Date	Jan.	Feb.									Nov.	Dec.	Date
	in.	in.									in.	in.	
1	—	.2									—	—	1
2	.25	.6	—	.61	—	—	.1	.7	.55	—	.2	.12	2
3	.17	—	.58	.10	—	—	.2	.9	.28	—	.42	.19	3
4	—	—	.6	—	.16	.3	.24	.50	.12	.5	.13	.1	4
5	—	.17	—	.12	.16	.37	—	.47	11	.1	.11	.16	5
6	—	.13	—	.21	.2	.15	.15	.1	—	.45	.28	—	6
7	—	—	—	—	.17	.16	.16	.71	—	.5	.47	.3	7
8	—	.25	—	.8	.11	.30	.15	.8	—	—	.10	.8	8
9	—	.27	—	.2	—	.4	—	—	—	—	.75	—	9
10	—	.3	.1	—	.1	.20	.3	.2	—	—	.45	—	10
11	.12	.37	—	—	—	.3	—	—	.5	—	.20	—	11
12	—	.1	—	—	—	—	.9	.1	.15	.3	—	—	12
13	—	—	.1	—	—	—	.3	.3	—	.3	—	—	13
14	—	.17	—	—	—	.3	1.50	.45	—	—	.2	—	14
15	.1	.3	—	.2	.8	—	.74	.20	—	—	—	.3	15
16	—	.7	—	.7	.17	.15	—	.14	.10	—	—	—	16
17	—	.14	—	.12	—	.4	.12	.1	.14	—	.1	—	17
18	.6	.2	.2	.6	—	.25	.3	1.27	—	—	.44	—	18
19	.10	—	—	.22	—	.39	—	.17	—	—	.1	—	19
20	—	.17	.10	.2	—	~~.4~~	.1	.42	—	—	—	—	20
21	.8	—	.1	—	.25	—	—	—	—	—	—	—	21
22	.35	.2	.3	.1	.1	—	—	—	—	—	.1	—	22
23	.32	—	—	.11	.36	—	—	—	—	—	.27	.1	23
24	.10	—	—	.47	.40	.36	.32	.46	—	—	.1	—	24
25	.10	—	—	.25	—	—	.25	—	—	—	.17	.1	25
26	—	.2	—	.6	—	—	.40	—	—	—	.27	—	26
27	.22	.41	—	—	.82	—	.11	—	—	.2	.4	—	27
28	.8	.9	—	.8	.5	—	—	—	—	—	—	.2	28
29	.7		.2	—	.8	—	.8	—	—	.9	.8	—	29
30	.6	×	—	.1	—	—	.2	.11	.2	—	.3	—	30
31	.47	×	—	×	.12	×	.1	.1	×	—	×	.4	31
TOTAL	2.56	2.45	.84	2.81	2.97	2.59	4.48	5.25	1.59	.74	4.29	.70	YEAR'S TOTAL 31.27
*Days with ·01 in. or more.	16	19	9	20	16	15	22	21	10	9	22	11	190
*Days with ·04 in. or more.	15	12	3	15	13	12	13	14	8	4	15	5	129

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) F. J. Jeffrey

[P.T.O.

647

Section **A** for the PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1990.

REGISTER OF RAINFALL IN 193/.

CADNAM
~~Kept at~~ Canterton Manor.
in the County of Southampton
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 125 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.2	—	.17	—	.9	.1	.2	.17	.1	—	—	1
2	.25	.6	—	.61	—	—	.1	.7	.55	—	.2	.12	2
3	.17	—	.58	.10	—	—	.2	.9	.28	—	.42	.19	3
4	—	—	.6	—	.16	.3	.24	.50	.12	.5	.13	.1	4
5	—	.17	—	.12	.16	.37	—	.47	11	.1	.11	.16	5
6	—	.13	—	.21	.2	.15	.15	.1	—	.45	.28	—	6
7	—	—	—	—	.17	.16	.16	.71	—	.5	.47	.3	7
8	—	.25	—	.8	.11	.30	.15	.8	—	—	.10	.8	8
9	—	.27	—	.2	—	.4	—	—	—	—	.75	—	9
10	—	.3	.1	—	.1	.20	.3	.2	—	—	.45	—	10
11	.12	.37	—	—	—	.3	—	—	.5	—	.20	—	11
12	—	.1	—	—	—	—	.9	.1	.15	.3	—	—	12
13	—	—	.1	—	—	—	.3	.3	—	.3	—	—	13
14	—	.17	—	—	—	.3	1.50	.45	—	—	.2	—	14
15	.1	.3	—	.2	.8	—	.74	.20	—	—	—	.3	15
16	—	.7	—	.7	.17	.15	—	.14	.10	—	—	—	16
17	—	.14	—	.12	—	.4	.12	.1	.14	—	.1	—	17
18	.6	.2	.2	.6	—	.25	.3	1.27	—	—	.44	—	18
19	.10	—	—	.22	—	.39	—	.17	—	—	.1	—	19
20	—	.17	.10	.2	—	~~.4~~	.1	.42	—	—	—	—	20
21	.8	—	.1	—	.25	—	—	—	—	—	—	—	21
22	.35	.2	.3	.1	.1	—	—	—	—	—	.1	—	22
23	.32	—	—	.11	.36	—	—	—	—	—	.27	.1	23
24	.10	—	—	.47	.40	.36	.32	.46	—	—	.1	—	24
25	.10	—	—	.25	—	—	.25	—	—	—	.17	.1	25
26	—	.2	—	.6	—	—	.40	—	—	—	.27	—	26
27	.22	.41	—	—	.82	—	.11	—	—	.2	.4	—	27
28	.8	.9	—	.8	.5	—	—	—	—	—	—	.2	28
29	.7		.2	—	.8	—	.8	—	—	.9	.8	—	29
30	.6	×	—	.1	—	—	.2	.11	.2	—	.3	—	30
31	.47	×	—	×	.12	×	.1	.1	×	—	×	.4	31
TOTAL	2.56	2.45	.84	2.81	2.97	2.59	4.48	5.25	1.59	.74	4.29	.70	YEAR'S TOTAL 31.27
*Days with ·01 in. or more.	16	19	9	20	16	15	22	21	10	9	22	11	190
*Days with ·04 in. or more.	15	12	3	15	13	12	13	14	8	4	15	5	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F. J. Jeffrey

P.T.O.

647

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No** 647

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at Canterton Manor
in the County of Southampton
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft ..... in.
,, Ground ,, Sea Level 125 ft.

File No 972198/29

dups

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	—	—	.16	1.16	—	—	.27	.01	.03	.02	—	1
2	—	—	—	.23	.44	—	.01	.04	.08	—	.01	.44	2
3	—	—	—	.26	.01	.12	—	—	.46	—	—	.04	3
4	.02	—	—	—	—	.20	.01	—	—	—	—	—	4
5	.31	—	—	—	—	—	.04	—	.30	—	—	—	5
6	.56	—	—	.24	—	—	.18	—	.24	—	—	—	6
7	.02	—	—	.03	.10	—	.04	—	.20	.63	—	—	7
8	—	.03	.36	.03	.15	—	—	—	.97	.31	—	—	8
9	.25	.01	—	.31	.06	—	—	—	—	—	.08	—	9
10	.45	—	—	.25	.07	.07	—	—	.02	.20	.11	—	10
11	.04	—	—	.02	—	—	.06	.02	.02	.01	—	.08	11
12	.60	—	—	—	.02	.03	—	—	.07	.20	—	.01	12
13	.04	—	—	.33	.10	—	.19	.07	—	.83	—	.02	13
14	.07	—	—	.13	.07	—	—	.07	—	.01	.01	—	14
15	.05	—	—	.03	.63	—	—	—	—	.03	.05	.01	15
16	.15	—	—	.07	—	—	—	—	—	—	—	—	16
17	.02	—	—	.09	—	—	—	—	—	.10	—	—	17
18	.05	—	—	—	.10	—	.01	—	.07	—	.17	—	18
19	—	—	—	—	—	—	—	—	.02	.30	—	—	19
20	—	—	—	.21	.25	—	—	.37	—	.78	.27	.02	20
21	.01	—	.10	.04	.62	—	—	—	—	.33	—	.04	21
22	.01	—	.09	.11	.04	—	.10	.07	.49	.21	.33	—	22
23	.02	—	—	—	.17	—	.25	—	.05	.70	.02	.12	23
24	—	.06	—	—	.01	—	.50	—	.21	.03	.04	—	24
25	—	—	—	—	—	—	.38	—	—	.40	.06	—	25
26	—	—	.13	.04	—	—	.38	—	—	.10	—	—	26
27	—	—	.46	.45	.13	.06	.12	—	—	.26	—	—	27
28	—	—	.01	.03	.05	.13	.22	—	—	.02	—	.03	28
29	—	—	.37	.16	.17	.25	—	.24	.65	.49	.15	.12	29
30	—	×	.05	.36	.01	1.58	.04	—	.58	—	.85	.34	30
31	—	×	.16	×	—	×	.08	—	×	—	×	.18	31
													YEAR'S TOTAL
TOTAL	2.79	0.10	1.73	3.48	4.36	2.44	2.61	1.15	4.44	5.97	2.14	1.50	32.71
*Days with ·01 in. or more.	18	3	9	22	21	8	17	8	17	21	14	13	171
*Days with .04 in. or more.	12	1	8	17	17	7	14	7	13	15	10	8	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F. I. Jeffreys

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 647

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Canterton Manor Minstead

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 125 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	.54	.12	.1	.3	—	—	—	—	—	—	.14		1
2	.54	—	.75	—	.10	—	—	—	—	—	.2	—		2
3	—	.9	.49	—	—	—	—	—	—	—	—	—		3
4	.27	.4	.3	—	.12	—	—	—	—	—	—	—		4
5	.17	—	.48	—	.6	—	—	—	—	—	.5	—		5
6	—	.22	.1	—	.26	—	—	—	—	.9	—	—		6
7	.1	.2	.8	—	.39	—	—	—	—	.10	—	.1		7
8	—	—	.2	—	—	—	.35	—	—	.3	—	—		8
9	—	—	—	—	.1	—	.26	—	—	.11	.3	—		9
10	—	.1	—	—	—	—	.15	—	—	.31	—	—		10
11	.32	—	—	—	—	.19	.1	.57	—	—	—	—		11
12	—	—	—	.3	.1	—	.11	—	.82	—	—	.4		12
13	.10	—	—	—	.2	.1	.30	.16	—	.6	.4	—		13
14	.1	—	—	—	.1	—	.5	—	—	.41	.45	—		14
15	.62	—	.26	—	—	.2	.16	.47	—	.8	—	—		15
16	—	.3	.82	—	—	.9	—	—	.6	—	—	—		16
17	—	—	.37	—	—	.7	—	.4	.15	—	—	—		17
18	.19	—	.12	—	—	.27	—	—	—	—	.1	—		18
19	—	.2	.8	—	—	—	—	.3	.41	—	.12	.3		19
20	—	.3	.2	—	—	.20	—	—	.40	—	—	—		20
21	—	—	—	—	—	.4	—	.5	.2	.3	—	—		21
22	—	—	—	—	—	.62	—	.22	.5	.18	—	—		22
23	—	.12	—	.33	—	.13	—	—	.35	.30	—	—		23
24	—	1.65	—	.23	—	.1	—	—	—	—	—	—		24
25	—	.86	—	.30	.11	.4	—	—	.11	—	.1	.6		25
26	—	.88	—	.19	.15	—	—	—	.54	—	—	—		26
27	—	—	—	—	.95	—	.3	—	—	.22	—	.46		27
28	—	—	—	.7	—	—	.30	—	—	.6	—	.2		28
29	.7	×	—	.4	.2	—	—	—	—	.2	—	.1		29
30	.7		.8	—	—	—	.5	—	.5	—	—	.10		30
31	.11	×	.2	×	—	×	—		×	—	×	—		31
TOTAL	2.69	4.51	3.75	1.20	2.24	1.69	1.77	1.54	2.96	2.00	.73	.87	Year's Total 25.95 ✓	
*Days with ·01 in. or more.	13	13	16	8	14	12	11	7	11	14	8	9	136	
*Days with .04 in. or more.	11	8	11	6	8	9	9	6	10	11	4	5	97	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) F. S. Jeffreys

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 647

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Canterton Manor

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

" Ground " Sea Level 125 ft.

Terminated. Dec 1934

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.2	—	—	—	—	.1	—	.62	.19	.7	.6	.81		1
2	.9	—	.6	.4	.5	—	—	—	.78	.15	.1	.39		2
3	.8	.1	—	.12	—	—	—	.4	—	.46	—	.32		3
4	.11	—	.14	—	.19	—	—	.1	—	.11	—	.40		4
5	—	—	—	—	.1	—	—	.46	—	.8	.4	.51		5
6	.2	—	.47	—	.17	—	—	.4	—	.27	.20	.97		6
7	.9	—	—	—	—	.5	—	.20	—	.17	—	.63		7
8	—	—	—	—	.24	—	—	—	.14	—	.50	.8		8
9	.5	—	.19	—	—	—	—	—	—	—	1.18	.47		9
10	.14	—	.39	.35	—	—	—	.6	—	—	.43	.47		10
11	.72	—	.36	.32	—	—	.6	.7	—	—	—	.35		11
12	—	—	.5	—	—	—	.1	.20	—	—	.4	.19		12
13	.50	—	.3	.21	—	—	.60	.3	—	—	.13	.26		13
14	.8	—	.49	.1	—	—	—	—	—	.2	.3	.60		14
15	.5	—	.5	—	.14	—	—	—	—	.14	.11	.33		15
16	.24	—	.40	—	—	—	—	—	.1	—	—	.6		16
17	.7	—	—	.18	—	—	—	—	.9	.5	—	.37		17
18	.8	—	.21	.2	—	—	—	—	.16	—	—	.28		18
19	—	—	.38	.13	—	.5	—	.2	.7	—	—	.21		19
20	—	—	.8	.12	—	—	.46	—	.2	.2	—	—		20
21	—	—	—	.6	—	.13	—	.2	—	.14	—	—		21
22	—	—	—	—	—	—	.25	.68	.38	—	—	.14		22
23	—	.5	—	.25	—	.39	—	.10	.4	—	—	.4		23
24	—	.3	.7	.14	—	.4	.26	.3	.20	—	—	—		24
25	.43	—	—	.11	—	.5	—	—	—	.12	—	.90		25
26	.1	—	—	.3	—	.20	—	—	.18	—	.1	.5		26
27	.2	—	—	—	—	.7	—	—	—	.3	—	.45		27
28	—	—	—	—	—	.24	—	.70	—	—	—	.56		28
29	—	—	—	—	—	—	.2	.19	.17	—	—	.2		29
30	.9	✕	—	.1	—	—	—	.18	.13	.7	.1	.34		30
31	.1	✕	—	✕	—	✕	—	.18	✕	—	✕	.2		31
TOTAL	2.90	.9	3.37	2.10	.80	1.23	1.66	3.83	2.56	1.90	2.75	10.22	Year's Total 33.41	
*Days with .01 in. or more.	20	3	15	16	6	10	7	19	14	15	13	28	166	
*Days with .04 in. or more.	15	1	14	12	5	9	5	14	12	12	9	26	134	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 647

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Lyndhurst, Canterton Manor

in the County of Hants

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copied in MO from notebook supplied & returned to observer 11.2.36

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·01	·27	-	·07	·09	·46	-	·06	·27	·32	·03		1
2	-	-	-	-	-	·02	-	-	·07	·48	·03	·02		2
3	-	-	·12	-	-	·08	-	-	·08	1·10	·26	-		3
4	-	·15	-	·07	-	·18	-	-	·12	·30	·23	·26		4
5	-	·30	·17	·10	-	·03	-	-	·25	·02	·05	·02		5
6	-	-	·03	·25	-	1·53	-	-	[illegible]	-	·17	-		6
7	-	-	-	·31	-	·06	-	-	-	-	·29	·14		7
8	-	-	-	·30	-	-	-	-	-	·68	·62	·01		8
9	·14	-	-	·40	-	·84	-	-	·32	1·02	·80	-		9
10	·05	-	·25	·10	-	·10	-	-	-	-	·14	-		10
11	·20	·02	·02	·27	-	·16	-	-	-	·16	·64	-		11
12	·02	·10	-	-	-	·38	-	·02	·07	-	·44	-		12
13	·04	·18	-	·20	-	·11	-	-	-	-	·12	-		13
14	-	-	-	·05	·06	·03	-	-	-	-	·39	·26		14
15	-	·14	-	·68	-	·09	-	-	·22	·03	·58	·20		15
16	-	·03	·06	·28	-	·48	-	-	·82	-	1·38	-		16
17	-	-	-	·08	-	·25	-	·07	·02	-	·15	-		17
18	-	·07	-	·28	·01	·06	-	-	·49	·05	·03	-		18
19	-	·02	-	·04	·32	·03	·18	-	·04	·04	·19	-		19
20	-	·53	-	·15	-	-	·02	-	·07	-	·84	-		20
21	-	·47	-	·15	-	-	-	-	-	·05	-	-		21
22	-	·04	·06	-	-	-	-	·07	·06	-	-	-		22
23	-	-	·26	-	·03	-	-	·23	-	·62	-	·29		23
24	·06	·88	-	-	·10	-	-	1·18	·55	·51	-	·46		24
25	·09	·29	-	·12	·01	·03	-	-	-	-	-	·36		25
26	-	·54	-	-	-	·02	-	·17	·04	-	·03	·84		26
27	-	·48	-	-	-	-	-	·03	·13	-	·07	·61		27
28	-	·11	-	-	·10	-	-	·06	·28	-	-	·13		28
29	-		-	-	-	-	-	·02	·25	-	-	·51		29
30	·03	✕	-	·07	·10	-	-	1·00	·05	·33	·49	·52		30
31	-	✕	-	✕	-	✕	-	·01	✕	·90	✕	·18		31
													Year's Total	
TOTAL	·64	4·36	1·24	3·90	·80	4·57	·66	2·86	3·99	6·56	8·25	4·84	42·67	
* Days with .01 in. or more.	9	18	9	19	9	20	3	11	20	16	23	17	174	
* Days with .04 in. or more.	6	14	7	19	6	14	2	7	19	14	20	13	141	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Miss Jeffreys [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 647

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~7~~. 6

Kept at CANTERTON MANOR, LYNDHURST.

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 125 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	·05	·03	·42	–	·43	·16	–	–	–	·13	·04		1
2	–	·05	–	·02	–	·13	·05	·14	–	–	–	–		2
3	–	–	–	·36	–	·08	·02	·07	·55	–	·49	–		3
4	–	–	·20	–	–	–	–	–	·34	–	·08	·02		4
5	·53	–	·01	–	·16	–	–	·02	·18	–	·02	·08		5
6	·53	–	–	–	–	·04	–	·01	·29	–	·42	–		6
7	·07	–	·19	–	–	–	·11	–	–	–	·29	·06		7
8	·61	–	·20	–	–	–	·15	–	–	–	·35	·05		8
9	·49	–	·32	–	–	–	·35	–	·13	–	–	–		9
10	·10	–	–	–	–	–	·28	–	–	–	·01	–		10
11	·18	·31	–	–	–	–	·01	–	·24	–	1·03	–		11
12	–	–	–	·02	·37	·47	·50	·03	·65	–	·30	–		12
13	–	–	–	–	–	·07	·13	–	–	·04	·05	·76		13
14	–	·06	–	–	–	·08	·57	–	·05	·04	·11	·54		14
15	·04	·04	–	·02	·08	–	·01	–	·07	–	·03	·26		15
16	·24	·27	–	–	·03	–	·10	–	–	–	·08	–		16
17	·02	·90	–	–	·07	–	·20	–	–	–	·18	·66		17
18	·11	·21	–	–	–	·35	·36	–	–	–	·03	·25		18
19	·51	·10	·01	·03	–	·13	–	·14	–	·10	–	–		19
20	·28	·24	·05	·32	–	·13	·01	–	1·24	–	–	–		20
21	–	–	–	·50	–	·04	·01	–	·01	–	–	–		21
22	·16	·76	·28	–	·23	–	·20	–	–	–	–	·09		22
23	·06	–	·19	·15	·02	–	·46	–	–	·07	–	–		23
24	·26	·05	–	–	·05	–	–	–	–	·34	–	–		24
25	·12	–	·42	·20	–	–	·08	–	·22	·06	–	–		25
26	·13	·17	·11	·02	–	·64	–	–	·04	·26	–	–		26
27	·48	–	·04	–	–	–	·14	–	·13	·19	–	–		27
28	·95	–	·63	–	–	–	·07	–	–	–	–	·34		28
29	–	·05	·07	–	–	·17	·10	–	–	·08	·13	·04		29
30	·17	✕	·01	–	·06	·27	–	–	–	·07	–	–		30
31	·13	✕	·45	✕	·24	✕	·17	–	✕	·51	✕	·79		31
													Year's Total	
TOTAL	6·33	3·26	3·21	2·06	1·31	3·03	4·24	·41	4·14	1·76	3·73	3·98	37·46	✓
* Days with .01 in. or more.	23	14	17	11	10	14	25	6	14	11	17	14	176	✓
* Days with .04 in. or more.	22	14	13	6	8	14	19	3	13	11	13	13	149	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. L. Jeffreys

[P.T.O.

647

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 647

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Cantelton Manor-Lyndhurst
in the County of Hampshire
Diameter of Funnel of Gauge 5½ in.
Height of top of Gauge above Ground One ft. in.
,, Ground ,, Sea Level 190 (approx) ft.

D Jeffs

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.41	.4	—	.14	—	—	—	—	—	—	.48	.58		1
2	.5	1.04	.2	.6	—	—	—	—	.6	—	—	.6		2
3	.1	.39	.5	.5	—	—	—	—	—	—	—	—		3
4	.13	.99	—	.6	—	—	—	—	—	—	—	.23		4
5	.14	.4	.10	—	—	—	.18	—	—	—	—	—		5
6	.4	.18	.57	—	.2	—	.3	—	—	.6	—	—		6
7	—	.56	—	.21	—	—	—	—	.2	.3	—	1.22		7
8	—	.4	—	—	.30	—	—	—	—	—	.3	—		8
9	—	.2	—	.22	.12	.2	.5	—	.51	—	—	.10		9
10	—	.5	.81	.10	—	.20	—	.1	—	—	—	.37		10
11	.3	—	.3	.2	.84	.13	.15	—	—	—	—	—		11
12	.37	.28	.22	.10	.40	.9	.3	.33	.25	—	—	.48		12
13	.22	.3	.60	.16	.4	—	—	.7	.4	—	—	.21		13
14	.1	.2	.39	.12	—	—	—	.17	.3	—	—	.4		14
15	.36	.19	—	.30	—	—	.39	—	.14	—	—	.5		15
16	—	.12	.56	—	—	.26	—	.46	.73	—	~~.16~~	—		16
17	.85	.1	.6	—	—	—	.3	—	.38	—	.16	—		17
18	.18	.6	—	—	—	—	—	—	—	—	.15	.25		18
19	.14	.10	.8	.22	—	.5	—	—	.27	—	—	—		19
20	.44	—	.17	.16	—	.10	—	—	—	—	—	.16		20
21	.55	.23	.3	.5	.9	—	.2	—	—	.2	—	.17		21
22	.51	.2	.5	—	.33	.42	.4	—	.2	.63	.87	.12		22
23	.50	.17	—	—	.37	—	.19	—	—	.70	.11	—		23
24	.59	.62	—	—	.3	—	—	—	—	1.36	—	.4		24
25	.36	.41	.34	—	1.19	—	—	—	.21	.38	—	.6		25
26	—	.23	—	—	.8	—	—	—	—	.3	—	—		26
27	.1	.28	—	.5	—	—	—	—	—	.76	—	—		27
28	.18	.12	—	—	—	—	—	—	—	.22	—	—		28
29	.3		—	—	—	—	—	—	—	.34	.6	—		29
30	.46	✕	—	—	—	—	—	.2	—	.6	.26	—		30
31	.28	✕	—	✕	—	✕	—	—	✕	.68	✕	—		31
TOTAL	6.85	6.24	4.08	2.02	3.81	1.27	1.11	1.06	2.66	5.27	2.12	4.14	Year's Total 40.~~55~~ 63	✓ ✓
* Days with .01 in. or more.	25	26	16	16	12	8	10	6	12	13	8	16	168	✓ ✓
* Days with .04 in. or more.	19	21	13	15	10	7	6	4	9	10	7	16	137	✓ ✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) F. H. Jeffreys. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 647

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Canterton Manor

in the County of ~~Hampshire~~ Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 125 ft.

Days

~~Totals~~

w.g.h

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.05	—	—	.01	.13	.06	—	—	.10	—	.08		1
2	—	—	—	—	—	—	.18	—	—	.37	—	.03		2
3	—	—	—	—	.15	—	—	—	—	.65	.12	—		3
4	.04	—	—	—	—	—	.35	.06	—	.17	—	.19		4
5	—	—	—	.03	—	—	.07	.04	—	.15	—	—		5
6	.06	—	—	—	—	—	.25	—	.35	.20	.03	.02		6
7	.05	—	—	—	—	.02	.94	2.68	.01	.29	.01	.12		7
8	.16	—	—	—	—	—	.06	—	—	.31	—	.05		8
9	.08	.04	—	—	—	.10	—	.04	—	—	—	.98		9
10	.07	—	—	—	—		.03	—	—	—	—	.26		10
11	.20	—	—	—	—	—	—	—	—	—	.20	.20		11
12	.47	—	—	—	.18	—	—	—	—	.27	—	—		12
13	.32	—	—	—	—	—	—	—	—	.15	.41	.81		13
14	.57	—	—	—	.11	—	—	—	—	—	—	—		14
15	.06	—	—	—	.04	—	.66	—	—	.33	—	.63		15
16	.46	.02	.04	—	.03	—	—	.05	—	.02	.12	.09		16
17	—	.12	—	—	.01	—	—	—	.09	.29	.02	—		17
18	.14	—	—	—	.08	.04	—	—	.10	.02	.64	—		18
19	—	—	—	—	—	—	—	.13	.33	—	.80	—		19
20	—	—	—	—	—	—	—	.22	.05	—	.56	—		20
21	.06	—	—	—	—	—	—	—	.16	—	.04	.20		21
22	.02	—	—	—	—	—	—	.20	—	—	.35	.17		22
23	—	—	—	—	—	—	—	—	—	—	.03	—		23
24	—	—	.22	—	.01	—	—	—	.21	—	.39	—		24
25	.15	.15	.4	—	.25	—	—	.01	—	.03	1.37	—		25
26	.46	.28	—	—	.12	—	—	—	.20	.12	—	.25		26
27	.07	.01	—	—	.05	.28	.38	—	—	.02	.40	—		27
28	.05	.11	—	—	.45	.13	—	.37	.66	—	—	.04		28
29	.03		—	—	.38	—	—	—	.09	.07	.46	.03		29
30	.05	✕	—	—	.23	—	—	—	.10	.3	.16	—		30
31	.25	✕	—	✕	.15	✕	—	—	✕	.34	✕	.31		31
													Year's Total	
TOTAL	3.72	.78	.30	.03	2.25	.70	2.98	3.80	1.75	3.93	6.11	4.46	~~[illegible]~~	30.81 ✓
* Days with .01 in. or more.	22	8	3	1	16	6	10	10	12	20	18	18	144	✓
* Days with .04 in. or more.	20	6	3	—	12	5	9	9	11	15	14	15	119	✓

† Spare column, no entries required.

(Signed) E. M. Jeffreys

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 647

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Canterton Manor

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	—	.12	.09	.12	—	.08	.06	.48	—	.43	.12		1
2	.70	—	—	.20	—	—	—	.52	.96	—	.19	.10		2
3	.02	—	—	.46	—	—	—	.06	—	—	.24	.20		3
4	—	—	.49	.27	.20	—	.43	.75	—	.75	.08	.04		4
5	—	—	.02	.16	.41	—	.20	.02	—	.22	.63	.09		5
6	.51	—	.23	—	—	—	.81	.01	—	—	.21	—		6
7	.01	.19	.03	—	—	—	.02	.01	—	.03	.47	.47		7
8	.05	.25	.11	—	—	—	.07	.11	—	.39	.19	.27		8
9	.07	—	—	—	—	—	—	.16	—	.20	.07	.30		9
10	.31	—	.05	—	—	.03	—	.21	.08	.31	.07	—		10
11	—	—	.14	—	—	.01	—	—	—	.22	.01	—		11
12	—	—	—	—	—	.06	—	—	—	—	.02	—		12
13	—	—	—	.03	—	—	.43	—	—	2.20	.02	—		13
14	.96	—	—	.01	.01	.02	.23	—	—	.26	.54	.04		14
15	.22	—	—	—	.25	.74	.04	—	.03	.46	.24	.03		15
16	.48	—	—	.08	.04	.17	.06	—	—	—	.28	—		16
17	.30	.08	—	—	.22	.01	.06	—	—	.37	.05	—		17
18	.18	—	.08	—	.02	.12	.90	—	—	—	.45	.08		18
19	.37	—	.01	—	—	—	.12	—	—	—	—	—		19
20	.45	—	—	—	—	.17	.59	—	—	—	—	—		20
21	.10	.23	.06	—	—	.11	.35	—	—	—	—	—		21
22	.44	.28	.05	—	—	.12	.02	—	—	—	.02	—		22
23	—	—	—	.15	—	.01	.10	—	.02	.03	1.19	—		23
24	.52	—	.02	—	—	.45	.03	—	—	—	—	—		24
25	.83	.07	.01	.01	—	—	.02	—	—	.06	.31	—		25
26	—	.02	—	—	—	—	—	.03	—	.07	.52	.04		26
27	—	.13	.05	.02	—	.05	—	—	—	—	.13	~~.44~~		27
28	—	.25	.03	—	—	.10	.12	—	—	—	.21	.14		28
29	—	—	—	.02	—	—	.70	—	—	.12	.04	~~.44~~		29
30	—	✕	—	.54	—	.15	—	.01	—	.08	.07	—		30
31	—	✕	—	✕		✕	.20	.02	✕	.42	✕	—		31
TOTAL	6.53	1.60	1.50	2.04	1.27	2.32	5.58	1.97	1.57	6.19	6.86	1.92	Year's Total 39.35	✓
* Days with .01 in. or more.	19	9	16	13	8	16	22	13	5	17	26	13	177	✓
* Days with .04 in. or more.	16	8	10	8	6	11	18	7	3	15	22	12	136	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. H. Jeffreys

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 647 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Canterton Manor

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 125 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	.01	—	—	—	—	—	—	.06	—		1
2	—	.30	—	.13	—	—	—	—	—	—	.32	—		2
3	—	.36	—	—	—	—	—	—	—	.28	1.03	.17		3
4	.6	.17	—	—	—	—	.01	—	—	.33	.07	.02		4
5	—	—	—	—	—	—	.11	—	—	.02	.62	.21		5
6	.35	.53	—	—	—	—	.08	—	—	.43	—	.14		6
7	.10	.15	—	—	—	—	—	—	—	—	—	—		7
8	—	—	—	—	—	—	—	—	—	.53	.10	.21		8
9	—	—	—	—	—	—	.01	—	.03	.24	.75	.32		9
10	—	—	—	—	—	—	.90	.01	.02	.13	.11	.05		10
11	—	.01	—	—	—	—	.03	—	—	—	.91	—		11
12	—	.02	.18	—	—	—	.15	—	.16	—	.10	—		12
13	—	.05	.59	—	—	—	.01	—	.21	—	1.24	—		13
14	—	—	.19	.06	—	—	.20	—	.01	.35	—	.72		14
15	—	—	—	—	.01	.02	.53	—	.16	.03	.59	.01		15
16	—	.72	.42	—	—	.02	—	—	.25	.63	1.20	—		16
17	—	—	.46	~~.24~~	—	—	—	—	—	—	.41	—		17
18	.02	.39	.42	.24	—	—	.18	—	.03	.34	.03	.11		18
19	—	.12	.02	.16	—	—	.12	—	.52	—	.29	—		19
20	—	—	—	.03	—	—	—	—	.09	.17	.08	—		20
21	—	—	—	—	.05	—	.04	—	—	—	.62	—		21
22	—	.02	.05	.05	—	.20	—	—	.17	—	—	—		22
23	—	.02	.25	—	—	—	—	—	—	.12	.03	—		23
24	—	—	—	—	—	—	.23	—	—	—	—	—		24
25	—	—	.33	.03	—	—	—	—	—	—	—	—		25
26	1.03	.40	.02	—	.15	—	—	—	—	—	—	—		26
27	.48	.31	—	—	.04	—	—	—	—	—	—	—		27
28	.85	.03	—	—	.03	—	—	—	—	—	—	—		28
29	.30	.33	.19	.18	.28	—	—	—	—	—	—	.28		29
30	—	✕	.03	.16	—	—	—	—	—	.65	—	.07		30
31	—	✕	—	✕	—	✕	—	—	✕	.80	✕	.13		31
TOTAL	3.19	3.93	3.15	1.05	.56	.24	2.60	.01	1.65	5.05	8.56	2.44	Year's Total 32.43	✓
* Days with .01 in. or more.	8	17	13	10	6	3	14	1	11	15	19	12	129	✓
* Days with .04 in. or more.	7	12	10	7	4	1	10	0	4	14	17	10	99	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) S. M. Jeffreys.

P.T.O.

FORM 1090.

648.

13

648

BARTLEY - THE NURSERIES

1931 - 1940

780113

*** The following regist
&c., is NOT requir
values are given on

and also the space for

gister should be sent:—

y, Southampton.

RAINFALL

At Bartley.

In the County of Ham

in Summer 9 am.

3½ miles Direction from gauge West

1½ mls Direction from gauge S.E.

Rain Gauge
Diameter of Funnel
Height of Top above Grou
Height of Ground above

cage adjacent
istant.
t.

Month.	Total Depth.	Greatest Fall in 24 hours.		·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2.08	0.36	23 24	16	15.
FEB.	2.70	0.44	28.	18	12.
MAR.	0.90	0.56	4.	8	5.
APRIL	2.87	0.66	3.	19	15.
MAY	2.63	0.87	28.	19	12.
JUNE	3.19	0.52	25.	15	14
JULY	4.12	0.60	15.	21	13.
AUG.	5.56	1.31	19.	15	12.
SEPT.	1.49	0.58	3.	9	8.
OCT.	0.67	0.48	7.	5	3.
NOV.	4.27	0.75	10.	18	14.
DEC.	0.60	0.19	4.	9	5.
Total	31.08.			172	128

Signature

*See Instruction 2 (*f*) below.

Distances ..

Directions from gauge .. (I) S.E and E. (2) S.

If gauge has been moved during the year state—

Date of move No. Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O.
13 JAN 1932

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

Summary.

Particulars of Station.

648.

B0113

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1931

At Bartley.

In the County of Hampshire.

Rain Gauge
Diameter of Funnel Five. 5 in.
Height of Top above Ground I *ft* 2. *in.*
Height of Ground above Sea Level 100 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2.08	0.36	23 24	16	15.
FEB.	2.70.	0.44.	28.	18.	12.
MAR.	0.90.	0.56.	4.	8.	5.
APRIL	2.87.	0.66.	3.	19.	15.
MAY	2.63.	0.87.	28.	19.	12.
JUNE	3.19.	0.52.	25.	15.	14.
JULY	4.12.	0.60.	15.	21.	13.
AUG.	5.56.	1.31.	19.	15.	12.
SEPT.	1.49.	0.58.	3.	9.	8.
OCT.	0.67.	0.48.	7.	5.	3.
NOV.	4.27.	0.75.	10.	18.	14.
DEC.	0.60.	0.19.	4.	9.	5.
Total	31.08.			172	128

Signature G.H.Dalrymple.

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
G.H.Dalrymple.
The Nurseries, Bartley, Southampton.

Hour of observation by the clock—in Winter 9.am in Summer 9 am.

Nearest Railway Station Totton. Distance 3½ miles Direction from gauge West

Nearest Parish Church at Copythorne. Distance 1½ mls. Direction from gauge S.E.

Nature of objects nearest to gauge	Wire netting fruit cage adjacent Cottage 50 yards distant.			
Heights of objects	(1) 9ft.	(2) 25ft.		
Distances ..				
Directions from gauge ..	(1) S.E and E.	(2) S.		

If gauge has been moved during the year state—

Date of move No. Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following* 9 *a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O.
13 JAN 1932

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

648

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Bartley.

In the County of Southampton.

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground ft 9 *in.*
Height of Ground above Sea Level 100 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	3.18	.68.	13.	6	11
FEB.	.12	.09.	25.	1	1
MAR.	1.62	.40.	28.	1	8
APRIL	3.04	.43.	28.	4	16
MAY	4.86	1.11.	2	5	17
JUNE	(2.26) ~~.76~~	~~.21~~	~~5~~	~~1~~	~~6~~
JULY	(2.67) ~~4.17~~	1.54	1	4	14
AUG.	1.43	.56	21	3	6
SEPT.	4.00	.88	9	3	13
OCT.	6.88	.84	24	6	18
NOV.	1.35	.38	23	7	7
DEC.	2.38	1.01	1	5	8
Total	33.79	✓		171 ~~46~~	125

Signature G H Dalrymple

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
G.H.Dalrymple.The Nurseries,Bartley,Southampton.

Hour of observation by the clock—in Winter 9 am in Summer 9am

Nearest Railway Station Totton Distance 3½m Direction from gauge east

Nearest Parish Church at Copythorne Distance 1½m Direction from gauge N.W.

Nature of objects nearest to gauge	garden frames			
Heights of objects	3 ft			
Distances ..	6 ft but clear from gauge			
Directions from gauge ..	S.W.			

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

June July allocated for fall on June 30th. ✓

June
July } examine

WD

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110

648

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At The Nurseries, Bartley.

In the County of Southampton.

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground ft 9 *in.*
Height of Ground above Sea Level 100 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2.85	0.60	16.	2.	11.
FEB.	4.53	1.44	25.	4.	9.
MAR.	3.96	0.90	17.	2.	11.
APRIL	1.41	0.37	24.	0.	8.
MAY	1.97	0.91	28.	4.	6.
* JUNE	3.71	2.67	23.	3.	7.
JULY	1.88	0.42	9.	2.	9.
AUG.	1.17	0.47	16.	1.	5.
SEPT.	3.13	0.82	13.	2.	9.
OCT.	2.04	0.40	15.	4.	12.
NOV.	0.64	0.40	15.	3.	4.
DEC.	0.77	0.42	28.	2.	5.
Total	28·06 ~~27.65.~~			125 ~~29.~~	96.

Signature

WD

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

G.H.Dalrymple,
The Nurseries, Bartley, Southampton.

Hour of observation by the clock—in Winter 9 am in Summer 9 am½

Nearest Railway Station Totton. Distance 3½ Direction from gauge East.

Nearest Parish Church at Copythorne. Distance 1 Direction from gauge North West

Nature of objects nearest to gauge	a shrub.	a shrub.	wire fence.	board thermometer hung
Heights of objects	2 feet.	2 feet.	4½ feet.	3 feet
Distances ..	10 feet	10 feet.	4 feet	3 feet
Directions from gauge ..	East	South.	West.	North.

If gauge has been moved during the year state—

Date of move December 31st Distance 30 yards Direction North

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall? Yes.
(b) What note was made of the times of beginning and end of this fall? by clock.
(c) When was the measurement made? immediately the rain stopped.

* June ~~23rd~~ 22nd 1933. at 3.15 pm a heavy thunder storm commenced. Rain began at 3.30 and continued till 5 pm when the reading of 2.40 was made. Another 0.27 fell later.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace*, ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 648

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Nurseries, Bartley.

in the County of Hampshire.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level .... ft.

~~Days~~ wrong day AW.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·00

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								0·03	0·22	0·16	0·01			1
2	0·02							0·60	0·49	0·08	0·04	0·96		2
3	0·12		0·07	0·03	0·10				0·92	0·23		0·38		3
4	0·07	0·02		0·10				0·13		0·34		0·29		4
5	0·11		0·15	0·02	0·17					0·07	0·01	0·50		5
6			0·45					0·52		0·07	0·02	0·54		6
7	0·02				0·19					0·30	0·22	0·90		7
8	0·10					0·04		0·25		0·16		0·65		8
9					0·24				0·12		0·48	0·08		9
10	0·05		0·19								0·98	0·54		10
11	0·14		0·41	0·36				0·08			0·45	0·14		11
12	0·86		0·42	0·35			0·09	0·10				0·45		12
13			0·10				0·01	0·17			0·03	0·36		13
14	0·54		0·02	0·22			0·48				0·10	0·32		14
15	0·07		0·62	0·01						0·03	0·03	0·58		15
16	0·06		0·10		0·12		0·06			0·09		0·44		16
17	0·27		0·41		0·01						0·11	0·10		17
18	0·08			0·32	0·01				0·10	0·04		0·38		18
19	0·10		0·02						0·05			0·36		19
20			0·05			0·09			0·06			0·22		20
21			0·28	0·12			0·36	0·04	0·02					21
22				0·14		0·18		0·05		0·16		0·01		22
23				0·28			0·18	0·34	0·04			0·13		23
24		0·04		0·17		0·43		0·25	0·06			0·07		24
25		0·02	0·06			0·03	0·69	0·06	0·18					25
26	0·41			0·12		0·03				0·10		0·95		26
27	0·02			0·03		0·23			0·20			0·06		27
28	0·02					0·08						0·36		28
29						0·13		0·49		0·03	0·01	0·58		29
30		×					0·01	0·38	0·16			0·01		30
31	0·08	×		×		×		0·03	×	0·05	×	0·33		31
TOTAL	3·13	0·08	3·35	2·24	0·84	1·27	·03 ~~1·88~~	·22 ~~3·82~~	·16 ~~3·02~~	·01 ~~1·94~~	~~2·40~~	·00 10.69	Year's Total. ~~34.78~~	34·38
* Days with .01 in. or more.	19	3	15	14	7	9	1·91 ~~8~~9	4·01 16	2·56 13	1·49 15	2·48 ~~13~~12	28	160	✓
* Days with .04 in. or more.	15	1	13	10	5	7	6	~~14~~15	12	~~13~~12	7	26	129	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) VA Dalrymple

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations.

Station No. 648.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bartley.

in the County of Hampshire.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 100 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

0·22

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			0·13						0·04	0·02	1·15	0·58		1
2	0·03		0·23		0·18	0·11	0·90		0·11	0·36	0·18	0·03		2
3			~~0·33~~			0·08			0·03	0·51	~~0·04~~	0·04		3
4		0·01	0·10			0·06			0·18	1·10	0·25			4
5		0·13				0·18			0·10	0·36	0·07	0·24		5
6		0·22	0·20	0·17		0·03			0·27	0·02	0·04	0·01		6
7				0·38		1·35					0·26			7
8				0·33		0·07				0·15	0·38	0·14		8
9				0·31					0·36	0·53	0·90	0·02		9
10	0·14			0·44		1·08				1·09	0·94			10
11	0·07		0·23	0·32		0·10					0·27			11
12	0·21	0·03		0·35		0·20			0·02	0·15	0·69			12
13	0·03	0·10				0·34		0·02	0·12		0·55			13
14	0·05	0·18		0·15		0·10			0·04		0·13			14
15				0·08		0·16			0·02	0·02	0·44	0·28		15
16		0·13		0·84	0·05	0·06			0·20		0·72	0·17		16
17		0·03	0·09	0·13		0·30			0·74		1·39			17
18				0·09		0·27		0·10	0·03		0·22			18
19		0·06		0·36		0·08			0·60	0·06	0·05			19
20		0·02		0·03	0·39	0·03	0·35		0·07	0·07	0·24			20
21		0·66		0·10		0·01			0·06		0·76			21
22		0·41		0·08			0·04			0·04				22
23		0·03		0·02				0·12	0·07					23
24			0·21					0·25		0·77				24
25	0·08	1·03			0·15			1·23	0·50	0·23		0·12		25
26	0·10	0·15		0·14								0·62		26
27		0·49						0·17	0·05		0·01	0·68		27
28		0·75						0·01	0·11		0·10	0·58		28
29					0·09			0·07	0·32	0·01		0·19		29
30		×	0·02					0·05	0·29			0·63		30
31	0·02	×		×		×		1·05	×	0·27	×	0·54		31
TOTAL	0·73	3·43	1·21	4·32	1·02	4·61	1·29	3·07	4·33	5·76	9·74	4·77	Year's Total. 44·28	
* Days with .01 in. or more.	9	17	8	18	5	19	3	10	23	18	22	16	168	
* Days with .04 in. or more.	6	12	7	17	5	16	3	8	19	14	21	13	141	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Dalrymple

P.T.O.

648

FORM 1090. **B** Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1936

At Bartley

In the County of Hampshire

Rain Gauge
- Diameter of Funnel.........................in.
- *Height of Top above Ground.........ft.............in.*
- *Height of Ground above Sea Level..................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
	Inches	Inches	Date	·01 in. or more *	·04 in. or more *
JAN.	6.18	0.95	28	4.	21
FEB.	3.38	0.40	15		13
MAR.	3.11.	0.55	28	2	13.
APRIL	2.06	0.46	1st 21st	4	6
MAY	1.11.	0.31.	12.	4.	7.
JUNE	2.96	0.61	26	4.	11
JULY	4.75	0.55	15.	6	18.
AUG.	0.41	0.16	19.	4.	3
SEPT.	3.65	1.20	20	2.	13.
OCT.	1.59.	0.37.	24	1.	10.
NOV.	3.84	1.24	11	4.	12
DEC.	4.93	0.98	13.	3	13
TOTAL	37.47 ✓			178 ~~38.~~	✓ 140

Signature G Dalrymple.

* See Instruction 3 (*f*) below.

C **Particulars of Station.**

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
G Dalrymple
The Nurseries Bartley Southampton

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Totton Distance 3½ m Direction from gauge E

Nearest Parish Church at Copythorne Distance 1 m Direction from gauge N

Nature of objects nearest to gauge				
Height of objects				
Distances	as in 1935.			
Directions from gauge				

If gauge has been moved during the year state—

Date of move.................................... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D
INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 }·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

648

No change

C Particulars of Station.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At ....BARTLEY...........................

In the County of Southampton.........

Rain Gauge
Diameter of Funnel...........5...........in.
Height of Top above Ground......0...*ft*.......8.....*in.*
Height of Ground above Sea Level...100.......*ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	7.39	0.80	18	25	21
FEB.	6.40	1.10	2	25	21
MAR.	3.79	0.77	10	14	13
APRIL	2.40	0.35	15	16	15
MAY	3.93	1.33	25	10	9
JUNE	1.51	0.33	22	8	7
JULY	1.21	0.42	15	10	7
AUG.	1.22	0.47	16	6	5
SEPT.	2.34	0.78	16	10	10
OCT.	5.19	1.09	31	12	12
NOV.	2.12	0.76	22	9	8
DEC.	4.98	2.30+	7	17	13
TOTAL	42.48			162	141

Signature ....

Tot ok

* See Instruction 3 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter......................in Summer..................

Nearest Railway Station.................................... Distance.......... Direction from gauge..........

Nearest Parish Church at.................................... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

~~+ SNOW STORM DEC 7th.1937.~~

(a) yes,
(b) none - it was from 4 pm onwards through the night.
(c) next day when snow had thawed.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 648

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Ack
Totals

Kept at Bartley.

in the County of Southampton.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					0.02	0.10	0.32			0.35		0.05		1
2							0.20			0.33		0.03		2
3					0.11					0.58	0.12			3
4	0.01						0.35	0.05				0.23		4
5				0.01			0.07			0.43	0.01			5
6	0.06						0.19		0.48	0.18	0.03	0.05		6
7	0.03						0.68	1.12	0.06	0.28	0.01	0.14		7
8	0.19					0.02	0.09	0.02		0.35				8
9	0.07	0.06				0.05				0.02		1.26		9
10						0.03	0.03					0.32		10
11	0.19									0.01	0.16	0.22		11
12	0.49				0.15					0.38				12
13	0.33									0.15	0.48	0.66		13
14	0.53				0.11		0.11							14
15	0.06	0.01	0.02				0.49			0.32		0.72		15
16	0.42		0.01		0.04			0.06		0.03	0.06	0.04		16
17		0.12							0.11	0.25				17
18	0.14					0.04			0.11	0.01	0.54			18
19	0.02				0.01			0.13	0.26		0.80	✓		19
20								0.29	0.05		0.47	+		20
21	0.04								0.13		0.04	+		21
22	0.01							0.22			0.33			22
23														23
24			0.21						0.23		0.52			24
25	0.13	0.12	0.04		0.25					0.03	1.15			25
26	0.39	0.27			0.05				0.10	0.12				26
27	0.10	0.01			0.13	0.27	0.41			0.01	0.35	+0.58 ×		27
28	0.05	0.10			0.42	0.11		0.48			0.02	0.03		28
29					0.42					0.06	0.44	0.02		29
30	0.08	✕			0.24						0.15			30
31	0.25	✕		✕	0.17	✕			✕	0.35	✕	0.38		31
TOTAL	3.59	0.69	0.28	0.01	2.12	0.62	2.94	2.37	1.53	4.24	5.68	4.73	Year's Total 28.80	✓
* Days with .01 in. or more.	21	7	4	1	13	7	11	8	9	20	18	~~19~~ 18	137	✓
* Days with .04 in. or more.	17	5	2	0	11	5	10	7	9	14	14	~~13~~ 14	108	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

+ Snow fell on Dec 19,20 21 26 total measurement 0.58

648

FORM 1090. **B** Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939

At The Nurseries Bartley

In the County of Hampshire

Rain Gauge
- Diameter of Funnel ~~6~~ 5 in.
- *Height of Top above Ground* ...ft. 9 in.
- *Height of Ground above Sea Level* 100 ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6.40	0.95	14	17	16
FEB.	1.72	0.40	21	10	8
MAR.	1.34	0.48	12	11	9
APRIL	2.00	0.56	3	10	8
MAY	1.09	0.86	5	6	6
JUNE	2.38	0.76	15	13	10
JULY	5.93	1.21	18	23	20
AUG.	2.18	0.61	4	11	7
SEPT.	1.74	0.99	2	5	4
OCT.	6.21	1.92	13	17	15
NOV.	6.94	1.22	23	24	22
DEC.	1.93	0.49	7	12	10
TOTAL	39.86			160	135

Signature G H Dalrymple

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

G H Dalrymple
The Nurseries Bartley Southampton

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Totton Distance 3 mile Direction from gauge West

Nearest Parish Church at Copythorne Distance 1 mile Direction from gauge NW

Nature of objects nearest to gauge	Soil heap	cottage	hedge	hedge
Height of objects	8ft	?	9ft	10ft
Distances ...	8ft	50yds	12 yds	20yds
Directions from gauge ...	North	South	West	East

If gauge has been moved during the year state—

Date of move Jan 1st 1939 Distance 75ft Direction South

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
~~(b) What note was made of the times of beginning and end of this fall?~~
(c) When was the measurement made?

M.O.
-9 JAN. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in ~~*italic* type~~ :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\begin{matrix}17\\18\end{matrix}\Big\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 648.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 40

File No. 10268/30

Kept at Bartley

in the County of

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0.02									0.10			1
2		0.17		0.17							0.40	0.17		2
3		0.35								0.18	1.04			3
4	0.02	0.12		0.01						0.34	0.05	003		4
5							0.11			0.03	0.58	0.35		5
6	0.31	052					020			048	0.01	0.09		6
7	0.11	0.19												7
8										055		033		8
9										020	068	033		9
10							095		005	013	011	004		10
11							004				1.10			11
12		007	058				017		015		0.10			12
13			051						022		1.22			13
14			015	005			011		003	039		089		14
15					003		051		055	024	071	001		15
16			046			002			018	070	1.13			16
17	0.20		052								028			17
18		035	035							038	003	006		18
19		012	002	044			024		0.50		055			19
20			001	002						017		005		20
21							003		013		062			21
22		002	003	002		073			016					22
23		003	073							078	002			23
24							028							24
25			033		002									25
26	083	056	002		013									26
27	055	030				001	006							27
28	060				005									28
29	038		073	075	009							031		29
30		✖	003	008						068		004		30
31		✖		✖		✖			✖	073	✖	016		31
TOTAL	3.02	3.29	3.47	1.04	0.32	0.26	2.70	–	1.67	5.38	8.59	2.64	Year's Total 32.38	
* Days with .01 in. or more.	8	14	14	8.5	5	3	11	–	9	15	20	14	171	
* Days with .04 in. or more.	7	11	9	5.8	3	1	10	–	8	14	17	12	97	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

649

649

TOTTON

SHORNE HILL

1931- 1935

780113

Section **A** **for the** ...

AIR M...

FORM 1090. **RE**

...Y FOR OFFICIAL USE.

...ORGANIZATION.

Kept at Shorne H...

in the County of H...

Diameter of Funnel of Ga...

Height of top of Gauge abov...

,, Ground ,,

THE MORNING ...

An observer who does not co... ...ing

year in the space on the rig...

Jan. 1, following

Date	Jan.	Feb.	M								Nov.	Dec.	*Date*
	in.	in.									in.	in.	
1		·04											1
2	·23	·03		·65			·02	·05	·60		·02	·03	2
3	·16		·52	·17	·03		·02	·11	·35		·13	·32	3
4			·07		·10		·22	·75	·11	·03	·34	·02	4
5		·12		·11	·10	·45	·01	·54	·02		·32	·18	5
6		·14		·25	·03	·03	·12	·01	·06	·46	·31	·04	6
7					·21	·24		·63		·06	·37		7
8		·21		·04	·18	·34	·08	·20			·12	·08	8
9		·13	·03	·06		·03					·68		9
10		·27	·01			·20	·03	·03			·46		10
11	·13	·45				·02			·06		·34		11
12							·20		·13				12
13							·05	·04					13
14		·17				·10	1·21	·35			·03		14
15	·01	·02		·04	·10		·39	·37	·03			·05	15
16		·09		·06	·17	·16		·17	·03				16
17		·15		·08		·07			·26				17
18	·06	·01	0·11	·04		·08	·18	1·42			·45		18
19	·07			·19		·45	·04	·18			·01		19
20		·11	·10	·02			·02	·43					20
21	·06				·20						·03		21
22	·37	·01	·03	·02	·01								22
23	·56			·13	·36						·38	·03	23
24	·11			·37	·23	·62	·34	·65			·02	·03	24
25	·08			·45	·03		·30				·13		25
26		·01		·08			·32				·30		26
27	·20	·38		·01	·92		·14				·04		27
28	·05	·09	·02	·09	[illegible]						·02	·06	28
29	·08			·03	[illegible]		·08	·01		·06	·03		29
30	·04	×			~~·20~~		·01	·05			·03		30
31	·40	×		×	·14	×	·02		×		×	·02	31
TOTAL	2·61	2·43	·89	2·99	3·28	3·24	3·80	6·01	1·72	·64	4·56	·86	YEAR'S TOTAL 33·03
*Days with ·01 in. or more.	16	8 ~~4~~	8 ~~4~~	~~4~~ 21	~~3~~ 18	~~3~~ 14	~~8~~ 21	~~4~~ 19	~~3~~ 11	~~2~~ 5	~~8~~ 22	11 ~~5~~	~~57~~ 4
*Days with ·04 in. or more.	15	14	4	17	13	11	13	15	8	3	14	6	133

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) S. Wallen

for Mrs J. H. W. Rennie

[P.T.O.

649

Section **A** for the [redacted] Y FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at Shorne Hill, Totton
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level ft.

dgp

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·04		·10	·02	·45		·02	·07	·03			1
2	·23	·03		·65			·02	·05	·60		·02	·03	2
3	·16		·52	·17	·03		·02	·11	·35		·13	·32	3
4			·07		·10		·22	·75	·11	·03	·34	·02	4
5		·12		·11	·10	·45	·01	·54	·02		·32	·18	5
6		·14		·25	·03	·03	·12	·01	·06	·46	·31	·04	6
7					·21	·24		·63		·06	·37		7
8		·21		·04	·18	·34	·08	·20			·12	·08	8
9		·13	·03	·06		·03					·68		9
10		·27	·01			·20	·03	·03			·46		10
11	·13	·45				·02			·06		·34		11
12							·20		·13				12
13							·05	·04					13
14		·17				·10	1·21	·35			·03		14
15	·01	·02		·04	·10		·39	·37	·03			·05	15
16		·09		·06	·17	·16		·17	·03				16
17		·15		·08		·07			·26				17
18	·06	·01	0·11	·04		·08	·18	1·42			·45		18
19	·07			·19		·45	·04	·18			·01		19
20		·11	·10	·02			·02	·43					20
21	·06				·20						·03		21
22	·37	·01	·03	·02	·01								22
23	·56			·13	·36						·38	·03	23
24	·11			·37	·23	·62	·34	·65			·02	·03	24
25	·08			·45	·03		·30				·13		25
26		·01		·08			·32				·30		26
27	·20	·38		·01	·92		·14				·04		27
28	·05	·09	·02	·09	[illegible]						·02	·06	28
29	·08			·03	·20		·08	·01		·06	·03		29
30	·04	×			~~·20~~		·01	·05			·03		30
31	·40	×		×	·14	×	·02		×		×	·02	31
TOTAL	2·61	2·43	·89	2·99	3.28	3·24	3·80	6·01	1·72	·64	4·56	·86	YEAR'S TOTAL 33.03
*Days with ·01 in. or more.	16	8 ~~4~~	8 ~~4~~	~~4~~ 21	~~5~~ 18	~~2~~ 14	~~8~~ 21	~~4~~ 19	~~2~~ 11	~~2~~ 5	~~8~~ 22	11 ~~5~~	~~57~~ 4
*Days with ·04 in. or more.	15	14	4	17	13	11	13	15	8	3	14	6	133

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) S. Wallin
for Mrs J. H. W. Rennie

P.T.O.

649

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 649

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Sherne Hill · Totton

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

" Ground " Sea Level ft.

dap ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16			.17	1.06			.55	.02	.02	.01		1
2				.23	.55		.01	.05			.01	.40	2
3				.18	.02	.13		.01	.50			.04	3
4	.05					.15					.03		4
5	.40						.07		.23				5
6	.61			.20			.15		.26				6
7	.03		.01	.02	.10		.03		.20	.46			7
8			.34	.02	.19				.73	.29			8
9	.29	.02		.21					.07	.02			9
10	.56	.05		.30	.10	.06			.01	.11	.16		10
11	.12			.03	.01		.11		.15	.05		.12	11
12	.65	.01			.02	.02	.25		.09	.14	.01		12
13	.17			.27	.07				.02	.84		.05	13
14	.13			.19	.04			.11		.04			14
15	.05			.03	.80					.04	.12	.02	15
16	.25			.11	.03		.33					.03	16
17	.02			.14	.08					.13			17
18	.04						.02		.06	.26	.20		18
19									.03	.84			19
20				.20	.28			.38		.36	.22		20
21	.01		.03	.06	.85							.08	21
22	.02		.23	.06	.02	.03	.15	.04	.58	.16	.32		22
23	.03		.05		.14		.11		.10	.82		.13	23
24		.07			.10		.52		.17	.07	.01		24
25							.50		.04	.46	.04		25
26			.13	.02			.44			.04	.03	.02	26
27			.40	.40	.08	.04	.21			.50		.06	27
28			.02	.02	.03	.01	.21			.06			28
29			.39	.10	.25	.04	.01	.19	.50	.45	.12	.10	29
30		×	.05	.36	.01	1.31	.05	.01	.59		.98	.39	30
31		×	.10	×		×	.10		×		×	.20	34.45 31
TOTAL	3.59	.15	1.75	3.32	4.83	1.79	3.27	1.34	4.35	6.16	2.26	1.64	YEAR'S TOTAL ~~34.45~~
*Days with ·01 in. or more.	18 ~~8~~	4 ~~2~~	11 ~~8~~	22 ~~6~~	22 ~~7~~	9 ~~3~~	18 ~~4~~	~~2~~ 8	~~4~~ 19	22	~~6~~ 14	~~3~~ 13	~~47~~ 189
*Days with .04 in. or more.	13	2	8	16	15	6	14	6	15	20	8	10	133

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) S. Wallen
for Mrs J. H. W. Rennie

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 649

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Shorne Hill, Totton

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level — ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·22	·69	·16	·01	·03							·15		1
2	·43		·77		·11									2
3		·12	·56											3
4	·48	·04	·03		·20									4
5	·16	·01	·46		·01									5
6		·25	·04		·28					·12	·08			6
7	·03	·02	·04		·35					·10	·01			7
8			·02				·45			·04				8
9					·02		·34			·13	·03			9
10		·09					·15			·31				10
11	·31					0·29	·06	·47				·05		11
12				·09	·05	~~·29~~	·07		·76					12
13	·09					·03	·38	·09	·11	·04	·04			13
14						·	·06			·37	·40			14
15	·54		·24				·04	·36		·06				15
16		·02	·86			·11			·07					16
17			·49			·06		·04	·14		·01			17
18	·18	·03	·11			·44					·02			18
19		·04	·07					·04	·78		·09			19
20		·02	·02	·04		·12		·02	·16			·02		20
21						·08		·11	·23		·01	·01		21
22						1·03		·31	·06	·01				22
23		·02		·23		·10			·36	·35				23
24		1·42		·32		·02			·01	·02	·03			24
25		·88		·31	·01				·04		·01	·09		25
26		1·07		·16					·16					26
27					·78		·02		·02	·17		·37		27
28				·04		·01	·28			·01		·02		28
29	·06			·17	·16					·05		·04		29
30	·10	×	·05				·10		·06			·07		30
31	·12	×	·03	×		×			×		×			31
TOTAL	2·72	4·72	3·95	1·37	2·00	2·29	1·95	1·44	2·96	1·78	·73	·82	Year's Total 26·73	
*Days with ·01 in. or more.	12	15	~~4~~ 16	~~1~~ 9	~~4~~ 11	~~8~~ 11	~~1~~ 11	~~1~~ 8	~~2~~ 14	~~3~~ 14	~~7~~ 11	3 9	~~36~~ 141	
*Days with ·04 in. or more.	11	9	12	8	7	8	10	7	12	11	4	6	105	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required

(*Signed*) S. Walton, for Mrs Rennie

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 649

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Shorne Hill, Totton

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level ft.

NB. Authority

Days ✓

'al

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03							·62	·09	·13	·03	·93		1
2	·12		·06	·05	·16				·89	·19	·01	·35		2
3	·07	·03		·06				·28		·44		·13		3
4	·12		·12	·02	·15			·08		·08	·02	·56		4
5					·04			·46		·07	·01	·55		5
6	·03		·46		·18			·02		·29	·26	·96		6
7	·10					·10		·25		·16		·63		7
8					·27			·01	·14	~~·14~~	·43	·09		8
9	·05		·17							·	1·11	·60		9
10	·04		·31	·35				·06			·40	·18		10
11	·91		·42	·35			·08	·04				·39		11
12	·07		·05				·03	·25				·35		12
13	·48		·02	·20			·35				·08	·62		13
14	·09		·57	·02						·03	·04	·47		14
15	·06		·05		·07				·07	·10	·10	·52		15
16	·23		·39		·05					·08		·03		16
17	·10		·02		·02					·08		·36		17
18	·14		·04	·26					·17			·32		18
19			·47	·05		·07			·05			·20		19
20			·14	·05		·01	·23	·04		·01				20
21				·17		·18	·02	·05		·15				21
22							·04	·36	·35			·13		22
23				·25		·49		·19				·05		23
24		·03	·07	·13		·02	·83	·07	·27			~~·88~~		24
25	·40	·01		·09		·14				·10		·88		25
26	·03			·08		·23			·19			·12		26
27	·02					·07						·31		27
28						·15		·95		·03		·62		28
29							·01	·35	·16			·02		29
30	·09	×						·05	·10	·05		·35		30
31		×		×		×	·02	·14	×		×	·03		31
TOTAL	3·18	·07	3·36	2·13	·94	1·46	1·61	4·27	2·48	199 1·99	2·49	10·74	Year's Total. 34·72	
* Days with .01 in. or more.	~~4~~20	3	~~2~~16	~~2~~15	×8	~~2~~10	~~4~~9	~~2~~19	11	~~3~~16	~~4~~11	~~3~~28	~~30~~	166
* Days with .04 in. or more.	16	0	14	13	7	8	5	17	11	13	7	25	136	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) S. Wallin

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 649

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Shorne Hill, Totton

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ft.

7 385931/35

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03		.22		.13	.11	1.12		.10	.20	.37	.04	~~.04~~	1
2						.06			.04	.45	.04	.03	x	2
3			.09			.06			.13	1.48	.17			3
4		.14		.05		.18		.04	.10	.30	.04	.31		4
5		.27	.14	.09		.13			.26	.04	.04			5
6		.02	.10	.35		1.25				.01	.42	.01		6
7				.28		.12				.03	.42	.11		7
8				.25						.75	.91	.03		8
9	.14			.50		1.11			.35	1.02	1.22			9
10	.07		.18	.37		.12					.41			10
11	.22	.01	.04			.18				.10	.79			11
12	.03	.10		.12		.37		.03	.04		.49			12
13	.04	.15		.15	.03	.10			.17		.11			13
14		.14		.05	.04	.17			.03	.02	.42			14
15				.72		.05			.25	.01	.76	.26		15
16		.13	.08	.20		.71			.81	.03	1.30	.21		16
17				.09	.05	.27		.09	.05		.29			17
18		.05		.30	.05	.07	.01	.02	.52	.03	.05			18
19		.02		.01	.34	.03	.36		.05	.05	.18			19
20		.68		.09	.06	.01	.04		.08		.73			20
21		.37		.08			.02			.04				21
22		.05	.03	.03				.12	.07	~~T~~				22
23			.20		.03			.22	.01	.70		.26		23
24	.04	1.03			.07			1.16	.48	.27		.42		24
25	.18	.27		.15	.06							.34		25
26		.33				.02		.18	.06	.01	.03	.68		26
27		.73							.15		.08	.56		27
28		.11			.04				.32			.28		28
29					.09			.06	.38	.01		.59		29
30	.01	×		.03				1.03	.04	.28	.70	.45		30
31		×		×		×		.02	×	1.12	×	.28		31
TOTAL	.76	4.60	1.08	3.91	.99	5.12	1.55	2.97	4.49	6.95	9.97	4.86	Year's Total. 47.25	
* Days with .01 in. or more.	~~5~~ 9	~~2~~ 18	~~1~~ 9	~~3~~ 20	~~2~~ 12	~~3~~ 20	~~2~~ 5	~~3~~ 11	~~2~~ 23	~~6~~ 22	~~1~~ 23	3 17	~~34~~	189
* Days with .04 in. or more.	6	15	8	17	10	17	3	8	21	14	22	14	155	

40-9999

† Spare column, no entries required.

(Signed) by S. Walton

* See Instruction 2 (f) on other side.

footnote † for Executors of late Mrs A Rennie

P.T.O.

650

Secti

FORM

Ke

in

Di

He

650.

SOUTHAMPTON
EAST PK

1931 – 40

780113

FOR OFFICIAL USE.

CE.—BRITISH RAINFALL ORGANIZATION.

FALL IN 1931.

217

mm

MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
31	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	
1	—	1.5	—	2.5	—	21.9	—	0.9	1.8	0.4	—	—	1
2	4.4	1.4	—	19.4	—	—	0.3	2.1	13.8	—	—	0.4	2
3	3.9	—	12.6	0.7	1.1	—	0.4	2.5	14.4	—	3.2	7.0	3
4	—	—	2.0	—	1.8	—	6.5	23.2	5.3	1.2	9.1	—	4
5	—	4.0	—	2.3	1.4	13.7	0.8	20.4	0.4	0.3	1.0	3.2	5
6	—	4.3	—	4.6	0.6	4.0	4.9	—	0.5	12.8	6.8	1.0	6
7	—	—	—	—	4.2	3.3	1.5	9.1	—	1.0	8.1	—	7
8	—	5.0	—	0.5	2.7	6.6	7.1	3.0	—	—	2.0	1.6	8
9	—	2.5	0.7	1.1	—	0.6	—	—	—	—	19.4	0.5	9
10	0.7	5.5	—	—	—	4.5	1.1	1.0	—	—	12.6	—	10
11	3.3	9.7	—	—		0.3	—	—	1.8	—	6.2	—	11
12	—	—	—	—		—	1.7	—	5.2	—	—	—	12
13	—	—	—	—		—	0.7	0.7	—	—	—	—	13
14	0.5	4.5	—	—		1.7	26.0	12.7	—	—	0.7	—	14
15	0.4	0.4	—	0.6	2.5	—	6.7	5.6	0.3	—	—	0.4	15
16	—	0.8	—	1.8	4.4	5.9	0.3	1.0	3.7	—	—	—	16
17	—	3.0	—	1.8		3.5	3.7	—	3.9	—	—	—	17
18	1.4	0.4	1.3	0.6		1.8	0.6	31.4	—	—	9.0	·	18
19	2.0	—	—	4.1		4.1	—	3.2	—	—	—	—	19
20	—	2.2	3.5	—		—	—	14.7	—	—	0.5	—	20
21	1.2	—	0.4	—	4.7	—	—	—	—	—	0.5	—	21
22	7.8	0.4	4.6	2.3	—	—	—	0.4	—	—	—	—	22
23	10.8	—	—	2.2	8.6	—	—	—	—	—	8.0	0.6	23
24	2.2	0.3	—	12.9	3.7	9.0	10.5	10.4	—	—	0.5	1.0	24
25	1.3	—	—	12.7	1.1	—	4.6	—	—	—	2.1	—	25
26	—	—	—	1.8	—	—	6.1	—	—	—	8.7	0.8	26
27	4.5	8.1	—	—	27.5	—	3.9	—	—	—	2.0	—	27
28	1.7	3.2	—	1.6	4.9	—	—	—	—	—	—	1.0	28
29	1.9	×	—	—	5.9	—	2.0	0.3	—	1.3	0.3	—	29
30	1.0	×	—	0.3	0.3	—	0.6	—	0.8	—	0.6	—	30
31	8.9	×	—	×	1.9	×	0.5	—	×	—	×	0.3	31
TOTAL	2.28	2.25	0.99	~~3.62~~ 2.91	3.04	3.19	3.56	5.61	2.04	0.67	3.99	0.70	YEAR'S TOTAL 31.23
*Days with ·01 in. or more.	18	18	7	19	17	14	22	18	12	6	20	12	183
*Days with ·04 in. or more.	15	13	5	~~14~~ 14	15	12	14	14	8	4	14	6	131
99 40-9999	57.9	57.2	25.1	~~92.1~~ 73.8	77.3	80.9	90.5	142.6	51.9	17.0	101.3	17.8	793.3

*See Instruction 2 (*f*) on other side.

(Signed) ....

[P.T.O.]

Secti

650

FOR OFFICIAL USE.

~~AIR MINISTRY.—METEOROLOGICAL OFFICE.~~—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

217

Kept at Southampton

in the County of Hants

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 64 ft.

mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
31	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	
1	—	1.5	—	2.5	—	21.9	—	0.9	1.8	0.4	—	—	1
2	4.4	1.4	—	19.4	—	—	0.3	2.1	13.8	—	—	0.4	2
3	3.9	—	12.6	0.7	1.1	—	0.4	2.5	14.4	—	3.2	7.0	3
4	—	—	2.0	—	1.8	—	6.5	23.2	5.3	1.2	9.1	—	4
5	—	4.0	—	2.3	1.4	13.7	0.8	20.4	0.4	0.3	1.0	3.2	5
6	—	4.3	—	4.6	0.6	4.0	4.9	—	0.5	12.8	6.8	1.0	6
7	—	—	—	—	4.2	3.3	1.5	9.1	—	1.0	8.1	—	7
8	—	5.0	—	0.5	2.7	6.6	7.1	3.0	—	—	2.0	1.6	8
9	—	2.5	0.7	1.1	—	0.6	—	—	—	—	19.4	0.5	9
10	0.7	5.5	—	—	—	4.5	1.1	1.0	—	—	12.6	—	10
11	3.3	9.7	—	—		0.3	—	—	1.8	—	6.2	—	11
12	—	—	—	—		—	1.7	—	5.2	—	—	—	12
13	—	—	—	—		—	0.7	0.7	—	—	—	—	13
14	0.5	4.5	—	—		1.7	26.0	12.7	—	—	0.7	—	14
15	0.4	0.4	—	0.6	2.5	—	6.7	5.6	0.3	—	—	0.4	15
16	—	0.8	—	1.8	4.4	5.9	0.3	1.0	3.7	—	—	—	16
17	—	3.0	—	1.8		3.5	3.7	—	3.9	—	—	—	17
18	1.4	0.4	1.3	0.6		1.8	0.6	31.4	—	—	9.0	-	18
19	2.0	—	—	4.1		4.1	—	3.2	—	—	—	—	19
20	—	2.2	3.5	—		—	—	14.7	—	—	0.5	—	20
21	1.2	—	0.4	—	4.7	—	—	—	—	—	0.5	—	21
22	7.8	0.4	4.6	2.3	—	—	—	0.4	—	—	—	—	22
23	10.8	—	—	2.2	8.6	—	—	—	—	—	8.0	0.6	23
24	2.2	0.3	—	12.9	3.7	9.0	10.5	10.4	—	—	0.5	1.0	24
25	1.3	—	—	~~12.7~~	1.1	—	4.6	—	—	—	2.1	—	25
26	—	—	—	1.8	—	—	6.1	—	—	—	8.7	0.8	26
27	4.5	8.1	—	—	27.5	—	3.9	—	—	—	2.0	—	27
28	1.7	3.2	—	1.6	4.9	—	—	—	—	—	—	1.0	28
29	1.9	×	—	—	5.9	—	2.0	0.3	—	1.3	0.3	—	29
30	1.0	✕	—	0.3	0.3	—	0.6	—	0.8	—	0.6	—	30
31	8.9	✕	—	✕	1.9	✕	0.5	—	✕	—	✕	0.3	31
TOTAL	2.28	2.25	0.99	~~3.62~~ 2.91	3.04	3.19	3.56	5.61	2.04	0.67	3.99	0.70	YEAR'S TOTAL 31.23
*Days with ·01 in. or more.	18	18	7	19	17	14	22	18	12	6	20	12	183
*Days with ·04 in. or more.	15	13	5	~~19~~ 14	15	12	14	14	8	4	14	6	134
99 40-9999	57.9	57.2	25.1	~~92.1~~ 73.8	77.3	80.9	90.5	142.6	51.9	17.0	101.3	17.8	793.3

(Signed).......... [P.T.O.]

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations.

650

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1932.

217

Kept at Southampton
in the County of Hants.

Diameter of Funnel of Gauge........in.
Height of top of Gauge above Ground........ft........in.
,, Ground ,, Sea Level 64 ft.

MM

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
32	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	
1	4.0	–	–	4.1	27.1	–	–	2.4	0.6	0.9	0.5		1
2	–	–	–	5.3	8.3	–	0.3	2.2	1.6	–	0.5	9.8	2
3	–	–	–	3.8	0.4	4.3	–	–	10.9	0.4	–	0.8	3
4	0.7	–	–	–	–	5.5	0.6	–	–	–	1.0	–	4
5	8.5	–	–	–	–	–	2.1	–	4.0	–	–	–	5
6	19.0	–	–	4.3	–	–	3.0	–	5.5	–	–	–	6
7		–	0.3	1.0	6.5	–	2.5	–	3.6	7.0	–	–	7
8	–	–	8.0	0.6	5.9	–	–	–	13.9	6.0	–	–	8
9	6.0	–	–	6.2	3.3	–	–	–	–	–	0.5	–	9
10	11.9	2.0	0.4	5.3	2.2	2.2	–	–	0.3	2.5	4.3	–	10
11	1.4	–	–	2.9	0.7	–	0.3	0.5	1.0	1.5	–	1.0	11
12	13.8	–	–	0.4	0.5	0.4	–	–	27	6.3	–	–	12
13	4.2	–	–	7.7	2.7	–	7.1	–	–	23.5	–	1.6	13
14	3.0	–	–	4.6	0.8	–	–	2.0	–	–	0.5	–	14
15	1.5	–	–	1.0	34.0	–	0.5	–	–	1.4	1.9	0.5	15
16	4.1	–	–	3.2	3.0	–	0.8	–	–	–	–	0.5	16
17	0.8	–	–	3.4	–	–	0.4	–	–	3.0	–	–	17
18	1.0	–	–	–	2.0	–	2.4	–	0.4	–	4.3	–	18
19	–	–	–	–	–	–	–	–	1.2	6.5	–	–	19
20	–	–	–	1.6	6.0	–	–	16.0	–	23.0	5.3	0.6	20
21	0.8	–	0.3	2.0	26.3	–	–	–	–	11.5	–	2.2	21
22	1.0	–	5.0	2.1	1.9	0.4	1.4	1.4	19.0	5.0	8.2	–	22
23	1.0	–	–	–	6.2	–	4.2	–	1.9	19.5	–	3.1	23
24	–	1.5	–	–	–	–	17.0	–	2.8	1.0	–	–	24
25	–	–	–	–	–	–	17.5	–	0.6	9.3	1.4	–	25
26	–	–	2.8	0.4	–	–	7.5	–	–	1.0	0.7	–	26
27	–	–	2.8	9.2	1.5	0.7	1.1	–	–	12.4	–	1.8	27
28	–	–	0.4	0.5	0.5	2.0	5.7	–	–	1.1	–	0.6	28
29	–	–	8.0	4.0	5.0	2.3	–	5.5	12.0	10.5	1.2	3.9	29
30	–	×	1.1	5.4	–	32.8	2.4	–	12.2	–	18.2	7.7	30
31	–	×	3.0	×	–	×	0.6	–	×	–	×	4.5	31
TOTAL	3.26	0.14	1.26	3.11	5.70	1.99	3.05	1.18	3.71	6.04	1.91	1.52	YEAR'S TOTAL 32.87
*Days with ·01 in. or more.	17	2	11	23	21	9	20	7	18	21	14	14	177
*Days with ·04 in. or more.	14	2	7	19	16	6	13	6	14	19	9	9	137
99 40-9999	82.7	3.5	32.1	79.0	144.8	50.6	77.4	30.0	94.2	153.3	48.5	38.6	834.7

(Signed)........ [P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE. 650

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Southampton

in the County of Hants

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 684 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
33	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	
1	4·3	14·2	4·0	–	0·5	–	–	–	–	–	–	2·5	1
2	7·5	–	19·0	–	5·5	–	–	–	–	–	–	–	2
3	–	3·2	11·0	–	–	–	–	–	–	–	–	–	3
4	6·8	1·5	0·8	–	7·5	–	–	–	–	–	–	–	4
5	2·7	–	11·6	–	–	–	–	–	–	–	–	–	5
6	–	5·0	1·2	–	6·5	–	–	–	–	1·8	1·0	–	6
7	1·3	–	2·5	–	7·2	–	–	–	–	4·1	–	0·5	7
8	0 6	0·5	1·1	–	–	–	10·0	–	–	1·2	–	–	8
9	–	–	–	–	0·5	–	7·5	–	–	4·8	1·1	–	9
10	–	–	–	–	4·0	–	1·5	–	–	5·5	0·4	–	10
11	6·5	–	–	–	–	6·8	1·0	3·0	–	–	–	–	11
12	–	–	–	1·5	1·0	–	2·2	–	34·4	–	–	0·9	12
13	1·5	–	–	–	1·2	–	10·6	1·3	1·0	0·4	0·8	–	13
14	–	–	–	–	0·3	–	1·3	0·7	–	6·5	9·6	0·4	14
15	12·0	–	6·0	–	–	–	0·3	7·7	–	1·0	–	–	15
16	–	0·2	19·7	–	–	2·2	–	–	1·0	0·5	–	–	16
17	–	1·8	10·4	–	–	0·8	–	0·7	4·9	–	–	–	17
18	4·5	0·3	2·2	–	–	12·2	–	–	–	–	0·6	–	18
19	–	0·8	2·2	–	–	–	–	0·7	21·8	–	3·5	1·4	19
20	–	0·8	1·0	0·5	–	1·0	–	–	5·7	–	–	–	20
21	–	–	–	–	–	1·7	–	2·5	0·5	0·5	–	–	21
22	–	–	–	–	–	10·4	–	7·0	0·4	6·5	–	–	22
23	–	0·6	–	8·0	–	2·2	–	–	7·5	9·6	–	–	23
24	–	23·8	–	6·0	–	0·5	–	–	0·4	–	0·5	–	24
25	–	21·9	–	7·9	0·4	–	–	–	0·6	–	–	3·0	25
26	–	19·6	–	3·0	1·5	7·5	–	–	0·8	–	–	–	26
27	–	–	–	–	10·5	–	–	–	0·4	4·5	–	7·5	27
28	–	–	–	0·4	–	–	7·7	–	–	–	–		28
29	1·7	×	0·3	1·7	1·2	–	–	–	–	0·6	–	1·3	29
30	2·1	×	1·1	–	–	–	1·6	–	1·5	–	–	2·6	30
31	3·1	×	1·8	×	–	×	–	–	×	–	×	–	31
TOTAL	2·15	3·71	3·78	1·14	1·88	1·78	1·72	0·93	3·19	1·87	0·69	0·79	YEAR'S TOTAL 23·63
*Days with ·01 in. or more.	13	14	17	8	14	~~8~~ 10	10	8	14	14	8	9	139
*Days with ·04 in. or more.	12	8	~~15~~	6	~~10~~	~~2~~ 8	9	5	8	[illegible]	4	6	~~101~~ 93
9940-9999	54·6	94·2	95·9	29·0	47·8	45·3	43·7	23·6	80·9	47·5	17·5	20·1	600·1

~~*See Instruction 2 (f) on other side.~~

(Signed)

[P.T.O.

Section | **A** | **for the entry of Daily Observations** **Station No.** 650.

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 19~~5~~34

Kept at Southampton
in the County of Hants
Diameter of funnel of gauge 8 in.
Height of top of gauge above ground 1 ft. 0 in.
Height of ground above sea level 64 ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
34	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	†	
1	1·6	–	–	–	–	1·5	–	11·5	0·6	3·0	1·0	20·5		1
2	4·7	–	2·2	2·1	3·1	1·1	–	–	25·5	6·4	–	7·0		2
3	1·8	0·8	–	0·8	–	–	–	2·2	–	9·0	–	7·8		3
4	3·5	–	3·3	2·1	3·5	–	–	–	–	1·5	–	9·3		4
5	–	–	–	–	–	–	–	9·2	–	1·0	1·0	11·2		5
6	0·8	–	9·0	0·6	4·5	–	–	1·2	–	7·2	4·9	21·2		6
7	2·0	–	–	–	–	1·2	–	6·7	–	2·7	–	14·0		7
8	–	–	–	–	7·0	–	–	0·6	7·4	–	12·2	1·8		8
9	1·3	–	4·1	–	–	–	–	–	–	–	26·3	11·9		9
10	1·0	0·4	7·7	5·6	–	–	–	1·0	–	–	11·2	2·5		10
11	22·5	–	9·0	9·1	–	–	3·0	3·1	–	–	–	8·7		11
12	0·6	–	1·0	–	–	–	0·8	2·7	–	–	–	6·6		12
13	9·6	–	0·7	3·3	–	–	5·5	0·7	–	–	1·4	12·4		13
14	1·7	–	13·0	–	–	–	–	–	–	1·0	2·0	10·7		14
15	1·1	–	0·6	–	2·6	–	–	–	–	3·7	2·1	15·7		15
16	5·4	–	10·0	–	–	–	–	–	–	–	–	1·0		16
17	2·3	–	–	–	0·5	–	–	–	1·9	1·3	0·6	8·4		17
18	1·3	–	7·0	6·2	–	–	–	–	7·6	–	–	7·4		18
19	–	–	10·0	1·7	–	2·1	–	–	2·0	–	–	4·0		19
20	–	–	1·6	2·0	–	–	3·5	0·7	–	0·4	–	–		20
21	–	–	–	5·2	–	2·9	–	2·5	0·4	2·8	–	–		21
22	–	–	–	–	–	–	1·8	5·0	8·2	0·3	–	4·0		22
23	–	1·0	–	7·0	–	17·5	–	6·1	0·8	–	–	–		23
24	–	0·5	2·0	2·2	–	0·8	8·7	8·2	3·5	–	–	–		24
25	10·0	–	–	2·8	–	0·3	–	–	–	3·1	–	20·8		25
26	0·5	–	–	1·4	–	6·1	–	–	3·5	–	–	2·0		26
27	0·5	–	–	–	–	1·0	–	–	–	–	–	7·1		27
28	–	–	–	–	–	3·7	–	26·9	–	0·3	–	14·1		28
29	–	X	–	–	–	–	0·9	6·4	3·0	–	–	0·5		29
30	2·5	X	–	–	–	–	–	1·0	2·3	1·4	–	8·0		30
31	1·2	X	–	X	–	X	0·6	0·3	X	–	X	1·0		31
TOTAL 44	75·9	2·7	81·2	52·1	21·2	38·2	24·8	90·0	66·7	45·1	62·7	239·6	Year's total 800·2	
*Days with .01 in. or more.														
*Days with .04 in. or more.	2.99.	0.11	3.20	2.05	0.83	1.50	0.98	3.54	2.63	1.78	2.47	9.43	31.50	

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*).. (P.T.O.)

Section A **for the entry of Daily Observations**

Station No. 650.

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 19~~5~~35

Kept at Southampton

in the County of Hants

Diameter of funnel of gauge 8 in.

Height of top of gauge above ground 1 ft. 0 in.

Height of ground above sea level 64 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
35	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm		
1	0.8	–	5.1	–	2.0	2.5	53.0	–	3.8	6.5	4.0	0.8		1
2	–	–	–	–	–	2.8	–	–	1.5	11.2	1.4	0.3		2
3	–	–	2.7	–	–	0.7	–	–	5.1	37.5	2.5	–		3
4	–	2.7	2.5	1.8	–	8.0	–	–	2.0	5.0	2.3	4.3		4
5	–	9.5	3.8	2.0	–	1.2	–	–	6.5	0.6	0.6	–		5
6	–	1.0	1.7	7.9	–	30.5	–	–	–	–	2.5	–		6
7	–	–	–	6.9	0.4	1.6	–	–	–	5.0	14.8	2.8		7
8	–		–	7.0	–	–	–	–	0.3	6.7	12.7	0.3		8
9	3.4		–	9.4	–	16.9	–	–	6.0	25.0	18.0	0.2		9
10	4.7		4.6	1.1	–	1.1	–	–	–	–	5.0	–		10
11	5.0	0.8		6.9	–	8.5	–	–	–	1.3	16.3	–		11
12	–	2.1		–	–	9.6	–	0.8	1.9	–	15.6	–		12
13	1.4	3.4		2.6	1.3	3.6	–	–	0.2	–	0.6	–		13
14	–	–		1.0	0.4	1.2	–	–	1.2	0.3	11.3	6.4		14
15	–	2.1		15.7	–	–	–	–	6.4	0.5	12.8	5.2		15
16	–	1.4	1.6	6.1	–	6.5	–	–	15.3	0.4	30.5	–		16
17	–	–	0.8	2.4	2.5	6.5	–	1.7	0.2	–	8.2	–		17
18	–	0.7		6.0	3.6	3.5	–	0.3	14.7	1.0	2.0	–		18
19	–	–		0.6	9.0	1.2	5.5	–	1.7	1.1	5.8	–		19
20	–	12.0		0.6		0.2	1.7	–	1.2	–	16.4	–		20
21	–	11.2	–	1.4	–	–	–	–	0.3	1.0	0.6	–		21
22	–	1.4	–	1.8	–	–	–	2.1	1.8	–	–	–		22
23	–	–	2.8	–	1.1	–	–	8.3	0.2	13.9	–	5.8		23
24	1.2	18.2	–	–	3.5	–	–	28.6	9.3	1.9	–	9.2		24
25	3.1	3.8	–	3.9	0.5	–	–		–	–	0.8	6.5		25
26	–	9.4	–	–	–	–	–	4.4	1.2	–	–	11.6		26
27	–	12.2	–	–	–	–	–	–	2.8	–	1.9	12.2		27
28	–	2.4	–	–	0.9	–	–	0.4	5.8	–	–	4.5		28
29	–	×	–	–	–	–	–	2.4	9.7	–	–	10.7		29
30	1.0	X	–	0.8	12.1	–	–	22.4	1.0	5.8	13.1	12.3		30
31	–	X	–	X	–	X	–	0.3	X	21.4	X	6.4		31
TOTAL 29	20.6	94.3	25.6	85.9	37.3	106.1	60.2	71.7	100.1	146.1	199.7	99.5	Year's total 1047.1	
*Days with .01 in. or more.														
*Days with .04 in. or more.	0.81	3.71	1.01	3.38	1.47	4.18	2.37	2.82	3.94	5.75	7.86	3.92	41.22	

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*).. (P.T.O.)

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No 650

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

217

TL

Kept at Southampton

in the County of Hants

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 64 ft.

mm.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
36	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm		
1	7.2	3.3	1.0	8.0	–	2.0	6.3	1.2	–	–	4.1	1.0		1
2	–	1.0	–	0.4	–	8.8	1.9	2.1	0.4	–	0.4	0.1		2
3	–	–	–	7.8	–	1.8	1.3	–	16.6	–	11.4	–		3
4	–	–	3.9	–	–	1.1	–	–	7.0	–	2.4	0.5		4
5	7.6	–	–	–	2.1	0.9	–	1.0	2.7	–	–	1.5		5
6	16.8	–	–	–	–	0.5	–	–	5.0	–	12.1	–		6
7	2.7	–	2.9	–	–	–	–	–	–	–	7.1	1.4		7
8	13.3	–	4.9	–	–	–	11.0	–	–	–	8.2	2.1		8
9	10.6	–	2.2	–	–	–	6.9	–	5.2	–	–	–		9
10	2.8	–	–	–	–	–	3.9	–	–	–	–	–		10
11	4.4	5.0	–	–	–	1.0	–	4.0	3.2	–	34.5	0.5		11
12	–	–	–	7.9	4.8	11.3	9.3	–	22.0	–	2.4	0.4		12
13	–	–	–	–		0.6	15.8	–	–	1.2	3.1	18.0		13
14	–	5.1	–	–	–	1.8	10.2	–	–	0.2	–	11.7		14
15	0.5	1.7	–	–	–	–	0.3	–	2.0	–	1.5	9.0		15
16	4.9	6.5	–	–	1.3	–	5.0	–	–	–	1.3	1.4		16
17	–	25.9	–	–	–	2.2	1.5	–	0.5	0.3	3.0	16.9		17
18	3.2	6.2	–	–	–	13.0	6.1	–	–	0.5	–	4.3		18
19	11.0	0.8	–	–	–	8.6	–	2.1	–	–	–	–		19
20	3.8	3.2	2.4	7.2	–	1.6	–	–	23.3	–	–	–		20
21	–	2.6	–	12.9	–	2.1	0.5	–	1.1	–	–	–		21
22	3.8	10.8	6.2	–	4.0	–	5.1	–	–	–	–	1.5		22
23	1.2	–	3.4	3.1	0.5	–	6.5	–	–	0.7	–	–		23
24	3.8	2.3	–	–	0.5	–	–	–	–	7.2	–	–		24
25	1.7	–	8.0	4.0	–	–	–	–	1.4	4.3	–	–		25
26	3.0	3.3	1.0	2.4	–	11.2	–	–	2.0	0.6	–	–		26
27	13.3	1.9	0.6	–	–	–	1.7	–	1.4	5.0	–	–		27
28	23.9	–	10.6	–	–	–	2.0	–	–	–	–	5.2		28
29	0.6	2.9	1.2	–	–	5.0	1.2	–	–	2.1	4.7	2.2		29
30	3.7	×	–	–	0.3	7.1	–	–	–	5.6	–	0.2		30
31	2.8	×	14.2	×	0.3	×	3.9	–	×	2.2	×	13.6		31
													Year's Total.	
Total	5.77	3.25	2.46	2.11	0.54	3.17	3.95	0.41	3.69	1.18	3.79	3.60	33.92	(~~38.93~~)
* Days with .01 in. or more.	23	16	14	9	8	18	21	5	15	12	14	18	173	✓
* Days with .04 in. or more.	21	15	13	8	4	15	19	5	13	7	13	13	146	✓
40-9998	146.6	82.5	62.5	53.7	13.8	80.6	100.4	10.4	93.8	29.9	96.2	91.5	861.9	

† Spare column, no entries required.

(Signed) ...

[P.T.O.

* See Instruction 2 (f) on other side.

Section **A** for the entry of Daily Observations

Station No. 650

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 19~~5~~37.

Kept at Southampton

in the County of Hants

Diameter of funnel of gauge 5 in.

Height of top of gauge above ground 1 ft. 0 in.

Height of ground above sea level 64. ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
37	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm		
1	13·7	2·2	–	2·0	–	–	–	–		0·3	18·8	15·4		1
2	1·3	19·0	–	2·0	–	–	–	–	3·6	–	–	1·5		2
3	–	7·6	–	–	–	–	–	–	1·3	–	–	–		3
4	3·5	23·3	–	–	–	–	–	0·3	–	–	–	6·6		4
5	2·4	1·0	1·5	0·6	–	–	5·4	–	–	–	–	–		5
6	2·6	5·4	18·3	2·8	1·4		0·9	–	–	0·3	–	–		6
7	–	10·8	–	2·8	1·4	–	–	–	0·5	1·3	–	45·4		7
8	0·3	1·5	–	–	5·0	–	–	–	–	–	–	22·8		8
9	–	0·3	–	5·3	3·2	0·7	0·8		12·1	–	–	1·3		9
10	–	0·7	14·0	2·7	1·4	12·2	–	1·5	–	–	–	11·7		10
11	–	–	1·8	0·2	3·4	8·4	4·5	–	–	–	–	0·5		11
12	10·7	7·5	8·6	2·4	20·7	7·8	–	7·4	5·6	–	–	9·7		12
13	5·3	1·0	16·0	3·1	1·3	–	–	1·0	1·0	–	–	13·7		13
14	0·5	0·9	7·5	10·5	–	–	–	6·6	2·0	–	–	0·8		14
15	8·8	3·9	–	7·1	–	–	10·2	–	2·8	–	–	3·6		15
16	0·6	3·0	10·8	2·4	–	1·3	–	12·4	6·9	–	–	–		16
17	18·2	1·7	1·6	–	–	–	1·2	–	4·3	–	2·5	–		17
18	7·4	2·3	–	–	–	–	–	–	–	–	2·3	3·6		18
19	1·8	1·5	1·6	4·0	–	0·9	0·3	–	1·5	–	–	–		19
20	14·5	–	5·3	4·2	–	0·9	–	–	–	–	–	2·8		20
21	17·5	4·5	0·7	0·9	2·5	–	0·2	–	0·3	0·5	1·0	3·0		21
22	14·3	2·2	2·5	–	5·1	4·2	5·2	–	0·3	26·0	22·1	2·8		22
23	9·8	3·6	0·3	–	8·5	–	–	–	–	8·6	4·6	0·5		23
24	6·3	12·4	–	–	1·6	–	–	–	2·3	17·0	–	0·5		24
25	7·4	13·5	8·2	–	19·7	–	–	–	2·0	2·3	–	0·8		25
26	–	7·1	–	–	–	–	–	–		3·0	–	–		26
27	–	4·3	–	2·7	–	–	–	–		14·2	–	0·3		27
28	1·4	2·4	–	–	–	–	–	–		2·8	–	0·3		28
29	1·3	X	–	–	–	–	–	–		3·0	1·0	–		29
30	10·8	X	–	–	–	–	–	2·3		5·6	3·3	–		30
31	11·4	X	–	X	–	X	–	–	X	8·1	X	–		31
TOTAL 99	171·8	163·0	98·7	55·7	75·2	36·4	28·7	31·5	46·5	93·0	55·6	147·6	Year's Total 983·7	
*~~Days with~~ .01 in. or more.	6·76	5·63	3·89	2·20	2·96	1·43	1·13	1·24	1·83	3·66	2·19	5·81	38·73	
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*).. (P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 650

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 19~~5~~38

Kept at Southampton (East Park

in the County of Hants

Diameter of funnel of gauge 5 in.

Height of top of gauge above ground 1 ft. 0 in.

Height of ground above sea level 64 ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
38	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	†	
1	–	1.5	0.3	–	–	2.3	1.3	–	–	3.0	–	0.5		1
2	–	–	–	0.8	–	–	3.6	–	–	7.9	–	–		2
3	–	–	–	–	3.8	–	–	–	–	17.4	2.5	–		3
4	0.5	–	–	–		–	11.4	0.5	–	3.0	–	5.3		4
5	–	–	–	–		–	2.8	–	–	4.3	–	–		5
6	1.5	–	–	–		0.3	3.6	–	8.7	3.0	1.0	–		6
7	0.5	–	–	–		0.5	10.3	32.5	3.3	8.9	0.3	2.5		7
8	3.3	–	–	–		–	0.3	0.8	–	7.9	0.5	1.0		8
9	1.5	0.8	–	–		1.0	–	–	–	0.5	–	24.6		9
10	1.5	–	–	–		3.6	0.5	–	–	–	–	6.4		10
11	5.6	0.3	–	–	–	–	0.3	–	–	–	2.3	4.8		11
12	12.1	–	–	–	2.8	–	0.5	–	–	4.6	–	–		12
13	10.2	–	–	–	–	–	1.8	–	–	3.6	8.9	9.4		13
14	10.2	–	–	–	4.0	–	1.8	–	–	–	–	–		14
15	4.1	0.3	0.2	–	0.8	–	13.4	–	–	8.7	0.3	13.2		15
16	10.2	0.3	1.3	–	0.3	–	–	0.5	–	0.8	0.5	1.5		16
17	–	3.0	0.2	–	–	–	0.5	–	1.8	4.6	0.5	–		17
18	3.6	–	–	–	2.8	1.3	–	0.5	2.3	–	12.4	–		18
19	1.0	–	–	–		–	–	2.8	5.8	–	9.7	0.8		19
20	0.3	–	–	=		–	0.3	5.6	0.5	–	15.0	3.3		20
21	1.0	–	–	–	–	–	–	–	2.8	–	1.0	7.1		21
22	–	–	–	–	–	0.5	–	5.6	–	–	8.9	1.8		22
23	–	–	–	–	–	–	–	–	–	–	1.0	0.5		23
24	–	–	5.1	–	0.5	–	–	–	3.0	–	8.6	–		24
25	3.6	2.0	1.5	–	3.6	–	0.3	–	1.3	0.5	37.1	–		25
26	11.4	6.8	–	–	0.5	–	0.3	–	2.5	2.8	–	7.4		26
27	2.5	0.3	–	–	3.3	6.3	10.3	0.5	–	1.0	8.6	–		27
28	2.0	2.0	–	–	8.1	3.8	–	13.7	2.8	–	0.3	0.8		28
29	1.3	X	–	–	10.2	–	–	–	6.1	1.3	7.4	0.5		29
30	0.8	X	–	–	6.6	–	–	–	2.0	2.3	8.1	–		30
31	6.6	X	–	X	4.0	X	–	–	X	6.6	X	9.4		31
TOTAL 99	95.3	17.3	8.6	0.8	51.3	19.6	63.3 61.5	63.0	42.9	92.7	134.9	100.8	Year's Total 688.7	690.5
*Days with .01 in. or more.	3.75	.68	.34	0.3	2.02	.77	2.44	2.48	1.69	3.65	5.31	3.97	27.18	
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*)........................ (P.T.O.)

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. ~~217~~ 650

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

150

TL

400

Kept at Southampton (East Park)

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 64 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
39	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	mm ~~in.~~	†	
1	0.3	–	2.0	3.6	1.5	–	1.0	0.8	8.4	–	2.3	3.3		1
2	–	–	–	4.6	–	–	0.3	18.7	32.2	–	0.5	1.8		2
3	12.2	–	–	15.7	–	–	–	5.1	–	–	7.6	5.3		3
4	0.5	–	11.5	3.3	3.8	–	11.9	12.4	11.9	17.3	3.6	0.8		4
5	–	–	0.5	3.6	4.8	–	1.0	2.5	–	7.4	15.7	2.0		5
6	10.4	–	3.6	–	–	–	14.5	0.5	–	–	4.8			6
7	0.5	4.2	–	–	–	–	0.5	0.3	–	–	5.6	10.2		7
8	1.0	4.8	2.8	–	–	–	0.8	2.0	–	10.9	8.9	4.8		8
9	1.5	–	–	–	–	–	–	4.1	–	3.0	4.8	5.8		9
10	5.1	–	1.0	–	–	0.8	–	4.3	2.0	9.7	–	–		10
11	–	–	4.8	–	–	0.3	–	–	–	9.9	0.8	–		11
12	–	0.3	–	–	–	1.8	–	–	–	–	–	–		12
13	–	–	–	0.5	–	–	9.7	–	–	36.6	0.3	0.3		13
14	20.4	–	–	1.0	1.8	0.3	3.3	–	–	10.2	14.7	1.0		14
15	7.6	–	–	–	8.9	18.4	4.3	–	0.3	6.1	9.9	0.8		15
16	15.2	–	0.3	1.8	0.8	2.5	2.8	–	0.5	–	5.1	–		16
17	3.6	0.8	–	–	8.4	–	9.1	–	–	16.8	1.0	0.3		17
18	3.8	–	–	–	3.0	6.4	26.5	–	–	–	13.5	–		18
19	9.1	–	0.3	–	–	–	0.5	–	–	0.3	–	1.0		19
20	11.4	–	0.3	–	–	–	8.4	–	–	–	–	–		20
21	5.3	6.3	1.3	–	–	2.3	4.3	–	0.5	–	–	–		21
22	8.9	6.3	1.0	–	–	3.8	0.5	–	0.3	–	7.1	–		22
23	0.3	–	0.3	3.6	–	0.3	5.3	–	–	1.0	27.1	–		23
24	14.0	–	1.0	0.3	–	7.1	1.5	0.3	0.3	0.3	–	–		24
25	19.3	2.8	0.5	0.3	–	–	1.8	–	–	2.3	6.4	0.3		25
26	–	–	–	–	–	–	–	0.5	–	1.3	12.2	0.8		26
27	–	1.8	1.3	0.3	–	1.3	–	–	–	–	2.8	–		27
28	–	6.3	0.5	–	–	1.0	2.8	–	–	–	4.3	3.6		28
29	–	✕	0.3	0.3	–	–	5.8	–	–	3.6	0.5	–		29
30	–	✕	–	15.7	–	2.5	–	–	–	2.0	1.3	1.0		30
31	–	✕	–	✕	–	✕	3.0	0.3	✕	15.0	✕	3.6		31
TOTAL	5.92	1.30	1.31	2.15	1.30	1.92	4.71	2.04	2.22	6.05	6.33	1.84	Year's Total 37.09	✓
* Days with .01 in. or more.	20	9	18	14	8	14	23	13	9	18	24	16	186	✓
* Days with .04 in. or more.	16	7	10	9	7	10	18	7	4	16	20	12	136	✓
99	150.4	33.6	33.3	54.6	33.0	48.8	119.6	51.8	56.4	153.7	160.8	46.7	942.7	

† In † column no entries required.

* See Instruction 3 (f) on other side.

(Signed) .... [P.T.O.

Section **A** for the entry of Daily Observations

Station No. 650

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 19~~5~~40

Kept at Southampton

in the County of Hants

Diameter of funnel of gauge 5 in.

Height of top of gauge above ground 1 ft. 0 in.

Height of ground above sea level 64 ft.

Worked 700. Dec.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
40	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm		
1	–	0·8	–	–	–	–	–	–	–	–	2·3	–		1
2	–	4·8	–	2·0	–	–	–	–	–	–	11·9	1·3		2
3	–	8·4	–	–	–	–	–	–	–	4·6	25·1	4·8		3
4	–	3·6	–	0·3	–	–	0·5	–	–	7·9	0·8	1·3		4
5	–	0·3	–	–	–	–	6·6	–	–	0·8	15·7	6·6		5
6	11·2	11·0	–	–	–	–	5·8	–	–	12·4	0·3	0·8		6
7	4·6	4·8	–	–	0·3	–	–	–	–	0·5	–	–		7
8	–	0·3	–	–	–	–	0·3	–	4·1	11·4	1·8	6·3		8
9	–	–	–	–	–	–	–	–	1·3	7·6	13·7	8·4		9
10	–	–	–	–	–	–	46·6	–	–	2·5	2·0	1·3		10
11	–	–	–	–	–	–	2·8	–	–	–	30·5	–		11
12	–	–	4·3	–	–	–	3·3	–	3·8	–	1·8	–		12
13	–	–	16·9	–	–	–	0·8	–	5·1	0·8	31·3	–		13
14	–	–	3·0	1·0	–	–	7·4	–	1·5	7·1	–	17·3		14
15	–	–	–	–	1·0	–	10·9	–	4·8	0·5	26·6	0·2		15
16	–	–	11·2	5·6	–	–	–	–	3·6	12·4	25·8	–		16
17	–	–	12·2	–	–	–	0·8	–	–	0·3	5·6	–		17
18	–	10·7	9·4	7·7	–	–	0·8	–	0·8	8·1	0·3	2·5		18
19	–	2·3	0·8	4·3	–	–	2·0	–	14·3	–	7·9	–		19
20	–	–	0·5	0·3	–	–	–	–	0·3	4·1	1·8	–		20
21	–	–	–	–	–	–	1·8	–	0·3	–	10·9	–		21
22	–	–	0·8	0·8	–	4·2	–	–	1·5	–	–	–		22
23	–	0·8	5·6	–	–	0·3	–	–	–	0·3	0·3	–		23
24	–	–	0·3	–	–	–	6·6	–	–	–	–	–		24
25	0·8	–	10·2	1·0	0·8	–	0·5	–	–	–	–	–		25
26	24·6	9·6	0·5	0·3	3·3	0·8	–	–	–	–	–	–		26
27	15·0	9·6	–	0·3	–	–	0·8	–	–	–	–	–		27
28	9·1	0·3	–	–	1·0	–	–	–	–	–	–	–		28
29	–	7·6	5·1	6·6	1·5	–	–	–	–	–	–	5·8		29
30	2·3	X	0·5	0·8	–	–	–	–	–	12·7	–	1·5		30
31	–	X	–	X	–	X	–	–	X	21·8	X	4·1		31
TOTAL 99	67·6	74·9	81·3	31·0	7·9	5·3	98·3	0·0	41·4	115·8	216·4	62·2	Year's Total 802·1	
*Days with .01 in. or more.	2·66	2·95	3·26	1·22	0·31	0·21	3·87	–	1·63	4·56	8·52	2·45	31·55	
*Days with .04 in. or more.												Dec not received		

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

651

Section **A** for the entry of Daily

AIR MINISTRY.—ME

PY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTER

651

SHIRLEY
SOUTHAMPTON
1931, 1934, 1935

78 01 14

Kept at Shirley

in the County of Southam

Diameter of Funnel of Gauge

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

THE MORNING MEASUREME

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·05	—	·09	—	·29	—	·04	·09	—	—	—	1
2	·18	·04	—	·65	—	—	—	·07	·50	—	—	·06	2
3	·14	—	·55	·13	·03	—	—	·10	·82	—	·21	·21	3
4	—	—	·08	—	·09	—	·20	1·04	·23	·02	·25	·03	4
5	—	·15	—	·09	·03	·50	·07	·25	—	—	·03	·15	5
6	—	·15	—	·21	·01	·06	·04	—	—	·45	·28	·03	6
7	—	—	—	—	·15	·20	—	·38	—	·03	·34	·01	7
8	—	·22	—	·05	·16	·27	·27	·10	—	·02	·10	·05	8
9	—	·19	·04	·04	—	·03	·01	—	—	—	·65	·01	9
10	—	·13	—	—	—	·19	·03	·04	—	—	·38	—	10
11	·13	·40	—	—	—	·01	—	—	·06	—	·24	—	11
12	—	·01	—	—	—	—	·02	—	·23	—	—	—	12
13	—	—	—	—	—	—	·05	·01	—	—	—	—	13
14	·01	·17	—	—	—	·04	1·11	·53	·01	—	—	—	14
15	·01	·02	—	·02	·08	—	·26	·15	·02	—	—	·02	15
16	—	·05	—	·06	·18	·17	·01	·31	·14	—	—	—	16
17	—	·11	—	·07	—	·09	·44	—	·15	—	—	—	17
18	·05	—	·05	·03	—	·06	—	1·27	—	—	·38	—	18
19	·08	—	—	·18	—	·25	—	·10	—	—	—	—	19
20	—	·09	·10	—	—	—	—	·46	—	—	·02	—	20
21	·04	—	—	—	·19	—	—	—	—	—	—	—	21
22	·34	—	·12	·05	—	—	—	—	—	—	·01	—	22
23	·36	—	—	·13	·34	—	—	—	—	—	·39	—	23
24	·09	—	—	·55	·22	·43	·30	·48	—	—	·02	—	24
25	·04	—	—	·43	·05	—	·12	—	—	—	·07	—	25
26	—	—	—	·10	—	—	·25	—	—	—	·31	—	26
27	·18	·32	—	—	1·03	—	·06	—	—	—	·06	—	27
28	·05	·12	—	·06	·03	—	—	—	—	—	—	·02	28
29	·07	×	—	—	·12	—	·06	—	—	·06	·03	—	29
30	·04	×	—	·01	—	—	·02	—	·03	—	·02	—	30
31	·36	×	—	×	·05	×	·02	—	×	—	×	·01	31
TOTAL	2·17	2·22	·94	2·95	2·76	2·58	3·34	5·23	2·28	·58	3·49	·60	YEAR'S TOTAL 29·44
*Days with ·01 in. or more.	17	16	6	19	16	14	19	16	11	5	19	11	~~39~~169
*Days with ·04 in. or more.	15	14	6	16	12	12	13	15	8	2	13	14	130

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) A. G. Stanton [P.T.O.

651

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Shirley

in the County of Southampton

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level .... ft.

d typ

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·05	—	·09	—	·29	—	·04	·09	—	—	—	1
2	·18	·04	—	·65	—	—	—	·07	·50	—	—	·06	2
3	·14	—	·55	·13	·03	—	—	·10	·82	—	·21	·21	3
4	—	—	·08	—	·09	—	·20	1·04	·23	·02	·25	·03	4
5	—	·15	—	·09	·03	·50	·07	·25	—	—	·03	·15	5
6	—	·15	—	·21	·01	·05	·04	—	—	·45	·28	·03	6
7	—	—	—	—	·15	·20	—	·38	—	·03	·34	·01	7
8	—	·22	—	·05	·16	·27	·27	·10	—	·02	·10	·05	8
9	—	·19	·04	·04	—	·03	·01	—	—	—	·65	·01	9
10	—	·13	—	—	—	·19	·03	·04	—	—	·38	—	10
11	·13	·40	—	—	—	·01	—	—	·06	—	·24	—	11
12	—	·01	—	—	—	—	·02	—	·23	—	—	—	12
13	—	—	—	—	—	—	·05	·01	—	—	—	—	13
14	·01	·17	—	—	—	·04	1·11	·53	·01	—	—	—	14
15	·01	·02	—	·02	·08	—	·26	·15	·02	—	—	·02	15
16	—	·05	—	·06	·18	·17	·01	·31	·14	—	—	—	16
17	—	·11	—	·07	—	·09	·44	—	·15	—	—	—	17
18	·05	—	·05	·03	—	·06	—	1·27	—	—	·38	—	18
19	·08	—	—	·18	—	·25	—	·10	—	—	—	—	19
20	—	·09	·10	—	—	—	—	·46	—	—	·02	—	20
21	·04	—	—	—	·19	—	—	—	—	—	—	—	21
22	·34	—	·12	·05	—	—	—	—	—	—	·01	—	22
23	·36	—	—	·13	·34	—	—	—	—	—	·39	—	23
24	·09	—	—	·55	·22	·43	·30	·48	—	—	·02	—	24
25	·04	—	—	·43	·05	—	·12	—	—	—	·07	—	25
26	—	—	—	·10	—	—	·25	—	—	—	·31	—	26
27	·18	·32	—	—	1·03	—	·06	—	—	—	·06	—	27
28	·05	·12	—	·06	·03	—	—	—	—	—	—	·02	28
29	·07	×	—	—	·12	—	·06	—	—	·06	·03	—	29
30	·04	×	—	·01	—	—	·02	—	03	—	·02	—	30
31	·36	×	—	×	·05	×	·02	—	×	—	×	·01	31
TOTAL	2·17	2·22	·94	2·95	2·76	2·58	3·34	5·23	2·28	·58	3·49	·60	YEAR'S TOTAL 29·44
*Days with ·01 in. or more.	17	16	6	19	16	14	19	16	11	5	19	11	169
*Days with ·04 in. or more.	15	14	6	16	12	12	13	15	8	2	13	4	130

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) S. G. Stanton

[P.T.O.

SOUTHAMPTON (SHIRLEY)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 651

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1000.

REGISTER OF RAINFALL IN 1934.

~~E 13A~~

Kept at Corporation Depot, Shirley.

in the County ~~of~~ Borough of Southampton.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 6 ft. 6 in.

,, Ground ,, Sea Level 68 ft.

was terminated 1931
see Enc 33A of 66 3353/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		-	-	-	-	·03	-	·48	-	·12	·02	-		1
2		-	·07	-	·11	-	-	-	-	·28	·01	·30		2
3		-	-	·04	-	·01	-	·28	-	·27	-	·12		3
4		·02	·12	·07	·12	-	-	-	-	·05	-	·41		4
5		-	-	-	-	-	-	·35	-	·04	-	·43		5
6		-	·34	·02	·15	-	-	-	-	·23	·25	·78		6
7		-	-	-	-	·05	-	·23	-	·08	-	·55		7
8		-	-	-	·26	-	-	-	·14	-	·46	·05		8
9		-	·17	-	-	-	-	-	-	-	·95	·50		9
10		-	·31	·25	-	-	-	-	-	-	·39	·07		10
11		-	·39	·32	-	-	·07	·08	-	-	-	·32		11
12		-	·04	-	-	-	·02	·17	-	-	-	·27		12
13		-	·03	·11	-	-	·23	·02	-	-	·07	·43		13
14		-	·49	-	-	-	-	-	-	·03	·05	·40		14
15		-	·04	-	·07	-	-	-	-	·13	·08	·50		15
16		-	·38	-	-	-	-	-	-	-	-	·02		16
17		-	·04	-	-	-	-	-	·06	·03	-	·30		17
18		-	·03	·24	-	-	-	-	·20	-	-	·28		18
19		-	·46	·07	-	·04	-	-	·06	-	-	·12		19
20		-	·08	·04	-	-	·20	·02	-	·01	-	-		20
21		-	·19	·19	-	·09	-	·01	-	·09	-	-		21
22		-	-	-	-	-	·25	·22	·30	-	-	·14		22
23		-	-	·24	-	·55	-	·01	-	-	-	-		23
24		-	-	·05	-	·02	·34	·03	·13	-	-	-		24
25		·01	-	·11	-	·03	-	-	-	·10	-	·82		25
26		-	-	·06	-	·21	--	-	·10	-	-	·07		26
27		-	-	-	-	·06	-	-	-	-	-	·23		27
28		-	-	-	-	·09	-	1·23	-	-	-	·58		28
29		-	-	-	-	-	-	·03	·10	-	·01	-		29
30	·09	×	-	-	-	-	-	·02	·03	·08	-	·27		30
31	·04	×	-	×	-	×	-	-	×	-	×	·02	26·57	31
TOTAL	(2·63) ~~·13~~	·03	2·99	1·81	·71	1·18	1·11	3·18	1·12	1·54	2·29	7·98	Year's Total. ~~24·07~~	
* Days with .01 in. or more.	2	2	15	14	5	11	6	15	9	14	10	25	128	
* Days with .04 in. or more.	2	0	13	13	5	7	5	8	8	11	7	23	102	

Do NOT PRINT.

N.P.

N

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

DO NOT PRINT

But use values for copy book.

(651)

COPY FOR OFFICIAL USE.

OFFICE.—BRITISH RAINFALL ORGANIZATION.

AINFALL IN 1935.

[illegible] standard gauge of 1934 up. Hants/4

See [illegible]. 33a, 663353/26

before printing.

The annual total is about 2" low. [illegible]

ED TO THE PREVIOUS DAY.

reading made on January 1st of the following

and Instructions Overleaf.

Jan. 1, following

Date							July	August	Sept.	Oct.	Nov.	Dec.	Date
							in.	in.	in.	in.	in.	in.	
							2·23	–	·15	·28	·13	·03	1
							–	–	·05	·48	·06	·02	2
							–	–	·31	1·41	·08	–	3
							–	–	·10	·21	·06	·16	4
							–	–	·25	·01	·02	–	5
							–	–	–	–	·07	–	6
							–	–	–	·17	·45	·10	7
							–	–	–	·28	·67	–	8
							–	–	·32	·95	·30	–	9
							–	–	–	–	·49	–	10
							–	–	–	·05	·75	–	11
							–	·02	·08	–	·50	–	12
13	·04	·11	–	·08	·04	·11	–	–	–	–	·01	–	13
14	–	–	–	·02	·01	·02	–	–	·01	–	·31	·27	14
15	–	·05	–	·59	–	·04	–	–	·23	·01	·65	·16	15
16	–	·04	·04	·15	–	·32	–	–	·66	–	1·16	–	16
17	–	–	·07	·05	·04	·24	–	·06	·02	–	·33	–	17
18	–	Tr.	–	·20	·08	·05	Tr.	–	·55	·04	·03	–	18
19	–	–	–	·01	·33	·02	·11	–	·05	·01	·18	–	19
20	–	·50	–	–	–	–	·06	–	·03	–	·67	–	20
21	–	·39	–	·03	–	–	–	–	–	·03	–	–	21
22	–	·04	–	·08	–	–	–	·05	·06	–	–	–	22
23	–	–	·09	–	·03	–	–	·24	–	·58	–	·24	23
24	·02	·64	–	–	·12	–	–	1·08	·40	·10	–	·40	24
25	·09	·15	–	·17	–	–	–	–	–	–	Tr.	·27	25
26	–	·42	–	–	·02	–	–	·14	·03	–	~~Tr.~~	·43	26
27	–	·43	–	–	–	–	–	·01	·14	–	·07	·47	27
28	–	·11	–	–	·03	–	–	–	·29	–	–	·21	28
29	–	X	–	–	–	–	–	·10	·34	–	–	·49	29
30	·03	X	–	·03	·21	–	–	·81	·03	·22	·50	·47	30
31	–	X	–	X	–	X	–	–	X	·90	X	·20	31
TOTAL	·67	3·41	·91	3·12	1·00	3·99	2·40	2·51	4·10	5·73	7·49	3·92	YEAR'S TOTAL 39·24
*Days with ·01 in. or more.	9	15	8	19	11	18	3	9	21	17	22	15	167
*Days with ·04 in. or more.	5	14	8	15	7	14	3	7	16	13	19	13	134

[illegible]

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

651

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Corporation Depot, Shirley.

in the County of SOUTHAMPTON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 6 ft. 6 in.

,, Ground ,, Sea Level 68 ft.

[illegible] 1934 up Hants/4

see ms. 33a 663353/26

before printing.

The annual total is about 2" low. [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	–	·22	–	·09	·09	2·23	–	·15	·28	·13	·03	1
2	–	–	–	–	–	·08	–	–	·05	·48	·06	·02	2
3	–	–	·09	–	–	·01	–	–	·31	1·41	·08	–	3
4	–	·10	–	·05	–	·27	–	–	·10	·21	·06	·16	4
5	–	·33	·15	·07	–	·04	–	–	·25	·01	·02	–	5
6	–	·02	·06	·32	–	1·08	–	–	–	–	·07	–	6
7	–	–	–	·26	–	·08	–	–	–	·17	·45	·10	7
8	–	–	–	·25	–	–	–	–	–	·28	·67	–	8
9	·12	–	–	·33	–	·87	–	–	·32	·95	·30	–	9
10	·14	–	·19	·05	–	·03	–	–	–	–	·49	–	10
11	·20	–	–	·37	–	·26	–	–	–	·05	·75	–	11
12	·01	·08	–	–	–	·38	–	·02	·08	–	·50	–	12
13	·04	·11	–	·08	·04	·11	–	–	–	–	·01	–	13
14	–	–	–	·02	·01	·02	–	–	·01	–	·31	·27	14
15	–	·05	–	·59	–	·04	–	–	·23	·01	·65	·16	15
16	–	·04	·04	·15	–	·32	–	–	·66	–	1·16	–	16
17	–	–	·07	·05	·04	·24	–	·06	·02	–	·33	–	17
18	–	Tr.	–	·20	·08	·05	Tr.	–	·55	·04	·03	–	18
19	–	–	–	·01	·33	·02	·11	–	·05	·01	·18	–	19
20	–	·50	–	–	–	–	·06	–	·03	–	·67	–	20
21	–	·39	–	·03	–	–	–	–	–	·03	–	–	21
22	–	·04	–	·08	–	–	–	·05	·06	–	–	–	22
23	–	–	·09	–	·03	–	–	·24	–	·58	–	·24	23
24	·02	·64	–	–	·12	–	–	1·08	·40	·10	–	·40	24
25	·09	·15	–	·17	–	–	–	–	–	–	Tr.	·27	25
26	–	·42	–	–	·02	–	–	·14	·03	–	Tr.	·43	26
27	–	·43	–	–	–	–	–	·01	·14	–	·07	·47	27
28	–	·11	–	–	·03	–	–	–	·29	–	–	·21	28
29	–	X	–	–	–	–	–	·10	·34	–	–	·49	29
30	·03	X	–	·03	·21	–	–	·81	·03	·22	·50	·47	30
31	–	X	–	X	–	X	–	–	X	·90	X	·20	31
TOTAL	·67	3·41	·91	3·12	1·00	3·99	2·40	2·51	4·10	5·73	7·49	3·92	YEAR'S TOTAL 39·24
*Days with ·01 in. or more.	9	15	8	19	11	18	3	9	21	17	22	15	167
*Days with ·04 in. or more.	5	14	8	15	7	14	3	7	16	13	19	13	134

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) [illegible] [P.T.O.

X TOTTON (TATCHBURY

651/5

TOTTON

TATCHBURY MT COLONY

1936 - 1940

480114

5/4

Section **A** for the entry
AIR MINIS

FORM 1090

REG

Station No. 651/5

AINFALL ORGANIZATION

1936

531992/36

Kept at ~~Tatchbury M~~

in the County of ....Han

Diameter of Funnel of Gauge...

Height of top of Gauge above

,, Ground ,,

situated between
ter & New Forest
ns 170 ft. A.S.L.

531992/36

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1							·21		·3		·3			1
2							·04		·51		·05			2
3							TRACE		·25		·5			3
4											·2			4
5									·12		·12			5
6									·22		·002			6
7	NO STATION						·04	·02	TRACE.		·2			7
8							·21				·75	·05		8
9	IN EXISTANCE						·29				·005	·2		9
10							·23				·2			10
11							TRACE.	·08			1·0	·1		11
12							·44		·7		·2	·05		12
13							·43			·045	·21		3 DAYS	13
14							·48		TRACE.	·02	·05	1·9		14
15							·05		·05		·31			15
16							·08		·02		·05	·15		16
17							·04		·03	·03	·05			17
18							·29				TRACE			18
19								·12			TRACE			19
20							·005		1·3			·05		20
21							·01		·05		·2	·1		21
22							·22		TRACE		·06			22
23							·25			·05		·5		23
24							·02		TRACE					24
25							·085		·17	·57				25
26														26
27							·05		·17	·1				27
28							·83			·08		·2		28
29							·29			·17		·1		29
30		✕				·27	·01					·24		30
31		✕		✕		✕	·12		✕	·2	✕	·1	Six mon	31 5.
													Year's Total	
TOTAL						incp ~~·27~~	4·67	·22	3·89	1·265	4·457	3·74	~~18·512~~	incp
* Days with .01 in. or more.						1	22	3	13	9	17	13	~~76~~	-
* Days with .04 in. or more.						1	19	2	11	7	17	13	~~70~~	-

entered on 10 yr sheet

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

X THE SUPERINTENDENT X

N

X TOTTON (TATCHBURY

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 651/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

531992/36

Kept at ~~Tatchbury Mount Colony, Totton~~
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 170 ft.

This station is situated between Southampton water & New Forest. on natural mound 170 ft. A.S.L.

531992/36

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							·21		·3		·3			1
2							·04		·51		·05			2
3							TRACE		·25		·5			3
4											·2			4
5									·12		·12			5
6									·22		·002			6
7	NO STATION						·04	·02	TRACE.		·2			7
8							·21				·75	·05		8
9	IN EXISTANCE						·29				·005	·2		9
10							·23				·2			10
11							TRACE.	·08			1·0	·1		11
12							·44		·7		·2	·05		12
13							·43			·045	·21			13
14							·48		TRACE.	·02	·05	1·9	3 DAYS	14
15							·05		·05		·31			15
16							·08		·02		·05	·15		16
17							·04		·03	·03	·05			17
18							·29				TRACE			18
19								·12			TRACE.			19
20							·005		1·3			·05		20
21							·01		·05		·2	·1		21
22							·22		TRACE		·06			22
23							·25			·05		·5		23
24							·02		TRACE					24
25							·085		·17	·57				25
26														26
27							·05		·17	·1				27
28							·83			·08		·2		28
29							·29			·17		·1		29
30		✕				·27	·01					·24		30
31		✕		✕		✕	·12.		✕	·2	✕	·1	Six mon	31
TOTAL						imp ~~·27~~	4·67	·22	3·89	1·265	4·457	3·74	Year's Total ~~18·512~~	imp
* Days with .01 in. or more.						1	22	3	13	9	17	13	~~76~~	-
* Days with .04 in. or more.						1	19	2	11	7	17	13	~~70~~	-

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) ~~J. Haddock~~ [P.T.O.

X THE SUPERINTENDENT X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 651/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Tatchbury Mount Colony, Totton,

in the County of Hampshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" Ground " Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.42	.07	–	.1	–	–		–	–	–				1
2	.02	1.05		–	–	–		–	–	–				2
3	–	.34		–	–	–		.04	–	–				3
4	.1	1.0		.12	–	–		–	–	–				4
5	–	–	1.23	.015	–	–		–	–	–				5
6	.03			.12	.02	–		–	–	–				6
7	.1	.84		.06	–	–	.6	–	–	–				7
8	–			–	–	–		–	–	–				8
9	–			.15	.38	–		–	–	–				9
10	–	–		.07	.12	.28		–		–				10
11	–	–	.03	.01	.19			–		–				11
12	–	.35	.19	.09	.34			–		–		No records available	No records available.	12
13		.02		.13	.03			–	1.5	–				13
14				–				–		–				14
15				.4						–				15
16				–				.92		–				16
17			1.85	–					–	–				17
18				–	.92				–	–				18
19	4.8			.23				–	.33	–				19
20				.18		1.0		–		–				20
21				.05				–		–				21
22		1.75		–			.6	–						22
23				–				–	.17					23
24			–	–				–		1.9				24
25			.33	–	1.25			–						25
26			–	–	.08			–						26
27	–		–	.08	–			–		–				27
28	.05		–	–	–			–	–	–				28
29	.1		–	–	–			–	–	–				29
30	.32	X	–	–	–			–	–	–				30
31	.43	X	–	X	–	X		–	X	–	X			31
TOTAL	6.37	5.37	3.63	1.805	3.33	1.28	1.2	.96	2.0	1.9			Year's Total	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

nb incomplete CB

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

TOTTON (TATCHBURY MT. COLONY

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 651/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Totton (Tatchbury Mount Colony)

in the County of Hampshire /4

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

mp 36 37

f 531992/36

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·03				·06	·17	–	TR	–	–	·07		1
2	–	–					·29	–	–	·24	TR	·03		2
3	–	–			·15		–	–	–	·62	·12	–		3
4	–	–					·34	·08	–	·28	–	·29		4
5	–	–					·07	–	–	·17	–	–		5
6	·05	–					·22	–	·26	·16	·03	·05		6
7	·03	–					·48	1·66	·04	·32	TR	·11		7
8	·25	–					·04	tr	–	·29	–	·13		8
9	·08	·03				·06	·02	–	–	·03	–	1·06		9
10	·07	–					–	–	–	–	·04	·15		10
11	·21	–					–	–	–	–	·11	·37		11
12	·51	–			·16		·06	–	–	·23	–	–		12
13	·30	–					–	–	–	·17	·48	·65		13
14	·10	–			·15		·11	–	–	–	–	–		14
15	·41	·11					·59	–	–	–	·02	·63		15
16	·55	–					–	·03	–	·35	·03	·03		16
17	–	·10					–	–	·26	·24	TR	–		17
18	·17	–					–	–	·14	·02	·55	–		18
19	·03	–					–	·14	·13	–	–	–		19
20	–	–					–	·29	–	–	1·36	–		20
21	·05	–					–	tr	·13	–	·04	–		21
22	–	–				·02	–	·22	–	–	·33	–		22
23	–	–					–	–	–	–	·05	–		23
24	–	·36	·22				–	–	·20	–	·47	–		24
25	·15	–			·24		–	–	–	·02	1·27	–		25
26	·44	·10			·03		–	–	·14	·12	–	–		26
27	·10	–	·05		·16	·28	·42	–	–	Tr	·36	–		27
28	·07	–			·28	·13	–	·48	·04	–	·02	·67		28
29	–	×			·62		–	–	·22	–	·44	·03		29
30	·30	×			·17		–	–	·19	·09	·14	–		30
31	·33	×		×	·18	×	–	–	×	·31	×	·41		31 d
TOTAL	4·20	1·73	·27	0	2·14	·55	2·81	2·90	1·75	3·66	5·86	4·68	Year's Total 29·55	
* Days with .01 in. or more.	2~~8~~0	6	2	0	10	5	12	7	11	17	~~21~~ 18	15	123	
* Days with .04 in. or more.	18	4	2	0	9	4	11	6	11	14	14	12	105	

✓ Print
✓ cb
✓ 17/3/39

THE SUPERINTENDENT

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. Montagu Worlock

[P.T.O.

Give. F. sent for June.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 651/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

June cor. for arith.

Copy by B.R.O.

Kept at Totton (Tatchbury mount Colony)
in the County of Hampshire
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	—	·12	·18	TR	-	-	-	1·53	-	·23	·23		1
2	-	—	—	·15	-	-	tr	·56		-	·04	-		2
3	·64	—	—	·49	-	-	-	·15	-	-	·18	·45		3
4	- ✓	—	·27	·20	·27	-	·41	+	-	·57	·31	-		4
5	-	—	·21	·13	·24	-	tr	+	-	·46	·47	·06		5
6	·43 ✗	—	·15	-	-	-	·76	✓	-	-	·19	-		6
7	- ✓	·17	tr	-	-	-	·02	-	-	-	·41	-		7
8	·06	·29	·11	-	-	-	·04	·91	-	·38	·30	·79		8
9	TR	—	—	-	-	-	-	+	-	·23	·04	·28		9
10	·33	—	- ✗ ✓	-	-	-	-	+	·08	·31	-	-		10
11	-	—	·18	-	-	-	-	-	-	·32	·03	-		11
12	-	—	—	-	-	·12	-	-	-	-	·04	-		12
13	-	—	—	·01	-	tr	-	-	-	1·62	·01	-		13
14	·57	—	—	-	-	·02	·71	-	-	·23	·55	-		14
15	·68	—	—	-	·31	·81	·09	-	-	·68	·38	-		15
16	·44	—	—	TR	·04	·11	·05	-	-	-	·11	-		16
17	·21	·06	—	-	·09	-	·06	-	-	·12	·04	-		17
18	·16	—	- ✓	-	TR	·29	1·10	-	-	-	·48	-		18
19	·38	—	—	-	-	-	·11	-	-	-	-	-		19
20	·44	—	—	-	-	·23	·03	-	-	-	-	-		20
21	·19	·31	·09	-	-	·13	·34	-	-	-	-	-		21
22	·28	·35	·02	-	-	·12	·06	-	-	-	-	-		22
23	-	—	—	·18	-	tr	·05	-	-	·02	1·41	-		23
24	·42	—	—	-	-	·34	·06	-	-	-	-	-		24
25	·71	·08	—	-	-	-	·06	-	-	·14	·25	-		25
26	-	—	—	-	-	-	-	-	-	-	·57	-		26
27	-	·14	·05	-	-	-	-	-	-	-	-	-		27
28	-	·24	·02	-	-	·13	·12	-	-	-	·35	-		28
29	-	X	-	- ✓	-	tr	·25	-	-	·09	·07	-		29
30	-	✕	-	·52	-	·10	·17	-	-	·05	-	-		30
31	-	✕	-	✕	-	✕	·11	-	✕	·56	✕	-		31
TOTAL	5·94	1·64	1·22	1·86	·95	2·30	5·20	1·62	1·61	5·78	6·46	1·81	Year's Total 36·49	✓
* Days with .01 in. or more.	~~15 7~~	~~8~~	~~10 2~~	~~8 9~~	~~5~~	~~11~~	~~20~~	~~18 8~~	~~3~~	~~15~~	~~22~~	~~5~~	~~135~~	✓ d.
* Days with .04 in. or more.	15 4	8	8 9	7	5	10	19	3 7	3	14	20	5	121	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 651/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Totton (Tatchbury Mount Colony)
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 170 ft.

531992/36

Feb 19th–29th ests from nearby stns

BRITISH RAINFALL ORGANIZATION.

Inc.

No readings taken for March, April or May

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–								–	·09			1
2	–	·03								·01	1·48			2
3	–	–								·22				3
4	–	–								·33	·06			4
5	–	–								–	·46			5
6	·54	–								·43	–			6
7	·25	–								·08	–			7
8	–	–									·10			8
9	–	–								·57	·72			9
10	–	–								·12				10
11	–	–									1·17			11
12	–	–									·10			12
13	–	–									1·10			13
14	–	–								1·04	–			14
15	–	–									·71			15
16	–	–												16
17	–	2·93									1·56			17
18	–	–								·37				18
19	–	–								–				19
20	–	–								·21				20
21	–	–												21
22	–	–									·68			22
23	–	(1·00)								·37				23
24	–	–												24
25	–	–												25
26	1·04	–									·01			26
27		–												27
28	1·85	–												28
29		–												29
30	–	✕								·61				30
31	–	✕		✕		✕			✕	·84	✕			31
TOTAL	3·68	~~2~~ 3 ·96								5·20	8·24		Year's Total . .	n.p.
* Days with .01 in. or more.	~~4~~6	8 ~~2~~15								16	(21)		. .	imp.
* Days with .04 in. or more.	~~4~~6	~~2~~11								15	(17)		. .	WH

28·9

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) The Superintendent.

P.T.O.

652

SOUTHAMPTON COMMON

1931 - 1940

48 914

652

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Southampton Common

In the County of Hampshire

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* - *in.*
- *Height of Ground above Sea Level* 193 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·06	Monthly readings			
FEB.	2·11				
MAR.	·77				
APRIL	2·79				
MAY	2·81				
JUNE	2·84				
JULY	3·56				
AUG.	5·79				
SEPT.	2·27				
OCT.	·58				
NOV.	3·57				
DEC.	·65				
Total	29·80				

Signature C. C. Rodda.

*See Instruction 2 (*f*) below.

on and also the space for

is register should be sent:—

in Summer

nce .... Direction from gauge

nce .... Direction from gauge

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

As before

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1931

At Southampton Common

In the County of Hampshire

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* - *in.*
- *Height of Ground above Sea Level* 193 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·06	Monthly readings			
FEB.	2·11				
MAR.	·77				
APRIL	2·79				
MAY	2·81				
JUNE	2·84				
JULY	3·56				
AUG.	5·79				
SEPT.	2·27				
OCT.	·58				
NOV.	3·57				
DEC.	·65				
Total	29·80				

Signature C. C. Rodda.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

As before

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

652

FORM 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Southampton Common

In the County of Hampshire

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* – *in.*

Height of Ground above Sea Level 193 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	3.01				
FEB.	.10				
MAR.	1.45				
APRIL	2.76	Monthly reading			
MAY	5.45				
JUNE	1.91				
JULY	2.88				
AUG.	1.42				
SEPT.	3.74				
OCT.	5.80				
NOV.	1.79				
DEC.	1.32				
Total	31.63				

Signature Joseph Hardsley

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Joseph Hardsley

Waterworks Engineer, Civic Centre, Southampton

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

See above

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110

652

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1933

At Southampton Common

In the County of Hampshire

Rain Gauge { Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* – *in.*

Height of Ground above Sea Level 193 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1.93				
FEB.	3.50				
MAR.	3.41				
APRIL	1.19	Monthly readings			
MAY	1.90				
JUNE	1.80				
JULY	2.10				
AUG.	1.12				
SEPT.	2.75				
OCT.	1.58				
NOV.	.68				
DEC.	.63				
Total	22.49 ✓				

Signature

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

As before

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt. 2107/1845. 15000 3/33. Gp. 119/110.

M.O.
6 JAN 1934

b

FORM 1090.

652

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Southampton Common

In the County of Hampshire

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 0 *in.*
- *Height of Ground above Sea Level* 193 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2.59	Monthly Readings			
FEB.	.06				
MAR.	3.07				
APRIL	1.88				
MAY	.71				
JUNE	1.16				
JULY	1.03				
AUG.	3.20				
SEPT.	2.38				
OCT.	1.71				
NOV.	2.31				
DEC.	8.48				
Total	28.58				

Signature

*See Instruction 2 (*f*) below.

C Particulars of Station.

as before

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

M.O. 7
5 - JAN 1935

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* *9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

652

Form 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is **NOT** required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Southampton Common

In the County of Hampshire

Rain Gauge
- Diameter of Funnel 6 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 193 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
Jan.	.71				
Feb.	3.46				
Mar.	.87				
April	3.00				
May	1.00				
June	4.43				
July	2.06				
Aug.	2.82				
Sept.	3.99				
Oct.	6.57				
Nov.	7.20				
Dec.	4.42				
Total	39.63				

Monthly readings

Signature Joseph Hawksley

ENGINEER & MANAGER,
SOUTHAMPTON CORPORATION WATERWORKS.

*See Instruction 2 *(f)* below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

As before

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O.
13 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1936.

At Southampton Common

In the County of Hampshire

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* – *in.*
- *Height of Ground above Sea Level* 193 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5.51	monthly readings			
FEB.	3.00				
MAR.	2.25				
APRIL	1.90				
MAY	.63				
JUNE	2.66				
JULY	4.13				
AUG.	.47				
SEPT.	2.48				
OCT.	1.40				
NOV.	3.75				
DEC.	3.39				
TOTAL	31.57	" in "			

Signature Joseph Harshley

ENGINEER & MANAGER,
SOUTHAMPTON CORPORATION WATERWORKS.

* See Instruction 3 *(f)* below.

~~C~~ Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

As before

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
7 JAN 1937

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

652

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Southampton Common

In the County of Hampshire

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* — *in.*
- *Height of Ground above Sea Level* 193 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6.17	monthly readings			
FEB.	5.26				
MAR.	3.62				
APRIL	2.13				
MAY	2.82				
JUNE	1.27				
JULY	1.35				
AUG.	1.10				
SEPT.	1.75				
OCT.	3.81				
NOV.	2.05				
DEC.	4.32				
TOTAL	35.65				

Signature Joseph H. Ashley

ENGINEER & MANAGER,
SOUTHAMPTON CORPORATION WATERWORKS.

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

as before

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter……in Summer……

Nearest Railway Station…… Distance…… Direction from gauge……

Nearest Parish Church at…… Distance…… Direction from gauge……

Nature of objects nearest to gauge				
Height of objects				
Distances …				
Directions from gauge …				

If gauge has been moved during the year state—

Date of move…… Distance…… Direction……

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type, please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked ·005 ; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses : Adastral House, Kingsway, London, W.C.2 ; 120 George Street, Edinburgh 2 ; York Street, Manchester 1 ; 1 St. Andrew's Crescent, Cardiff ; 80 Chichester Street, Belfast ; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

FORM 1090. **B** Monthly Summary. **C** Particulars of Station. .682

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193 8

At Southampton Common

In the County of Hampshire

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* – *in.*
- *Height of Ground above Sea Level* 193 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3.67	monthly readings			
FEB.	.62				
MAR.	.25				
APRIL	.01				
MAY	1.85				
JUNE	.50				
JULY	2.67				
AUG.	2.37				
SEPT.	1.28				
OCT.	2.61				
NOV.	5.17				
DEC.	3.97				
TOTAL	24.87 ✓	*			

Signature Joseph Hawksley

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter ...... in Summer ......

Nearest Railway Station ...... Distance ...... Direction from gauge ......

Nearest Parish Church at ...... Distance ...... Direction from gauge ......

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

As before

If gauge has been moved during the year state—

Date of move ...... Distance ...... Direction ......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
7 JAN. 1939

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

FORM 1090.

652

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193.9.

At Southampton Common

In the County of Hampshire

Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* – *in.*
Height of Ground above Sea Level 193 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5.64	Monthly Readings.			
FEB.	1.33				
MAR.	1.29				
APRIL	1.74				
MAY	1.15				
JUNE	1.43				
JULY	4.59				
AUG.	1.75				
SEPT.	1.64				
OCT.	5.72				
NOV.	6.01				
DEC.	1.72				
TOTAL	34.01				

Signature

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

as before

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter ... in Summer ...

Nearest Railway Station ... Distance ... Direction from gauge ...

Nearest Parish Church at ... Distance ... Direction from gauge ...

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move ... Distance ... Direction ...

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
-9 JAN. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1940

At Southampton Common.

In the County of Hampshire.

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* 0 *in.*

Height of Ground above Sea Level 193 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	3.15	Monthly Readings.			
FEB.	3.36				
MAR.	3.17				
APRIL	1.24				
MAY	.54				
JUNE	.28				
JULY	3.45				
AUG.	.09				
SEPT.	1.79				
OCT.	4.25				
NOV.	8.40				
DEC.	2.42				
Total	32.14				

Signature Joseph Hawksley.

ENGINEER & MANAGER,
SOUTHAMPTON CORPORATION WATERWORKS.

*See Instruction 2 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Joseph Hawksley, Esq.,
Waterworks Engineer, Civic Centre, Southampton.

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Southampton Central. Distance .... Direction from gauge ....

Nearest Parish Church at North Stoneham. Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M. O. 3a.
18 JAN 1941
B. R.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

Section **A** for the entry

AIR MINIS

ISH RAINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

653

FORM 1090. 653 **REG**

IN 1931.

Kept at Embley Gard

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA

REVIOUS DAY.

653

EMBLEY GARDENS

1931- 1940

78 01 14

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		7		9		36		0~~8~~5	20	1			1
2	31	3		64				2	51		1		2
3	8		47	6	2			8	18		41	13	3
4			6		2		22	69	5	2	35	7	4
5		11			12	42	4	9	1		10		5
6		14		39	2	11	11		2	37	25	26	6
7					26	16		67		15	39	2	7
8		18		~~22~~ 8	22	19	13	12			9	3	8
9		21		02		6		3			81		9
10	13	3				14	2				24		10
11		42				1	18		5		22		11
12							2		14	7			12
13							23						13
14		15	2			11	1.30	26			2		14
15		2		3	8		19	66	1			5	15
16		6		8	15			37	22				16
17		14		7		9	31		6				17
18	7	2	9	6		9	15	1.23		1	49		18
19	8			26		39		20					19
20		10	10	1			1				1		20
21	7				16						1		21
22	34	2	1	3							30		22
23	28			11	44	5						2	23
24	20			48	20	64	28	63					24
25				33	1		23				15	1	25
26		1		8			20				23	1	26
27	18	35			87		11				1		27
28	7	10		7	3							2	28
29	7	×			15		6			5	5		29
30	6	×				1		7	1		1		30
31	37	×		×	15	×			×		×	4	31
TOTAL	2.31	2 16	75	2.89	2.90	2 83	3.79	5 17	1.46	.68	4.15	.66	YEAR'S TOTAL 29.75
*Days with ·01 in. or more.	14	18	6	17	16	15	18	15	12	7	20	11	169
*Days with ·04 in. or more.	14	12	4	14	11	13	14	13	8	4	14	5	126

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) James Slade

[P.T.O.

for J. J. Gosfield Esq

653

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090. 653

REGISTER OF RAINFALL IN 1931.

Kept at Embley Gardens Romsey

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		7		9		36		0~~8~~5	20	1			1
2	31	3		64				2	51		1		2
3	8		47	6	2			8	18		41	13	3
4			6		2		22	69	5	2	35	7	4
5		11			12	42	4	9	1		10		5
6		14		39	2	11	11		2	37	25	26	6
7					26	16		67		15	39	2	7
8		18		~~22~~ 8	22	19	13	12			9	3	8
9		21		02		6		3			81		9
10	13	3				14	2				24		10
11		42				1	18		5		22		11
12							2		14	7			12
13							23						13
14		15	2			11	1.30	26			2		14
15		2		3	8		19	66	1			5	15
16		6		8	15			37	22				16
17		14		7		9	31		6				17
18	7	2	9	6		9	15	1.23		1	49		18
19	8			26		39		20					19
20		10	10	1			1				1		20
21	7				16						1		21
22	34	2	1	3							30		22
23	28			11	44	5						2	23
24	20			48	20	64	28	63					24
25				33	1		23				15	1	25
26		1		8			20				23	1	26
27	18	35			87		11				1		27
28	7	10		7	3							2	28
29	7	×			15		6			5	5		29
30	6	×				1		7	1		1		30
31	37	×		×	15	×			×		×	4	31
TOTAL	2.31	2 16	75	2.89	2.90	2 83	3.79	5 17	1.46	.68	4.15	.66	YEAR'S TOTAL 29.75
*Days with ·01 in. or more.	14	18	6	17	16	15	18	15	12	7	20	11	169
*Days with ·04 in. or more.	14	12	4	14	11	13	14	13	8	4	14	5	126

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) James Slade

for J. J. Gosfield Esq

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 653

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at EMBLEY PARK GARDENS ROMSEY

in the County of HANTS

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ft.

days ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	11			13	1.06			37	1	8			1
2				41	23			6	9				2
3			T	16	2	2	1		34	1	2	3	3
4	2					15							4
5	24						7		29				5
6	30		T	16			1		25				6
7	1								15	70			7
8			38	2	23				1.15	17			8
9	31	2		21	15				7	3			9
10	47	2	1	30	7	8			1	14	13		10
11	2			7			10			2	1	9	11
12	57	1			3				12	16		1	12
13				24	7		35	4		95		1	13
14	21			28	2			5		1	1		14
15	4			2	81					4	9	1	15
16	18			9	4		9					1	16
17	1			13						1			17
18	2				6		1		8				18
19									5	16			19
20				34	34			52		66	43		20
21			6	11	78					16	1	9	21
22	1		16	2		5	5		48	18	22		22
23	4		3	3	22		14		6	63		13	23
24		6					42		11	5	1		24
25							32			40	3		25
26			13	1			13		4	6			26
27			43	38	8	3	16			53	1	1	27
28			1	2	13		11			4		3	28
29			43	12	18	27		13	43	31	10	9	29
30		×	2	23		1.32	6	1	66		74	38	30
31		×	20	×		×	5		×		×	18	31
TOTAL	2.56	11	1.86	3.48	4.52	1.92	2.08	1.18	4 39	5.50	1.81	1.07	YEAR'S TOTAL 30.48
*Days with ·01 in. or more.	16	4 ✓	11 ✓	22 ✓	18 ✓	7 ✓	16 ✓	7 ✓	18 ✓	23 ✓	13 ✓	13 ✓	168
*Days with .04 in. or more.	10 ✓	1 ✓	7 ✓	16 ✓	15 ✓	5 ✓	13 ✓	6 ✓	16 ✓	18 ✓	6 ✓	6 ✓	119

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) James Slade For G. G. Crosfield Esq.

P.T.O.

653

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~[illegible]~~ 653

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1933.

Kept at EMBLEY GARDENS ROMSEY

in the County of HANTS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 130 ft.

Day [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	31	39	12		4							10		1
2	44		62		14									2
3		10	44											3
4	25	1	49		17									4
5	9		1											5
6		21			25					14	6			6
7	3	5	10		34					7				7
8	1		2				41			11				8
9		10			7		23			13	3			9
10		4					15			30	1			10
11	30					18	3	41						11
12				4	3		38		76			2		12
13	7				5	3	27	5	7~~6~~3	3	3			13
14							6	3		26	42			14
15	54		46				17	13		3				15
16		1	68			6								16
17	1	1	33			5			11					17
18	14		36			62					1			18
19		3	5			1		5	35		9	1		19
20		1	2			21			26					20
21						10		5	2	1				21
22						1.15		27	6	17	1			22
23		3		31		26			27	41				23
24		1.44		17		2								24
25		86		25	1	3						7		25
26		96		10	7	34			93	2				26
27					98		2			17		36		27
28				10			35			1				28
29	5		1	7	7					5		7		29
30	10	×	36				10		6			4		30
31	20	×	3	×		×			×		×			31
Total	2.54	4.25	4.10	1.04	2.22	3.06	2.17	99	2 85	1.91	.66	.67	Year's Total 2646	
*Days with ·01 in. or more.	14	15	16	7	12	13	11	7	10	15	8	7	135	
*Days with ·04 in. or more.	11	9	11	7	10	9	9	6	8	10	3	5	98	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) for J. J. Crosfield Esq

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 653 ~~[illegible]~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Embley Gardens ROMSEY

in the County of HANTS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 130 ft.

Total + Days ✓

alj

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	3							52	2	4	5	69		1
2	11		5		9				63	14		27		2
3	3	2		5				6		36		21		3
4	8		12		20			3		8	3	45		4
5					1			46		4	2	42		5
6	2		44		16			3		29	16	84		6
7	6					5		17		12		68		7
8					25			1	12		45	4		8
9	4		12								97	48		9
10	10		44	33				1			43	29		10
11	77		40	36			8	1				37		11
12	43		3				3	13			2	30		12
13				17			14				5	25		13
14	7		65	1						2	3	57		14
15	5		3		12					13	11	37		15
16	15		39		1							30		16
17	5	1		5					5	5		23		17
18	8		18	23					7					18
19			37			3			10	1		9		19
20			12	8			40			1				20
21				15		10		3	2	11				21
22				19			3	42	26			14		22
23		1				49		4				4		23
24		1	9	12		2	52		18			1		24
25	45			7		4				11		81		25
26	2					18			11			2		26
27						10						37		27
28						7	1	66				50		28
29								8	17			91		29
30	9	×					1	26	10		1	32		30
31		×		×		×		5	×	2	×	3		31
TOTAL	2·63	·05	3·43	1·81	·84	1·08	1·22	2·97	1·83	1·53	2·33	9·09	Year's Total. 28·81 ✓	
* Days with .01 in. or more.	18	4	14	12	7	9	8	17	12	15	12	27	155	
* Days with .04 in. or more.	14	0	12	11	5	7	4	11	10	11	7	24	116	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) p.p. G. G. Crossfield Esq.

[P.T.O.

COPY FOR OFFICIAL USE. ×

Section **A** for the entry of Daily Observations.

Station No. 653

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Embley Park Gardens ROMSEY

in the County of HANTS

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	2		20		6	9	2.68		10	46	18	5		1
2			8							45	2			2
3						6			18	1.10	27	1		3
4		11		9		14		trace	8	52	6			4
5		27	22	14					37	1	4	13		5
6			1	31		1.29					21	2		6
7				21		1				13	18	7		7
8				30		3			11	37	62	1		8
9	10			43		94			37	76	1.01			9
10	5		13	4		8					21			10
11	19	2		11		24			1	12	59			11
12	1	2				21		2	8		31			12
13	5	13		13	4	12					10			13
14				1		5			9		27	20		14
15		6		68		39			11	1	59	9		15
16		4	5	19		34			78	2	1.26			16
17				8	6	28		3			27			17
18		3		25	7	2	2	1	39	4	3			18
19				6	34	5	13		8	4	24			19
20		49		4	8						66			20
21		42		8		1			1	2				21
22		10	5					23	4					22
23			15		3			20	1	94		23		23
24	12	74			4			1.28	43	14		36		24
25	9	29		11	3				0		1	34		25
26		54						20	3			67		26
27		32							16		6	58		27
28		12			3			5	19			14		28
29		×	2					2	22	1		81		29
30	1	×		8	10			77	1	20	1.24	51		30
31		×		×	8	×		1	×	1.06	×	22		31
TOTAL	64	3.70	.91	3.34	96	4.35	2.83	2.82	3.85	6.40	8.43	4.44	Year's Total. 42.67	
* Days with .01 in. or more.	9	16	9	19	12	18	3	11	22	19	23	17	178	
* Days with .04 in. or more.	6	13	7	18	9	14	2	6	17	14	20	14	140	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) For J. J. Crosfield Esq.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 653

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Embley Park Gardens Romsey
in the County of Hants
Diameter of Funnel of Gauge 7.5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	34	4	1	31		63	16	2			17	6		1
2						3	19	5			1			2
3				26			2		60		43			3
4			15			2			32		8	8		4
5	41				10			1	6			4		5
6	53					3		1	22		36			6
7	6		16				15				19	6		7
8	48		19				18				22	4		8
9	50		22				29		11					9
10	12						18				3			10
11	17	25				6	7	13	33		1.07			11
12					29	33	35		78		27	~~96~~		12
13						7	16			2	8	96		13
14		5				2	56		7	1	2	64		14
15	2	3			1	2	9		3		2	28		15
16	20	21			4		10				4	16		16
17		102			1	2	11				6	37		17
18	12	13				19	43			4		15		18
19	43	7		10		17		13						19
20	23	21	10	26		3			1.13					20
21	7	11	27	52		5	23							21
22		48			30		23		2	1		5		22
23	7	6	9	11	5		T							23
24	17				2		T			43				24
25	11		33	16			2			21	2			25
26	12	12	11			58	21		7	12				26
27	45	3	5				12		5	27				27
28	90		57				3					24		28
29	2	8	6			6	24			6	19	4		29
30	13	✕			2	20	1			31				30
31	27	✕	46	✕	3	✕	17		✕	28	✕	65		31
TOTAL	5.92	2.89	2.77	1.72	.67	2.51	4.30	.35	3.94	1.76	3.26	3.82	Year's Total 34.11	
* Days with .01 in. or more.	23	15	14	7	10	17	24	6	13	11	17	15	172	
* Days with .04 in. or more.	21	13	13	7	5	10	20	3	11	8	12	15	138	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) James Slade [P.T.O.

for J. J. Crossfield Esq

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 653

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Romsey, Embley Park
in the County of Hants
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·55	·02	–	·07	–	–	–	–	·01	–	·39	·46		1
2	·05	·82	–	·14	–	–	–	–	·09	–		·05		2
3	–	·38	·04		–	–	–	–		–		–		3
4	·11	·80	–	·08	–	–	–	·01		–		·22		4
5	·08	·04	·05	·01	–	–	·23	–		–		–		5
6	·08	·11	·59	·08	·04	–	·02	–		·07		–		6
7	–	·53	–	·09	09	–	–	–	·01	·02		1·33		7
8	–	·07	–		·32	–	–	–		–	·01	·01		8
9	–	·02	–	·17	·08	·03	·05	–	41	–		·08		9
10	–	–	·71	·27	·14	·27	–	·01		–		·35		10
11	·02	–	·03	·01	·15	82	·21	–		–		–		11
12	·36	·31	·16	·09	·61	·24	·01	·25	·19	–		·45		12
13	·18	·06	·48	·14	·02	–	–	·10	·19	–		·16		13
14	·01	·03	·35	·05	–	–	–	·19	·03	–		·02		14
15	·36	·19	–	·25	–	–	·26	–	·13	–		·06		15
16	·03	·16	·63	·11	–	·03	–	·57	·60	–		–		16
17	·72	·07	·08		–	–	·06	–	·16	–	·13	–		17
18	·19	·09	–		–	–	–	–		–	·10	·16		18
19	·10	·06	·06	·17	–	·05	–	–	·08	–		–		19
20	·52	–	·25	·16	–	·13	–	–		–		·09		20
21	·58	·20	·03	·04	·10	–	·03	–		–	·03	·10		21
22	·54	·07	·09		·24	·01	·18	–		·90	·51	·09		22
23	·52	·12	–		·54	–	–	–		·36	·08	·01		23
24	·60	·59	–		·02	–	·03	–	·15	·69		·02		24
25	·29	·37	·31		1·26	–	–	–	·05	·44		·03		25
26	·01	·28	–		·07	–	–	–		·21		–		26
27	·01	·23	–	·09	–	–	–	–		·61		–		27
28	·15	·09	–		–	–	–	–		·18		–		28
29	·03	–	–		–	–	–	–		·24	·08	–		29
30	·56	✕	–		–	·02	–	·14		·15	·18	–		30
31	·32	✕	–	✕	–	✕	–	–	✕	·33	✕	·01		31
TOTAL	6·$\overset{7}{9}$8	5·71	3·86	2·02	3·68	1·60	1·08	1·27	2·10	4·20	1·51	3·70	Year's Total 37·70	✓
* Days with .01 in. or more.	26	2~~4~~5	15	18	14	9	10	7	13	12	9	17	175	✓
* Days with .04 in. or more.	20	2~~1~~2	13	16	12	5	6	5	10	11	7	13	140	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** 653

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Romsey, Embley Park

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 130 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.			*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	—	·03	·02			·09	·18	—	—	·07	–	·09			1
2	—	—		·01	·12		·56	—	—	·35	·08	·04			2
3	·01	—					—	—	—	·62	·04	–			3
4	·03	—					·28	·07	—	·07	–	·16			4
5	—	—					·28	—	·01	·10	·01	–			5
6	·03	—				·02	·26	—	·23	·11	·03	·06			6
7	·01	—				·01	·56	2·25	·11	·29	—	·12			7
8	·18	—				·01	·03	·01	–	·21	—	·04			8
9	·08	·02				·04	—	—	–	·01	—	1·28			9
10	·05	—					·04	·19	–	—	·02	·32			10
11	·13	—					—	—	—	—	·18	·21			11
12	·39	—			·12		—	—	—	·21	·02	·08			12
13	·25	—			·01		—	—	—	·09	·44	·60			13
14	·62	—			·08		·11	—	—	—	·01	—			14
15	·12	—			·04		·68	·02	—	·29	·02	·66			15
16	·26	—	·01				—	·01	—	·02	·04	·02			16
17	—	·10					—	—	·04	·31	—	—			17
18	·09	—				·03	—	·01	·07	—	·54	–			18
19	·05	·01					—	·07	·33	—	·68	—			19
20	—	—					—	·12	—	—	·64	·02			20
21	·03	—					—	—	·14	—	·04	·24			21
22	—	—				·02	—	·20	·01	—	·29	·16			22
23	—	—					—	—	—	—	·05	—			23
24	—	—	·17		·02		—	—	·22	—	·17	—			24
25	·12	·11	·04		·23		—	—	·15	·03	1·29	·06			25
26	·37	·29			·04	·26	—	—	·09	·11	—	·24			26
27	·08	—			·28	·07	·39	·04	—	·02	·34	–			27
28	·17	·08			·36		—	·48	·04	—	·05	·04			28
29	·07	X			·38		—	—	·09	·06	·28	·04			29
30	·03	✕		·02	·33	·02	—	—	·10	·03	·21	—			30
31	·17	✕		✕	·12	✕	—	—	✕	·25	✕	·36			31
TOTAL	3·34	·641	·24	·03	2·13	·57	3·37	3·47	1·66	3·25	5·47	4·84	Year's Total 29·01	✓	
* Days with .01 in. or more.	23	7	4	2	13	10	11	12	14	20	23	21	160	✓	
* Days with .04 in. or more.	1~~6~~7	4	2	0	11	4	10	8	11	15	14	19	118	✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) James Slade [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 653

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Romsey, Embley Park

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 130 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	·12	·16	·16	-	-	·15	·28	—	·17	·05		1
2	—	—	—	·15	—	-	·05	·59	·93	—	·05	·07		2
3	·71	—	—	·52	—	-	—	·15	—	—	·21	·19		3
4	·02	—	·38	·25	·20	-	·54	·59	·02	·73	·15	·09		4
5	—	—	·02	·14	·28	-	·33	·07	—	·37	·79	·11		5
6	·45	—	·03	—	—	-	·70	·02	—	—	·47	-		6
7	·01	·17	—	—	—	-	·01	-	—	·08	·44	·48		7
8	·03	·26	·15	—	—	-	·04	·19	—	·42	·29	·22		8
9	·01	·01	—	—	—	-	—	·09	—	·18	·06	·21		9
10	·32	—	·04	—	—	·05	-	·15	·06	·29	·01	-		10
11	—	—	·12	—	—	-	-	-	—	·23	·02	-		11
12	—	—	—	—	—	·09	-	-	—	—	·03	-		12
13	—	—	—	·03	—	-	·41	-	—	2·02	·04	-		13
14	·77	—	—	·05	—	·01	·38	-	—	·34	·58	·02		14
15	·24	—	—	-	·31	·73	·15	-	·02	·32	·33	·02		15
16	·47	—	—	·07	·02	·07	·08	-	—	·01	·22	-		16
17	·35	·04	—	-	·15	·01	·05	-	—	·38	·06	-		17
18	·21	—	·01	-	—	23	1·10	-	—	—	·38	·01		18
19	·32	—	—	—	—	-	·08	·04		—	—	·09		19
20	·40	—	—	—	—	·04	·56	-		—	—	-		20
21	·04	·29	·06	—	·02	·19	·15	-	—	—	—	-		21
22	·34	·31	·04	—	-	·16	·04	-	·01	—	·24	-		22
23	·01	—	—	·16	—	-	·01	-	—	·07	·95	-		23
24	·73	—	—	·01	—	·38	·09	-	—	·01	—	-		24
25	·78	·08	—	—	—	-	·06	-	—	·09	·19	-		25
26	·04	·03	—	-	—	-	-	·01	—	·04	·45	-		26
27	—	·17	·06	-	—	·06	-	-	—	—	·14	-		27
28	-	·24	·05	—	—	·07	·14	-	—	·01	·18	·21		28
29	-	✗	·01	·01	—	·06	·57	-	—	·09	·02	-		29
30	—	✕	—	·55	—	33	-	-	—	·14	·09	-		30
31	—	✕	—	✕	—	✕	·14	·01	✕	·48	✕	-		31
TOTAL	6·27	1·60	1·09	2·10	1·14	2·48	5·68	2·06	1·32	6·30	6·56	1·77	Year's Total 38.37	✓
* Days with .01 in. or more.	21	10	13	12	7	15	22	12	6	20	26	13	177	✓
* Days with .04 in. or more.	15	8	9	9	5	13	10	9	3	17	22	10	130	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 653

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Romsey (Embley ~~Park~~ Gdns)
in the County of Hants
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 130 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	-	-	-	-	-	-	-	·04	-		1
2	-	·15	-	12	-	-	-	-	-	-	·44	·01		2
3	-	29	-	-	-	-	-	-	-	·27	·99	·15		3
4	-	·16	-	-	-	-	-	-	-	·30	·08	·02		4
5	-	·02	-	-	-	-	·11	-	-	·10	·61	·19		5
6	·39	·40	-	-	-	-	·07	-	-	·32	·01	-		6
7	·11	·21	-	-	-	-	-	-	-	·01	-	·01		7
8	-	-	-	-	-	-	-	-	·01	·48	·14	·24		8
9	-	-	-	-	-	-	·02	·07	·03	·20	·65	·27		9
10	-	-	-	-	-	-	·84	·01	-	·07	·10	·07		10
11	-	·02	-	-	-	-	·08	-	-	-	1·16	-		11
12	-	·01	·16	-	-	-	·12	-	23	-	·08	-		12
13	-	06	·64	-	-	-	·01	-	07	·03	1·12	·01		13
14	-	-	·13	04	-	-	·16	-	·08	·27	-	·67		14
15	-	-	·01	·01	·02	·01	·56	-	24	·04	·89	·01		15
16	-	1·04	·41	·01	-	-	-	-	·08	·61	·86	·02		16
17	-	-	·43	-	-	-	·02	-	-	-	·27	-		17
18	·02	·40	·40	·29	-	-	·01	-	·01	·33	·02	·11		18
19	-	·12	·01	·18	-	-	·13	-	1·12	-	·24	-		19
20	-	-	-	-	-	-	-	·01	06	·22	·05	-		20
21	·01	-	-	·01	·01	-	-	-	02	-	·52	-		21
22	-	·01	·04	04	-	·22	-	-	·14	-	-	-		22
23	-	·03	·19	·01	-	·01	-	-	-	·03	·02	-		23
24	-	-	-	-	-	-	·24	-	-	-	-	-		24
25	·01	-	·31	·05	·01	-	-	-	-	-	-	-		25
26	1·08	·43	·01	-	·08	·03	·06	-	-	-	-	-		26
27	·28	·31	-	-	·02	-	·03	-	-	-	-	-		27
28	·64	·01	-	-	·01	-	-	-	-	-	-	-		28
29	·38	·24	·19	·25	-	-	-	-	-	-	-	·22		29
30	·05	✕	·04	·05	-	-	-	-	-	52	-	·11		30
31	·01	✕	-	✕	-	✕	-	-	✕	·88	✕	·09		31
TOTAL	2·98	3·91	2·97	1·06	·15	·27	2·49	·09	2·09	4·68	8·29	2·20	Year's Total 31·18	
* Days with .01 in. or more.	11	18	14	12	6	4	15	3	12	17	20	16	148	
* Days with .04 in. or more.	7	12	11	8	1	1	10	1	8	14	17	10	100	

24·5
25

† Spare column, no entries required.

(*Signed*) ~~A. White~~
J. J. Crosfield, Esq.

* See Instruction 3 (f) on other side.

[P.T.O.

FORM 1090.

B

ulars of Station.

653/5

653/5

AWBRIDGE
ROMSEY
1939 - 1940

78 01 14

, The following register c
&c., is NOT required
values are given on t

to fill in this section and also the space for

inquiry relating to this register should be sent :—

lton Esq. "Frenches,

msey, Hants

RAINFALL IN

At "Frenches", Awbrid

—in Winter.......................in Summer......................

In the County of ......H

Distance.............. Direction from gauge............

Nearest Parish Church at.............................. Distance.............. Direction from gauge............

Rain Gauge
Diameter of Funnel........................in.
Height of Top above Ground.........ft.............in.
Height of Ground above Sea Level.................ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·13				
FEB.	1·37				
MAR.	1·04				
APRIL	1·82				
MAY	1·02				
JUNE	2·79				
JULY	5·34				
AUG.	1·95				
SEPT.	1·40				
OCT.	5·37				
NOV.	5·97				
DEC.	1·50				
TOTAL	34·70				

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Signature ....

W.P. Cate

2 SEP 1941

* See Instruction 3 *(f)* below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 663/91
S.O. Code No. 40-9999

FORM 1090.

653/5

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At "Trenches", Awbridge Romsey

In the County of Hants

Rain Gauge
- Diameter of Funnel........................in.
- *Height of Top above Ground.........ft.............in.*
- *Height of Ground above Sea Level..................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·13				
FEB.	1·37				
MAR.	1·04				
APRIL	1·82				
MAY	1·02				
JUNE	2·79				
JULY	5·34				
AUG.	1·95				
SEPT.	1·40				
OCT.	5·37				
NOV.	5·97				
DEC.	1·50				
TOTAL	34·70				

Signature ....

W.P. late

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
G. W. S. Pemberton Esq. "Trenches,
Awbridge Romsey, Hants.

Hour of observation by the clock—in Winter......................in Summer................

Nearest Railway Station.............................. Distance.................Direction from gauge............

Nearest Parish Church at.............................. Distance.................Direction from gauge...........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

2 SEP 1941

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 663/91 S.O. Code No. 40-9999

~~ROMSEY (AWBRIDGE)~~

653/5

FORM 1090. **B** Monthly Summary.

C Particulars of Station.

***** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 19~~3~~40.

At "Frenches" Awbridge, Romsey

In the County of Hants

Rain Gauge
- Diameter of Funnel..........in.
- *Height of Top above Ground........ft...........in.*
- *Height of Ground above Sea Level...........ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·88				
FEB.	3·32 ~~3·02~~				
MAR.	2·84 ~~2·54~~				
APRIL	1·29				
MAY	·20				
JUNE	·26				
JULY	2·27				
AUG.	·09				
SEPT.	2·05				
OCT.	4·13				
NOV.	~~7·41~~	~~slot~~			
DEC.	1·93				
TOTAL	28·67 ~~28·07~~				

Lown.

Print ~~(late)~~

R.W.R.

Signature G.W.S. PEMBERTON ESQ

* See Instruction 3 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

G. W. S. Pemberton Esq., "Frenches"
Awbridge, Romsey, Hants

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Feb, Mar ~~Ap~~ pt. estd fr nearby stns.

22 SEP 1941

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

654

Section **A** for the entry of Daily O

AIR MINISTRY.—METE

FALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTER

31..

654

HAREFIELD

ROMSEY

1931 - 1939

780114

Kept at Harefield. Ro

in the County of Hampsh

Romsey from

Diameter of Funnel of Gauge 6. in

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

= 34·19

THE MORNING MEASUREMEN

DAY.

An observer who does not conform to this rule *the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·15		·03	·11	·03			1
2	·25	·04		·08				·03	·44	—		·10	2
3	·14	·06	·34	·57	·05			·08	·28		·31	·13	3
4			·04	·09	·05		·27	·17	·10	·03	·38		4
5		·13		·15		·35	·03	·11	·02		·30	·19	5
6		·14		·31		·14	·05			·39	·30		6
7				·06	·29	·15		·57		·15	·35	·04	7
8		·16		·03	·20	·27	·09	·17			·06		8
9		·23	·03			·05					·67		9
10		·04				·12		·03			·22		10
11	·17	·42				·02			·04		·25		11
12		·02					·27		·21				12
13						·01	·33						13
14		·15		·04		·03	·07	·33			·04	·07	14
15	·02	·02			·08		·07	·36					15
16	s	·04		·08	·16	·13	·03	·13	·22				16
17	s	·12		·07		·09	·32		·05		·02		17
18	·06 s	·03	·12	·04		·12	·11	1·25			·48		18
19	·07		·09	·27		·37		·07					19
20		·08		·03				·40					20
21	·07		·01	·05	·18								21
22	·28		·04	·12									22
23	·27				·41			·63			·29	·04	23
24	·08			·53	·18	·42	·25						24
25	·07			·32	·03		·06				·12		25
26		·04		·14			·30				·24	·03	26
27	·27	·34			1·25		·07				·04		27
28	s ·07	s ·12		·07	·03								28
29	·07				·14		·06	·04		·06			29
30	·04	×			·01				·02				30
31	·31	×		×	·07	×	·02		×		×	·07	31
TOTAL	2·24	2·18	·67	2·85	3·14	2·42	3·40	4·40	1·46	·66	4·07	·67	YEAR'S TOTAL 28·16
*Days with ·01 in. or more.	16	18	7	19	15	15	17	16	10	5	16	8	162
*Days with ·04 in. or more.	15	15	5	17	12	12	14	13	8	3	15	7	136

40-9999

(Signed) J. J. Hanford.
Lieut Col

P.T.O.

*See Instruction 2 (*f*) on other side.

654

Section **A** for the entry of Daily O

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Harefield. Romsey

in the County of Hampshire

Diameter of Funnel of Gauge 6. in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 120. ft.

Average in Romsey from 1905 to 31 = 34·19

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·15		·03	·11	·03			1
2	·25	·04		·08				·03	·44	—		·10	2
3	·14	·06	·34	·57	·05			·08	·28		·31	·13	3
4			·04	·09	·05		·27	·17	·10	·03	·38		4
5		·13		·15		·35	·03	·11	·02		·30	·19	5
6		·14		·31		·14	·05			·39	·30		6
7				·06	·29	·15		·57		·15	·35	·04	7
8		·16		·03	·20	·27	·09	·17			·06		8
9		·23	·03			·05					·67		9
10		·04				·12		·03			·22		10
11	·17	·42				·02			·04		·25		11
12		·02					·27		·21				12
13		·				·01	·33						13
14		·15		·04		·03	1·07	·33			·04	·07	14
15	·02	·02			·08		·07	·36					15
16	s	·04		·08	·16	·13	·03	·13	·22				16
17	s	·12		·07		·09	·32		·05		·02		17
18	·06 s	·03	·12	·04		·12	·11	1·25			·48		18
19	·07		·09	·27		·37		·07					19
20		·08		·23				·40					20
21	·07		·01	·05	·18								21
22	·28		·04	·12									22
23	·27				·41			·63			·29	·04	23
24	·08			·53	·18	·42	·25						24
25	·07			·32	·03		·06				·12		25
26		·04		·14			·30				·24	·03	26
27	·27	·34			1·25		·07				·04		27
28	s ·07	s ·12		·07	·03								28
29	·07				·14		·06	·04		·06			29
30	·04	×			·01				·02				30
31	·31	×		×	·07	×	·02		×		×	·07	31
TOTAL	2·24	2·18	·67	2·85	3·14	2·42	3·40	4·40	1·46	·66	4·07	·67	YEAR'S TOTAL 28·16
*Days with ·01 in. or more.	16	18	7	19	15	15	17	16	10	5	16	8	162
*Days with ·04 in. or more.	15	15	5	17	12	12	14	13	8	3	15	7	136

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J. Hansford. Lieut Col

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 654

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~3~~2.

Kept at Romsey.

in the County of Hampshire

Diameter of Funnel of Gauge 6" in.

Height of top of Gauge above Ground 1 ft ...... in.

" Ground " Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12			·15	·88			·46			·02		1
2				·43	·24			·07	·06	·07		·25	2
3				·13	·03				·37			·04	3
4	·03					·13	·02				·03		4
5	·25						·05		·27				5
6	·28		·03	·13					·20				6
7									·10	·49			7
8			·40	·15	·21				·73	·10			8
9	·27			·36	·14						·04		9
10	·57			·12	·12	·07			·02	·11	·16		10
11	·04				·02				·02	·02	·02	·07	11
12	·48	·05		·22	·02				·10	·18			12
13	·07			·32	·06		·40	·03		·80			13
14	·15			·03	·04			·07				·04	14
15	·07				1·28		·02			·05	·09	·02	15
16	·18			·08	·03								16
17	·04									·02			17
18	·03				·06		·03		·08		·02		18
19									·05	·16	·16		19
20				·46	·27			·43		·71	·28	·03	20
21			·08	·08	·88					·30		·10	21
22			·14	·03					·45	·14	·22		22
23	·05	·08			·22		·15		·08	·70	·03	·13	23
24							·40		·09	·05	·02		24
25							·38		·02	·43	·04		25
26			·12	·05			·13			·05			26
27			·39	·37	·08	·08	·10			·39		·06	27
28				·03	·16		·11			·05			28
29			·36	·18	·22	·12		·17	·35	·28	·10	·10	29
30		×				1·38	·05	·03	·65		·74	·41	30
31		×	·34	×		×	·04		×		×	·15	31
TOTAL	2·63	·13	1·86	3·52	4·96	1·78	1·88	1·26	3·64	5·10	1·99	1·40	YEAR'S TOTAL 30·15
*Days with ·01 in. or more.	15	2	8	19	19	5	13	7	17	20	14	12	151
*Days with .04 in. or more.	12	2	7	15	14	5	10	5	14	18	9	10	121

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Langford Lt. Col.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. 654

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

3

Kept at Hargiell Romsey
in the County of Hampshire
Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·40	·12		·04							·05		**1**
2	·40		·67		·20									**2**
3		·11	·40		·24									**3**
4	·33	·03												**4**
5	·09		·46											**5**
6		·18	·02		·22					·10	·07			**6**
7	·03	·08	·10		·28					·08				**7**
8			·03				·44			·08				**8**
9		·03			·05		·22			·11	·04			**9**
10		·05			·04		·12			·26	·02			**10**
11	·29					·23	·08	·30		·03				**11**
12				·06	·03		·39		·97			s ·03	s ·33	**12**
13	·07				·05	·04	·35	·05	·05	·02	·03			**13**
14							·05			·32	·43			**14**
15	·55		·20				·30	·22		·03				**15**
16		·02	·77			·06			·03					**16**
17		s ·05	·48						·10					**17**
18	·17		·32			·70			·68					**18**
19		s ·04	·07					·04	·20		·10	·03		**19**
20		·03	·04			·13		·04	·02					**20**
21						·18			·03					**21**
22						·80		·37	·40	·22				**22**
23		s ·04		·29		·12				·37				**23**
24		1·40		·25		·04			·02		·04			**24**
25		·77		·29	·05	·06						·09		**25**
26		·99		·11	·07	·33			1·20	·02				**26**
27					·88		·04			·18		·35		**27**
28				·07			·34					·02		**28**
29	·07			·17						·03		·05		**29**
30	·05	×	·34				·07		·10			·04		**30**
31	·19	×	·03	×		×			×		×			**31**
TOTAL	2·24	4·22	4·05	1·24	2·15	2·69	2·40	1·02	3·80	1·85	·73	66	Year's Total 27·05	
*Days with ·01 in. or more.	12	15	15	7	12	11	11	6	12	14	7	8	130	
*Days with ·04 in. or more.	11	11	11	7	11	11	11	6	9	9	6	5	107	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. J. Langford Lt. Col.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 654

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~3~~4.

Kept at Harefield Romsey

in the County of Hampshire

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground ~~120~~ 1 ft. 0 in.

,, Ground ,, Sea Level 120 ft.

Sent Circ. D.2. 21.5.35.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05							·47		·05	·07	·66		1
2	·12		·06		·10				·54	·21		·23		2
3	·04	·04		·02				·04		·25		·17		3
4	·08		·12	·02	·16			·02		·09	·04	·37		4
5								·39		·03	·03	·40		5
6	·06		·42		·18			02 ·92		·29	·16	·83		6
7	·08					·08		·20		·14		·66		7
8					·30				·10		·43	·09		8
9	·03										1·04	·53		9
10	·08										·54	·18		10
11	·73		·43	·37			·06	·02				·35		11
12			·15	·33			·05	·10				·44		12
13	·36		·04	·47			·52				·05	·58		13
14	·06		·55	·02						·03	·04	·48		14
15	·04		·04		·10					·13	·10	·42		15
16	·17		·35											16
17	·06		·02		·07				·07			·27		17
18	·05		·17	·21					·13			·18		18
19			·40			·03			·13			·11		19
20			·17	·08			·30							20
21			·02	·18		·10		·03		·13				21
22							·04	·46	·20			·14		22
23				·20		·55		·04	·03			·02		23
24			·07	·05		·04	·49		·15					24
25	·35	·05		·08		·02				·09		·81		25
26		·02		·18		·16			·11			·08		26
27	·05					·10						·40		27
28						·05		·78		·03		·52		28
29								·06	·16			·01		29
30	·08	×						·19				·29		30
31	·03	×	2·91	×		×	·02	·05	× 1·62	1·47	×	·05		31
TOTAL	2·51	·11	~~3·40~~	1·91	·91	1·13	1·47	2·~~93~~ 87	×·71	×·53	2·50	9·27	Year's Total. ~~29·30~~	28·68
* Days with .01 in. or more.	19	3	17	13	6	9	7	17	11	14	10	27	153	
* Days with .04 in. or more.	17	2	15	9	6	6	6	11	9	10	9	25	125	·02

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) W J Langford

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 654

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Harefield Romsey

in the County of Hampshire

Diameter of Funnel of Gauge 5 6 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02		·26		·09	·08	1.94		·10	·22	·20	·03		1
2						·08			·15	·33	·03	·02		2
3			·11			·10			·12	1·14	·22	·02		3
4		·12		·16		·38			·11	·48	·15	·09		4
5		·31	·22	·16		·14			·39	·02	·05	·03		5
6			·03	·30		1·17					·14			6
7				·21		·01				·11	·39	·07		7
8				·29		·02			·05	·41	·68	·02		8
9	·10			·37		1.04			·45	·72	·83	·02		9
10	·05		·12	·05		·07					·28			10
11	·18	·03		·10		·14				·11	·62			11
12	~~·18~~	·03				·29		·02	·06		·40			12
13	·05	·09		·15	·05	·10			·01		·10			13
14				·03	·02	·03			·02	·02	·31	·22		14
15				·58		·29			·26		·68	·08		15
16		·08	·05	·32		·32			·64		1·27			16
17			·03	·15	·06	·26		·04			·22			17
18		·04		·25	·09	·02			·33	·05	·05			18
19		·02		·03	·41	·06	·10		·04	·05	·20			19
20		·43		·05		·02			·03		·68			20
21		·38		·03					·01	·02				21
22		·05	·06	·05				·06	·06					22
23			·14		·02			·22	·02	·77		·21		23
24	·05	·77			·03			1·18	·45	·10		·32		24
25	·15	·56		·11	·04				~~·02~~			·30		25
26		·52				·02		·17	·04			·62		26
27		·47							·17		·07	·48		27
28		·16			·04			·13	·34			·17		28
29								·02	·25			·63		29
30	·04	×		·05	·20			·80	·02	·21	1·08	·48		30
31		×		×		×			×	·96	×	·20		31
TOTAL	·64	4·06	1·02	3·44	1·05	4·64	2·04	2·64	4·12	5·62	8·65	4·01	Year's Total. 41·93	
* Days with .01 in. or more.	7	16	9	20	11	21	2	9	24	17	22	19	177	
* Days with .04 in. or more.	7	13	7	17	7	15	2	6	18	14	22	13	141	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 654

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Harefield Romsey

in the County of Hampshire

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	·05	·65	·28		·60	·20	·02			15	·05		1
2		05				·18	·17	·05						2
3				·32		·01	·05		·44		·45			3
4			·16			·02			·23		09	·05		4
5	·41				·08			·03	·03			·05		5
6	·54					·03		·03	·19		·42			6
7	·07		·13				·10				·15	·05		7
8	·42		·23				·06				·19			8
9	·45		·20				·31		·10	·01	·02			9
10	·15						·10							10
11	·14	·17					·03	·47	·12		·93	·02		11
12				·02	·37	·38	·30	·04	·45		·16			12
13						·08	·11			·03	·10	·86		13
14		·09				·03	·56		·09			·53		14
15	·04	·05				·02	·08		·20		·04	·21		15
16	·20	·27			·04		·10				·04	·17		16
17	·02	1·05				·02	·03		·02		·07	·41		17
18	·09	·19				·22	·24			·03	·02	·14		18
19	·41	·05		·02		·41		·09				·02		19
20	·23	·22	·20	·33		·04			1·08					20
21		·13	·01	·68		·07	·03							21
22	·09	·45	·21		·11		·20			·02		·05		22
23	·05		·14	·10	·04		·22			·06				23
24	·14	·05			·03				·03	·31				24
25	·09		38	·20			·05		·06	·21	·02			25
26	·12	·15	·08			·53	·10		·06	·11				26
27	·42	·03	·06				·06		·04	·25				27
28	·93		·42				·10					·24		28
29	·03	·10	·05			·26	·57			·11	·19	·14		29
30	·14	✕				·21				·24		·02		30
31	·14	✕	·52	✕	·02	✕	·13		✕	·16	✕	·67		31
TOTAL	5·53	3·10	2·84	1·95	·69	3·11	3·90	·73	3·14	1·54	3·04	3·68	Year's Total 33·2~~7~~	5
* Days with .01 in. or more.	24	16	15	8	7	17	24	7	15	12	16	17	178	✓
* Days with .04 in. or more.	24	15	14	6	5	11	21	4	12	8	13	14	145	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Langford Lt-Col [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 654

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Harefield Romsey

in the County of Hampshire

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·47	·03		·06						·03	·51	·41		1
2	·05	·69		·07					·06			·09		2
3	·02	·37												3
4	·12	·80										·25		4
5	·07	·04	·04	·03			·20							5
6	·10	·13	·58	·08	·05		·03			·05				6
7		·50		·08						·03		1·65		7
8		·04			·20									8
9		·03		·15	·16	·04	·03		·45			·10		9
10	·04		·76	·27	·04	·32						·30		10
11			·04	·03	·17	·36	·17					·04		11
12	·33	·32	·20	·13	·70	·47	·02	·33	·15			·47		12
13	·20	·06	·52	·17	·03			·03	·17			·22		13
14	·02	·04	·36	·05				·22	·03			·04		14
15	·35	·17		·26			·35		·10			·09		15
16	·03	·12	·61	·12		·10		·47	·64					16
17	·73	·08	·06				·05		·08		·12			17
18	·19	·08									·10	·13		18
19	·19	·07	·06	·12		·07	·15		·03					19
20	·54		·18	·15		·03						·09		20
21	·56	·19	·04	·05	·03		·02		·02		·05	·08		21
22	·49	·03	·11		·28	·42	·11			·82	·55	·08		22
23	·43	·15			·53		·03			·32	·17			23
24	·45	·56			·05				·15	·82		·04		24
25	·29	·37	25		1·38				·06	·70		05		25
26	~~·[illegible]7~~	·22			·06					·17				26
27	~~·03~~	·22		·11						·55				27
28	·09	·07								·16				28
29	·03									·24	·10			29
30	·43	✕				·02				·16	·29			30
31	·44	✕		✕		✕			✕	·25	✕			31
TOTAL	6.66	5·28	3·81	1·93	3·68	1·83	1.16	1·05	1·94	4·30	1·89	4·13	Year's Total 37·66	
* Days with .01 in. or more.	25	25	14	~~5~~17	13	9	11	4	12	11	8	17	166	
* Days with .04 in. or more.	21	22	14	15	11	7	6	3	9	9	8	17	142	

† Spare column, no entries required.

(*Signed*) W. Phillips for
Lt-Col W J Langford

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 654

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Harefield Romsey
in the County of Hampshire
Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 120 ft.

Dec adjs. Snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·04			·03	·14				·08		·06		1
2							·11			·28	·05	·04		2
3					·09		·19			54	·05			3
4	·04						·18	·04		·08	·02	·15		4
5							·15			·10		·03		5
6	·03					·03	·15		·28	·12	·04	·03		6
7						·03	·57	1·07	·03	·25	·02	·10		7
8	·19						·06	·03		·19		·08		8
9	·07	·03				·04				·02		1·07		9
10	·06						·03	·04			·02	·28		10
11	·14									·19	·14	·20		11
12	·35	·02			·09		·02			·10	·02	·02		12
13	·28				·02						·35	·48		13
14	·46				·10		·09		·01					14
15	·10						·84			·20	·03	·50		15
16	·23		·04					·03		·11	·05	·14		16
17		·11	·02							·22	·02			17
18	·09					·03			·05		·49			18
19	·07							·05	·08		·85			19
20								·06	·22		·54	~~·03~~		20
21	·04								·06		·05	~~·21~~		21
22						·05		·20	·15		·28	~~·18~~		22
23									·02		·06	·72		23
24			·17		·02				·14		·16			24
25	·10	·11			·21					·05	1·05	4		25
26	·40	·26	·05		·05				·13	·11		4		26
27	·08	·03			·18	·16	·34	·03	·04		·30	~~·30~~	✓	27
28	·15	·06			·48	·09		·55	·03	·06	·03			28
29	·04				·31				·27	·04	·23			29
30	·05	✕			·25				·08	·20	·15			30
31	·17	✕		✕	·13	✕			✕		✕	·40		31
TOTAL	3·14	·66	·28	0	1.9.6	57	2·73	2·10	1·57	2·94	5·00	4·30	Year's Total 25·25	✓
* Days with .01 in. or more.	20	8	4	0	13	8	12	10	15	19	24	20 ~~19~~	~~152~~	✓ 153
* Days with .04 in. or more.	19	5	3	0	10	5	10	7	11	18	17	16 ~~15~~	~~120~~	✓ 121

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 654

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Harefield Gdns Romsey

in the County of Hants

Diameter of Funnel of Gauge 5 ~~4~~ in.

Height of top of Gauge above Ground 1 ft. ...... in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02		·10	·15	·14			·12	·53		·08	·06		1
2			·02	·13			·05	·63	·92		·02	·06		2
3	·64			·40				·15			·25	·16		3
4			·38	·16	·17		·40	·35	·03	·62	·19	·10		4
5			·02	·12	·27		·20	·12		·35	·55	·15		5
6	·43		·03				·57	·03			·33			6
7		·20					·02			·06	·37	·47		7
8	·04	·21	·14				·04	·17		·37	·45	·22		8
9	·02							·11		·20	·08	·21		9
10	·25		·05			·05		·14	·08	·37	·03			10
11			·14			·02		·03		·20	·02			11
12		·02				·07					·02			12
13				·03		·02	·39			1·70	·02			13
14	·70				·07		·35			·19	·56	·04		14
15	·25				·35	·56	·23		·02	·28	·22			15
16	·38		·02	·10	·04	·21	·04				·29			16
17	·23	·04					·03			·70	·06			17
18	·15		·02			·10	·92				·47			18
19	·31						·05	·10				·09		19
20	·40		·02			·08	·46							20
21	·03	·31	·05			·33	·13							21
22	·27	·31	·03			·20	·04		·02		·20			22
23	·02			·12		·02	·03			·04	·83			23
24	·55		·04			·31	·10			·03				24
25	·79	·10					·04			·08	·20			25
26	·03	·04	·07					·05			·41	·06		26
27		·14	·04	·05		·04				·05	·16			27
28		·22				·07	·19			·08	·20	·16		28
29				·03			·45			·12	·03			29
30				·55		·30	·16			·53	·13			30
31														31
TOTAL	5·51	1·59	1·17	1·84	1·04	2·38	4·89	2·00	1·60	5·97	6·17	1·78	Year's Total 35·94	✓
* Days with .01 in. or more.	19	10	16	11	6	15	22	12	6	18	26	12	173	✓
* Days with .04 in. or more.	14	9	9	9	6	12	19	10	3	17	20	12	140	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. Phillips for Lt-Col W. J. Langford [P.T.O.

655

Section **A** for the entry of Daily Obse

AIR MINISTRY.—METEOR

COPY FOR OFFICIAL USE.

L ORGANIZATION.

FORM 1090.

REGISTER C

655 —

MELCHET COURT
ROMSEY
1931 - 1934

78 01 14

Kept at Melchet Court Gds

in the County of Hampshire

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 3 ft.

" Ground " Sea Level 207

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·11		·11		·08		·04	·23				1
2	·30			·13				·02	·52	·01	·02	·09	2
3		·02	·35	·19				·07	·61		·56	·15	3
4			·10		·09		·26	·66	·09	·03	·20		4
5		·15		·21	·08	·41	·09	·10			·16	·26	5
6		·17		·11	·02				·02	·35	·33		6
7		·		·09	·18	·24				·10	·46	·03	7
8		·15			·05	·27	·15	·52			·05	·01	8
9		·20									·84		9
10		·03				·18	·05	·02		·04	·20		10
11	·25	·46							·06		·17		11
12							·20		·17				12
13							·10						13
14						·05	1·15	·45			·02		14
15		·14			·10		·22	·24				·06	15
16		·05		·20	·14	·15							16
17		·21		·11		·25	·30		·32		·01		17
18		·01		·08			·19	1·57		·02	·49		18
19	·08	·12		·23		·40		·03			·01		19
20			·14				·01	·36					20
21	~~[illegible]~~			·03	·18								21
22	·12										·01		22
23	·50			·15	·76						·24	·01	23
24				·53	·06	·44		·46					24
25				·30			·38				·14		25
26	·65			·07			·38				·25		26
27		·05		·01	1·23		·21				·07		27
28		·30		·08								·01	28
29		·15			·14		·07			·06			29
30		×					·01	·07	·03		·01		30
31	·47	×	·23	×	·16	×			×		×		31
TOTAL	2·37	2·32	·82	2·63	3·19	2·47	3·77	4·61	2·05	·61	4·29	·62	YEAR'S TOTAL 29·~~8~~75
*Days with ·01 in. or more.	~~7~~	~~16~~	~~4~~	~~17~~	~~13~~	~~10~~	~~16~~	~~14~~	~~9~~	~~7~~	~~20~~	~~8~~	~~141~~
*Days with ·04 in. or more.	~~7~~	~~13~~	~~4~~	~~15~~	~~12~~	~~10~~	~~14~~	~~11~~	~~7~~	~~4~~	~~14~~	~~4~~	~~115~~

40-9999

(Signed) W Petty

[P.T.O.

*See Instruction 2 (*f*) on other side.

655

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Melchet Court Gds

in the County of Hampshire

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 3 ft - in.

,, Ground ,, Sea Level 207 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	
1		·11		·11		·08		·04	·23				1
2	·30			·13				·02	·52	·01	·02	·09	2
3		·02	·35	·19				·07	·61		·56	·15	3
4			·10		·09		·26	·66	·09	·03	·20		4
5		·15		·21	·08	·41	·09	·10			·16	·26	5
6		·17		·11	·02				·02	·35	·33		6
7		·		·09	·18	·24				·10	·46	·03	7
8		·15			·05	·27	·15	·52			·05	·01	8
9		·20									·84		9
10		·03				·18	·05	·02		·04	·20		10
11	·75	·46							·06		·17		11
12							·20		·17				12
13							·10						13
14						·05	1·15	·45			·02		14
15		·14			·10		·22	·24				·06	15
16		·05		·20	·14	·15							16
17		·21		·11		·25	·30		·32		·01		17
18		·01		·08			·19	1·57		·02	·49		18
19	·08	·12		·23		·40		·03			·01		19
20			·14				·01	·36					20
21	[illegible]	—		·03	·18								21
22	·12										·01		22
23	·50			·15	·76						·24	·01	23
24				·53	·06	·44		·46					24
25				·30			·38				·14		25
26	·65			·07			·38				·25		26
27		·05		·01	1·23		·21				·07		27
28		·30		·08								·01	28
29		·15			·14		·07			·06			29
30		×					·01	·07	·03		·01		30
31	·47	×	·23	×	·16	×			×		×		31
TOTAL	2.37	2·32	·82	2·63	3·19	2·47	3.77	4·61	2·05	·61	4·29	·62	YEAR'S TOTAL 29·~~8~~75
*Days with ·01 in. or more.	~~7~~	~~16~~	~~4~~	~~17~~	~~13~~	~~10~~	~~16~~	~~14~~	~~9~~	~~7~~	~~20~~	~~8~~	~~141~~
*Days with ·04 in. or more.	~~7~~	~~13~~	~~4~~	~~15~~	~~12~~	~~10~~	~~14~~	~~11~~	~~7~~	~~3~~	~~14~~	~~4~~	~~115~~

40-9999

(Signed) W Petty [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 655.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Melchet Court, nr Romsey

in the County of Hampshire

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 3 ft 0 in.

,, Ground ,, Sea Level 207 ft.

days ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15			·17	1·12			·45	·01	·08	·02		1
2				·33	·22			·04	·18		·01	·31	2
3				·20		·05			·26			·04	3
4	·02					·17					·02		4
5	·24						·05		·23				5
6	·37			·16					·20				6
7			·01						·17	·84			7
8			·35	·01	·14				·65	·28			8
9	·33			·14	·04				·16	·05			9
10	·47	·02		·41	·11	·02			·01	·12	·09		10
11	·53			·02			·36		·13	·01		·10	11
12					·05	·02				·12		·02	12
13	·05			·19	·07		·35	·05		·88		·03	13
14	·11			·36	·06			·04		·01	·01	·01	14
15	·04			·02	·75					·04	·06	·01	15
16	·17			·11								·01	16
17	·01			·11						·01			17
18	·02				·09		·01		·12	·20	·19		18
19									·03			·01	19
20				·47	·27			·30	·01	·70	·31	·01	20
21			·08	·17	·60					·22		·16.	21
22	·01		·12	·04			·11	·02	·39	·10	·22		22
23	·02				·11		·17		·03	·67			23
24		·07			·01		·30		·15	·05	·01		24
25							·31		·04	·40	·04		25
26			·14	·01			·11			·06	·01		26
27			·43	·41	·10	·09	·20			·21			27
28			·01	·03	·21		·09			·01			28
29			·42	·14	·25	·22		·23	·56	·36	·19		29
30		×		·33		1·32	·05	·01	·55		·65		30
31		×	·15	×		×	·02		×		×	·93	31
TOTAL	2·52	·09	1·71	3·93	4·20	1·89	2·13	1·14	3·88	5·42	1·83	1·64	YEAR'S TOTAL 30·28
*Days with ·01 in. or more.	15	2	9	21	17	7	13	8	19	22	14	12	159
*Days with .04 in. or more.	10	1	7	16	16	5	11	6	14	18	8	5	47

Dec 22nd to Dec 31st inclusive

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) R Currie

P.T.O.

655

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 655

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Melchet Court, Romsey

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 0 in.

,, Ground ,, Sea Level 204 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·37	·08		·03						tr	·15		1
2	·75		·65		·09	tr					tr			2
3	·01	·09	·42											3
4	·25	·02			·13									4
5	·07	tr	·46		·04									5
6		·21			·23					·15	·04			6
7	·01	·04	·11		·26		·01			·06				7
8	·01	tr	·02		tr		·30			·09				8
9		·05			·07		·19			·19	·04			9
10		·05				·01	4	tr		·30				10
11	·31					·17	·58 ✓	·20		tr		tr		11
12				·04	·03		4		·81					12
13	·08				·04		·23	·09	·02	·08	·04			13
14	·01						·06			·30	·39	·01		14
15	·53		·23				·11	22		·02	·01			15
16		·02	·89			·08	tr		·02	tr				16
17			·38			·03		·02	·08					17
18	·13		·27			·61					·01			18
19		·03	·02					·03	·41		·10	·01		19
20			tr	tr		·29		·02	·27		tr			20
21				tr		·36		·09	·02	·03				21
22						·89		·20	·05	·15	·01			22
23				·37		·23			·27	·29				23
24		1·78		·16					tr	tr	·01			24
25		·80		·25		·16			11	tr	·01	·06		25
26		·95		·09	·60	·02			1·02	·01				26
27		·01		·01			·03		·01	·16		·39		27
28				·15	·13		·23			·06		·01		28
29	·05			·04						·06		·11		29
30	·08	×	·26				·08		·04	tr		·03		30
31	·13	×	·03	×		×		tr	×	tr	×			31
TOTAL	2·42	4·42	3·82	1·11	1·65	2·85	1·82	·87	3·13	1·95	·66	·77	Year's Total 25·47	
*Days with ·01 in. or more.	14	13	13	8	11	11	12	8	13	15	10	8	136	
*Days with ·04 in. or more.	10	9	10	7	9	8	9	5	9	12	5	4	97	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** Station No. 655

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Melchet Court Gardens
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft ... in.
,, Ground ,, Sea Level 204 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02							·63			·09	·42	1
2	·11		·05		·05				·40			·28	2
3	·04			·03						·58		·16	3
4	·08		·14		·22					·11	·06	·43	4
5								·50		·06	·01	·44	5
6	·03		·46	·01	·14					·28	·11	·44	6
7	·08					·04		·12		·10		·64	7
8					·29			·03			·47	·10	8
9	·03		·14								1·00	·46	9
10	·15		·42	·34							·43	·18	10
11	·69		·42	·39								·41	11
12			·03					·15				·43	12
13	·45		·03	·14			·12				·11	·42	13
14	·04		·50	·01			·56					·62	14
15	·05		·03		·19					·13	·12	·33	15
16	·19		·42										16
17	·04	·01		·20					·15	·05			17
18	·18		·18	·21					·04			·61	18
19			·33	·06					·10			·13	19
20			·04	·10			·64						20
21				·15		·12		·14		·13			21
22								·38	·24			·13	22
23		·02		·20		·40	·12	·06				·05	23
24		·02	·06	·06		·06	·49						24
25	·40			·08		·04				·09		·85	25
26	·02			·13		·14			·34			·26	26
27	·03					·10						·36	27
28						·12		·66				·58	28
29								·20					29
30	·08	×						·03	·34			·35	30
31		×		×		×	·02		×		×	·04	31
TOTAL	2·44	·05	3·31	2·14	·92	1·11	1·95	2·90	2·33	1·53	2·40	9·62	YEAR'S TOTAL 31·03
*Days with ·01 in. or more.	19	3	15	15	5	8	6	11	7	9	9	25	132
*Days with .04 in. or more.	14	–	12	12	5	8	5	9	7	9	8	25	114

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Robert Currie

P.T.O.

Section **A** for the entry of I
AIR MINISTRY.
FORM 1090.

REGIST

656

TIMSBURY MANOR
ROMSEY
1931 - 1936

48 01 14

656

COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION.

1931.

Kept at Timsbury Ma
in the County of Hamps
Diameter of Funnel of Gauge 14
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

July now corrected

THE MORNING MEASUR ... OUS DAY.

An observer who does not conform to th ... January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·08		·08			·26	·02			1
2	·29	·05		·54					·40			·13	2
3	·06		·37	·05	·04			·10	·19		·40	·13	3
4			·03		·03		·25	·31	·06		·23		4
5		·09		·19	·19	·43		·04			·09	·33	5
6		·13		·36		·14	·15			·38	·25		6
7		·13			·17	·16		·56		·01	·32		7
8				·09	·18	·28	·03	·15			·01	·03	8
9		·30				·10					·48		9
10		·01				·11	·04	·03			·14		10
11	·15	·42					·15		·04		·25		11
12		·01					·01		·20				12
13							·12			·02			13
14		·15				·10	1·04	·21					14
15		·02		·03	·07	·12	·50	·40				·01	15
16		·06			·14	·31		·40	·20				16
17	·01	·09		·08			·26		·03		·02		17
18	·05	·02	12	·13		·20	·13	1·44			·47		18
19	·07	·01		·29		·39		·04					19
20		·07		·02			·01 ~~·04~~	·39					20
21	·07				·19								21
22	·29			·11									22
23	·27			·58	·39						·27		23
24	·09			·26	·20	·48	·25	·58				·01	24
25	·13						·11				·14		25
26				·12			·39				·24		26
27	·17	·35		·08	1·38		·09						27
28	·04	·10											28
29	·07									·05	·06		29
30	·05	×					·05						30
31	·34	×		×	·17	×			×		×	·17	31
TOTAL	2.15	2.04	·52	3·01	3·18	2·90	3.58 ~~5.56~~	5·28 ~~6.54~~	1·38 ~~2·55~~	·54 ~~1.98~~	3·73 ~~5·69~~	·87 ~~1.86~~	YEAR'S TOTAL 29·18 ~~38.18~~
*Days with ·01 in. or more.	~~16~~	~~18~~	~~3~~	~~16~~	~~12~~	~~13~~	~~17~~	~~13~~	~~8~~	~~5~~	~~15~~	~~7~~	~~143~~
*Days with ·04 in. or more.	15	12	2	14	11	13	14 ~~16~~	~~13~~ 12	~~8~~ 7	~~5~~ 3	~~15~~ 14	~~7~~ 5	122 ~~131~~

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) A. A. Thom Ward

P.T.O.

656

Section **A** for the entry of Daily Observations. 129. **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Timsbury Manor, Romsey

in the County of Hampshire

Diameter of Funnel of Gauge 14" in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 45 ft.

Wants looking into

Cir D2 sent re confusion of decimal point 4/12/31 shown in red.

19/2/32 Stretch

days

July now correct

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·08		·08			·26	·02			1
2	·29	·05		·54					·40			·13	2
3	·06		·37	·05	·04			·10	·19		·40	·13	3
4			·03		·03		·25	·31	·06		·23		4
5		·09		·19	·19	·43		·04			·09	·33	5
6		·13		·36		·14	·15			·38	·25		6
7		·13			·17	·16		·56		·01	·32		7
8				·09	·18	·28	·03	·15			·01	·03	8
9		·30				·10					·48		9
10		·01				·11	·04	·03			·14		10
11	·15	·42					·15		·04		·25		11
12		·01					·01		·20				12
13							·12			·02			13
14		·15				·10	1·04	·21					14
15		·02		·03	·07	·12	·50	·40				·01	15
16		·06			·14	·31		·40	·20				16
17	·01	·09		·08			·26		·03		·02		17
18	·05	·02	·12	·13		·20	·13	1·44			·47		18
19	·04	·01		·29		·39		·04					19
20		·07		·02			·01 ~~0·4~~	·39					20
21	·07				·19								21
22	·29			·11									22
23	·27			·58	·39						·27		23
24	·09			·26	·20	·48	·25	·58				·01	24
25	·13						·11				·14		25
26				·12			·39				·24		26
27	·17	·35		·08	1·38		·09						27
28	·04	·10											28
29	·07									·05	·06		29
30	·05	×					·05						30
31	·34	×		×	·17	×			×		×	·17	31
TOTAL	2.15	2.04	·52	3·01	3·18	2·90	3·58 ~~5·56~~	5·28 ~~6·54~~	1·38 ~~2·55~~	·54 ~~1·98~~	3·73 ~~5·84~~	·87 ~~1·86~~	YEAR'S TOTAL 29·18 ~~38·18~~
*Days with ·01 in. or more.	~~16~~	~~18~~	~~3~~	~~16~~	~~12~~	~~13~~	~~17~~	~~13~~	~~8~~	~~5~~	~~15~~	~~7~~	~~143~~
*Days with ·04 in. or more.	15	12	2	14	11	13	14 ~~16~~	~~13~~ 12	~~8~~ 7	~~5~~ 3	~~15~~ 14	~~7~~ 5	122 ~~[illegible]~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

656

Section **A** for the entry of Daily Observations. **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Timsbury Manor Romsey

in the County of Hampshire

Diameter of Funnel of Gauge 4·5" in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 75 ft.

Corr for misplacement of decimal point / Obsr notified 28/3/33

days + agrees. f. 926433/29

Examine appears to be N.A. all months H.R. N.P.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·19	1·01	–	–	·48	–	–	–	–	1
2	·07	–	–	·33	·14	–	–	·05	·26	·08	–	·24	2
3	–	–	–	·15	·01	–	–	–	–	–	–	–	3
4	–	–	–	–	–	·12	–	–	–	–	–	–	4
5	·28	–	–	–	–	–	–	–	·52	–	–	–	5
6	·28	–	–	·18	–	–	–	–	·21	–	–	–	6
7	·2	–	–	–	–	–	–	–	·18	·58	–	–	7
8	–	–	–	–	·08	–	–	–	1·20	·11	–	–	8
9	·42	–	·39	·17	·10	–	–	–	·11	–	–	–	9
10	·31	–	–	·44	·08	·05	–	–	–	·10	·15	–	10
11	·52	–	–	·14	–	–	–	–	–	–	–	·09	11
12	–	–	–	–	–	–	–	–	·10	·18	–	–	12
13	·12	–	–	·21	–	–	·63	–	–	·88	–	·03	13
14	·16	–	–	·26	·10	–	–	·06	–	–	–	·01	14
15	·05	–	–	·11	1·04	–	–	–	–	·04	–	–	15
16	·21	–	–	–	–	–	–	–	–	·03	–	–	16
17	·01	–	–	·06	–	–	–	–	–	–	·24	–	17
18	–	–	–	–	·06	–	–	–	·18	–	–	–	18
19	–	–	–	–	–	–	–	–	·04	·19	–	–	19
20	–	–	–	·43	·30	–	–	·44	–	·67	·27	·03	20
21	–	–	·15	·04	·90	–	–	–	–	·25	–	·11	21
22	–	–	·08	–	–	·07	·09	–	·40	·19	·23	–	22
23	–	–	–	–	·18	–	·20	–	·04	·61	·02	·12	23
24	–	·06	–	–	–	–	·49	–	·10	·04	·01	–	24
25	–	–	–	–	–	–	·23	–	·02	·44	·02	–	25
26	–	–	·12	–	–	–	·28	–	–	·06	·01	–	26
27	–	–	·28	·11	·02	–	·29	–	–	·26	–	·02	27
28	–	–	·02	–	·02	–	·08	–	–	–	–	·01	28
29	–	–	·42	·16	·28	·24	–	·15	·36	·34	·13	·08	29
30	–	×	·02	·14	–	1·25	·03	–	·43	–	·70	·35	30
31	–	×	·19	×	–	×	·05	–	×	–	×	·15	31 29·97
TOTAL	2·45 ~~3·90~~	·06 ~~·06~~	1·77 ~~2·95~~	3·45 ~~4·35~~	4·38 ~~4·35~~	1·73 ~~2·81~~	2·37 ~~4·62~~	1·21 ~~2·20~~	4·45 ~~5·35~~	5·08 ~~4·33~~	1·78 ~~2·32~~	1·24 ~~3·74~~	YEAR'S TOTAL ~~44·45~~
*Days with ·01 in. or more.	~~12~~	~~1~~	~~9~~	~~16~~	~~15~~	~~5~~	~~10~~	~~5~~	~~15~~	~~18~~	~~10~~	~~12~~	~~128~~
*Days with ·04 in. or more.	~~10~~	~~1~~	~~97~~	~~16~~	~~15~~	~~5~~	~~10~~	~~5~~	~~15~~	~~18~~	~~10~~	~~12~~	~~128~~

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) pp A. R. Wilson-Wood Hy Sec. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 656

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Timsbury Manor
in the County of Hampshire
Diameter of Funnel of Gauge 14 in.
Height of top of Gauge above Ground ft 10 in.
,, Ground ,, Sea Level 75 ft.

B A
Days ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·33	·35	·11		·04									1
2	·41		·60		·16									2
3		·11	·42											3
4	·24				·20									4
5	·08	·02	·41		·02									5
6		·09			·24					·17	·06			6
7		·03			·36					·14				7
8	·01						·43			·07				8
9					·04		·24			·14				9
10							·13			·31	·06			10
11	·30	·05				·25	·08	·29	·005					11
12				·04	·04		·27		·95		snow ·03			12
13	·06				·13	·03	·34		·02	·02	·04			13
14	·01		·23				·08	·01		·34	·46			14
15	·50						·12	·20		·02				15
16			·18			·10			·01					16
17		snow ·06	·36			·40		·01	·09					17
18	·18		·28			·03					·02			18
19		snow ·03	·04			·28			·34		·04			19
20								·03	·12					20
21						·10		·09	·02					21
22						·45		·34	·02	·14				22
23				·34		·19			·30	·38				23
24		1·5		·17					—					24
25		·81		·31	·08	·25						·08	~~·08~~	25
26		·90		·09	·10	hail ·40			1·53					26
27					·62					·22		·38	~~·38~~	27
28				·06			·29							28
29	·09		·01	·08	·02		·09			·06		·09	~~·09~~	29
30		×	·25						··10			·05	~~·05~~	30
31	·26	×	·03	×		×			×		×			31
TOTAL	2·44	3·95	2·92	1·09	2·05	3·08	2·04	·94	3·535	2·10	·44	·60	Year's Total 25·545	
*Days with ·01 in. or more.	12	11	12	7	13	11	10	7	11	12	7	4	~~117~~	
*Days with ·04 in. or more.	10	8	10	7	11	9	10	5	7	10	6	4	96	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. R. Wilson-Wood

M. Gauge, Sec.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 656

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Timsbury Manor Romsey

in the County of Hampshire

Diameter of Funnel of Gauge 14 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 45 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05							·47		·03		·68		1
2	·13		·06						·62	·14	·05	·27		2
3	·04	·01								·38		·30		3
4	·09		·11		·23					·18		·31		4
5	·03		·43		·01			·43		·02	·06	·40		5
6	–				·15			·03		·29	·20	·81		6
7	·08							·25		·11	·01	·65		7
8	–				·27				·11	·15	·48	·10		8
9	·02		·16							~~·15~~	·86	·39		9
10	·19		·43	·35				·01		–	·43	·27		10
11	·63		·42	·35			·04					·30		11
12	–		·04				·05	·12			·03	·49		12
13	·40		·03	·14			·10					·64		13
14	·07		·48							·02		·29		14
15	–		·05		·19						·18			15
16	·19		·35								~~·26~~	·26		16
17	·06		–	·02	·07					·02	~~·27~~	·27		17
18	·16		·24	·17					·16					18
19	–		·36	·02		·06		·01	·17		~~·13~~	·13		19
20	–		·14	·14			·24		·24	·13				20
21	–			·13		·11		·04	·06		~~·06~~	·06		21
22	–						·04	·38	·09		~~·12~~	·12		22
23	–			·19		·55		·01						23
24	–	·04	·08			·10	·45							24
25	·39			·10		·05					~~·62~~	·62		25
26	·005			·18		·15			·15	·11	~~·03~~	·03		26
27	·08					·06					~~·34~~	·34		27
28	–					·05		·68		·005	~~·44~~	·44		28
29	–							·15	·18					29
30	·10	×						·14	·09	Hail ·03	~~·3~~	·33		30
31	·005	×		×		×			×		×	·05		31
TOTAL	2·72	·05	3·38	1·79	·92	1·13	·95	2·75	1·87	1·615	2·30	8·58	Year's Total. 28·05	
* Days with .01 in. or more.	19	2	15	11	6	8	6	13	10	14	9	25	128	
* Days with .04 in. or more.	15	1	15	9	5	8	6	10	10	6	7	24	116	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) M. Maitland-Heriot

[P.T.O.

COPY FOR OFFICIAL USE. X

Section **A** for the entry of Daily Observations. Station No. 656

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Timsbury Manor

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 75 ft.

Not now BA [illegible] ok
30.7.36

926453/2 BA

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	·36	–	·05	·07	2·64	–	·14	·03	·17	·02		1
2	–	–	–	–	–	·05	–	–	–	·13	–	–		2
3	–	–	·12	–	–	·05	–	–	·28	·40	–	–		3
4	–	–	–	·20	–	·32	–	–	·03	·85	·29	·09		4
5	–	·43	·23	·18	–	·05	–	–	·36	·51	–	·03		5
6	–	–	–	·35	–	1·17	–	–	–	·27	–	–		6
7	–	–	–	·23	–	–	–	–	·19	–	·28	–		7
8	–	–	–	·39	–	·05	–	–	·36	·45	·60	–		8
9	·09	–	–	·36	–	·99	–	–	–	·79	·94	·08		9
10	·03	–	snow ·08	·11	–	·05	–	–	–	–	·14	–		10
11	·20	·05	–	·02	–	·17	–	–	–	·02	·56	–		11
12	–	–	–	–	–	·10	–	–	·09	–	·37	–		12
13	·05	·13	–	·07	·04	·11	–	–	·02	–	·08	–		13
14	–	–	–	·04	·01	·04	–	–	–	–	·48	·23		14
15	–	–	–	·60	–	·70	–	–	·26	–	·42	·10		15
16	–	·06	–	·20	–	·46	–	–	·61	–	1·26	–		16
17	–	–	·03	·12	·05	·28	–	·05	–	–	·12	–		17
18	–	·03	–	·22	·10	–	–	–	·40	·05	·01	–		18
19	–	–	–	·07	·41	·07	·12	–	·06	–	·22	–		19
20	–	·48	–	·03	·05	·01	–	–	–	–	·64	–		20
21	–	·43	–	·07	–	–	–	–	–	–	–	–		21
22	–	·06	·10	–	–	–	–	·23	·05	–	–	–		22
23	–	–	·16	–	–	–	–	·21	·02	1·00	–	·20		23
24	·11	·73	–	–	·05	–	–	1·34	·31	–	–	·15		24
25	·03	·24	–	·18	·04	–	–	–	–	–	–	·50		25
26	–	·60	–	–	–	–	–	·20	·04	–	·02	·67		26
27	–	·30	–	–	–	–	–	–	·18	–	·05	·53		27
28	–	·08	–	–	·04	–	–	–	·38	–	–	·12		28
29	–	–	–	–	–	–	–	–	·21	–	–	·68		29
30	·02	×	–	·05	·06	–	–	·79	–	·24	·94	·57		30
31	–	×	–	×	–	×	–	–	×	1·11	×	·22		31 "d"
TOTAL	·56	3·62	1·08	3·49	·99	4·71	2·76	2·82	3·99	5·85	7·59	4·19	Year's Total. 41·55	
* Days with .01 in. or more.	8	13	7	19	11	18	9	6	19	13	19	15	150	
* Days with .04 in. or more.	4	12	6	17	10	17	9	6	16	11	17	13	121	

40-9999

† Spare column, no entries required.

(Signed) M. Maitland Heriot Esq. X

* See Instruction 2 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 656

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

not BA 19

Kept at ROMSEY.

in the County of HAMPSHIRE

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·12	·04	·28	—	·53	·13	·60	—		·15	·06		1
2	—	·04	·05	—	—	·11	·08	·50	—	—	·08	—		2
3	·18	—	—	·25	—	—	·02	—	·54	—	·39	—		3
4	—	—	·19	—	—	·03	—	—	·42	—	·07	—		4
5	·40	—	—	—	·09	—	—	·01	·05	—	—	·12		5
6	·62	—	—	—	—	·02	—	—	·16	—	·37			6
7	·02	—	·02	—	—	—	·10	—	·02	—	·15			7
8	·45	—	·25	—	—	—	·12	—	·10	—	·14			8
9	·50	—	·21	—	—	—	·24	—	—	—	·02			9
10	·18	—	—	—	—	—	·13	—	—	—	—			10
11	·13	·15 hail	—	—	—	—	·01	·33	·25	—	·94			11
12	—	—	—	—	—	·34	·29	—	·84	—	·20			12
13	—	—	—	—	·28	—	·07	—	—	·03	·04	·10		13
14	—	—	—	—	—	·10	·61	—	·11	—	—	·60		14
15	·02	—	—	—	—	·05	·15	—	·07	—	·05	·26		15
16	·08	·30	—	—	—	—	·09	—	·02	—	·05	·12		16
17	·08	·12	—	—	—	—	·28	—	—	—	·06	·50		17
18	·10	·08	—	—	—	—	·01	—	—	—	—	·17		18
19	·32	·05	·08	·08	—	·9	—	·12	—	—	—	—		19
20	·19	·19	·13	·31	—	·51	—	—	1·02	—	—	—		20
21	—	·21	—	·44	—	·09	·09	—	—	—	—	—		21
22	·10	·34	·21	—	·12	—	·22	—	—	—	—	—		22
23	·06	—	·13	·10	—	—	·23	—	—	·03	—	—		23
24	·09	·04	—	—	—	—	—	—	—	·40	—	—		24
25	·18	—	·32	—	—	—	·03	—	·12	·20	—	—		25
26	·06	·14	·10	·18	—	·82	·02	—	·03	·09	—	—		26
27	·38	·02	·05	—	—	—	·05	—	·06	·31	—	—		27
28	·98	—	·50	—	—	—	·08	—	—	·09	—	·25		28
29	·02	·04	·05	—	—	·03	·32	—	—	—	·19	·04		29
30	·10	×	·01	—	—	·19	—	—	—	·27	—	—		30
31	·13	×	·47	×	·07	×	·15	—	×	·09	×	·04		31 d
TOTAL	5.37 ✓	2.82 ✓	2.76 ✓	1.97 ✓	0.56 ✓	2.91 ✓	3.54 ✓	1.56 ✓	3.84	1.51 ✓	2.96 ✓	3.86 ✓	Year's Total. ~~33.64~~	33.66 ✓
* Days with .01 in. or more.	24 ✓	14 ✓	16 ✓	7 ✓	4 ✓	13 ✓	24 ✓	5 ✓	15 ✓	9 ✓	15 ✓	11 ✓	~~157~~	✓
* Days with .04 in. or more.	21 ✓	13 ✓	14 ✓	7 ✓	4 ✓	~~11~~ 10	19 ✓	4 ✓	12 ✓	7 ✓	14 ✓	11 ✓	136	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

Section **A** for the entry of Da
AIR MINISTRY.—

COPY FOR OFFICIAL USE.
AINFALL ORGANIZATION.

657

FORM 1090.

REGISTE 1931 .

657

TIMSBURY P.S.

1931-1940

780114

Kept at Timsbury Jun
in the County of Hampsh
Diameter of Funnel of Gauge 8
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASURE US DAY.

An observer who does not conform to this st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·01	·11	–	·25	–	·03	·13	·02	–	–	1
2	·23	·08	–	·52	–	–	–	–	·50	–	·07	·11	2
3	·10	–	·34	·08	·03	–	–	·03	·22	–	·36	·12	3
4	–	–	·05	–	·05	–	·23	·20	·09	–	·26	–	4
5	–	·09	–	·21	·21	·42	·02	·03	–	–	·12	·32	5
6	–	·14	–	·33	–	·17	·09	–	–	·41	·23	·01	6
7	–	–	–	–	·13	·08	–	·52	–	·08	·24	·03	7
8	–	·19	–	·09	·24	·20	–	·15	–	–	·03	·02	8
9	–	·25	–	·02	–	·03	–	–	–	–	·79	·01	9
10	–	·03	–	–	–	·12	·06	·04	–	–	·15	–	10
11	·16	·41	–	–	–	·04	·11	–	·05	–	·18	–	11
12	–	·02	–	–	–	–	·02	–	·22	–	–	–	12
13	–	–	–	–	–	–	·13	–	–	–	–	–	13
14	–	·14	–	–	–	·02	1·10	·26	–	–	–	–	14
15	–	·03	–	·06	·08	–	·50	·53	–	–	–	·07	15
16	–	·03	–	·08	·13 ·13	·11	–	·23	·02	–	–	–	16
17	–	·13	–	·06	–	·25	23	·02	·15	–	·03	–	17
18	·06	·02	·12	·07	–	·21	·09	1·50	·05	–	·50	–	18
19	·07	–	–	·28	–	·35	–	·08	–	–	–	–	19
20	–	·08	·11	·02	–	–	–	·43	–	–	–	–	20
21	·09	–	–	–	·19	–	–	–	–	–	–	–	21
22	·26	–	·01	–	–	–	–	–	–	–	·01	–	22
23	·30	–	–	·11	·39	·03	–	–	–	–	·25	·02	23
24	·14	·01	–	·52	·22	·47	·25	·55	–	–	–	–	24
25	·14	–	–	·33	·20	–	·19	–	–	–	·13	–	25
26	–	–	–	·10	–	–	·41	–	–	–	·25	–	26
27	·20	·34	–	–	1·30	–	·04	–	–	–	·02	–	27
28	·04	–	–	·10	·02	–	–	–	–	–	–	·05	28
29	·07	✕	–	–	·26	–	·05	–	–	–	·06	–	29
30	·01	✕	–	–	–	–	–	·07	–	–	·01	–	30
31	·37	✕	–	✕	·14	✕	–	–	✕	–	✕	·07	31
TOTAL	2·24	1·99	·64	3·09	3·59	2·75	3·52	4·67	1·43	·51	3·69	·83	YEAR'S TOTAL 28·95
*Days with ·01 in. or more.	15	16	6	18	15	15	16	16	9	3	19	11	159
*Days with ·04 in. or more.	14	10	4	16	13	12	14	12	8	2	14	6	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

657

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Timsbury Pumping Station
in the County of Hampshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 8 in.
,, Ground ,, Sea Level 96·4 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·01	·11	—	·25	—	·03	·13	·02	—	—	1
2	·23	·08	—	·52	—	—	—	—	·50	—	·07	·11	2
3	·10	—	·34	·08	·03	—	—	·03	·22	—	·36	·12	3
4	—	—	·05	—	·05	—	·23	·20	·09	—	·26	—	4
5	—	·09	—	·21	·21	·42	·02	·03	—	—	·12	·32	5
6	—	·14	—	·33	—	·17	·09	—	—	·41	·23	·01	6
7	—	—	—	—	·13	·08	—	·52	—	·08	·24	·03	7
8	—	·19	—	·09	·24	·20	—	·15	—	—	·03	·02	8
9	—	·25	—	·02	—	·03	—	—	—	—	·79	·01	9
10	—	·03	—	—	—	·12	·06	·04	—	—	·15	—	10
11	·16	·41	—	—	—	·04	·11	—	·05	—	·18	—	11
12	—	·02	—	—	—	—	·02	—	·22	—	—	—	12
13	—	—	—	—	—	—	·13	—	—	—	—	—	13
14	—	·14	—	—	—	·02	1·10	·26	—	—	—	—	14
15	—	·03	—	·06	·08	—	·50	·53	—	—	—	·07	15
16	—	·03	—	·08	·13	·11	—	·23	·02	—	—	—	16
17	—	·13	—	·06	—	·25	23	·02	·15	—	·03	—	17
18	·06	·02	·12	·07	—	·21	·09	1·50	·05	—	·50	—	18
19	·07	—	—	·28	—	·35	—	·08	—	—	—	—	19
20	—	·08	·11	·02	—	—	—	·43	—	—	—	—	20
21	·09	—	—	—	·19	—	—	—	—	—	—	—	21
22	·26	—	·01	—	—	—	—	—	—	—	·01	—	22
23	·30	—	—	·11	·39	·03	—	—	—	—	·25	·02	23
24	·14	·01	—	·52	·22	·47	·25	·55	—	—	—	—	24
25	·14	—	—	·33	·20	—	·19	—	—	—	·13	—	25
26	—	—	—	·10	—	—	·41	—	—	—	·25	—	26
27	·20	·34	—	—	1·30	—	·04	—	—	—	·02	—	27
28	·04	—	—	·10	·02	—	—	—	—	—	—	·05	28
29	·07	×	—	—	·26	—	·05	—	—	—	·06	—	29
30	·01	×	—	—	—	—	—	·07	—	—	·01	—	30
31	·37	×	—	×	·14	×	—	—	×	—	×	·07	31
TOTAL	2·24	1·99	·64	3·09	3·59	2·75	3·52	4·67	1·43	·51	3·69	·83	YEAR'S TOTAL 28·95
*Days with ·01 in. or more.	15	16	6	18	15	15	16	16	9	3	19	11	159
*Days with ·04 in. or more.	14	10	4	16	13	12	14	12	8	2	14	6	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No** 657

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Twinsbury Pumping Station

in the County of Hampshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 8 in.

,, Ground ,, Sea Level 96·4 ft.

Dec referred to Obs. but no reply by 25/5/33 so amendments made to agree with surr sta

Dec 956 sent notifying Obs. reading for Jan 1st 1933

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following (·15)

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	—	—	·19	1·25	—	·02	·63	·01	·09	·02	·66	1
2	—	—	—	·05	·15	—	·01	·04	·11	·01	·01	·01	2
3	—	—	—	·15	·02	—	·02	—	·36	·01	—	·23	3
4	·02	—	—	—	—	·11	·02	—	—	—	·02	—	4
5	·27	—	—	—	—	—	·06	—	·27	—	—	·01	5
6	·28	—	—	·19	—	—	·06	—	·26	—	—	—	6
7	·01	—	·02	—	—	—	—	—	·28	·52	—	—	7
8	—	—	·38	·02	·22	—	—	—	1·26	·15	—	—	8
9	·35	—	—	·17	·14	—	—	·01	·10	·01	·02	—	9
10	·43	—	·01	·38	·09	·05	—	—	·04	·09	·09	—	10
11	·06	—	—	·09	—	—	—	—	·02	·01	·01	·07	11
12	·48	—	—	—	·04	—	·57	—	·09	·16	—	·01	12
13	·11	—	—	·24	·05	—	—	·03	—	·94	—	·02	13
14	·16	—	·01	·41	·03	—	—	·04	—	—	—	·01	14
15	·05	—	—	·04	1·06	—	—	—	—	·04	·01	·01	15
16	·17	—	—	·09	·06	—	—	—	—	—	—	·01	16
17	·01	—	—	·04	—	—	·02	—	—	·03	—	—	17
18	—	—	—	—	·05	—	—	—	·11	—	·24	—	18
19	—	—	—	—	—	—	—	—	·04	·19	—	—	19
20	—	—	—	·43	·28	·02	·10	·47	—	·65	·32	—	20
21	·02	—	·09	·08	·79	—	—	—	—	·23	·01	·01	21
22	·01	—	·18	·02	—	·05	·18	—	·41	·19	·22	·18	22
23	·03	—	—	—	·17	—	·38	—	·03	·66	·04	—	23
24	—	·08	—	·01	·01	—	·38	—	·10	·06	·01	·14	24
25	—	—	—	—	—	—	·20	—	·03	·40	·03	—	25
26	—	—	·12	·01	—	—	·32	—	—	·07	·01	—	26
27	—	—	·45	·38	·08	·04	·17	—	—	·17	—	—	27
28	—	—	·03	·02	·09	—	—	—	—	·04	—	·02	28
29	—	—	·48	·12	·27	·13	·04	·19	·37	·32	·14	·02	29
30	—	×	·02	·04	—	1·38	—	—	·68	—	·66	·10	30
31	—	×	·21	×	—	×	—	—	×	—	×	·32 (·15)	31
TOTAL	2·58	·08	2·00	3·17	4·85	1·78	2·55	1·41	4·57	5·04	1·86	~~1·83~~ 1·32	YEAR'S TOTAL ~~31·72~~ 31·21
*Days with ·01 in. or more.	17	1	12	22	19	7	16	7	19	23	17	17	177
*Days with .04 in. or more.	11	1	7	17	16	6	11	5	15	18	7	7	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) .... P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 657

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at TIMSBURY PUMPING STATION ROMSEY

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level ~~91·52~~ 92 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	·33	·09	—	·05	—	—	—	—	—	—	·03		1
2	·34	—	·53	—	·18	—	—	—	—	—	—	—		2
3	·37	·10	·44	—	—	—	—	—	—	—	—	—		3
4	·20	·03	—	—	·20	—	—	—	—	—	—	—		4
5	·08	·01	·42	—	·01	—	—	—	—	—	—	—		5
6	—	·20	·02	—	·23	—	—	—	—	·18	·08	—		6
7	·07	·04	·02	—	·28	—	—	—	—	·06	—	—		7
8	·04	—	·02	—	·02	—	·42	—	—	·05	—	—		8
9	—	—	—	—	·02	—	·20	—	—	·23	·05	—		9
10	—	·03	—	—	—	—	·17	—	—	·28	·03	—		10
11	·04	—	—	—	—	·28	·08	·30	—	—	—	—		11
12	·20	—	—	·04	·04	·03	·20	—	1·03	—	—	·02		12
13	·06	—	—	—	·06	—	·40	·03	·01	·04	·06	—		13
14	·01	—	—	—	—	—	·07	·01	—	·34	·44	—		14
15	·53	—	·21	—	—	—	·14	·25	—	·02	—	—		15
16	—	·03	·77	—	—	·09	—	—	·01	—	—	—		16
17	—	·05	·25	—	—	·02	—	·02	·10	—	—	—		17
18	·15	·04	·45	—	—	·59	·03	—	—	—	·02	—		18
19	—	—	·08	—	—	·08	—	·03	·25	—	·07	·01		19
20	—	·01	·04	—	—	·30	—	·02	·23	—	—	—		20
21	—	—	—	—	—	·11	—	·06	·02	·02	—	—		21
22	—	—	—	—	—	·66	—	—	·03	·20	—	—		22
23	—	·05	—	·28	—	·21	—	·26	·32	·33	—	—		23
24	—	1·31	—	·30	—	—	—	—	—	—	—	—		24
25	—	·75	—	·29	·07	·17	—	—	—	—	—	·06		25
26	—	·83	—	·14	·08	·19	—	—	1·46	·03	—	—		26
27	—	—	—	·01	·48	—	·03	—	·01	·06	—	·37		27
28	—	—	—	·10	—	—	·23	—	—	·13	—	·02		28
29	·17	—	—	·06	·02	—	—	—	—	·05	—	·13		29
30	—	×	·25	—	—	—	·10	—	·08	—	—	·05		30
31	·27	×	·05	×	—	×	—	—	×	—	×	—		31
TOTAL	2·70	3·81	3·64	1·22	1·74	2·73	2·07	·98	3·55	2·02	·75	·69	Year's Total 25·90 ✓	
*Days with ·01 in. or more.	15	15	15	8	14	12	12	9	12	15	7	8	142	
*Days with .04 in. or more.	14	10	12	7	10	10	10	4	7	12	5	4	105	

40-9999

*See Instruction 2 (*f*) on other side.

①

† Spare column, no entries required.

(*Signed*) Joseph Hawksley

ENGINEER [illegible]

[illegible] CORPORATION [illegible]

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 657

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Timsbury Pumping Station

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 91·52 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	—	—	—	—	—	·51	—	·03	·05	·73		1
2	·13	—	·06	—	—	—	—	—	·73	·13	—	·25		2
3	·03	·01	—	—	·06	—	—	—	—	·45	—	·19		3
4	·11	—	·11	—	—	—	—	·04	—	·09	·02	·44		4
5	—	—	·01	—	·02	—	—	·39	—	·10	—	·43		5
6	·05	—	·40	—	·17	—	—	·04	—	·21	·15	·79		6
7	·10	—	—	—	—	·12	—	·16	—	·09	—	·67		7
8	—	—	—	—	—	—	—	—	·10	—	·47	·27		8
9	·02	—	·16	—	·28	—	—	—	—	—	·92	·27		9
10	·10	—	·43	·33	—	—	—	·01	—	—	·43	·39		10
11	·75	—	·43	·38	—	—	·08	—	—	—	—	·33		11
12	—	—	·05	—	—	—	·05	·12	—	—	·02	·35		12
13	·46	—	·04	·15	—	—	·23	—	—	—	·03	·41		13
14	·07	—	·54	·01	—	—	—	—	—	·02	—	·64		14
15	·01	—	·06	—	·18	—	—	—	—	·15	·12	·38		15
16	·20	—	·38	·01	—	—	—	—	—	—	—	—		16
17	·08	—	·01	·01	·05	—	—	—	·05	·02	—	·29		17
18	·27	—	·18	·22	—	—	—	—	·09	—	—	·30		18
19	—	—	·41	·03	—	·06	—	·01	·17	—	—	·13		19
20	—	—	·15	·12	—	—	·27	—	—	—	—	—		20
21	—	—	—	·17	—	·11	—	·03	—	·11	—	—		21
22	—	—	—	—	—	—	·11	·37	·22	—	—	·13		22
23	—	·02	—	·23	—	·54	—	—	·06	—	—	·01		23
24	—	·02	·09	·03	—	·15	·47	—	·10	—	—	—		24
25	·37	—	—	·07	—	·05	—	—	—	·12	—	·76		25
26	—	—	—	·19	—	·17	—	—	·13	—	—	·06		26
27	·05	—	—	—	—	·06	—	—	—	—	—	·34		27
28	·02	—	—	—	—	—	·01	·68	—	—	—	·48		28
29	—	—	—	—	—	—	—	·15	·18	—	—	·04		29
30	·09	×	—	—	—	—	—	·13	·09	·11	—	·33		30
31	—	×	—	×	—	×	—	—	×	—	×	·06		31
TOTAL	2·94	·05	3·51	1·95	·76	1·26	1·22	2·64	1·92	1·63	2·21	9·47	Year's Total. 29·56	
* Days with .01 in. or more.	19	3	17	14	6	8	7	13	11	13	9	27	147	
* Days with .04 in. or more.	14	—	15	9	5	8	6	10	11	10	6	26	120	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Joseph [illegible] ENGINEER & MANAGER

THAMPTON CORPORATION WATERWO

P.T.O.

COPY FOR OFFICIAL USE. X

Section **A** for the entry of Daily Observations. Station No. 657

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Timsbury Pumping Station, Romsey
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 91.52 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·25	—	·06	·07	2.90	—	·10	·08	·20	·02		1
2	—	—	—	—	—	·09	—	—	·03	·38	·02	·02		2
3	—	—	·10	—	—	·09	—	—	·30	·78	·18	—		3
4	—	·11	—	·23	—	·24	—	·02	·02	·55	·15	·08		4
5	—	·32	·22	·16	—	·05	—	—	·35	·02	·05	·02		5
6	—	·01	·02	·40	—	1·26	—	—	—	—	·22	—		6
7	—	—	—	·25	—	·03	—	—	—	·11	·34	·07		7
8	—	—	—	·33	—	·05	—	—	·15	·33	·55	—		8
9	·09	—	—	·44	—	·90	—	—	·37	·82	1·04	—		9
10	·02	—	·11	·08	—	·06	—	—	—	—	·12	—		10
11	·21	·06	—	·08	—	·18	—	—	—	·02	·55	—		11
12	—	·03	—	—	—	·23	—	·02	·05	—	·36	—		12
13	·55	·11	—	·12	·03	·15	—	—	·05	—	·05	—		13
14	—	—	—	—	—	·05	—	—	·05	—	·38	·23		14
15	—	·04	—	·66	—	·52	—	—	·13	—	·55	·12		15
16	—	·08	·04	·21	—	·38	—	—	·74	·01	1·15	—		16
17	—	—	·02	·13	·05	·25	—	·06	—	—	·19	—		17
18	—	·03	—	·28	·06	·01	·02	—	·42	·06	·05	—		18
19	—	·01	—	·07	·41	·05	·14	—	·06	·03	·20	—		19
20	—	·51	—	·03	·29	—	·05	—	—	—	·63	—		20
21	—	·46	—	·08	—	—	—	—	·02	·02	—	—		21
22	—	·05	·11	—	—	—	—	·20	·03	—	—	—		22
23	—	—	·18	—	·03	—	—	·19	·02	·93	—	·16		23
24	·07	·72	—	—	·05	—	—	1·21	·31	·04	—	—		24
25	·13	·29	—	·15	·03	—	—	—	—	—	—	·72		25
26	—	·55	—	—	—	·01	—	·19	·05	—	·01	·60		26
27	—	·34	—	—	—	—	—	—	·18	—	·05	·57		27
28	—	·07	—	—	·02	—	—	—	·42	—	—	·16		28
29	—	×	—	—	—	—	—	·01	·20	·04	—	·70		29
30	·02	×	—	·05	·08	—	—	·86	·02	·25	1·04	·57		30
31	—	×	—	×	·02	×	—	—	×	1·15	×	·30		31
TOTAL	1·10	3·79	1·05	3·75	1·13	4·67	3·11	2·76	4·07	5·62	8·08	4·34	Year's Total 43·47	
* Days with .01 in. or more.	8	18	9	18	12	20	4	9	23	18	23	15	177	
* Days with .04 in. or more.	5	14	7	17	7	17	3	6	17	13	21	12	139	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Joseph Hawksley [P.T.O.

ENGINEER & MANAGER,
SOUTHAMPTON CORPORATION WATERWORKS

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 657

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Timsbury Pumping Station

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 91.52 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.13	.10	.03	.30	–	.55	.12	.01	–	–	.12	.06		1
2	–	.05	–	–	–	.08	.07	.08	–	–	.01	–		2
3	–	–	–	.35	–	–	.05	–	.57	–	.43	–		3
4	–	–	.18	–	–	.03	.02	–	.24	–	.07	.07		4
5	.43	–	–	–	.08	–	–	–	.03	–	–	–		5
6	.69	–	–	–	–	.03	–	.02	.19	–	.36	–		6
7	.05	–	.10	–	–	–	.17	–	.02	–	.10	.05		7
8	.40	–	.25	–	–	–	.15	–	–	–	.25	.06		8
9	.59	–	.18	–	–	–	.19	–	.11	–	.03	–		9
10	.17	–	–	–	–	–	.17	.07	–	–	.03	–		10
11	.13	.16	–	–	–	–	.07	.23	.29	–	.78	–		11
12	–	–	–	–	.29	.32	.20	–	.76	–	.38	.02		12
13	–	–	–	–	–	.10	.07	–	–	.02	.06	.71		13
14	–	.07	–	–	–	.05	.63	–	.07	–	.02	.42		14
15	.01	.20	–	.01	–	–	.06	–	.06	–	.05	.24		15
16	.12	.04	–	–	.03	–	.09	–	.07	–	.06	.09		16
17	.02	1.03	–	–	–	.05	.12	–	–	–	.08	.38		17
18	.10	.12	–	–	–	.05	.26	–	–	.01	–	.17		18
19	.43	.05	–	.04	–	.55	.01	.19	–	–	–	–		19
20	.27	.19	.16	.36	–	.03	–	–	1.26	–	–	–		20
21	–	.11	.05	.74	–	.06	.09	–	.01	–	–	–		21
22	.08	.45	.15	–	.08	–	.27	–	–	.02	–	.04		22
23	.05	–	.14	.09	.05	–	.25	–	–	.07	–	–		23
24	.14	.07	–	–	.03	–	–	–	–	.31	–	–		24
25	.07	–	.30	.18	–	–	.20	–	.06	.16	–	–		25
26	.14	.14	.09	–	–	.78	.01	–	.05	.14	–	–		26
27	.41	–	.05	–	–	.02	.09	–	.06	.33	–	–		27
28	.87	–	.38	–	–	–	.08	–	–	–	–	.20		28
29	.02	.07	.17	–	–	.01	.25	–	–	.09	.17	.06		29
30	.12	✕	–	–	–	.20	.02	–	–	.25	–	–		30
31	.13	✕	.45	✕	–	✕	.12	–	✕	.18	✕	.49		31
TOTAL	5.57	2.85	2.68	2.06	.56	2.91	3.83	.60	3.84	1.58	3.00	3.06	Year's Total 32.54	✓
* Days with .01 in. or more.	24	15	15	8	6	16	27	6	16	11	17	15	176	✓
* Days with .04 in. or more.	21	15	14	7	4	11	23	4	13	8	13	14	147	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) [P.T.O.

ENGINEER & MANAGER,
SOUTHAMPTON CORPORATION WATERWORKS.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 657

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Timsbury Pumping Station
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 91.52 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.41	.02	–	.01	–	–	–	–	.01	.03	.40	.47		1
2	.04	.79	–	.12	–	–	–	–	.18	–	–	.08		2
3	.01	.29	–	–	–	–	–	–	–	–	–	–		3
4	.09	.74	–	–	–	–	–	–	–	–	–	.28		4
5	.10	.04	.04	.01	–	–	.06	–	–	–	–	–		5
6	.11	.11	.61	.07	.06	–	.14	–	–	.07	–	–		6
7	–	.50	–	.01	–	–	–	–	–	–	–	1.65		7
8	–	.04	–	–	.28	–	–	–	–	–	–	.05		8
9	–	.04	–	.14	.17	.02	–	–	.38	–	–	.14		9
10	.01	–	.76	.40	.04	.20	–	.09	–	–	–	.36		10
11	–	–	.04	–	.07	.37	.18	–	–	–	–	.01		11
12	.29	.30	.11	.11	1.45	.44	–	.30	.14	–	–	.48		12
13	.16	.06	.56	.16	–	–	.04	.13	.08	–	–	.13		13
14	.01	.04	.31	–	–	–	–	.17	.04	–	–	.02		14
15	.33	.23	–	.28	–	–	.21	–	.07	–	–	.13		15
16	.01	.13	.60	.12	–	.07	.02	.46	.51	–	–	–		16
17	.70	.12	.08	–	–	–	.07	–	.10	–	.07	–		17
18	.20	.12	–	–	–	–	–	–	–	–	.13	.13		18
19	.11	.10	.05	.12	–	.04	.37	–	.03	–	–	–		19
20	.46	–	.12	.21	–	.09	–	–	–	–	–	.04		20
21	.62	.21	.07	.04	.12	–	–	–	–	–	–	.12		21
22	.45	.05	.08	–	.24	.38	.16	–	–	.86	.58	.13		22
23	.46	.12	–	–	.63	–	–	–	–	.38	.07	–		23
24	.54	.53	–	–	.03	–	–	–	.13	.80	–	.02		24
25	.26	.34	.05	–	1.43	–	–	–	.03	.46	–	.07		25
26	–	.24	–	–	.06	–	–	–	–	.16	–	–		26
27	.01	.20	–	.12	–	–	–	–	–	.55	–	–		27
28	.11	.06	–	–	–	–	–	–	–	.15	–	–		28
29	.03	×	–	–	–	–	–	–	–	.20	.08	–		29
30	.48	×	–	–	–	.08	–	–	–	.20	.21	–		30
31	.30	×	–	×	–	×	–	–	×	.25	×	–		31
TOTAL	6.20	5.42	3.48	1.92	4.57	1.69	1.24	1.15	1.70	4.09	1.64	4.20	Year's Total 37.20	✓ ✓
* Days with .01 in. or more.	26	25	14	15	12	9	9	5	12	12	7	18	164	✓ ✓
* Days with .04 in. or more.	21	24	14	12	11	8	8	5	9	11	7	15	145	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Joseph Hawksley ENGINEER & MANAGER

P.T.O.

SOUTHAMPTON CORPORATION WATERWORKS.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 657

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Timsbury Pumping Station

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 91.52 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.07	-	-	-	.01	-	-	-	.27	-	.17		1
2	.02	-	-	-	-	-	.27	-	-	.15	.03	.05		2
3	-	-	-	-	.08	-	-	-	-	.69	.04	-		3
4	.03	-	-	-	-	-	.19	.08	-	.05	-	.19		4
5	-	-	-	.01	-	-	.10	-	-	.41	-	-		5
6	.03	-	-	-	-	-	.20	-	.13	.06	.02	.02		6
7	-	-	-	-	-	-	.62	2.80	.01	.26	-	-		7
8	.23	-	-	-	-	-	.08	.01	.02	.25	-	.09		8
9	.09	.03	-	-	-	.04	-	-	-	.01	-	1.14		9
10	.06	-	-	-	-	-	.03	.06	-	-	.01	.31		10
11	.11	-	-	-	-	-	.02	-	-	-	.24	.22		11
12	.40	-	-	-	.11	-	-	-	-	.22	-	-		12
13	.24	.01	-	-	-	-	-	-	-	.13	33	.50		13
14	.55	-	-	-	.08	-	.12	-	-	-	-	.03		14
15	.19	-	-	-	.02	-	.67	-	-	.27	-	.69		15
16	.31	-	-	-	-	-	-	.02	-	.20	.05	.04		16
17	-	.12	-	-	-	-	-	-	.04	.23	-	-		17
18	.08	-	-	-	-	.01	-	.01	.04	-	.49	-		18
19	.07	-	-	-	-	-	-	.12	.25	-	.66	-		19
20	-	-	-	-	-	-	-	.18	-	-	.63	.01		20
21	.03	-	-	-	-	-	-	.02	.15	-	.03	.21		21
22	-	-	-	-	-	.02	-	.21	-	-	.26	.15		22
23	-	-	-	-	-	-	-	-	-	-	.07	-		23
24	-	-	.17	-	-	-	-	.07	.15	-	.20	-		24
25	.13	.10	-	-	.27	-	-	.04	-	.03	1.70	.18		25
26	.38	.26	.05	-	.06	-	-	-	.11	.11	-	.21		26
27	.09	-	-	-	.30	.32	-	.01	.04	.02	.37	.04		27
28	.20	.06	-	-	.55	.11	-	.55	.03	-	-	-		28
29	.05	×	-	-	.36	-	-	-	.14	.01	.28	.06		29
30	.07	×	-	-	.14	-	-	-	.06	.24	.14	-		30
31	.22	×	-	×	.18	×	-	-	×		×	.31		31
TOTAL	3.68	.65	.22	.01	2.14	.51	2.20	4.18	1.16	3.61	6.45	4.61	Year's Total 28.32"	✓
* Days with .01 in. or more.	22	7	2	1	11	6	10	14	13	19	18	20	143"	✓
* Days with .04 in. or more.	18	5	2	-	10	3	8	9	10	15	14	17	111"	✓

† Spare column, no entries required.

(Signed) Joseph Hawksley

Waterworks Engineer & Manager.

P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. 657

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Timsbury Pumping Station,

in the County of Hampshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 91.52 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	.11	.13	.12	-	.54	.19	.34	-	.02	.08		1
2	-	-	-	.10	-	-	.08	.67	.75	-	.03	.07		2
3	.65	-	-	.45	-	-	-	.14	-	-	.21	.14		3
4	.02	-	.40	.22	.19	-	.42	.49	.08	.70	.25	.13		4
5	-	-	-	.14	.36	-	.26	.05	-	.32	.72	.16		5
6	.42	-	.03	-	-	-	.67	.01	-	-	.94	-		6
7	-	.23	-	-	-	-	.01	-	-	.03	.41	.48		7
8	.07	.19	.15	-	-	-	.06	.08	-	.42	.29	.21		8
9	.01	-	-	-	-	-	-	.09	-	.12	-	.23		9
10	.31	-	.03	-	-	.06	-	.18	.06	.20	-	-		10
11	-	-	.12	-	-	-	-	-	-	.22	.02	-		11
12	-	-	-	-	-	.12	-	-	-	.30	.01	-		12
13	-	-	-	.04	-	.02	.35	-	-	1.86	.02			13
14	.74	-	-	.01	.07	.01	.29	-	-	.29	.01	.04		14
15	.22	-	-	-	.31	.69	.09	-	-	.56	.02	.01		15
16	.43	-	-	.07	.02	.10	.05	-	-	-	.55	-		16
17	.36	.04	-	-	.08	.01	.09	-	-	-	.21	-		17
18	.17	-	-	-	-	.15	.72	-	-	-	.28	-		18
19	.29	-	-	-	-	-	.36	-	-	-	.06	.11		19
20	.40	-	-	-	-	.09	.55	-	-	-	.48	-		20
21	.03	.31	.07	-	-	.05	.11	.02	-	-	-	-		21
22	.28	.30	.01	-	-	.19	.07	-	-	-	-	-		22
23	.01	.02	-	.09	-	-	.01	-	-	-	-	-		23
24	.56	-	-	.01	-	.31	.07	-	-	.03	.26	-		24
25	.64	.15	.02	-	-	-	.07	-	-	.05	.86	-		25
26	.04	.05	.01	-	-	-	-	.05	-	.06	.14	.05		26
27	-	.20	.07	.03	-	.05	-	-	-	-	.24	-		27
28	-	.26	.04	-	-	.07	.20	-	-	-	.44	.09		28
29	-	×	-	.03	-	.05	.63	-	-	.07	.08	-		29
30	-	×	-	.65	-	.01	-	-	-	.14	.23	.02		30
31	-	×	-	×	-	×	.30	-	×	.44	×	-		31
TOTAL	5.65	1.75	1.06	1.97	1.15	1.98	6.00	1.97	1.23	5.81	6.78	1.82	Year's Total 37.17	✓
* Days with .01 in. or more.	19	10	12	13	7	16	23	11	4	17	25	14	171	✓
* Days with .04 in. or more.	15	9	7	9	6	12	21	9	4	15	18	12	137	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 654

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Timsbury Waterworks.

in the County of Hampshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 91.52 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.01	-	-	-	-	-	-	-	-	.04	-		1
2	-	.16	-	.11	-	-	-	-	-	-	.59	-		2
3	-	.30	-	-	-	-	-	-	-	.22	1.00	.14		3
4	-	.12	-	-	-	-	-	-	-	.28	.10	-		4
5	-	.02	-	-	-	-	.16	-	-	.14	.70	.21		5
6	.34	.36	-	-	-	-	.09	-	-	.35	.03	-		6
7	.12	.18	-	-	-	-	-	-	-	.01	-	-		7
8	-	-	-	-	-	-	-	-	-	.39	.14	.22		8
9	-	-	-	-	-	-	-	.01	.03	.14	.51	.28		9
10	-	-	-	-	-	-	1.11	.04	-	.07	.13	.08		10
11	-	.01	-	-	-	-	.11	-	-	-	1.15	-		11
12	-	-	.15	-	-	-	.17	-	.32	-	.07	-		12
13	-	.02	.71	-	-	-	.06	-	.01	.01	1.38	-		13
14	-	-	.15	.08	-	-	.25	-	.06	.24	-	.57		14
15	-	-	.01	-	.01	-	.34	-	.10	.04	.82	-		15
16	-	.62	.36	.11	-	-	-	-	.27	.57	.85	-		16
17	-	-	.45	-	-	-	-	-	.02	-	.22	-		17
18	-	.38	.34	.31	-	-	.05	-	.01	.30	.01	-		18
19	-	.10	.03	.17	-	-	.15	-	.97	-	.16	.10		19
20	-	-	.02	.01	-	-	.01	-	.01	.23	.05	-		20
21	-	-	-	-	-	-	-	-	.19	-	.43	-		21
22	-	-	.06	.02	-	.21	-	-	.09	-	-	-		22
23	-	.04	.17	-	-	.02	-	-	.01	-	-	-		23
24	-	-	-	-	-	-	.20	-	-	-	-	-		24
25	-	-	.31	.08	.05	-	-	-	-	-	-	-		25
26	.91	.39	-	-	.02	.02	.01	-	-	-	.01	-		26
27	.65	.33	-	.09	.02	-	-	-	-	-	-	-		27
28	.51	.01	-	-	-	-	-	-	-	-	-	-		28
29	.35	.39	.18	.21	.09	-	-	-	-	-	-	.23		29
30	.02	X	.01	.05	-	-	-	-	-	.39	-	.06		30
31	-	X	-	X	-	X	-	-	X	.71	X	.08		31
TOTAL	2.90	3.44	2.95	1.24	.19	.25	2.71	.05	2.09	4.09	8.39	1.97	Year's Total 30.27	
* Days with .01 in. or more.	7	17	14	11	5	3	13	2	13	16	20	10	131	
* Days with .04 in. or more.	6	12	10	9	2	1	11	1	7	14	17	10	100	

† Spare column, no entries required.

(*Signed*) Joseph Hawksley

Waterworks Engineer & Manager.

[P.T.O.

* See Instruction 3 (f) on other side.

HURSLEY (MERDON MANOR

657/1

HURSLEY.
MERDON MANOR
1938 – 1940

78 0114

Section A **for the entry of D**

AIR MINISTRY.

Station No. 657/1

RAINFALL ORGANIZATION

FORM 1090

REGIST

1938

Hants 4

Kept at ....MERDON MANOR,

in the County of ....HURSLEY, WINC

Diameter of Funnel of Gauge.......5

Height of top of Gauge above Groun

" Ground " Sea Le

ferred from S/N 712

74/31

THE MORNING MEASUREM ... REVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	.07	–	–	.01	.06	.18	–	–	.08	–	.14		1
2	.01	–	–	.02	–	–	.01	–	–	.28	.07	.05		2
3	–	–	–	–	.08	.01	–	–	–	.61	.06	–		3
4	.02	–	–	–	–	–	.14	.01	–	.03	.01	.17		4
5	–	–	–	–	–	–	.17	–	–	.22	–	–		5
6	.03	–	–	–	–	.01	.12	–	.15	.11	.03	.02		6
7	–	–	–	–	–	.04	.61	3.48	–	.30	.01	.12		7
8	.25	–	–	–	–	–	.12	.03	.02	.22	–	.11		8
9	.06	.03	–	–	–	.07	–	–	–	.01	–	1.07		9
10	.05	.01	–	–	–	–	.03	.27	–	–	–	.29		10
11	.15	–	–	–	–	–	–	–	–	.01	.14	.22		11
12	.40	–	–	–	.14	–	.01	–	–	.19	–	–		12
13	.26	.02×	–	–	.02	–	–	–	–	.15	.34	.45		13
14	.50	–	–	–	.10	–	.16	–	–	–	–	–		14
15	.13	–	–	–	.01	–	.70	–	–	.31	–	.48		15
16	.31	–	.03	–	.01	–	–	.03	–	.03	.06	.03		16
17	–	.12×	–	–	–	–	–	–	.07	.26	–	–		17
18	.09	–	–	–	–	.02	–	–	.07	.01	.50	–		18
19	.09	–	–	–	–	–	–	.13	.22	–	.77	–		19
20	–	–	–	–	–	–	–	.12	.07	–	.50	.03×		20
21	.04	–	–	–	–	–	–	–	.17	–	.03	.30×		21
22	.01	–	–	–	–	.06	–	.27	–	–	.24	.19×		22
23	–	–	–	–	–	–	–	–	–	–	.06	–		23
24	–	–	.18	–	–	–	–	–	.14	–	.15	–		24
25	.13	.13	.04	–	.18	–	–	.01	–	.03	.89	–		25
26	.37	.30	–	–	.05	–	–	–	.02	.13		.29×		26
27	.11	.02	.03	–	.15	.28	.37	.03	.02	–	.41	–		27
28	.20	.07	–	–	.62	.10	–	.50	.03	–	.01	.03		28
29	.11	×	–	–	.35	–	–	–	.17	.04	.22	.05		29
30	.08	×	–	–	.17	.03	–	–	.10	.08	.17	–		30
31	.21	×	–	×	.24	×	–	–	×	.23	×	.33		31
TOTAL	3.61	.77	.28	.02	2.13	.68	2.62	4.88	1.25	3.33	4.67	4.37	Year's Total 28.61	
* Days with .01 in. or more.	23	9	4	1	14	10	12	11	13	21	20	19	157	
* Days with .04 in. or more.	19	5	2	–	9	6	9	6	9	15	15	15	110	

Posit GB 17/3/39

CAPT. G.J.R. COOPER

× denotes snow.

* See Instruction 3 (f) on other side.

† Station previously in Hants/5.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

HURSLEY (MERDON MANOR

Section **A** for the entry of Daily Observations

Station No. 657/1.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Hants 4

Kept at MERDON MANOR,

in the County of HURSLEY, WINCHESTER.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 360 ft.

Transferred from S/N 712

f 85874/31

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	.07	-	-	.01	.06	.18	-	-	.08	-	.14		1
2	.01	-	-	.02	-	-	.01	-	-	.28	.07	.05		2
3	-	-	-	-	.08	.01	-	-	-	.61	.06	-		3
4	.02	-	-	-	-	-	.14	.01	-	.03	.01	.17		4
5	-	-	-	-	-	-	.17	-	-	.22	-	-		5
6	.03	-	-	-	-	.01	.12	-	.15	.11	.03	.02		6
7	-	-	-	-	-	.04	.61	3.48	-	.30	.01	.12		7
8	.25	-	-	-	-	-	.12	.03	.02	.22	-	.11		8
9	.06	.03	-	-	-	.07	-	-	-	.01	-	1.07		9
10	.05	.01	-	-	-	-	.03	.27	-	-	-	.29		10
11	.15	-	-	-	-	-	-	-	-	.01	.14	.22		11
12	.40	-	-	-	.14	-	.01	-	-	.19	-	-		12
13	.26	.02 x	-	-	.02	-	-	-	-	.15	.34	.45		13
14	.50	-	-	-	.10	-	.16	-	-	-	-	-		14
15	.13	-	-	-	.01	-	.70	-	-	.31	-	.48		15
16	.31	-	.03	-	.01	-	-	.03	-	.03	.06	.03		16
17	-	.12 x	-	-	-	-	-	-	.07	.26	-	-		17
18	.09	-	-	-	-	.02	-	-	.07	.01	.50	-		18
19	.09	-	-	-	-	-	-	.13	.22	-	.77	-		19
20	-	-	-	-	-	-	-	.12	.07	-	.50	.03 x		20
21	.04	-	-	-	-	-	-	-	.17	-	.03	.30 x		21
22	.01	-	-	-	-	.06	-	.27	-	-	.24	.19 x		22
23	-	-	-	-	-	-	-	-	-	-	.06	-		23
24	-	-	.18	-	-	-	-	-	.14	-	.15	-		24
25	.13	.13	.04	-	.18	-	-	.01	-	.03	.89	-		25
26	.37	.30	-	-	.05	-	-	-	.02	.13		.29 x		26
27	.11	.02	.03	-	.15	.28	.37	.03	.02	-	.41	-		27
28	.20	.07	-	-	.62	.10	-	.50	.03	-	.01	.03		28
29	.11	✕	-	-	.35	-	-	-	.17	.04	.22	.05		29
30	.08	✕	-	-	.17	.03	-	-	.10	.08	.17	-		30
31	.21	✕	-	✕	.24	✕	-	-	✕	.23	✕	.33		31
TOTAL	3.61	.77	.28	.02	2.13	.68	2.62	4.88	1.25	3.33	4.67	4.37	Year's Total 28.61	
* Days with .01 in. or more.	23	9	4	1	14	10	12	11	13	21	20	19	157	
* Days with .04 in. or more.	19	5	2	-	9	6	9	6	9	15	15	15	110	

Print
GB
17/3/39

CAPT. G.J.R. COOPER

x [illegible] snow.

* See Instruction 3 (f) on other side.

† Station previously in Hants/5.

† Spare column, no entries required.

(*Signed*) G.J.R. Cooper

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — **Station No.** 657/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at MERDON MANOR,
in the County of HURSLEY, WINCHESTER HANTS
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 360 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·10	·18	·16	—	—	·16	·25	—	·04	·05		1
2	·01	—	—	·11	—	—	·06	·77	1·08	—	—	·05		2
3	·26	—	—	·38	—	—	—	·12	—	—	·23	·14		3
4	·04	—	·35	·23	·16	—	·49	·35	—	·68	·15	·09		4
5	—	—	—	·14	·35	—	·25	·17	—	·28	·58	·18		5
6	·41	—	·04	—	—	—	·68	·06	—	—	·60	—		6
7	·01	·22	·17	—	—	—	·01	·02	—	·01	·38	·49		7
8	·05	·24	—	—	—	—	·05	·09	—	·40	·41	·22		8
9	·03	·01	—	—	—	—	—	·10	—	·20	·08	·18		9
10	·29	—	·02	—	—	·06	—	·15	·06	·43	·02	—		10
11	—	—	·17	—	—	·02	—	—	—	·21	·02	—		11
12	—	—	—	—	—	·14	—	—	—	·01	—	—		12
13	—	—	—	·03	—	·01	·38	—	—	1·72	·01	—		13
14	·65	—	—	·03	·03	·01	·37	—	—	·19	·53	·05		14
15	·23	—	—	—	·35	·60	·21	—	—	·53	·19	·02		15
16	·42	—	·03	·06	·03	·28	·08	—	—	—	·33	—		16
17	·31	·04	—	—	·13	—	·15	—	—	·59	·08	—		17
18	·13	—	·01	—	—	·06	·96	—	—	—	·52	—		18
19	·33	—	—	—	—	—	·05	—	—	—	—	·11		19
20	·38	—	·01	—	—	—	·44	—	—	—	—	—		20
21	·03	·32	·04	—	—	·07	·09	—	—	—	—	—		21
22	·25	·30	·01	—	—	·20	·05	—	·02	—	·15	—		22
23	—	—	—	·08	—	—	·02	—	—	—	·84	—		23
24	·56	—	—	—	—	·22	·10	—	—	—	—	—		24
25	Snow ·69	·14	·02	—	—	—	·06	—	—	·05	·23	—		25
26	·04	·01	—	—	—	—	—	·02	—	·05	·35	·07		26
27	—	·16	·06	·04	—	·03	—	—	—	·01	·09	—		27
28	—	·21	·05	—	—	·15	·22	—	—	·05	·23	Snow ·12		28
29	—	—	—	·04	—	—	·45	—	—	—	·04	—		29
30	—	×	—	·65	—	·36	—	—	—	·08	·14	—		30
31	—	×	—	×	—	×	·24	—	×	·40	×	—		31
TOTAL	5.49	1·65	1·08	1·97	1·21	2·21	5.41	2·01	1·41	5·89	6·24	1·77	Year's Total 36·34	✓
* Days with .01 in. or more.	21	10	14	12	7	14	22	11	4	18	24.	13	170	✓
* Days with .04 in. or more.	16	8	8	10	5	10	20	9	3	15	21.	12	137	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 657/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at MERDON MANOR, HURSLEY,

in the County of WINCHESTER HANTS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 360 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·04	–	–	–	–	–	–	–	–	·03	–		1
2	–	·11	–	·21	–	–	TR	–	–	·01	·43	·01		2
3	–	·35	–	–	–	–	–	–	–	·17	1·14	·15		3
4	·01	·08	–	–	–	–	TR	–	–	·31	·12	·04		4
5	–	·02	–	–	–	–	·15	–	–	·13	·69	·18		5
6	·31	·43	–	–	–	–	·38	–	–	·35	·05	·01		6
7	·14	·18	–	–	–	–	·02	–	–	–	–	–		7
8	–	–	–	–	–	–	·02	–	·07	·51	·03	·22		8
9	–	–	–	–	–	–	TR	·01	·04	·17	·59	·24		9
10	–	–	–	–	–	–	1·51	·05	·04	·07	·12	·05		10
11	–	·03	–	·01	–	–	·10	–	–	–	1·03	·02		11
12	–	–	·21	–	–	–	·18	–	·22	–	·09	–		12
13	–	·03	·67	–	–	–	·03	–	·11	–	1·27	·01		13
14	–	–	·18	·09	–	–	·55	–	·08	·23	–	·62		14
15	–	–	–	–	·02	–	·59	–	·12	·07	·62	·02		15
16	–	·50	·31	·04	–	–	–	–	·24	·54	·91	·02		16
17	–	–	·44	·01	–	–	TR	–	·01	–	·24	·01		17
18	·01	·39	·39	·29	–	–	·03	–	·01	·30	·06	·09		18
19	–	·12	·03	·15	–	–	·21	–	1·09	–	·17	–		19
20	–	–	·01	·01	–	TR	–	·01	·02	·22	·07	–		20
21	–	–	–	–	·02	–	–	–	–	–	·56	–		21
22	–	·01	·06	·04	–	·25	–	–	·20	–	–	–		22
23	–	·07	·17	–	–	·02	–	–	·01	·01	·01	–		23
24	–	–	–	–	–	–	·26	–	–	–	–	–		24
25	–	–	·24	·03	TR	·02	TR	–	–	–	·01	–		25
26	·86	·44	·03	·03	·09	·06	·01	–	–	–	·01	–		26
27	·53	·34	–	–	–	–	·02	–	–	–	–	–		27
28	·46	·01	–	–	·10	–	–	TR	–	–	–	–		28
29	·48	·29	·17	·15	·07	–	–	–	–	–	–	·25		29
30	·03	X	–	·10	–	–	–	–	–	·38	–	·04		30
31	–	X	–	X	–	X	–	–	X	·73	X	·10		31
													Year's Total	
TOTAL	2·83	3·44	2·91	1·16	·30	·35	4·06	·07	2·26	4·20	8·25	2·08	31·91	
* Days with .01 in. or more.	9	18	13	13	5	4	15	3	14	16	22	18	150	
* Days with .04 in. or more.	6	13	10	8	3	2	9	1	10	14	17	11	104	

† Spare column, no entries required.

(*Signed*) E M Cuden [P.T.O.

* See Instruction 3 (f) on other side.

X Kings Somborne (Roo C

657/2

KINGS SOMBORNE

1937- 1939

78 01 14

Section **A** for the entry of Daily

AIR MINISTRY.—M

Station No. 657/2

LL ORGANIZATION

FORM 1090

REGISTE

7

Kept at Rookley Manor - Kings

5.

in the County of Hampsh

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·55	TR	—	·03	—	—	—	—	·02	TR	·57	·50		1
2	·02	·66	—	·05	—	—	—	—	·23	—	—	·05		2
3	·01	·31	·05	—	—	—	—	—	—	—	—	—		3
4	·14	·70	—	—	—	—	—	TR	—	—	—	·30		4
5	·17	·03	·07	·02	—	—	·15	—	—	—	—	—		5
6	·13	·06	·27	·09	·07	—	·05	—	—	·07	—	—		6
7	—	·61	—	·06	·01	—	—	—	TR	TR	—	·45		7
8	—	·01	—	—	·24	—	—	—	—	—	—	·05		8
9	—	—	—	·16	·15	·03	·60	—	·28	—	—	·19		9
10	TR	—	·76	·63	—	·33	·08	·05	—	—	—	·48		10
11	—	—	·03	—	·21	·30	·10	—	—	—	—	—		11
12	·30	·31	·12	·02	·47	·37	·01	·60	·10	—	—	·45		12
13	·18	·04	·43	·23	—	—	—	·48	·10	—	—	·18		13
14	·01	·02	·39	TR	—	—	—	·02	·05	—	—	·01		14
15	·35	·20	—	·23	—	—	·26	—	·12	—	—	·28		15
16	·01	·13	·64	·10	—	·13	—	·05	·60	—	—	TR		16
17	·77	·03	·12	—	—	—	·01	—	·76	—	·06	—		17
18	·27	·07	—	·01	—	—	—	—	TR	—	·06	·12		18
19	·11	·09	·06	·07	—	·09	·06	—	·03	—	—	—		19
20	·74	—	·15	·24	—	·06	—	—	—	—	—	·06		20
21	·51	·28	·02	·04	·01	—	·04	—	TR	·02	TR	·03		21
22	·52	·05	·13	—	·31	·08	·12	—	·01	·97	·58	·10		22
23	·45	·17	TR	—	·70	—	·03	—	—	·40	·18	TR		23
24	·48	·40	·01	—	·02	—	TR	—	·10	·96	—	·02		24
25	·33	·46	—	—	1·19	—	—	—	·05	·51	—	·04		25
26	TR	·31	·26	—	·05	—	—	—	—	·09	—	—		26
27	·01	·11	·01	·13	—	—	—	—	—	·76	—	—		27
28	TR	·06	—	TR	—	TR	—	—	—	·10	—	·02		28
29	·01	X	—	—	—	·02	—	—	—	·22	·16	—		29
30	·49	✕	—	—	—	·05	—	—	—	—	·28	—		30
31	·37	✕	—	✕	—	✕	—	—	✕	·20	✕	—		31
TOTAL	6.93	5.16	3.52	2.11	3.43	1.46	0.94	1.20	2.45	4.30	1.89	3.33	Year's Total 36.72	✓ GB
* Days with .01 in. or more.	24	23	17	16	12	10	12	5	13	11	7	18	168	✓
* Days with .04 in. or more.	18	19	13	12	9	8	8	4	10	10	7	14	132	✓

Print

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

N

(Signed) Herbert Brand [P.T.O.

X Admiral The Hon Sir Herbert Brand X

X Kings Somborne (Roo

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 657/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

499468/36.

Kept at Rookley Manor - Kings Somborne

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.55	TR	—	.03	—	—	—	—	.02	TR	.57	.50		1
2	.02	.66	—	.05	—	—	—	—	.23	—	—	.05		2
3	.01	.31	.05	—	—	—	—	—	—	—	—	—		3
4	.14	.70	—	—	—	—	—	TR	—	—	—	.30		4
5	.17	.03	.07	.02	—	—	.15	—	—	—	—	—		5
6	.13	.06	.27	.09	.07	—	.05	—	—	.07	—	—		6
7	—	.61	—	.06	.01	—	—	—	TR	TR	—	.45		7
8	—	.01	—	—	.24	—	—	—	—	—	—	.05		8
9	—	—	—	.16	.15	.03	.60	—	.28	—	—	.19		9
10	TR	—	.76	.63	—	.33	.01	.05	—	—	—	.48		10
11	—	—	.03	—	.21	.30	.10	—	—	—	—	—		11
12	.30	.31	.12	.02	.47	.37	.01	.60	.10	—	—	.45		12
13	.18	.04	.43	.23	—	—	—	.48	.10	—	—	.18		13
14	.01	.02	.39	TR	—	—	—	.02	.05	—	—	.01		14
15	.35	.20	—	.23	—	—	.26	—	.12	—	—	.28		15
16	.01	.13	.64	.10	—	.13	—	.05	.60	—	—	TR		16
17	.77	.03	.12	—	—	—	.01	—	.76	—	.06	—		17
18	.27	.07	—	.01	—	—	—	—	TR	—	.06	.12		18
19	.11	.09	.06	.07	—	.09	.06	—	.03	—	—	—		19
20	.74	—	.15	.24	—	.06	—	—	—	—	—	.06		20
21	.51	.28	.02	.04	.01	—	.04	—	TR	.02	TR	.03		21
22	.52	.05	.13	—	.31	.08	12	—	.01	.97	.58	.10		22
23	.45	.17	TR	—	.70	—	.03	—	—	.40	.18	TR		23
24	.48	.46	.01	—	.02	—	TR	—	.10	.96	—	.02		24
25	.33	.45	—	—	1.19	—	—	—	.05	.51	—	.04		25
26	TR	.31	.26	—	.05	—	—	—	—	.09	—	—		26
27	.01	.11	.01	.13	—	—	—	—	—	.76	—	—		27
28	TR	.06	—	TR	—	TR	—	—	—	.10	—	.02		28
29	.01	×	—	—	—	.02	—	—	—	.22	.16	—		29
30	.49	×	—	—	—	.05	—	—	—	—	.28	—		30
31	.37	×	—	×	—	×	—	—	×	.20	×	—		31
TOTAL	6.93	5.16	3.52	2.11	3.43	1.46	0.94	1.20	2.45	4.30	1.89	3.33	Year's Total 36.72	✓
* Days with .01 in. or more.	24	23	17	16	12	10	12	5	13	11	7	18	168	✓
* Days with .04 in. or more.	18	19	13	12	9	8	8	4	10	10	7	14	132	✓

Print

* See Instruction 3 (f) on other side.

N .

† Spare column, no entries required.

(Signed) Herbert Brand [P.T.O.

X Admiral The Hon Sir Herbert H. Brand X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 657/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Rookley Manor, Kings Somborne

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 180 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·08	—	—	TR	·10	·01	—	—	·08	—	·23		1
2	.02	—	—	·02	—	—	·15	—	—	·39	·01	·06		2
3	—	—	—	—	·09	TR	TR	—	—	·69	·03	—		3
4	·04	—	—	—	—	—	·15	TR	—	·02	TR	·17		4
5	—	—	—	—	—	—	·09	—	—	·22	TR	TR		5
6	·04	—	—	—	—	—	·10	—	·20	·05	·01	·01		6
7	·01	—	—	—	—	·01	·65	1.29	·04	·23	—	·01		7
8	·20	—	—	—	—	TR	·10	—	·03	·18	—	·03		8
9	·10	·03	—	—	—	·09	—	—	—	TR	—	1.08		9
10	·10	TR	—	—	—	·03	·04	TR	—	·06	—	·32		10
11	·18	TR	—	—	—	—	·01	—	—	TR	·20	·21		11
12	·39	·01	—	—	·11	—	·10	—	—	·15	—	·08		12
13	·25	·01	—	—	TR	—	TR	—	—	·11	·35	·44		13
14	·43	TR	TR	—	·09	—	·10	—	—	—	—	TR		14
15	·15	—	—	—	TR	—	·76	—	—	·31	—	·52		15
16	·28	—	·01	—	TR	—	—	TR	—	·03	·06	·07		16
17	—	·05	·01	—	TR	—	TR	—	·06	·19	·01	—		17
18	·05	—	—	—	TR	·02	—	—	·06	·01	·41	TR		18
19	·10	—	—	—	—	—	—	·58	·14	—	·68	TR		19
20		—	—	—	—	—	—	·52	·16	—	·56	·01		20
21	·02	—	—	—	—	—	—	—	·11	—	·02	·16		21
22	·01	—	—	TR	—	·20	—	·19	—	—	·22	·15		22
23	—	—	—	—	—	—	—	—	TR	—	·05	—		23
24	—	—	·14	—	TR	—	—	—	·20	—	·14	—		24
25	·09	·09	·05	TR	·20	—	—	·05	TR	·03	1.20	·08		25
26	·26	·29	·02	—	·06	TR	—	—	·04	·09	—	·25		26
27	·09	·02	—	—	·12	·27	·36	TR	·12	·01	·36	—		27
28	·17	·05	—	—	·47	·12	TR	·46	·05	—	—	·04		28
29	·10		—	—	·24	—	—	—	·20	·03	·20	·06		29
30	·14		—	—	·34	·04	—	—	·07	·01	·07	TR		30
31	·15		—		·15		—	—		·25		·32		31
TOTAL	3.37	0.63	0.23	0.02	1.87	0.88	2.62	3.09	1.48	3.14	4.58	4.30	Year's Total 26.21	✓
* Days with .01 in. or more.	24	9	5	1	10	9	13	6	14	21	18	21	151	✓
* Days with .04 in. or more.	20	5	1	0	10	5	11	6	13	14	13	18	116	✓

† Spare column, no entries required.

* See Instruction 3 (F) on other side.

(*Signed*) Hubert Ward

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 657/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Rookley Manor, Kings Somborne

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 180 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	TR	—	·11	·12	·15	—	—	·16	·30	—	TR	·03		1
2	·02	—	—	·11	—	—	·02	·54	·88	—	—	·05		2
3	·70	TR	—	·36	—	—	—	·18	—	—	·20	·20		3
4	·02	—	·38	·18	·16	—	·49	·37	—	·63	·17	·09		4
5	—	—	—	·14	·37	—	·15	·07	—	·34	·54	·16		5
6	·43	—	·03	—	TR	—	·67	·17	—	—	·69	—		6
7	TR	·21	—	—	—	—	·01	TR	—	·01	·35	·40		7
8	·06	·17	·21	—	—	—	·04	·02	—	·31	·44	·19		8
9	·01	·01	—	—	—	—	—	·07	—	·15	·18	·17		9
10	·31	—	·02	—	—	·06	—	·17	·02	·10	TR	TR		10
11	—	TR	·15	—	—	·01	—	—	—	·36	·01	—		11
12	—	·02	—	—	—	·11	—	—	—	—	·02	—		12
13	—	—	—	·04	—	TR	·30	—	·05	1·71	·02	—		13
14	·64	—	—	TR	·07	·03	·23	—	—	·23	·41	·06		14
15	·24	—	—	TR	·33	·60	·35	—	·01	·43	·21	·01		15
16	·41	—	·03	·04	·02	·25	·02	—	—	—	·26	—		16
17	·35	·05	—	TR	·03	·03	·17	—	—	·44	·06	TR		17
18	·22	TR	·01	—	—	·08	·77	—	—	—	·43	—		18
19	·27	—	·02	—	—	—	·06	—	—	·01	—	·01		19
20	·39	—	—	—	—	—	·48	—	—	—	—	TR		20
21	·02	·37	·04	—	—	·01	·21	1·05	·01	—	—	—		21
22	·26	·33	—	—	—	·17	·05	—	TR	—	·13	—		22
23	TR	—	—	·08	—	TR	·02	TR	—	·01	·80	—		23
24	·33	—	—	—	—	·30	·10	—	—	TR	—	—		24
25	·48	·10	·02	TR	—	—	·07	—	—	·04	·23	—		25
26	·04	—	TR	—	—	—	—	·02	—	·10	·25	·04		26
27	—	·16	·06	·04	—	TR	TR	TR	—	TR	·14	—		27
28	—	·21	·06	TR	—	·15	·40	—	—	TR	·21	·11		28
29	—		—	·04	—	—	·53	—	—	·04	·04	—		29
30	—		—	·85	—	·18	TR	—	—	·05	·08	—		30
31	—		—		—		·27	TR		·40		—		31
TOTAL	5·20	1·63	1·14	2·00	1·13	1·98	5·41	2·82	1·27	5·36	5·87	1·52	Year's Total 35·33	✓
* Days with ·01 in. or more.	19	10	13	11	7	13	22	11	6	18	23	13	166	✓
* Days with ·04 in. or more.	15	8	7	11	5	9	18	9	3	15	20	10	130	✓

† Spare column, no entries required.

(*Signed*) ....

* See Instruction 3 (f) on other side.

[P.T.O.

N+2. Gu A. X SPARSHOL

COPY

Section **A** for the entry of Daily Obser

AIR MINISTRY.—METEOR

on No. 657/3

GANIZATION.

FORM 1090.

REGISTER

657/3

SPARSHOLT
(GARSTONS)
1936 - 1940

780114

~~36093/34~~

Kept at ~~Garstons Sparsholt~~

in the County of Hampshi

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

,, Ground ,, Sea Level 35

THE MORNING MEASUREMENT IS

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·15	·12	·03	·50	—	·41	·23	·01	—	—	·08	·09		1
2	—	·06	—	—	—	·16	·41	·07	—	—	—	—		2
3	—	—	—	·26	—	—	·02	—	·53	—	·37	—		3
4	—	—	·18	—	—	—	—	—	·23	—	·07	·07		4
5	·47	—	·01	—	·05	—	—	—	·12	—	—	—		5
6	·59	—	—	—	—	·06	—	·07	·18	—	·41	—		6
7	·09	—	·15	—	—	—	·07	—	·01	—	·13	·08		7
8	·45	—	·22	—	—	—	·09	—	—	—	·11	—		8
9	·58	—	·20	—	—	—	·21	—	·25	·03	—	—		9
10	·10	—	—	—	—	—	·05	·04	—	—	—	·03		10
11	·07	·14	—	—	—	—	—	·04	·19	—	·90	—		11
12	—	—	—	·03	·42	·37	·32	—	·56	—	·26	·11		12
13	—	—	—	·06	—	·05	·05	—	—	·02	·08	·77		13
14	—	·10	—	—	—	·04	·68	—	·24	·01	·05	·58		14
15	—	·05	—	—	—	—	—	—	·44	—	·03	·37		15
16	·22	·34	—	—	—	—	·05	—	·10	—	·09	·13		16
17	·06	1·10	—	—	—	·10	·12	—	—	—	·15	·51		17
18	·06	·26	—	—	—	·31	·26	—	—	—	—	·23		18
19	·46	·05	—	·20	—	·51	·01	·14	—	·05	—	—		19
20	·18	·24	·09	·28	—	·07	·01	—	1·22	—	—	—		20
21	·11	·08	—	·77	—	·02	·05	—	—	—	—	—		21
22	·03	·45	·17	—	·12	—	·32	—	—	·01	—	·05		22
23	—	—	·12	·10	·07	—	·26	—	—	·10	—	—		23
24	·12	·07	—	—	·04	—	—	—	·04	·50	—	—		24
25	·08	—	·13	·24	—	—	·07	—	—	·16	—	—		25
26	·12	·24	·08	·02	—	·34	·03	—	·04	·32	—	—		26
27	·42	—	·05	—	—	—	·24	—	·09	·31	—	—		27
28	·97	—	·46	—	—	—	·13	—	—	—	—	·24		28
29	—	·07	·13	—	—	·02	·10	—	—	·09	·27	·06		29
30	·17	X	—	—	·05	·29	·01	—	—	·11	—	—		30
31	·14	X	·44	X	—	X	·17	—	X	·09	X	·58		31
TOTAL	5·64	3·37	2·46	2·46	·75	2·75	3·46	·37	4·24	1·80	3·00	3·90	Year's Total. 34·70	
* Days with .01 in. or more.	22	15	15	10	6	14	25	6	15	13	14	15	170	
* Days with .04 in. or more.	21	15	13	8	6	12	20	5	14	9	13	14	150	

Print

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) X R. SIMPSON ESQ X

[P.T.O.

N+2. Cu A. X SPARSHOLT (GARS 4

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 657/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ~~Garston, Sparsholt, Winchester~~

in the County of Hampshire

~~ref. [illegible]/34~~

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·12	·03	·50	—	·41	·23	·01	—	—	·08	·09		1
2	—	·06	—	—	—	·16	·41	·07	—	—	—	—		2
3	—	—	—	·26	—	—	·02	—	·53	—	·37	—		3
4	—	—	·18	—	—	—	—	—	·23	—	·07	·07		4
5	·47	—	·01	—	·05	—	—	—	·12	—	—	—		5
6	·59	—	—	—	—	·06	—	·07	·18	—	·41	—		6
7	·09	—	·15	—	—	—	·07	—	·01	—	·13	·08		7
8	·45	—	·22	—	—	—	·09	—	—	—	·11	—		8
9	·58	—	·20	—	—	—	·21	—	·25	·03	—	—		9
10	·10	—	—	—	—	—	·05	·04	—	—	—	·03		10
11	·07	·14	—	—	—	—	—	·04	·19	—	·90	—		11
12	—	—	—	·03	·42	·37	·32	—	·56	—	·26	·11		12
13	—	—	—	·06	—	·05	·05	—	—	·02	·08	·77		13
14	—	·10	—	—	—	·04	·68	—	·24	·01	·05	·58		14
15	—	·05	—	—	—	—	—	—	·44	—	·03	·37		15
16	·22	·34	—	—	—	—	·05	—	·10	—	·09	·13		16
17	·06	1·10	—	—	—	·10	·12	—	—	—	·15	·51		17
18	·06	·26	—	—	—	·31	·26	—	—	—	—	·23		18
19	·46	·05	—	·20	—	·51	·01	·14	—	·05	—	—		19
20	·18	·24	·09	·28	—	·07	·01	—	1·22	—	—	—		20
21	·11	·08	—	·77	—	·02	·05	—	—	—	—	—		21
22	·03	·45	·17	—	·12	—	·32	—	—	·01	—	·05		22
23	—	—	·12	·10	·07	—	·26	—	—	·10	—	—		23
24	·12	·07	—	—	·04	—	—	—	·04	·50	—	—		24
25	·08	—	·13	·24	—	—	·07	—	—	·16	—	—		25
26	·12	·24	·08	·02	—	·34	·03	—	·04	·32	—	—		26
27	·42	—	·05	—	—	—	·24	—	·09	·31	—	—		27
28	·97	—	·46	—	—	—	·13	—	—	—	—	·24		28
29	—	·07	·13	—	—	·02	·10	—	—	·09	·27	·06		29
30	·17	×	—	—	·05	·29	·01	—	—	·11	—	—		30
31	·14	×	·44	×	—	×	·17	—	×	·09	×	·58		31
TOTAL	5·64	3·37	2·46	2·46	·75	2·75	3·46	·37	4·24	1·80	3·00	3·90	Year's Total. 34·70	
* Days with .01 in. or more.	22	15	15	10	6	14	25	6	15	13	14	15	170	
* Days with .04 in. or more.	21	15	13	8	6	12	20	5	14	9	13	14	150	

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) ~~[illegible]~~ A R. SIMPSON ESQ X [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 657/3.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Garstons - Sparsholt

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·48	·02	—	—	—	—	—	—	·02	—	·56	·41		1
2	·02	·82	—	·10	—	—	—	—	·25	—	—	·15		2
3	—	·38	·01	—	—	—	—	—	—	—	—	—		3
4	·18	·78	—	—	—	—	—	—	—	—	—	·34		4
5	·15	·04	·09	—	—	—	·15	—	—	—	—	—		5
6	·12	·06	·70	·13	·04	—	·03	—	—	·09	—	—		6
7	—	·64	—	·09	·07	—	—	—	—	—	·02	·63		7
8	—	·01	—	—	·25	—	—	—	—	—	—	·12		8
9	—	—	—	·19	·13	·04	·04	—	·27	—	—	·11		9
10	—	—	·78	·50	·05	·47	—	·03	—	—	—	·53		10
11	·01	—	·06	—	·23	·43	·14	—	—	—	—	—		11
12	·38	·31	·22	·05	·25	·29	·01	·34	·11	—	—	·43		12
13	·18	·05	·44	·20	—	—	—	·21	·09	—	—	·22		13
14	—	·02	·42	—	—	—	—	·22	·06	—	—	—		14
15	·36	·24	—	·32	—	—	·36	—	·13	—	—	·30		15
16	—	·17	·75	·09	—	·08	—	·56	·43	—	—	—		16
17	·82	·06	·08	—	—	—	·03	—	·44	—	·07	—		17
18	·25	·10	—	—	—	—	—	—	—	—	·10	·11		18
19	·10	·09	·05	·15	—	·09	·09	—	·13	—	—	—		19
20	·63	—	·10	·30	—	·13	—	—	—	—	—	·07		20
21	·61	·30	·02	·04	·04	—	·05	—	—	·03	·02	·06		21
22	·62	·04	·13	—	·34	·07	·15	—	·01	·97	·46	·15		22
23	·47	·17	·01	—	·49	—	—	—	—	·35	·21	—		23
24	·51	·51	—	—	·04	—	—	—	·12	·65	—	—		24
25	·38	·51	·24	—	1·55	—	—	—	·05	·33	—	—		25
26	—	·26	·01	—	·04	—	—	—	—	·15	—	—		26
27	—	·20	—	·14	—	—	—	—	—	·79	—	·04		27
28	·05	·05	—	—	—	—	—	—	—	·10	—	—		28
29	·04	X	—	—	—	—	—	—	—	·19	·17	·05		29
30	·49	✕	—	—	—	·04	—	—	—	·05	·30	—		30
31	·34	✕	—	✕	—	✕	—	—	✕	·48	✕	—		31
TOTAL	7.19	5.83	4.11	2.30	3.52	1.64	1.05	1.36	2.11	4.18	1.91	3.73	Year's Total 38.93	✓
* Days with .01 in. or more.	22	24	17	13	13	9	10	5	13	12	9	16	163	✓
* Days with .04 in. or more.	20	21	13	13	13	9	7	4	11	11	7	16	145	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 657/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Garstons. Sparsholt

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 350 ft.

Rain + Wet Day Ann. Totals Corr. for Arith. 21.2.39 ENJ.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·07	·01	—	Trace	·10	·06	—	—	·05	—	·21		1
2	·02	—	—	·02	—	—	·17	—	—	·32	·02	—		2
3	—	—	—	—	·08	—	—	—	—	·77	·06	—		3
4	·02	—	—	—	—	·01	·11	·03	—	·02	—	·35		4
5	—	—	—	—	—	Trace	·13	—	—	·24	—	—		5
6	·04	—	—	—	—	·01	·14	—	·21	·08	·04	—		6
7	·01	—	—	—	—	·02	·63	2·00	·02	·37	—	·12		7
8	·22	—	—	—	—	—	·21	·02	·02	·25	—	·09		8
9	·11	·03	—	—	—	·06	—	—	—	·01	—	1·27		9
10	·09	·01	—	—	—	·03	·04	·05	—	·02	—	·26		10
11	·18	—	—	—	—	—	—	—	—	—	·17	·24		11
12	·43	—	—	—	·13	—	·07	—	—	·15	—	·03		12
13	·30	—	—	—	Trace	—	—	—	—	·13	·42	·47		13
14	·50	—	—	—	·11	—	·16	—	·01	—	—	—		14
15	·16	—	—	—	—	—	·77	·02	—	·31	—	·53		15
16	·38	—	—	—	—	—	—	·01	—	·10	·03	·05		16
17	—	·07	—	—	—	—	—	—	·09	·12	—	—		17
18	·09	—	·01	—	—	—	—	·01	·04	·01	·50	—		18
19	·10	—	—	—	—	—	—	·13	·27	—	·80	—		19
20	—	—	—	—	—	—	—	·07	·02	—	·55	—		20
21	·02	—	—	—	—	—	—	—	·09	—	—	·36		21
22	—	—	—	—	—	·28	—	·21	—	—	·27	·20		22
23	—	—	—	—	—	—	—	—	—	—	·04	—		23
24	—	—	·16	—	·01	—	—	—	·26	—	·16	—		24
25	·11	·13	—	—	·21	—	—	·04	—	·01	1·35	·01		25
26	·30	·37	·08	—	·05	Trace	—	—	·07	·13	—	·28		26
27	·11	·03	—	—	·28	·29	·40	—	·53	—	·44	—		27
28	·11	·06	—	—	·41	·13	—	·45	·04	—	—			28
29	·20	✗	—	—	·33	—	—	—	·20	·03	·26	·11		29
30	·13	✕	—	—	·44	—	—	—	·08	·03	·13	—		30
31	·20	✕	—	✕	·22	✕	—	—	✕	·26	✕	·36		31
													Year's Total	
TOTAL	3·83	·77	·26	·02	2·27	·91	2·89	3·04	1·95	3·41	5·24	4·94	29·53	✓
* Days with .01 in. or more.	23	8	4	1	11	9	12	12	15	21	16	17	14^{9}8	✓
* Days with .04 in. or more.	19	5	2	—	10	5	12.	7	11	14	14	15	113^{4}	✓

† Spare column, no entries required.

(*Signed*) Ricardo Simpson [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 657/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Garstons · Sparsholt

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·14	·16	·12	—	—	·02	·14	—	—	·05		1
2	—	—	·01	·13	—	—	·02	·82	·94	—	—	·06		2
3	·72	—	—	·38	—	—	—	·16	—	—	·24	·15		3
4	·03	·05	·39	·25	·17	—	·42	·21	—	·54	·17	·10		4
5	—	—	—	·16	·35	—	·19	·19	—	·23	·65	·17		5
6	·46	—	·07	—	—	—	·73	·12	—	—	·97	—		6
7	·01	·20	—	—	—	—	·01	·01	—	·04	·48	·57		7
8	·10	·26	·18	—	—	—	·05	·11	—	·38	·36	·26		8
9	·02	—	—	—	—	—	—	·11	—	·15	·09	·28		9
10	·32	—	—	—	—	·07	—	·18	·04	·45	—	—		10
11	—	—	·16	—	—	—	—	—	—	·33	·03	—		11
12	—	·03	—	—	—	·02	—	—	—	—	—	—		12
13	—	—	—	·05	—	~~11~~	·41	—	·04	1·27	·03	—		13
14	·71	—	—	—	·04	·02	·22	—	—	·38	·56	·08		14
15	·24	—	—	—	·33	·77	·25	—	—	·33	·27	—		15
16	·45	—	·04	·05	·04	·16	·03	—	—	—	·29	—		16
17	·32	·06	—	—	·06	·05	·43	—	—	·43	·06	—		17
18	·28	·01	·02	—	—	·06	·73	—	—	—	·47	—		18
19	·30	—	—	—	—	—	·03	—	—	·01	—	—		19
20	·43	—	—	—	—	·01	·40	—	—	—	—	·06		20
21	·03	·37	·04	—	—	—	·11	·15	—	—	~~11~~	—		21
22	·30	·40	—	—	—	·17	·09	—	·01	—	·19	—		22
23	·01	—	—	·10	—	·01	·02	—	—	·02	·93	—		23
24	·46	—	—	—	—	·24	·01	—	—	·01	~~93~~	—		24
25	·54	·15	·01	—	—	—	·11	·02	—	·05	·29	—		25
26	—	—	—	—	—	—	—	—	—	·05	·34	·08		26
27	—	·20	·05	·04	—	·08	—	—	—	—	·19	—		27
28	—	·30	·06	—	—	·05	·19	—	—	·02	·25	·14		28
29	—	✕	—	·06	—	—	—	—	—	·03	·09	—		29
30	—	✕	—	·76	—	·23	·44	—	—	·08	·12	—		30
31	—	✕	—	✕	—	✕	·50	—	✕	·27	✕	—		31
TOTAL	5·74	2·03	1·17	2·14	1·11	2·03	5·39	2·10	1·17	5·07	7·05	2·00	Year's Total 37·00	
* Days with .01 in. or more.	20	11	12	11	7	14	22	12	5	20	22	12	168	
* Days with .04 in. or more.	14	9	9	11	7	11	[illegible]	9	4	15	20	12	137	

† Spare column, no entries required.

(Signed) Richard Simpson

* See Instruction 3 (f) on other side.

[P.T.O.

N+2-Cu A.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 657/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1940.

Kept at Garstons, Sparsholt Winchester

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·05	—	·01	—	—	—	—	—	—	·04	—		1
2	—	·09	—	·25	—	—	—	—	—	·02	·71	·01		2
3	—	·32	—	—	—	—	—	—	—	·19	1·19	·19		3
4	·01	·08	—	·02	—	—	—	—	—	·33	·16	—		4
5	—	·02	—	—	—	—	·06	—	—	·11	·72	·20		5
6	·26	·40	—	—	—	—	·30	—	—	·42	·01	—		6
7	·12	·22	—	—	—	—	—	—	·01	·01	—	—		7
8	—	—	—	—	—	—	·10	—	·05	·52	·10	·25		8
9	—	—	—	—	—	—	—	—	·03	·22	·50	·23		9
10	—	—	—	—	—	—	1·31	·02	·02	·02	·17	·04		10
11	—	·04	—	·02	—	—	·07	—	—	—	1·14	·04		11
12	—	—	·20	—	—	—	·20	—	—	—	·04	—		12
13	—	·03	·49	—	—	—	·08	—	—	—	1·18	—		13
14	—	—	·15	·07	—	—	·29	—	·04	·24	—	·61		14
15	—	—	·02	·01	·04	—	·62	—	·18	·06	·70	·02		15
16	—	·59	·38	·10	—	—	—	—	·20	·55	·96	—		16
17	—	—	·46	—	—	—	·03	—	—	—	·35	—		17
18	·02	·39	·34	·42	—	—	·37	—	—	·34	·05	·13		18
19	—	·02	·11	·17	—	—	·30	—	·87	—	·23	—		19
20	—	—	—	·01	—	—	—	—	·37	·26	·08	—		20
21	·01	—	—	—	·01	—	·06	—	·01	—	·71	—		21
22	—	—	·09	·02	—	—	—	—	·14	—	—	—		22
23	—	·19	·19	—	—	·30	—	—	·04	—	·02	—		23
24	—	—	—	—	—	—	·21	—	—	—	—	—		24
25	·05	—	·19	·01	·01	·03	—	—	—	—	—	—		25
26	·77	·46	·03	·06	·09	·03	·01	—	—	—	·01	—		26
27	·58	·43	·01	—	—	—	·06	—	—	—	—	—		27
28	·50	·05	—	—	·10	—	—	—	—	—	—	—		28
29	·41	·21	·23	·12	·09	—	—	—	—	—	—	·35		29
30	—	×	—	·04	—	—	—	—	—	·38	—	·04		30
31	·05	×	—	×	—	×	—	—	×	·76	×	·06		31
TOTAL	2·78	3·59	3·19	1·33	·34	·36	4·07	·02	1·99	4·46	9·07	2·14	Year's Total. 33·37	
* Days with .01 in. or more.	11	17	14	15	6	3	16	1	12	16	21	13	145	
* Days with .04 in. or more.	8	14	11	8	4	1	14	—	8	13	18	11	110	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. H. Thompson

P.T.O.

657/5

UPPER SOMBORNE

1931 - 1940

78 0114

657/5

Hants 7.4

FORM 1090. **B** Mon Sum ...n.

*** The following register of monthly &c., is NOT required if daily or values are given on the other side ...ection and also the space for ...this register should be sent:—

... Somborne Winchester

RAINFALL IN 1931

At UPPER SOMBORNE

In the County of Hants

...0 A.M in Summer 10.0 AM

...istance 4 miles Direction from gauge W.N.W.

...istance 3 miles Direction from gauge S.W.

Rain Gauge
Diameter of Funnel
Height of Top above Ground ft in.
Height of Ground above Sea Level ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1·93				
FEB.	1·92				
MAR.	·61				
APRIL	3·25				
MAY	2·80				
JUNE	2·48				
JULY	3·91				
AUG.	4·01				
SEPT.	1·43				
OCT.	·66				
NOV.	3·81				
DEC.	·66				
Total	27·47				

Signature Chas Alleway

*See Instruction 2 (*f*) below.

Nature of objects nearest to gauge	House			
Heights of objects	20 ft.			
Distances ..	25 ft.			
Directions from gauge ..	W			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent
Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by ~~John~~ Corah & Son, Ltd., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

0

print

657/5

Hants 7.4

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At UPPER SOMBORNE

In the County of Hants

Rain Gauge
Diameter of Funnel ……… in.
Height of Top above Ground ……… *ft* ……… *in.*
Height of Ground above Sea Level ……… *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1·93				
FEB.	1·92				
MAR.	·61				
APRIL	3·25				
MAY	2·80				
JUNE	2·48				
JULY	3·91				
AUG.	4·01				
SEPT.	1·43				
OCT.	·66				
NOV.	3·81				
DEC.	·66				
Total	27·47				

Signature Chas Alloway

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Charles Alloway
Clock Ho. Upper Somborne Winchester

Hour of observation by the clock—in Winter 9.0 A.M in Summer 10.0 AM

Nearest Railway Station Stockbridge Distance 4 miles Direction from gauge W.N.W.

Nearest Parish Church at Kings Somborne Distance 3 miles Direction from gauge S.W.

Nature of objects nearest to gauge	House			
Heights of objects	20 ft.			
Distances ..	25 ''			
Directions from gauge ..	W			

If gauge has been moved during the year state—

Date of move……… Distance……… Direction………

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14\,\Big|$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

print

657/5

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Upper Somborne 654/5

In the County of Hants

Rain Gauge
Diameter of Funnel eight in.
Height of Top above Ground one *ft* – *in.*
Height of Ground above Sea Level 250 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2·88				
FEB.	·09				
MAR.	1·87				
APRIL	4·69				
MAY	3·36				
JUNE	1·98				
JULY	3·71				
AUG.	·87				
SEPT.	4·07				
OCT.	4·96				
NOV.	1·96				
DEC.	1·38				
Total	31·80				

M

Signature Chas Alleway

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Charles Alleway
Clock House Upper Somborne Winchester

Hour of observation by the clock—in Winter 9.0 AM in Summer 10.0 AM

Nearest Railway Station Stockbridge Distance 4 miles Direction from gauge W.N.W

Nearest Parish Church at King's Somborne Distance 3 miles Direction from gauge SW

Nature of objects nearest to gauge	House			
Heights of objects	20 ft.			
Distances ..	30 ft			
Directions from gauge ..	W.			

If gauge has been moved during the year state—

Date of move — Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
3 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

657/5

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Upper Somborne

In the County of Hants

Rain Gauge

Diameter of Funnel eight in.

Height of Top above Ground One *ft.* – *in.*

Height of Ground above Sea Level 250 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2·63				
FEB.	3·91				
MAR.	3·41				
APRIL	1·16				
MAY	1·35				
JUNE	2·18				
JULY	2·52				
AUG.	·85				
SEPT.	3·18				
OCT.	2·18				
NOV.	·72				
DEC.	·58				
Total	24·67✓				

Signature Chas Alleway

M

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Mr Charles Alleway
Clock Ho: Upper Somborne Winchester

Hour of observation by the clock—in Winter 9·0 A.M in Summer 10·0 AM.

Nearest Railway Station Stockbridge Distance 4 m Direction from gauge W.N.W.

Nearest Parish Church at Kings Somborne Distance 3 m Direction from gauge S.W.

Nature of objects nearest to gauge	House			
Heights of objects	20 ft.			
Distances ..	30 ft.			
Directions from gauge ..	W			

If gauge has been moved during the year state—

Date of move – Distance – Direction –

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following* 9 *a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 657/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Upper Somborne

in the County of Hants

Diameter of Funnel of Gauge eight in.

Height of top of Gauge above Ground one ft. – in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		x												30
31		x		x		x			x		x			31
TOTAL	2·92	·08	3·63	2·16	·92	1·36	1·80	3·00	1·75	1·61	1·92	9·91	Year's Total. 31·06	✓
* Days with .01 in. or more.														
* Days with .04 in. or more.														

M.O. 7
7 - JAN 1935

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Chas Alleway

[P.T.O.

COPY · FOR OFFICIAL USE. JAX ✓

Station No. 657/5

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Upper Somborne

in the County of Hants

Diameter of Funnel of Gauge eight in.

Height of top of Gauge above Ground one ft. – in.

,, Ground ,, Sea Level 250 ft.

Oct. Nov. & Dec. daily readings not available owing to illness.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01		·20		·19	·09	1·40		·13					1
2						·03	·01		·01					2
3			·07			·02	·01		·60					3
4		·08		·16		·36								4
5		·33	·15	·16		·04			·32					5
6		·01	·01	·36		1·05								6
7				·25										7
8			·01	·32					·11					8
9	·07			·43		90			·46					9
10	·02		·06	·10		·05								10
11	·18			·04		·15								11
12		·05				·30		·02	·07					12
13	08	·11		09	·06	13								13
14				·08					·08					14
15		·05		·62		·44			·10					15
16		06	·05	·12	·01	·24			·62					16
17				·30	·03	·25		01	·06					17
18		·02		·26	·02	·10			·33					18
19				·03	·41	·05	·18		·04					19
20		·40		·05	·20	·03	·05		·02					20
21		·45		·04					·06					21
22		·05	·05	·01				·14						22
23			11					·30	·01					23
24		·70			·05			·92	·08					24
25	·11	·30		·22	·16									25
26		·50						·20	·12					26
27		·33							·14					27
28		·14						·10	·45					28
29		X						·01	·21					29
30	·06	✕			09			·75	·09					30
31	·01	✕		✕		✕		03	✕		✕			31
TOTAL	·54	3·58	·71	3·64	1·22	4·23	1·65	2·48	4·10	4·50	7·50	4·45	Year's Total 38·60	Small "d" ✓
* Days with .01 in. or more.	~~8~~	~~16~~	~~9~~	~~19~~	~~10~~	~~17~~	~~5~~	~~10~~	~~22~~				..	
* Days with .04 in. or more.	~~5~~	~~14~~	~~7~~	~~17~~	~~7~~	~~14~~	~~3~~	6 ~~7~~	~~19~~				..	

40-9999.

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) Chas Alleway

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 657/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Upper Somborne

in the County of Hants

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

" Ground " Sea Level ....ft.

[illegible] by B.R.O.

Sept. corr for [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·08	·08	·38		·33	·14		·	—	·08	·08		1
2		·05	·01	·01		·16	·25	·05	·	—	·07	–		2
3				·26		·01	·02		·50	—	·30	–		3
4	·12		·17			·01			·22	—	·04	·06		4
5	·45				·10	·04			·30	—	—	·03		5
6	·64							·03	·	—	·35	·01		6
7	·03		·10				·13		·	—	·13	·05		7
8	·35		·25				·09		·	—	·13	·04		8
9	·58		·16				·22		·16	·01	—	–		9
10	·05						·06	·17	·	—	—	·01		10
11	·08	·08		·01			·02	·07	·15	—	·76	–		11
12				·09	·45	·32	·28		·50	—	·50	·01		12
13				·02		·05	·03		·	·02	·07	·74		13
14		·10				·04	·69		·12	·01	·03	·50		14
15	·02	·03			·01		·03		·22	—	·05	·35		15
16	·12	·32			·02		·05		·02	—	·08	·08		16
17	·03	·99				·04	·08		·	—	·13	·46		17
18	·15	·15				·30	·22		·	·02	—	·25		18
19	·44	·06	·01	·18		·75	·01	·10	·	·03	—	–		19
20	·14	·21	·10	·28		·17	·01		1·16	—	—	·01		20
21		·10		·75		·07	·02		·	—	—	–		21
22	·11	·50	·16		·21		·26		·	—	—	·03		22
23	·03		·10	·09	·08		·19		·	·10	—	–		23
24	·14	·03			·07				·	·47	—	–		24
25	·08		·15	·18	·03		·14		·02	·18	·04	–		25
26	·12	·20	·09	·02		·45			·02	·20	—	–		26
27	·35		·08				·16		·11	·30	—	–		27
28	·75		·46				·09		·	—	—	·21		28
29	·01		·07				·13		·	·07	·20	·08		29
30	·12	×			·07	·25	·01		·	·15	—	·01		30
31	·10	×	·40	×		×	·16		×	·07	×	·53		31
TOTAL	5·01	2·90	2·39	2·27	1·04	2·99	3·49	·42	3·50 ~~3·90~~	1·63	2·96	3·54	Year's Total 32·14	
* Days with .01 in. or more.	24	14	16	12	9	15	26	5	13	13	16	20	183	
* Days with .04 in. or more.	19	12	14	8	6	13	18	4	10	8	15	13	140	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 657/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Upper Somborne

in the County of Hampshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·34	–	–	·03	–	–	–	–	·02	–	·38	·50		1
2	·01	·72	–	·07	–	–	–	–	·26	–	–	·07		2
3	–	·36	05		–	–	–	–	–	–	·01	–		3
4	·17	·70	–		–	–	–	–	–	–	–	32		4
5	·15	·05	–	·02	–	–	·14	–	–	–	–	–		5
6	·09	·07	06	·10	·08	–	·04	–	–	·07	–	–		6
7	–	·57	30	·08	01	–	–	–	·01	·01	·01	·54		7
8	–	·01	–		·33	–	–	–	–	–	–	·07		8
9	–	–	–	·18	·44 ·11	03	·06	–	·29	–	–	·13		9
10	·01	–	75	·60	·07	·33	·01	·03	–	–	–	·48		10
11	·01	–	03		·17	·25	·10	–	–	–	–	–		11
12	·30	30	13	·04	·54	35	·01	60	·10	–	–	–		12
13	·17	·04	60	·22	–	–	–	43	·08	–	–	·60		13
14	–	·02	15	·01	–	–	–	·12	·05	–	–	–		14
15	·34	·20	–	·28	–	–	·27	–	·12	–	–	·24		15
16	–	·14	70	·07	–	·12	–	·52	·68	–	–	–		16
17	·78	·03	10		–	–	·02	–	·82	–	07	–		17
18	·25	·08	–	·02	–	–	·08	–	–	–	–	·12		18
19	·12	·08	07	·10	–	·09	–	–	·02	–	–	–		19
20	·66	–	14	·26	–	·07	–	–	–	–	–	·07		20
21	·53	·26	03	·05	·14	–	·04	–	–	·01	·01	·04		21
22	·50	·03	12		·23	·08	·12	–	·01	1·06	·58	·11		22
23	·48	17	–		·64	–	–	–	–	·43	·19	·01		23
24	·49	48	–		02	–	–	–	·12	·97	–	·02		24
25	·36	·45	25		1·27	–	–	–	·04	·51	–	·04		25
26	–	·27	–		·04	–	–	–	–	·20	–	–		26
27	–	·23	–	·13	–	–	–	–	–	·45	–	–		27
28	·01	·02	–		–	01	–	–	–	·10	–	·01		28
29	·08	–	–		–	–	–	–	–	·25	·15	–		29
30	·48	✗	–		–	·07	–	–	–	·04	·20	–		30
31	·40	✗	–	✗	–	✗	–	–	✗	·35	✗	–		31
TOTAL	3 6·7~~4~~	2 5·X8	3·48	2·26	3·65	1·40	·89	1·70	2·62	4·45	1·60	3·37	Year's Total 37·43	
* Days with .01 in. or more.	23	23	15	17	12	10	11	5	14	13	9	17	169	
* Days with .04 in. or more.	19	18	13	13	10	8	8	~~5~~ 4	10	11	6	14	124	

40-9999.

† Spare column; no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. M 657/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Upper Somborne

in the County of Hants

Diameter of Funnel of Gauge eight in.

Height of top of Gauge above Ground one ft. – in.

,, Ground ,, Sea Level 250 ft.

A/c

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·34	–	–	·03	–	–	–	–	·02	–	·38	·50		1
2	·01	·72	–	·07	–	–	–	–	·26	–	–	·07		2
3	–	·36	·05	–	–	–	–	–	–	–	·01	–		3
4	·17	·70	–	–	–	–	–	–	–	–	–	·32		4
5	·15	·05	–	·02	–	–	·14	–	–	–	–	–		5
6	·09	·07	·06	·10	·08	–	·04	–	–	·07	–	–		6
7	–	·57	·30	·08	·01	–	–	–	·01	·01	·01	·54		7
8	–	·01	–	–	–	–	–	–	–	–	–	·07		8
9	–	–	–	~~[illegible]~~ ·44	–	·03	·06	–	·29	–	–	·13		9
10	·01	–	·75	·60	·07	·33	·01	·03	–	–	–	·48		10
11	·01	–	·03	–	·17	·25	·10	–	–	–	–	–		11
12	·30	·30	·13	·04	·54	·35	·01	·60	·10	–	–	–		12
13	·17	·04	·60	·22	–	–	–	·43	·08	–	–	·60		13
14	–	·02	·15	·01	–	–	–	·12	·05	–	–	–		14
15	·34	·20	–	·28	–	–	·27	–	·12	–	–	·24		15
16	–	·14	·70	·07	–	·12	–	·52	·68	–	–	–		16
17	·78	·03	·10	–	–	–	·02	–	·82	–	·07	–		17
18	·25	·08	–	·02	–	–	·08	–	–	–	–	·12		18
19	·12	·08	·07	·10	–	·09	–	–	·02	–	–	–		19
20	·66	–	·14	·26	–	·07	–	–	–	–	–	·07		20
21	·53	·26	·03	·05	·14	–	·04	–	–	·01	·01	·04		21
22	·50	·03	·12	–	·23	·08	·12	–	·01	1·06	·58	·11		22
23	·48	·17	–	–	·64	–	–	–	–	·43	·19	·01		23
24	·49	·48	–	–	·02	–	–	–	·12	·97	–	·02		24
25	·36	·45	·25	–	1·27	–	–	–	·04	·51	–	·04		25
26	–	·27	–	–	·04	–	–	–	–	·20	–	–		26
27	–	·23	–	·13	–	–	–	–	–	·45	–	–		27
28	·01	·02	–	–	–	·01	–	–	–	·10	–	·01		28
29	·08	✕	–	–	–	–	–	–	–	·25	·15	–		29
30	·48	✕	–	–	–	·07	–	–	–	·04	·20	–		30
31	·40	✕	–	✕	–	✕	–	–	✕	·35	✕	–		31
TOTAL	6·74	5·18	3·48	2.26	3·65	1·40	·89	1·70	2·62	4·45	1·60	3·37	Year's Total 37·34	
* Days with .01 in. or more.	23	23	15	17	12	10	11	5	14	13	9	17	169	
* Days with .04 in. or more.	19	18	13	13	10	8	8	5	10	11	6	14	135	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

M

(*Signed*) Chas Alleway

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 657/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Upper Somborne

in the County of Hampshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 250 ft.

Jan total corr'd for bad arithmetic

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·07				·10	·01	–	–	·08	–	·23		1
2	·02	–		·01			·08	–	–	·37	·01	·07		2
3	–	–			·08	·01	–	–	–	·68	·05	–		3
4	·04	–					·18	–	–	·02	–	·20		4
5	–	–					·09	–	·01	·23	–	–		5
6	·04	–					·18	–	·21	·07	·01	–		6
7	·01	–				·01	·60	1·20	·04	x	–	·08		7
8	·21	–					·13	·01	·03	·44	·01	·03		8
9	·10	·03				·06	·01	–	–	·01	–	1·10		9
10	·16	–				·06	·03	·03	–	·02	–	·30		10
11	·18	–					·01	–	–	–	·21	·22		11
12	·40	–			·12		·06	–	–	·16	–	–		12
13	·25	–					–	–	–	·12	·33	·48		13
14	·50	–			·09		·14	–	·01	–	–	–		14
15	·16	–			·01		·70	·01	–	·30	·01	·49		15
16	·36	–	·01				–	·01	–	·03	·06	·08		16
17	–	·07	·01				–	–	·07	·15	·01	–		17
18	·07	–				·02	–	·02	·02	·01	·40	–		18
19	·10	–					–	·09	·19	–	·68	–		19
20	–	–					–	·05	·02	–	·48	–		20
21	·02	–					–	–	·13	–	·02	·26		21
22	–	–				·30	–	·21	–	–	·24	·09		22
23	–	–					–	–	·01	–	·04	–		23
24	–	–	·15		·07		–	–	·20	–	·15	–		24
25	·10	·09	·03		·18		–	·05	–	·03	1·60	·08		25
26	·27	·30	·02		·08		–	–	·04	–	–	·25	✓	26
27	·09	·02			·30	·27	·35	·02	·11	·09	·37	–		27
28	·06	·05			·31	·11	·01	·43	·04	–	–	·33		28
29	·05	X			·27		–	–	·25	·03	·25	·07		29
30	·13	✕			·44	·06	–	–	·08	·02	·10	–		30
31	·19	✕		✕	·17	✕	–	–	✕	·25	✕	·33		31
TOTAL	3·4~~3~~5	·63	·22	·01	2·06	1·00	2·58	2·13	1·46	3·11	5·03	4·69	Year's Total 26·37	✓
* Days with .01 in. or more.	23	7	5	1	12	10	15	12	17	2~~0~~1	20	18	161	✓
* Days with .04 in. or more.	20	5	1	0	10	7	10	6	1~~0~~1	1~~2~~3	14	17	114	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Chas. Alleway [P.T.O.

June adj. [illegible]

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 657/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Upper Somborne

in the County of Hampshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 250 ft.

April 16th entry adjusted to agree monthly total

Copy by B.R.O.

Value 6th Aug adj. to agree observer's total & days.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	·12	·13	·11	–	–	·11	·50	–	–	·05		1
2	–	–	·01	12	–	–	·03	·73	1·04	–	–	·04		2
3	·72	–	–	·38	–	–	–	·11	–	–	21	·17		3
4	–✓	–	·38	·19	·20	–	·52	·31✓	–	·62	·18	·09		4
5	–	–	–	·14	·35	–	·20	·06✓	–	·32	66	·15		5
6	·45	–	·04	–	–	–	·57✓	~~·11~~ ·01	–	–	·50	–		6
7	–✓	·20	–	–	–	–	–	·01	–	–	·38	·42		7
8	·10	·20	·18	–	–	–	·05	·13	–	·37	·37	·20		8
9	·02	·01	–	–	–	–	–	·07	–	·13	·10	·18		9
10	·31	–	·02	–	–	·06	–	·16	·02	·15	·01	–		10
11	–	–	·15	–	–	·01	–	–	–	·29	·02	–		11
12	–	–	–	–	–	·11	–	–	–	–	·02	–		12
13	–	–	–	·04	–	–	·30	–	·05	1·16	·01	–		13
14	·70	–	–	–	·08	·03	·25	–	–	·35	·41	·07		14
15	·25	–	–	–	·30	·70	·40	–	·01	·23	·24	·01		15
16	·44	–	·02	·0~~4~~5	·02	·16	·03	–	–	–	·24	–		16
17	·35	·08	–	–	·03	·04	·32	–	–	·47	·04	–		17
18	·25	–	·01	–	–	·05	·88	–	–	–	·42	–		18
19	·27	–	·01	–	–	–	·03	–	–	–	–	·01		19
20	·38	–	–	–	–	·01	·46	–	–	–	–	–		20
21	·02	·38	·04	–	–	–	·22	·82	·01	–	–	–		21
22	·28	·43	·01	–	–	·16	·05	–	–	–	14	–		22
23	·01	–	–	·08	–	–	·02	–	–	·01	75	–		23
24	·26	–	–	–	–	·30	·12	–	–	–	–	–		24
25	·60	·12	·01	–	–	–	·07	–	–	·05	23	–		25
26	·03	–	–	–	–	–	–	·02	–	·04	·26	·06		26
27	–	·17	·06	·03	–	·04	–	–	–	–	·12	–		27
28	–	·26	·07	–	–	·08	·35	–	–	–	·22	·10		28
29	–	x	–	·06	–	·06	·50	–	–	·04	·06	–		29
30	–	✕	–	·76	–	·10	–	–	–	·07	·09	–		30
31	–	✕	–	✕	–	✕	·39	–	✕	·39	✕	–		31
													Year's Total	
TOTAL	5·44	1·85	1·13	1·98	1·09	1·91	5·76	2·54	1·63	4·69	6·68	1·55	35·25	✓
* Days with .01 in. or more.	~~18~~ 20	9	15	11	7	1~~4~~5	21	12	6	16	24	13	169	✓
* Days with .04 in. or more.	14	8	8	10	5	1~~1~~2	17	9	3	15	20	11	132	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 657/5 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Upper Somborne

in the County of Hampshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 250 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	–	–	–	–	–	–	–	·03	–		1
2	–	·13	–	·18	–	–	·01	–	–	·02	·60	·02		2
3	–	·29	–	·01	–	–	–	–	–	·16	1·05	·15		3
4	–	·08	–	–	–	–	–	–	–	·24	·10	·02		4
5	–	·02	–	–	–	–	·02	–	–	·08	·80	·14		5
6	·23	·40	–	–	–	–	–	–	–	·27	·01	–		6
7	–	·16	–	–	·01	–	·22	–	–	–	–	–		7
8	–	–	–	–	–	–	·01	–	·06	·48	·11	·24		8
9	–	–	–	–	–	–	–	–	·03	·16	·43	·19		9
10	–	–	–	–	–	–	1·27	–	·01	·04	·15	·05		10
11	–	·02	–	·02	–	–	·02	–	–	–	1·00	·02		11
12	–	–	·14	–	–	–	·20	–	·33	–	·04	–		12
13	–	·01	·77	–	–	–	·06	–	·04	–	·72	–		13
14	–	–	·06	·05	–	–	·25	–	·05	·25	–	·56		14
15	–	–	·02	·01	·04	–	·50	–	·18	·10	·77	·01		15
16	·04	·70	·36	·09	–	–	·01	–	·14	·50	·87	–		16
17	–	–	·45	–	–	–	·01	–	–	–	·27	·01		17
18	·04	·39	·31	·39	–	–	·28	–	·01	·28	·04	·11		18
19	–	·11	·12	·17	–	–	·13	–	·80	–	·14	–		19
20	–	–	–	·01	–	–	·01	·01	·31	·20	·05	–		20
21	–	–	–	–	·01	–	·03	–	–	–	·46	–		21
22	–	–	·07	·03	–	·27	–	–	·18	–	–	–		22
23	–	·10	·17	–	–	·01	–	–	·07	–	–	–		23
24	–	–	–	–	–	–	·18	–	–	–	–	–		24
25	·06	–	·10	·05	·01	·01	·01	–	–	–	–	–		25
23·2 26	·73	·42	·01	–	·07	·04	–	–	–	–	–	–		26
27	·38	·47	–	·03	–	–	·04	–	–	–	–	–		27
28	x	–	–	–	·05	–	–	–	–	–	–	–		28
29	1·15	·15	·20	·13	·04	–	–	–	–	–	–	·31		29
30	–	✕	–	·06	–	–	–	–	–	·38	–	·03		30
31	–	✕	–	✕	–	✕	–	–	✕	·70	✕	·05		31
TOTAL	2·63	3·45	2·78	1·23	·23	·33	3·26	·01	2·21	3·86	7·64	1·91	Year's Total 29·54 ✓	
* Days with .01 in. or more.	8 ~~7~~	15	13	14	7	4	19	1	13	15	19	15	143 ✓	
* Days with .04 in. or more.	8 ~~7~~ ✓	12 ✓	11 ✓	8 ✓	4 ✓	2 ✓	10 ✓	– ✓	10 ✓	14 ✓	17	9	105 ✓	

† Spare column, no entries required.

(*Signed*) Chas. Alleway Esq.

* See Instruction 3 (f) on other side.

[P.T.O.

658

Section **A** for the entry of

AIR MINISTRY —BRITISH RAINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIST LL IN 1931.

658.

HOUGHTON LODGE

1931-40

78 0114

400

Kept at Houghton Lo

in the County of Hant

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·05	—	—	—	·23	—	—	·16	—	—	—	1
2	·25	·09	—	·05	·02	—	—	·01	·60	—	—	·26	2
3	·06	—	·25	·63	·05	—	—	·19	·97	—	·65	·15	3
4	—	·03	·07	—	·08	—	·26	·12	·10	—	·28	·02	4
5	—	·06	—	·15	·07	·40	—	·05	·01	—	·12	·04	5
6	—	·08	—	·25	—	·15	—	—	·25	·25	·22	·07	6
7	—	—	—	—	·04	·08	—	·47	·05	·40	·31	·09	7
8	—	·17	—	·08	·24	·40	·03	·18	—	·02	·07	·01	8
9	—	·33	·03	·01	—	·05	·01	—	—	—	60	—	9
10	—	—	·02	—	—	·04	·08	—	—	—	·25	—	10
11	·14	·48	—	—	—	—	·22	—	—	—	—	—	11
12	—	·03	—	—	—	—	—	—	·33	—	—	—	12
13	—	—	—	—	—	·01	·11	—	—	—	—	—	13
14	—	·13	—	—	·02	·04	1·00	·23	—	—	·04	—	14
15	·03	·03	—	—	·08	—	·08	·25	—	—	—	·06	15
16	—	·03	—	·04	·11	·15	·09	·05	·11	—	—	—	16
17	—	·10	—	·14	—	·25	·03	·07	·05	—	—	—	17
18	·08	·02	·12	·10	—	·09	·23	1·88	—	—	·49	—	18
19	·07	—	—	·28	—	·22	—	·06	—	—	—	—	19
20	—	·12	—	·03	—	—	—	·23	—	—	—	—	20
21	·08	—	·01	—	·19	—	—	—	—	—	·03	—	21
22	·37	—	—	—	—	—	—	—	—	—	—	—	22
23	·20	—	—	·16	·46	·24	—	—	—	—	·25	—	23
24	·07	—	—	·60	·23	·49	·23	·32	—	—	·02	—	24
25	·26	—	—	·40	—	—	·09	—	—	—	·12	—	25
26	—	—	—	·14	—	—	·78	—	—	—	·25	—	26
27	·17	·36	—	·03	—	—	·01	—	—	—	·03	—	27
28	·05	11	—	·18	1·10	—	—	—	—	—	—	12	28
29	·08	×	—	—	·29	—	—	—	—	·06	·06	·04	29
30	·06	×	—	—	—	—	—	·04	—	—	—	—	30
31	·16	×	—	×	·12	×	—	—	×	—	×	·02	31
TOTAL	2·13	2·22	·50	3·27	3·10	2·84	3·25	4·15	2·63	·73	3·79	·88	YEAR'S TOTAL 29·49
*Days with ·01 in. or more.	16	17	6	17	15	15	15	15	10	4	17	11	158
*Days with ·04 in. or more.	15	12	3	14	13	14	11	14	9	3	14	8	130

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G Morris.

[P.T.O.

658

Section **A** for the entry of [redacted] COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

400

Kept at Houghton Lodge, Stockbridge

in the County of Hants

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 112 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·05	—	—	—	·23	—	—	·16	—	—	—	1
2	·25	·09	—	·05	·02	—	—	·01	·60	—	—	·26	2
3	·06	—	·25	·63	·05	—	—	·19	·97	—	·65	·15	3
4	—	·03	·07	—	·08	—	·26	·12	·10	—	·28	·02	4
5	—	·06	—	·15	·07	·40	—	·05	·01	—	·12	·04	5
6	—	·08	—	·25	—	·15	—	—	·25	·25	·22	·07	6
7	—	—	—	—	·04	·08	—	·47	·05	·40	·31	·09	7
8	—	·17	—	·08	·24	·40	·03	·18	—	·02	·07	·01	8
9	—	·33	·03	·01	—	·05	·01	—	—	—	60	—	9
10	—	—	·02	—	—	·04	·08	—	—	—	·25	—	10
11	·14	·48	—	—	—	—	·22	—	—	—	—	—	11
12	—	·03	—	—	—	—	—	—	·33	—	—	—	12
13	—	—	—	—	—	·01	·11	—	—	—	—	—	13
14	—	·13	—	—	·02	·04	1·00	·23	—	—	·04	—	14
15	·03	·03	—	—	·08	—	·08	·25	—	—	—	·06	15
16	—	·03	—	·04	·11	·15	·09	·05	·11	—	—	—	16
17	—	·10	—	·14	—	·25	·03	·07	·05	—	—	—	17
18	·08	·02	·12	·10	—	·09	·23	1·88	—	—	·49	—	18
19	·07	—	—	·28	—	·22	—	·06	—	—	—	—	19
20	—	·12	—	·03	—	—	—	·23	—	—	—	—	20
21	·08	—	·01	—	·19	—	—	—	—	—	·03	—	21
22	·37	—	—	—	—	—	—	—	—	—	—	—	22
23	·20	—	—	·16	·46	·24	—	—	—	—	·25	—	23
24	·07	—	—	·60	·23	·49	·23	·32	—	—	·02	—	24
25	·26	—	—	·40	—	—	·09	—	—	—	·12	—	25
26	—	—	—	·14	—	—	·78	—	—	—	·25	—	26
27	·17	·36	—	·03	—	—	·01	—	—	—	·03	—	27
28	·05	11	—	·18	1·10	—	—	—	—	—	—	12	28
29	·08	×	—	—	·29	—	—	—	—	·06	·06	·04	29
30	·06	×	—	—	—	—	—	·04	—	—	—	—	30
31	·16	×	—	×	·12	×	—	—	×	—	×	·02	31
TOTAL	2·13	2·22	·50	3·27	3·10	2·84	3·25	4·15	2·63	·73	3·79	·88	YEAR'S TOTAL 29·49
*Days with ·01 in. or more.	16	17	6	17	15	15	15	15	10	4	17	11	158
*Days with ·04 in. or more.	15	12	3	14	13	14	11	14	9	3	14	8	130

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G Morris. [P.T.O.

✓ ✓ W Ck.
✓ KJ

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 658

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Stockbridge

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 112 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19	—	—	·23	1·05	—	—	·35	—	·04	·02	—	1
2	·02	—	—	·14	·14	—	—	—	·18	—	·04	·30	2
3	—	—	—	·26	·02	—	—	—	·36	—	—	—	3
4	·03	—	—	—	—	·08	—	—	—	—	—	—	4
5	·28	—	·01	—	—	—	·10	—	·33	—	—	—	5
6	·46	—	·01	·49	—	—	—	—	·12	—	—	—	6
7	—	—	·03	—	—	—	—	—	·24	·68	—	—	7
8	—	—	·40	—	·19	—	—	—	·88	·11	—	—	8
9	·51	—	—	·24	·07	—	—	—	·03	—	—	—	9
10	·58	—	—	·36	·06	·07	—	—	·02	·12	·13	—	10
11	—	·04	—	—	—	—	—	—	·04	·10	·02	·10	11
12	·58	—	—	—	·08	·01	—	—	·09	·17	—	—	12
13	—	—	—	·22	—	—	1·34	—	—	·86	—	06	13
14	·30	—	—	·15	—	—	—	·05	—	—	—	—	14
15	·04	—	—	·04	1·22	—	·05	—	—	·08	·15	·03	15
16	·33	—	—	·03	·03	—	—	—	—	—	—	—	16
17	·02	—	—	·04	—	—	·05	—	—	·08	—	—	17
18	·01	—	—	—	·05	—	—	—	—	—	·21	·01	18
19	—	—	—	—	—	—	—	—	·24	·16	—	—	19
20	—	—	—	·18	·35	—	·03	·42	·04	·82	·16	—	20
21	—	—	·08	·23	·86	—	—	—	—	—	·02	·16	21
22	—	—	·13	·03	·25	—	—	—	·38	·32	·32	·02	22
23	—	—	—	—	—	·04	·14	—	·07	·71	—	·17	23
24	—	·13	—	—	—	—	—	—	·16	·07	·03	—	24
25	—	—	—	—	—	—	·47	—	—	·32	—	—	25
26	—	—	·14	—	—	—	·26	—	—	·04	—	·01	26
27	—	—	·40	·32	·09	—	·33	—	—	—	—	—	27
28	—	—	·05	·06	·35	—	·08	—	—	·10	·06	—	28
29	—	—	·49	·13	·16	·28	·05	·19	·34	·37	·21	·09	29
30	—	×	—	·20	—	1·38	—	—	·62	—	·63	·30	30
31	—	×	—	×	—	×	·03	—	×	—	×	·18	31
TOTAL	3·35	·17	1·74	3·35	4·97	1·86	2·93	1·01	4·14	5·15	2·00	1·43	YEAR'S TOTAL 32·10
*Days with ·01 in. or more.	13	2	10	18	16	6	12	4	17	18	13	12	141
*Days with .04 in. or more.	~~10~~ 9	2	7	16	14	5	10	4	15	18	~~10~~ 9	8	~~118~~ 7

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G Morris.

P.T.O.

JKg

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 658

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Houghton Lodge

in the County of Hampshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft 1 ft. in.

,, Ground ,, Sea Level 112 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·59	·41	·14	–	·08	–	–	–	–	–	–	–		1
2	·05	–	·55	–	·30	–	–	–	–	–	–	–		2
3	–	·09	·40	–	·05	–	–	–	–	–	–	–		3
4	·18	·04	–	–	·14	–	–	–	–	–	–	–		4
5	·02	–	·46	–	·05	–	–	–	–	–	–	–		5
6	–	·26	·07	–	·12	–	–	–	–	–	·06	–		6
7	·03	·03	–	–	·16	–	–	–	–	·18	–	–		7
8	–	–	–	–	–	–	·38	–	–	·05	–	–		8
9	–	–	–	–	–	–	·18	–	–	·28	·05	–		9
10	–	–	–	–	–	–	·14	–	–	·36	·04	–		10
11	·28	–	–	–	–	·11	·51	–	·06	·04	–	–		11
12	–	–	–	·06	·03	–	·30	–	·95	–	–	–		12
13	·07	–	–	–	·10	·05	·38	–	·01	·09	·03	–		13
14	–	–	–	–	–	–	·04	–	–	·23	·44	–		14
15	·54	·04	·24	–	–	·38	·01	·33	–	·02	·02	–		15
16	–	–	·90	–	–	·08	–	–	·02	–	–	–		16
17	–	·05	·44	–	–	·02	–	–	·10	–	–	–		17
18	·14	·05	·31	–	–	·42	–	–	–	–	·03	–		18
19	–	–	·12	–	–	–	–	–	·64	–	·09	·03		19
20	–	–	·05	–	–	·26	–	–	·08	–	–	–		20
21	–	·01	–	–	–	·15	–	–	–	·03	–	–		21
22	–	–	–	–	–	1·07	–	·15	·07	·15	–	–		22
23	–	–	–	·31	–	·32	–	·15	·55	·38	–	–		23
24	–	1·65	–	·18	–	·35	–	–	·02	–	–	–		24
25	–	·94	–	47	·02	·52	–	–	·06	–	–	·08		25
26	·09	·84	–	·09	–	·14	·04	–	·71	–	–	–		26
27	·10	–	–	–	·42	–	–	–	–	·30	–	·31		27
28	–	–	–	·07	–	–	·36	–	–	–	–	·04		28
29	–	×	–	·12	–	–	–	–	–	·05	–	·02		29
30	–	×	·16	–	–	–	–	–	·17	–	–	04		30
31	·22	×	–	×	–	×	–	–	×	–	×	–		31
TOTAL	2·31	4·41	3·84	1·30	1·47	3·87	2·34	·63	3·44	2·16	·76	·52	Year's Total 27·05	
*Days with ·01 in. or more.	12	12	12	7	11	13	10	3	13	13	8	6	120	
*Days with .04 in. or more.	9 10	10	12	7	9	12	9	3	10	11	5	4	101	102

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) G Morris.

[P.T.O.

W. CK.

17

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 658

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at Houghton Lodge, Stockbridge

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 112 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	—	—	—	—	—	·48	·01	—	—	·66		1
2	·12	—	·05	·05	·05	—	—	·01	·77	·10	—	·37		2
3	·03	—	—	—	—	—	—	·15	—	·23	—	·36		3
4	·09	—	·14	·05	·20	—	—	·02	—	·35	—	·25		4
5	—	—	—	—	·03	—	—	·35	—	—	—	·53		5
6	·09	—	·40	—	·17	—	—	·03	—	·27	·14	·74		6
7	·12	—	—	—	—	·14	—	·20	—	·06	—	·72		7
8	—	—	—	—	·31	—	—	·02	·05	—	·36	·15		8
9	·04	—	·11	—	—	—	—	·03	—	—	1·05	·39		9
10	·17	—	·34	·28	—	—	—	·01	—	—	·23	·34		10
11	·66	—	·50	·31	—	—	·20	—	—	—	—	·29		11
12	·05	—	—	—	—	—	·04	—	—	—	—	·34		12
13	·27	—	·08	·16	—	—	·05	—	—	—	·02	·32		13
14	·40	—	·08	·02	—	—	—	—	—	—	·03	·78		14
15	—	—	·58	—	·10	—	—	—	—	·16	·12	·33		15
16	·18	—	·50	—	—	—	—	—	—	—	·01	·01		16
17	—	—	—	—	—	—	—	—	·07	·01	·02	·27		17
18	·16	—	·21	·25	—	—	—	—	·04	—	—	·24		18
19	—	—	·47	—	—	·02	—	—	·09	—	—	·20		19
20	—	—	·08	·10	—	—	·25	·10	—	·16	—	·01		20
21	—	—	—	·10	—	·13	·08	·06	—	—	—	—		21
22	—	—	—	—	—	—	·22	·43	·25	—	—	·08		22
23	—	—	—	·27	—	·54	—	·07	·12	—	—	·01		23
24	—	·08	·08	·05	—	—	·39	—	—	—	—	—		24
25	·32	—	—	·13	—	·03	—	—	—	·17	—	·68		25
26	—	—	·06	·22	—	·16	—	—	·15	—	—	·37		26
27	—	—	—	—	—	·21	—	—	—	—	—	·50		27
28	—	—	—	—	—	·11	·02	·74	—	—	—	·38		28
29	—	×	—	—	—	—	—	·08	·20	—	—	·01		29
30	·13	×	—	—	—	—	·02	·05	·15	·07	—	·50		30
31	—	×	—	×	—	×	—	—	×	—	×	06		31
TOTAL	2·86	·08	3·68	1·99	·86	1·34	1·27	2·83	1·90	1·58	1·98	9·89	Year's Total 30·26	
*Days with ·01 in. or more.	16	1	15	13	6	8	9	17	11	10	9	20	144	
*Days with .04 in. or more.	14	1	15	12	5	6	7	11	10	9	5	25	12[illegible]	

40-9999

*See Instruction 2 (*f*) on other side.

File number 5875/30.

† Spare column, no entries required.

(*Signed*) G Morris.

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 658.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Houghton Lodge. Stockbridge

in the County of Hants.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 112 ft.

400

J. J. W. GR. 17

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	–	·22	–	·12	·02	1·03	–	·05	·15	·15	–		1
2	–	–	–	–	–	·09	–	–	·02	·27	–	·04		2
3	–	–	·07	–	–	·25	–	–	·62	·91	·28	–		3
4	–	·07	–	·15	–	~~·14~~	–	–	·03	·45	·10	·02		4
5	–	·48	·20	·24	–	·05	–	–	·34	·27	·06	·05		5
6	–	–	–	·31	–	1·23	–	–	–	·01	·13	–		6
7	–	–	·02	·36	–	·02	–	–	–	·05	–	·07		7
8	–	–	–	·34	–	·03	–	–	·20	·40	·28	–		8
9	·08	–	–	·46	–	·90	–	–	·41	·79	·42	–		9
10	·03	–	·09	·13	–	·06	–	–	–	–	·92	–		10
11	·20	–	–	·02	–	·25	–	–	–	·02	·52	–		11
12	–	·04	–	·01	–	·25	–	·02	–	–	·23	–		12
13	·06	–	–	·18	–	·14	–	–	·08	–	·15	–		13
14	–	–	–	·10	–	·23	–	–	·03	·03	·35	·22		14
15	–	–	–	·45	–	·19	–	–	·10	–	·48	·14		15
16	–	·15	–	·11	–	·31	–	–	·83	–	·96	–		16
17	–	–	–	·29	–	·23	–	–	·05	·02	·09	–		17
18	–	–	–	·16	–	·17	–	·03	·34	·02	·03	–		18
19	–	–	–	·20	·48	·08	·10	–	·06	–	·08	–		19
20	–	·50	–	·04	–	·04	·14	–	–	–	·68	–		20
21	–	·47	–	·07	–	–	–	–	·05	·08	·01	–		21
22	–	·06	·08	·06	–	–	–	·16	·04	–	–	–		22
23	–	–	–	–	–	–	–	·30	·05	·87	–	·03		23
24	·04	·88	–	–	–	–	–	·88	·29	·03	–	·37		24
25	·07	·29	–	–	·28	–	–	–	–	–	–	·29		25
26	–	·59	–	–	–	–	–	·16	·12	–	·01	·80		26
27	–	·23	–	–	–	·03	–	–	·09	–	·06	·55		27
28	–	·14	–	–	–	–	–	·05	·51	–	–	·12		28
29	–	×	–	–	–	–	–	·02	·22	–	·02	·67		29
30	·05	×	·01	·24	·28	–	–	·72	·07	·41	·97	·64		30
31	–	×	–	×	–	×	–	·01	×	1·17	×	·21		31
TOTAL	·54	3·90	·69	3·92	1·16	4·71	1·27	2·35	4·60	5·95	6·98	4·22	40·29	
* Days with .01 in. or more.	8	12	7	20	14	21	3	10	23	18	23	15	164	
* Days with .04 in. or more.	~~7~~6	12	5	18	4	17	3	6	~~21~~20	12	~~17~~9	13	135	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) G Morris

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 658

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

400

Kept at Houghton Lodge Stockbridge

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 112 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	·22	·02	·29	—	·38	·06	·01	—	—	·07	·09		1
2	·05	·03	—	—	—	·06	·19	·03	—	—	·05	—		2
3	—	—	—	·29	—	—	·05	·01	·52	—	·40	—		3
4	—	—	·17	—	—	·01	—	—	·26	—	·03	·11		4
5	·59	—	·01	—	·09	—	—	·02	·15	—	—	—		5
6	·61	—	—	—	—	·05	—	·02	·04	—	·35	—		6
7	·07	—	·09	—	—	—	·24	—	02	—	·16	·03		7
8	·42	—	·25	—	—	—	·08	—	—	—	·08	·01		8
9	·55	—	·13	—	—	—	·26	—	·27	—	—	·02		9
10	·08	—	·01	—	—	—	·05	·12	·02	—	·01	—		10
11	·09	·11	—	—	—	—	—	26	—	—	·74	—		11
12	—	—	—	—	·12	·32	·26	—	·39	—	·35	—		12
13	—	—	—	—	—	·13	·04	—	—	—	·11	1·00		13
14	—	·04	—	—	—	·03	·51	—	·02	·02	·03	·60		14
15	—	—	—	—	—	—	·11	—	·05	—	·06	·34		15
16	·15	·27	—	—	·02	—	·04	—	·03	—	·06	·06		16
17	·11	·96	—	—	—	—	·12	—	—	—	·15	·50		17
18	·04	·06	—	—	—	·20	—	—	—	—	·01	·19		18
19	·41	·03	—	·16	—	·48	·02	·10	—	—	—	·02		19
20	·12	22	·17	·18	—	·05	·01	—	1·34	—	—	·01		20
21	—	·05	·01	·87	—	—	·02	—	—	—	—	—		21
22	·12	·47	·11	—	·08	—	·26	—	—	—	—	—		22
23	·05	·02	·17	·09	·06	·01	·22	—	—	·25	—	—		23
24	·12	·03	—	—	·08	—	·03	—	—	·48	—	—		24
25	·08	—	·30	·18	·05	—	·17	—	·02	·07	·01	—		25
26	·09	·16	·15	—	—	·90	·12	—	·07	·27	—	—		26
27	·28	—	·05	—	—	—	·10	—	04	·36	—	—		27
28	·94	—	42	—	—	—	·28	—	—	—	—	·22		28
29	·01	·06	—	—	—	04	·11	—	—	·09	·19	·04		29
30	·08	✕	—	—	—	·13	·01	—	—	·17	·02	—		30
31	·09	✕	·44	✕	—	✕	·17	—	✕	·18	✕	·56		31
TOTAL	5·29	2·73	2·50	2·06	·50	2·79	3·53	·57	3·24	1·89	2·88	3·80	Year's Total 31·78	
* Days with .01 in. or more.	24	15	16	7	7	14	26	8	15	9	19	16	176	
* Days with .04 in. or more.	23	11	12	7	6	11	21	3	10	8	13	11	136	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G Morris.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — **Station No.** 658

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Houghton Lodge

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 112 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	–	–	.04	–	–	–	–	.03	.05	.26	.75		1
2	.02	.71	–	.03	–	–	–	–	.17	–	–	–		2
3	.01	.37	–	–	–	–	–	–	–	–	–	.03		3
4	.15	.67	–	–	–	–	–	–	–	–	–	.38		4
5	.14	.01	.05	.02	–	–	.19	–	–	–	–	–		5
6	.12	.20	.67	.09	.03	–	–	–	.01	.07	–	–		6
7	–	.51	–	.06	.18	–	–	–	–	.03	–	1.06		7
8	–	.02	–	–	.23	–	–	–	–	–	–	.27		8
9	–	–	–	.27	.10	.02	.12	–	.30	–	–	.12		9
10	–	–	.83	.67	.03	.20	–	.02	–	–	–	.43		10
11	–	–	.03	–	.19	.22	.12	–	–	–	–	.04		11
12	.36	.29	.13	.04	.38	.43	–	.38	.10	–	–	.38		12
13	.18	.06	.70	.22	–	–	–	.65	.06	–	–	.09		13
14	–	.02	.17	.02	–	–	–	.10	.05	–	–	.05		14
15	.32	.24	–	.20	–	–	–	–	.24	–	–	.06		15
16	–	.15	.64	.15	–	.02	–	.42	.43	–	–	.12		16
17	.75	.04	.22	.02	–	–	.23	–	.48	–	.06	–		17
18	.15	.11	–	–	–	–	–	–	–	–	.06	.18		18
19	.12	.04	.11	.05	–	.10	.13	–	.09	–	–	–		19
20	.60	–	.06	.27	–	.06	–	–	–	–	–	.05		20
21	.52	.39	.04	.04	.06	–	.06	–	–	.07	–	.07		21
22	.28	.20	.08	.01	.34	.11	.15	–	–	.71	.65	.17		22
23	.54	.02	.01	–	.36	–	–	–	–	.46	–	.06		23
24	.70	.28	–	–	.03	–	–	–	.14	1.15	–	.02		24
25	–	.70	.26	–	1.91	–	–	–	.04	.44	–	.03		25
26	–	.42	.02	.10	.05	–	–	–	–	.21	–	–		26
27	.01	.27	–	–	–	–	–	–	–	.67	–	–		27
28	.05	.08	–	–	–	–	–	–	–	.17	–	–		28
29	.06	×	–	–	–	–	–	–	–	.20	.24	–		29
30	.39	×	–	–	–	.07	–	–	–	.12	.20	–		30
31	.29	×	–	×	–	×	–	–	×	.36	×	–		31
TOTAL	5.97	5.80	4.02	2.30	3.89	1.23	1.00	1.57	2.14	4.71	1.47	4.36	Year's Total 3846	✓
* Days with .01 in. or more.	22	23	16	18	13	9	7	5	13	14	6	20	166	✓
* Days with .04 in. or more.	19	19	18	13	10	7	7	4	11	13	6	17	139	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G Morris. [P.T.O.

COPY FOR OFFICIAL USE

BX Section **A** for the entry of Daily Observations

Station No. 658

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Total corrected from all-notes 2/39 W.A.R.

Kept at Houghton Lodge. Stockbridge
in the County of Hants.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 112 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.06	—	—	—	.12	—	—	—	.30	—	.23		1
2	—	.03	—	—	—	—	.01	—	—	.22	.02	—		2
3	—	—	—	—	.11	.03	.14	—	—	.79	.03	—		3
4	.03	—	—	—	—	—	.10	.02	—	.14	.01	.26		4
5	—	—	—	—	—	—	.01	—	—	.16	.01	.03		5
6	.04	—	—	—	—	.01	.22	—	.19	.05	.01	.06		6
7	—	—	—	—	—	.01	.61	.97	.06	.26	—	—		7
8	.20	.06	—	—	—	—	.10	—	.04	.24	—	.01		8
9	.14	—	—	—	—	.10	—	.02	—	—	—	1.12		9
10	.07	—	—	—	—	—	.04	—	—	—	—	.45		10
11	.23	—	—	—	—	—	—	—	—	.05	.22	.20		11
12	.14	—	—	—	.12	—	.02	—	—	.17	.02	.16		12
13	.49	—	—	—	.08	—	—	—	—	.12	.31	.55		13
14	.41	—	—	—	—	—	.08	—	—	.20	—	—		14
15	.20	—	—	—	—	—	.54	—	—	.23	—	.51		15
16	.29	—	.01	—	—	—	—	.04	—	.10	—	.08		16
17	—	.02	—	—	—	—	—	—	.02	.14	.01	—		17
18	.10	—	—	—	—	.02	—	—	.04	.01	.45	—		18
19	.10	—	—	—	—	—	—	.11	.24	—	1.02	—		19
20	.01	—	—	—	—	—	—	.02	—	—	.20	.01		20
21	—	—	—	—	—	—	—	—	.09	—	—	.29		21
22	—	—	—	—	—	.01	—	.21	—	—	.23	.10		22
23	.02	—	—	—	—	—	.03	—	—	—	.07	—		23
24	—	—	.18	—	—	—	—	—	.21	—	—	—		24
25	.13	.03	—	—	.15	—	—	.05	.23	—	1.15	—		25
26	.26	.43	—	—	.04	—	.01	—	—	.15	—	.11		26
27	.09	—	—	—	.27	.26	.35	.06	—	—	.41	.17		27
28	—	.08	—	—	.30	.14	—	.42	.12	—	—	.07		28
29	.14	~~.08~~	—	—	.26	—	—	—	.22	—	.23	.04		29
30	.09		—	—	.41	—	—	—	.12	.08	.17	—		30
31	.21		—		.17		—	—		.28		.35	25.72	31
TOTAL	3.39	.71	.19	~~.00~~ 0.00	1.91	.70	2.26	1.92	1.58	3.69	4.57	4.80	Year's Total ~~27.72~~	✓
* Days with .01 in. or more.	21	7	2	—	10	9	14	10	12	19	18	20	142	✓
* Days with .04 in. or more.	18	4	1	—	10	4	9	7	11	18	11	17	110	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. Morris.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 658

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Houghton Lodge Stockbridge

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 112 ft.

E.R. P.S.A.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	.12	.11	.11	—	.02	.10	.28	—	.35	.04		1
2	—	—	—	.09	—	—	—	.62	.62	—	.07	.06		2
3	.64	—	—	.22	—	—	—	.08	—	—	.16	.29		3
4	.02	—	.35	.51	.20	—	.39	.11	.02	.67	.11	.12		4
5	—	—	—	.27	.24	—	.21	.26	—	.33	.63	.36		5
6	.40	—	—	—	—	—	.71	.14	—	—	.64	—		6
7	—	.30	.04	—	—	—	.02	.02	—	—	.58	.27		7
8	—	.22	.14	—	—	—	.09	.05	—	.33	.50	.25		8
9	—	—	—	—	—	—	—	.08	—	.12	.03	.25		9
10	.47	—	.06	—	—	.02	—	.17	—	.08	.01	—		10
11	—	.03	.15	—	—	.10	—	—	—	.36	.03	—		11
12	—	.02	—	—	—	.12	—	—	—	—	.02	—		12
13	—	—	—	.03	—	—	.33	—	—	1.52	.04	—		13
14	.73	—	—	.01	.03	.04	.27	—	—	.35	.38	—		14
15	.25	—	—	—	.25	.65	.14	—	.11	.30	.20	—		15
16	.41	.06	—	.04	.04	.11	.08	—	—	—	.26	—		16
17	.33	—	—	—	.02	.02	.06	—	—	.47	.44	—		17
18	.14	—	—	—	—	.15	.91	—	—	—	—	—		18
19	.26	—	—	—	—	.14	.11	—	—	—	—	—		19
20	.37	—	—	—	—	.02	.47	—	—	—	—	—		20
21	.11	.50	.07	—	—	.01	.42	.14	—	—	—	—		21
22	.21	.06	—	—	—	.19	.05	—	—	—	.15	—		22
23	—	—	—	.09	—	—	.11	—	—	.03	.86	—		23
24	.34	—	—	—	—	.33	.20	—	—	—	—	—		24
25	.59	.23	—	—	—	—	.20	—	—	.10	.24	—		25
26	.05	—	—	—	—	—	.01	.03	—	—	.29	—		26
27	.03	—	—	—	—	.03	.04	—	—	.12	—	—		27
28	—	.34	.07	—	—	.10	.30	—	—	.03	.26	.30		28
29	—	×	—	.05	—	.05	.80	—	—	.04	.02	—		29
30	—	×	—	.90	—	.03	—	—	—	.08	.10	—		30
31	—	×	—	×	—	×	.15	—	×	.07	×	—		31
TOTAL	5.35	1.76	1.00	2.32	.89	2.11	6.09	1.80	1.03	5.00	6.37	1.94	Yea 35.66	
* Days with .01 in. or more.	17	9	8	11	7	17	24	12	4	17	24	9	159	
* Days with .04 in. or more.	15	7	8	9	5	11	21	10	3	15	19	9	~~103~~ 132	

*See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. Morris.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 658

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Houghton Lodge. Stockbridge

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 112 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.02	—	—	—	—	—	—	—	—	.08	—		1
2	—	.01	—	—	—	—	—	—	—	—	.80	—		2
3	—	.37	—	.22	—	—	—	—	—	—	.72 ✓	.17		3
4	—	.30	—	—	—	—	—	—	—	.22	.06	—		4
5	—	.04	—	—	—	—	—	—	—	.26	—	.20		5
6	.26	.34	—	—	—	—	.30	—	—	.05	—	—		6
7	.14	.22	—	—	—	—	.04	—	—	.29	—	—		7
8	—	—	—	—	—	—	—	—	.01	.45	.70	.28		8
9	—	—	—	—	—	—	—	—	.03	.08	.48	.26		9
10	—	—	—	—	—	—	1.29	—	.02	.06	.26	—		10
11	—	—	—	05	—	—	.03	—	—	—	.80 ✓	—		11
12	—	—	—	—	—	—	.27	—	.40	—	.05	—		12
13	—	.08	.23	—	—	—	—	—	.03	—	1.32	.13		13
14	—	—	.89	05	—	—	.24	—	.08	.10	—	.40		14
15	—	—	.10	.03	—	—	.55	—	.23	.27	.84	—		15
16	—	.43	.01	—	.05	—	—	—	.16	.02	.87	.03		16
17	—	—	.33	.02	—	—	—	—	.02	.52	.27	—		17
18	—	—	.51	.32	—	—	.28	—	.04	.34	.05	.12		18
19	—	.36	.30	.15	—	—	.10	—	.60	.27	.24	—		19
20	—	.08	.15	—	—	—	—	—	.16	—	.07	—		20
21	—	—	—	—	—	—	.04	—	—	—	.55	—		21
22	—	.04	—	—	—	.30	—	—	.25	—	—	—		22
23	—	.11	—	—	.01	—	—	—	—	—	—	—		23
24	—	—	—	—	—	—	.21	—	—	—	—	—		24
25	.83	—	.06	—	.01	.05	—	—	—	—	—	—		25
26	.56	.39	—	.11	.02	—	—	—	—	—	—	—		26
27	.10	—	—	.03	.03	—	—	—	—	—	—	—		27
28	—	.36	—	—	.02	—	—	—	—	—	—	—		28
29	.74	.23	—	.17	—	—	—	—	—	—	—	.31		29
30	—	×	—	.07	—	—	—	—	—	.43	—	.06		30
31	—	×	—	×	—	×	—	—	×	.69	×	.03		31
TOTAL	2.63	3.38	2.58	1.22	.14	.35	3.35	0.00	2.03	4.05	8.16	1.99	Year's Total 29.88	
* Days with .01 in. or more.	6	16	9	10	6	2	11	—	13	15	17	11	~~116~~ 11	
* Days with .04 in. or more.	6	14	8	7	1	2	10	—	8	14	17	9	~~96~~	d 4

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G Morris.

[P.T.O.

Section **A** for the entr
AIR MINIS

FORM 1090.

REG

650

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

193*1*.

659

STOCKBRIDGE - CHILBOLTON DOWN

1931 - 1940

780114

780/14

Kept at Chilbolton Do

in the County of Ha

Diameter of Funnel of Gauge

Height of top of Gauge above G

,, Ground ,, Sea Level 650 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·04	·01	·05	-	·18	-	-	·15	·02	-	-	1
2	·26	·02	-	·68	·03	-	-	·01	·47	·03	·01	·15	2
3	·05	-	·24	·11	·04	-	-	·13	·34	-	·45	·28	3
4	-	-	·05	-	·05	-	·25	·04	·03	·03	·23	-	4
5	-	·05	-	·11	·09	·43	-	·02	-	-	·13	·19	5
6	-	·10	-	·28	-	·07	·04	-	·02	·37	·21	-	6
7	-	-	-	-	·15	·20	-	·50	-	·12	·41	·04	7
8	·02	·14	-	·07	·04	·35	-	·10	-	-	·07	·01	8
9	-	·27	·02	·03	-	·02	-	-	-	-	·61	-	9
10	-	·04	-	-	-	·10	·05	·05	-	-	·32	·01	10
11	·12	·44	-	-	-	-	-	-	·03	-	·15	-	11
12	-	-	-	-	-	-	·10	-	·37	-	-	-	12
13	-	-	-	-	-	-	·42	-	-	-	-	-	13
14	-	·15	-	-	-	·09	1·58	·40	-	-	·04	-	14
15	-	·08	-	·02	·11	-	·56	·38	-	-	-	·08	15
16	-	·04	-	·10	·13	·14	-	·04	·06	-	-	-	16
17	·03	·07	-	·09	-	·08	·29	-	·11	-	-	-	17
18	·08	·01	·09	·08	-	·06	·14	1·76	-	-	·48	-	18
19	·09	-	-	·30	-	·27	-	·06	-	-	-	-	19
20	-	·10	·11	·03	-	-	-	·38	-	-	·01	-	20
21	·06	-	·01	-	-	-	-	-	-	-	·01	-	21
22	·26	·05	-	·02	·15	-	-	-	-	-	-	-	22
23	31	-	-	·19	·41	-	-	-	-	-	·25	-	23
24	·03	-	-	·45	·20	·04	·23	·23	-	-	-	·03	24
25	·30	·01	-	·58	·02	·30	·34	-	-	-	·10	-	25
26	-	·01	-	·15	-	-	·90	-	-	-	·27	·01	26
27	·13	·35	-	·01	·83	-	-	-	-	-	·03	-	27
28	·03	·13	·02	·20	·02	-	-	-	-	-	-	-	28
29	·13	×	-	-	·21	-	·11	-	-	·05	·03	·02	29
30	·03	×	-	·01	-	-	-	·01	-	-	-	·02	30
31	31	×	-	×	·12	×	-	-	×	-	×	·09	31
TOTAL	2·24	2·10	·55	3·56	2·60	2·33	5·01	4·11	1·58	·62	3·81	·93	YEAR'S TOTAL 29·44
*Days with ·01 in. or more.	17.	19.	8.	21.	16.	14.	13.	15.	9	6.	19.	12.	169.
*Days with ·04 in. or more.	12.	15.	4.	15.	13.	13.	13.	12.	6.	3.	14.	6.	126.

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Robert Hargreaves

[P.T.O.

Section **A** for the entry

650

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Chilbolton Down. Stockbridge.
in the County of Hants.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level 350 ft.

180/14

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·04	·01	·05	-	·18	-	-	·15	·02	-	-	1
2	·26	·02	-	·68	·03	-	-	·01	·47	·03	·01	·15	2
3	·05	-	·24	·11	·04	-	-	·13	·34	-	·45	·28	3
4	-	-	·05	-	·05	-	·25	·04	·03	·03	·23	-	4
5	-	·05	-	·11	·09	·43	-	·02	-	-	·13	·19	5
6	-	·10	-	·28	-	·07	·04	-	·02	·37	·21	-	6
7	-	-	-	-	·15	·20	-	·50	-	·12	·41	·04	7
8	·02	·14	-	·07	·04	·35	-	·10	-	-	·07	·01	8
9	-	·27	·02	·03	-	·02	-	-	-	-	·61	-	9
10	-	·04	-	-	-	·10	·05	·05	-	-	·32	·01	10
11	·12	·44	-	-	-	-	-	-	·03	-	·15	-	11
12	-	-	-	-	-	-	·10	-	·37	-	-	-	12
13	-	-	-	-	-	-	·42	-	-	-	-	-	13
14	-	·15	-	-	-	·09	1·58	·40	-	-	·04	-	14
15	-	·08	-	·02	·11	-	·56	·38	-	-	-	·08	15
16	-	·04	-	·10	·13	·14	-	·04	·06	-	-	-	16
17	·03	·07	-	·09	-	·08	·29	-	·11	-	-	-	17
18	·08	·01	·09	·08	-	·06	·14	1·76	-	-	·48	-	18
19	·09	-	-	·30	-	·27	-	·06	-	-	-	-	19
20	-	·10	·11	·03	-	-	-	·38	-	-	·01	-	20
21	·06	-	·01	-	-	-	-	-	-	-	·01	-	21
22	·26	·05	-	·02	·15	-	-	-	-	-	-	-	22
23	31	-	-	·19	·41	-	-	-	-	-	·25	-	23
24	·03	-	-	·45	·20	·04	·23	·23	-	-	-	·03	24
25	·30	·01	-	·58	·02	·30	·34	-	-	-	·10	-	25
26	-	·01	-	·15	-	-	·90	-	-	-	·27	·01	26
27	·13	·35	-	·01	·83	-	-	-	-	-	·03	-	27
28	·03	·13	·02	·20	·02	-	-	-	-	-	-	-	28
29	·13	×	-	-	·21	-	·11	-	-	·05	·03	·02	29
30	·03	×	-	·01	-	-	-	·01	-	-	-	·02	30
31	31	×	-	×	·12	×	-	-	×	-	×	·09	31
TOTAL	2·24	2·10	·55	3·56	2·60	2·33	5·01	4·11	1·58	·62	3·81	·93	YEAR'S TOTAL 29·44
*Days with ·01 in. or more.	17.	19.	8.	21.	16.	14.	13.	15.	9	6.	19.	12.	169.
*Days with ·04 in. or more.	12.	15.	4.	15.	13.	13.	13.	12.	6.	3.	14.	6.	126.

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Robert Hargreaves. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 659

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Chilbolton Down, Stockbridge

in the County of Hants

Diameter of Funnel of Gauge ......in.
Height of top of Gauge above Ground ......ft......in.
,, Ground ,, Sea Level ......ft.

Same as previously.

late r/p recd. 13/7/34

fits map very well.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	·02		·12	1·22	—	·02	·25	·03	·04	·02	—	1
2	—	—	—	·23	·13	—	—	—	·14	— ~~·21~~	—	·27	2
3	—	—	—	·18	·03	—	—	·04	·39	— ~~·25~~	—	—	3
4	·02	·01	—	—	—	·13	—	—	—	—	·04	—	4
5	·31	·01	—	—	—	—	·07	—	·20	—	—	—	5
6	·43	—	·03	·47	—	—	—	—	·17	—	—	—	6
7	—	—	·06	—	·01	—	·30	—	·34	·31	—	—	7
8	—	—	·37	—	·20	—	—	—	1·41	·25	—	—	8
9	·38	—	—	·14	·18	—	—	—	—	·13	—	—	9
10	·71	—	—	·34	·07	·07	—	—	·02	·17	·09	—	10
11	·06	—	—	·03	·02	—	—	—	·03	—	·02	—	11
12	·45	—	—	—	·05	·01	—	—	·08	·15	—	—	12
13	·06	—	—	·20	·06	—	·76	—	—	·86	—	·12	13
14	·25	—	—	·08	·03	—	—	·03	—	—	—	—	14
15	·03	—	—	·03	1·83	—	·10	—	—	·06	·19	—	15
16	·26	—	—	·09	·03	—	·06	—	—	—	—	·03	16
17	03	—	—	·01	—	—	·09	—	—	·06	—	—	17
18	·01	—	—	—	·05	—	·02	—	·32	—	·23	—	18
19	—	—	—	—	—	—	—	—	·05	·13	—	—	19
20	—	—	—	·24	·24	—	—	·59	—	·83	·13	·04	20
21	—	—	·02	·16	·87	—	—	—	—	·23	—	·18	21
22	—	—	·19	·02	—	—	·05	—	·33	·10	·36	—	22
23	·02	·01	·01	·02	·33	—	·02	—	·07	·74	—	·17	23
24	—	·11	—	—	—	—	·40	—	·14	·08	·04	·01	24
25	—	—	—	—	—	—	·31	—	·01	·25	·04	—	25
26	—	—	·12	·02	—	—	·32	—	—	·06	·06	—	26
27	—	—	·53	·32	·13	·03	·27	—	—	·10	—	·03	27
28	—	—	·02	·03	·26	—	·17	—	—	·10	—	—	28
29	—	—	·51	·24	·14	·10	—	·17	·36	·34	·20	·05	29
30	—	✕	·14	·20	—	1·64	·04	—	·68	—	~~[illegible]~~ 70	·38	30
31	—	✕	·09	✕	—	✕	·06	—	✕	—	✕	·15	31
TOTAL	3·14	0·16	2·09	3·1~~4~~7	5·88	1·98	3·06	1·08	4·77	4·99	2·12 ~~2·09~~	1·48	YEAR'S TOTAL 33·~~[illegible]~~87
*Days with ·01 in. or more.	15	5	12	21	20	6	17	5	19	20	13	11	163
*Days with .04 in. or more.	10	1	8	14	15	4	15	4	14	20	11	8	124

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Geoffrey Beale

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 659

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Chilbolton Down. Stockbridge

in the County of Hants

Diameter of Funnel of Gauge Same as in.

Height of top of Gauge above Ground previously ft. in.

,, Ground ,, Sea Level ft.

Fits map very well. Suggest point.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.59	.40	.10	-	.02	-	-	-	-	-	-	-	1
2	.38	-	.48	-	.45	-	-	-	-	-	-	-	2
3	-	.09	.48	-	-	-	-	-	.04	-	-	-	3
4	.20	.03	-	-	.26	-	-	-	-	-	-	-	4
5	.06	.03	.47	-	-	-	-	-	-	-	-	-	5
6	-	.11	-	-	.18	-	-	-	-	.19	.05	-	6
7	.04	.24	.07	-	.04	-	-	-	-	.04	-	-	7
8	.02	-	-	-	-	-	.47	-	-	.19	-	-	8
9	-	.02	-	-	.07	-	.25	-	-	.15	.04	-	9
10	-	.18	-	-	.08	-	.15	-	-	.55	.04	-	10
11	.25	-	-	-	.08	.05	.63	.12	.05	.02	-	-	11
12	-	-	-	.08	-	-	.09	-	1.12	-	-	-	12
13	.05	-	-	-	.10	.04	.50	-	.02	.06	.06	-	13
14	-	-	-	-	-	-	.03	.15	-	.22	.37	-	14
15	.63	-	.24	-	-	.04	-	.17	-	-	-	-	15
16	-	-	.86	-	-	.07	.06	-	.02	-	-	-	16
17	-	-	.53	-	-	.06	-	.01	.10	-	-	-	17
18	.18	.05 ×	.33	-	-	.37	-	-	-	-	-	-	18
19	-	.07 ×	.08	-	-	.05	-	-	1.13	-	.13	-	19
20	-	-	.02	.02	-	.15	-	-	.09	-	-	-	20
21	-	-	-	-	-	.03	-	.10	-	.02	-	-	21
22	-	.02 ×	-	-	-	.63	-	.22	.10	.14	.02	-	22
23	-	.24 ×	-	.30	-	.12	-	-	.45	.32	-	-	23
24	-	1.76 ×	-	.22	-	.29	-	-	-	-	-	-	24
25	-	1.05	-	.33	.01	.52	-	-	-	-	-	.14	25
26	-	.98	-	.08	-	.35	-	-	.74	.06	-	-	26
27	-	-	-	-	.45	-	.05	-	-	.24	-	.30	27
28	-	-	-	-	-	-	.40	-	-	.04	-	.05	28
29	-	×	.02	.03	-	-	-	-	-	-	-	-	29
30	.18	×	.14	-	-	-	.07	-	.11	-	-	-	30
31	.19	×	.04	×	-	×	-	-	×	-	×	-	31
TOTAL	2.77	5.27	3.86	1.06	1.74	2.77	2.70	.77	3.97	2.24	.71	.49	YEAR'S TOTAL 28.35
*Days with ·01 in. or more.	12	15	14	7	11	14	11	6	12	14	7	3	126
*Days with .04 in. or more.	11	11	12	8	9	13	10	5	10	12	6	3	107

40-9999

*See Instruction 2 (*f*) on other side

× Snow.

(*Signed*) Geoffrey Bealy

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 659

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Chilbolton Down, Stockbridge

in the County of Hants

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Jan. Feb. est by [illegible] obs

Observer informed 25/2/35.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			-	-	-	-	-	·45	·12	-	·02	·09		1
2			·07	-	-	-	-	-	·79	·16	-	·33		2
3			-	·17	-	-	-	·34	-	·33	-	·25		3
4			-	-	-	-	-	-	-	·24	-	·37		4
5			·10	-	·12	-	-	·25	-	-	·04	·60		5
6			·45	-	·37	-	-	·01	-	·26	·05	·85		6
7			-	-	-	·10	-	·24	-	·10	-	·68		7
8			-	-	·31	-	-	·02	·09	-	·47	·18		8
9			·11	-	-	-	-	-	-	-	·82	·49		9
10			·30	·29	-	-	-	·06	-	-	·24	·27		10
11			·55	·39	-	-	·14	·17	-	-	-	·35		11
12			·03	-	-	-	·05	·18	-	-	-	·45		12
13			·02	·18	-	-	·78	·03	-	-	·05	·39		13
14			·53	·01	-	-	-	-	-	·04	·10	·49		14
15			·15	-	-	-	-	-	-	·13	·09	·33		15
16			·25	-	·11	-	-	-	-	-	-	·06		16
17			-	-	·03	-	-	-	·10	·02	-	·25		17
18			·11	·20	-	-	-	-	·09	-	-	·23		18
19			·48	-	-	·08	-	-	·11	-	-	·17		19
20			·17	·10	-	-	·15	-	-	-	-	-		20
21			-	·14	-	·15	-	·06	-	·15	-	-		21
22			-	-	-	-	·14	·81	·25	-	-	·05		22
23			-	·30	-	·70	-	-	-	-	-	- ~~·76~~		23
24			·09	-	-	·09	·26	-	·10	-	-	- ~~[illegible]~~		24
25			-	·06	-	-	-	-	-	·15	-	·76 ~~[illegible]~~		25
26			·05	·30	-	·15	-	-	·16	-	-	·23 ~~[illegible]~~		26
27			-	-	-	·01	-	-	-	-	-	·37		27
28			-	-	-	·31	·02	·72	-	·04	-	·42		28
29			-	-	-	-	-	·09	·17	-	-	·02		29
30		X	-	-	-	-	-	-	·14	-	·05	·53		30
31		X	-	X	-	X	-	-	X	·06	X	·07	"d"	31
TOTAL	(3.00)	(·10)	3·46	2·14	·94	1.59 ~~[illegible]~~	1·54	3·43	2·12	1·68	1·93	9·88	Year's Total (31·81)	
*Days with ·01 in. or more.	(16)	(1)	16	11	5	8	7	14	11	12	10	27	(138)	
*Days with ·04 in. or more.	(14)	(1)	14	10	4	7	6	11	11	11	9	26	(124)	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) G. W. Stanley [illegible]

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 659

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Burley ~~Stockbridge~~

in the County of [illegible]

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	-	·19	-	·12	·08	·90	-	·23	·05	·19	-		1
2	-	-	-	-	-	·03	·02	-	-	·26	·05	·01		2
3	-	-	·08	-	-	·17	-	-	·64	·88	·20	-		3
4	-	·09	-	·14	-	·29	-	-	·08	·26	·37	·10		4
5	-	·43	·15	·18	-	·11	-	-	·32	·15	·02	·03		5
6	-	·06	-	·26	-	1·13	-	-	-	·03	·08	-		6
7	-	-	-	·40	-	·02	-	-	-	·12	·32	·05		7
8	-	-	·01	·41	-	·05	-	-	·08	·34	·47	-		8
9	·10	-	·11	·54	-	·75	-	-	·25	·83	·76	-		9
10	·03	-	-	·02	-	·03	-	-	-	-	·19	·02		10
11	·20	-	-	·06	-	·19	-	-	-	·03	·50	-		11
12	·03	·05	-	-	-	·25	-	·02	·06	-	·27	-		12
13	·08	·13	-	·09	·04	·14	-	-	·07	-	·03	-		13
14	-	-	-	·26	·01	·01	-	-	-	·02	·37	·21		14
15	-	·09	-	·62	-	·25	-	-	·13	-	·55	·04		15
16	-	·03	·05	·09	-	·15	-	-	1·00	·03	1·19	-		16
17	-	-	-	·31	-	·21	-	·02	·07	-	·16	-		17
18	-	·02	-	·33	-	·03	·03	·01	·42	·03	·01	-		18
19	-	·02	-	·03	·38	·07	·17	-	·05	·04	·22	-		19
20	-	·39	-	·03	·08	·03	·22	-	-	-	·69	-		20
21	-	·50	-	·05	-	-	-	-	·01	·07	-	-		21
22	-	·04	·09	-	-	-	-	·14	·07	-	-	-		22
23	-	-	·11	-	-	-	-	·20	·04	·82	-	·15		23
24	·02	·76	-	-	·03	-	-	1·01	·38	·02	-	·27		24
25	·09	·30	-	·16	·14	·38	-	-	-	-	·02	·37		25
26	-	·48	-	-	-	·01	-	·26	·17	·01	·01	·75		26
27	-	·28	-	-	-	-	-	-	·08	-	·08	·54		27
28	-	·14	-	-	·05	-	-	·10	·50	-	-	·20		28
29	-	✕	-	-	-	-	-	·01	·33	·02	·02	·76		29
30	·03	✕	-	·10	·19	-	-	·78	·01	·44	·89	·63		30
31	-	✕	-	✕	-	✕	-	-	✕	1·08	✕	·24		31
													Year's Total	
TOTAL	·60	3·81	·79	4·08	1·04	4·38	1·34	2·55	4·89	5·53	7·66	4·37	41·04	
* Days with .01 in. or more.	19	17	8	19	9	23	5	10	22	21	25	16	183	
* Days with .04 in. or more.	2	15	7	16	7	15	3	6	20	13	19	13	136.	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Geoffrey Beale

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 659

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Chilbolton Down Nr Stockbridge
in the County of Hants
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft.........in.
,, Ground ,, Sea Level..................ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·13	·03	·38	–	·37	·18	·01	–	–	·07	·09		1
2	–	·07	–	–	–	·20	·20	·04	–	–	·02	–		2
3	–	–	–	·28	–	·01	·03	–	·58	–	·35	–		3
4	–	–	·16	–	–	–	–	–	·20	–	·03	·04		4
5	·51	–	·06	–	·06	–	–	–	·04	–	–	·02		5
6	·65	–	–	–	–	·06	–	·04	·16	–	·34	–		6
7	·06	–	·08	–	–	–	·12	–	·03	–	·22	·06		7
8	·44	–	·19	–	–	–	·03	–	–	–	·09	·06		8
9	·58	–	·09	–	–	–	·30	–	·36	–	·02	·01		9
10	·03	–	–	–	–	–	·12	–	–	–	–	–		10
11	·06	·12	–	–	–	–	–	·10	·19	–	·89	–		11
12	–	–	–	·06	·22	·31	·25	–	·47	–	·34	·06		12
13	–	–	–	·02	–	·10	·02	–	–	·04	·16	·72		13
14	–	·04	–	–	–	·03	·62	–	·03	–	·04	·48		14
15	·01	·05	–	–	–	–	·04	–	·02	–	·03	·26		15
16	S. ·21	·27	–	–	–	–	·03	–	·04	–	·13	·08		16
17	–	·94	–	–	–	–	·08	–	·01	–	·10	·37		17
18	S. ·15	·18	–	–	–	·35	·18	–	–	·02	·01 S	·29 S		18
19	·47	·06	–	·05	–	·41	·03	·11	–	·02	–	–		19
20	·16	·19	·06	·39	–	–	·02	–	1·12	–	–	·02		20
21	–	·04	–	·71	–	·08	·01	–	·02	–	–	–		21
22	·11	·54	·18	–	·24	–	·24	–	–	–	–	·02		22
23	·03	–	·14	·08	·05	–	·21	–	–	·13	–	–		23
24	·12	·05	–	–	·08	–	–	–	·01	·58	–	–		24
25	·07	–	·09	·21	·03	–	·26	–	–	·11	·05	–		25
26	·09	·14	·14	·08	–	·32	·26	–	·12	·10	–	·01		26
27	·31	–	·07	–	–	–	·10	–	·09	·35	–	–		27
28	·91	–	·40	–	–	–	·61	–	–	–	–	·18		28
29	–	·06	·09	–	–	·01	·03	–	–	·06	·22	·06		29
30	·14	✕	–	–	–	·25	·01	–	–	·24	–	–		30
31	·25	✕	·36	✕	·02	✕	·13	–	✕	·15	✕	·52		31
TOTAL	5·49	2·88	2·14	2·26	·70	2·50	4·11	·30	3·49	1·80	3·11	3·35	Year's Total 32·13 ✓	
* Days with .01 in. or more.	22	15	15	10	7	13	26	5	17	11	18	19	178 ✓	
* Days with .04 in. or more.	18	15	14	9	5	10	17	4	11	9	13	14	139 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. N. Stanley Beale [P.T.O.

S. = Snow.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 659

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Chilbolton Down Stockbridge

in the County of Hampshire

Diameter of Funnel of Gauge As before in.

Height of top of Gauge above Ground ....ft. ....in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	-	-	·02	-	-	-	-	·04	-	·43	·65		1
2	·04	·56	-	·06	-	-	-	-	·17	-	-	·13		2
3	-	·28	-	-	-	-	-	-	-	-	-	-		3
4	·13	·70	-	-	-	-	-	-	-	-	-	·30		4
5	·13	-	·10	-	-	-	·20	·02	-	-	-	-		5
6	·12	·06	·58	·12	·08	-	·06	-	-	·06	-	-		6
7	-	·60	-	·09	·11	-	-	-	·01	·01	-	·45		7
8	-	·03	-	-	·24	-	-	-	-	-	-	·17		8
9	-	-	-	·18	·14	·03	·09	-	·25	-	-	·14		9
10	-	·01	·73	·59	·03	·20	·02	·42	-	-	-	·40		10
11	·01	-	·04	-	·21	·44	·11	-	-	-	-	-		11
12	·29	·26	·13	·03	·12	·30	·01	·52	·11	-	-	·38		12
13	·18	·04	·41	·22	-	-	-	·03	·08	-	-	·13		13
14	·01	·03	·43	-	-	-	-	·22	·05	-	-	·02		14
15	·29	·22	-	·21	-	-	·25	·01	·17	-	-	·37		15
16	·02	·10	·64	·13	-	·02	-	·43	·53	-	-	-		16
17	·72	·06	·15	-	-	-	-	-	·50	-	·17	-		17
18	·32	·11	-	-	-	-	-	-	-	-	·06	·14		18
19	·13	·08	·04	·09	-	·10	·13	-	·04	-	-	-		19
20	·73	-	·11	·18	-	·10	-	-	-	-	-	·04		20
21	·52	·33	·05	·07	·01	-	·07	-	-	·06	-	·03		21
22	·44	·05	·17	-	·36	·04	·15	-	-	·97	·53	·11		22
23	·52	·11	·04	-	·65	-	·02	-	-	·46	·16	·01		23
24	·45	·53	-	-	·02	-	-	-	·17	·95	-	·02		24
25	·22	·48	·25	-	1·35	-	-	-	·05	·33	-	·06		25
26	-	·31	-	-	·03	-	-	-	-	·17	-	-		26
27	-	·16	-	·14	-	-	-	-	-	·93	-	-		27
28	-	·04	-	-	-	-	-	-	-	·11	-	·02		28
29	·04	✕	-	-	-	-	-	-	-	·16	·15	·01		29
30	·49	✕	-	-	-	·01	-	-	-	·07	·25	-		30
31	·35	✕	-	✕	-	✕	-	-	✕	·48	✕	·02		31
TOTAL	6·37	5·15	3·87	2·13	3·35	1·24	1·11	1·65	2·17	4·74	1·75	3·60	Year's Total 37·13	
* Days with .01 in. or more.	23	23	15	14	13	9	11	7	13	13	7	21	169	
* Days with .04 in. or more.	20	20	15	12	9	6	8	4	12	12	7	14	139	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. N. Stanley Beale

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 659

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at CHILBOLTON DOWN, STOCKBRIDGE

in the County of HANTS

Diameter of Funnel of Gauge PREVIOUS YEARS in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, AS Sea Level ....ft.

Aus

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·03	·02			·11				·10	·02	·12		1
2	·03			·04			·25			43 ~~[illegible]~~	·01	·07		2
3					·10					·75	·05			3
4	·04						·10			·02	·01	·22		4
5							·09			·30				5
6	·03						·08 ~~[illegible]~~	~~[illegible]~~	·14	·04	·03			6
7	·07						·65	1·95	·06	·28		·08		7
8	·16						·08	·02	·04	·25		·02		8
9	·11	·04				·07						1·20		9
10	·08	·02					·04			·03		·29		10
11	·28									·02	·22	·25		11
12	·39	·02			·09		·04			·18		·10		12
13	·20	·03								·11	·34	42 ~~[illegible]~~		13
14	·33				·10		·09		·03					14
15	·09						·80			·33		·50		15
16	·33		·02					·03		·15		·06		16
17		·07	·01						·06	·16				17
18	·08								·07	·02	·51			18
19	·10							·08	·16		·63			19
20								·01	·03		·58	S. ~~·05~~		20
21	·03							·08	·12		·03	S. ~~·42~~ 4		21
22	·01							·16			·22	4		22
23						·02					·08	·94		23
24			·13						·23		·14			24
25	·08	·09	·06		·11			·01		·04	1·26	4		25
26	·18	·33	·03		·07				·06	·10	~~[illegible]~~	S. ~~·52~~ 4	✓	26
27	·09	·02			·20	·24	·38	·02	·31	·02	42 ~~[illegible]~~			27
28	·10	·05			·42	·12		46 [illegible]	·05			·03		28
29	·22	X			·25				·16	·03	·20	·07		29
30	·08	✕		·01	·12	·12			·05	·04	·13			30
31	·18	✕		✕	·16	✕			✕	·25	✕	·38		31
Total	3.29	·70	·27	·05	1.62	·68	2.60	2.82	1.57	3.65	4.88	4.79	Year's Total 26.92	
* Days with .01 in. or more.	24	10	6	2	10	6	11	10	15	22	18	~~18~~ 19	~~152~~	153
* Days with .04 in. or more.	20	5	1	1	10	5	11	5	13	16.	13	~~16~~ 17	~~116~~	117

See note overleaf.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. N. Stanley Beale [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 659

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at CHILBOLTON DOWN, STOCKBRIDGE

in the County of HANTS.

Diameter of Funnel of Gauge.................in. as before.

Height of top of Gauge above Ground..........ft.........in.

,, Ground ,, Sea Level.................ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·11	·19	·13			·06	·28		·02	·05		1
2	·04		·01	·08			·07	·64	·98		·01	·06		2
3	·61			·33				·18			·21	·26		3
4	·02	·01	·36	·31	·12		·47	·34		·52	·16	·09		4
5				·25	·37		·11	·05		·29	·47	·12		5
6	·38		·04		·02		·80	·08			·74			6
7		·24					·02	·01			·41	·37		7
8	·11	·20	·18				·09	·03		·33	·35	·24		8
9	·02	·01						·09		·17	·14	·22		9
10	·34					·08		·20	·03	·09	·02			10
11			·16					·02		·33	·01			11
12						·21					·03			12
13				·02		·01	·28		·06	1·52	·01			13
14	·66				·02	·02	·23			·24	·40	·04		14
15	·22			·06	·32	·56	·31		·02	·62	·23	·02		15
16	·48		·04	·06	·01	·33	·04				·30			16
17	·38	·07			·04	·03	·13			·44	·10			17
18	·26					·17	·81				·42			18
19	·24						·02					·04		19
20	·30						·65					·01		20
21	·03	·27	·08			·02	·15	·47	·02					21
22	·28	·31	·02			·23	·15				·14			22
23	·02			·11		·02	·02			·03	·85			23
24	·32					·25	·02			·05				24
25	·64	·13	·04				·08			·05	·25			25
26	·06									·05	·22	·08		26
27		·14	·06					·03			·18			27
28		·16	·07	·05		·09	·29			[illegible]	·17	~~8~~ ·16		28
29		✕		·04			·63			·06	·07			29
30		✕		·86		·06				·06	·07			30
31		✕		✕		✕	·21		✕	·30	✕			31
TOTAL	5·41	1·54	1·17	2·36	1·03	2·08	5·58	2·20	1·39	5·15	5·98	1·76	Yearly Total 35·65	✓
* Days with .01 in. or more.	20	10	12	12	8	14	22	13	6	17	26	14	174	✓
* Days with .04 in. or more.	16	8	10	11	5	9	18	9	3	16	20	12	137	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G.N. Stanley Seale

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 659

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Chilbolton Down, Stockbridge

in the County of Hampshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.01	-	-	-	-	-	-	-	-	.06	-		1
2	-	.09	-	.22	-	-	-	-	-	-	.59	-		2
3	-	.21	-	-	-	-	-	-	-	.24	1.16	.20		3
4	.02	.09	-	-	-	-	-	-	-	.28	.03	-		4
5	-	.02	-	-	-	-	.05	-	-	.08	.79	.22		5
6	.23	.30	-	-	-	-	.23	-	-	.28	-	-		6
7	.04	.27	-	-	-	-	.04	-	-	-	-	-		7
8	.10	-	-	-	-	-	-	-	.70	.44	.80	.21		8
9	-	-	-	-	-	-	-	-	.02	.22	.50	.20		9
10	-	-	-	-	-	-	1.19	-	-	-	.07	-		10
11	-	-	-	-	-	-	.02	-	-	-	.78	-		11
12	-	S.04	.20	-	-	-	.23	-	.24	-	.19	-		12
13	-	S.03	.79	-	-	-	-	-	.27	-	1.27	.50		13
14	-	-	.10	.08	-	-	.23	-	.02	.26	-	-		14
15	-	-	-	.04	.05	-	.60	-	.09	.13	.65	-		15
16	-	S.89	.28	.08	-	-	-	-	.26	.56	.93	-		16
17	-	-	.60	-	-	-	-	-	-	-	.23	-		17
18	S.04	.23	.28	.46	-	-	.17	-	-	.32	.03	.16		18
19	-	.12	.44	.13	-	-	.09	-	.68	-	.21	-		19
20	-	-	-	-	-	-	-	-	.13	.21	.09	-		20
21	S.02	-	-	-	-	-	.14	-	-	-	.57	-		21
22	-	-	.10	-	-	.32	-	-	.16	-	-	-		22
23	-	.17	.14	-	-	-	-	-	.02	-	-	-		23
24	-	-	-	-	-	-	.20	-	-	-	-	-		24
25	S.02	-	.15	-	-	.06	-	-	-	-	-	-		25
26	.77	.37	.06	.10	.07	.08	-	-	-	-	-	-		26
27	.63	.39	-	-	-	-	.07	-	-	-	-	-		27
28	.06	-	-	-	.04	-	-	-	-	-	-	-		28
29	S.82	.18	.14	.14	.06	-	-	-	-	-	-	.29		29
30	-	✕	-	.05	-	-	-	-	-	.38	-	-		30
31	.07	✕	-	✕	-	✕	-	-	✕	.69	✕	.09		31
TOTAL	2.82	3.41	3.28	1.30	.22	.46	3.26	-	2.59	4.09	8.95	1.87	Year's Total 32.25	
* Days with .01 in. or more.	12	16	13	11	6	3	17		13	14	19	14	~~119~~	138
* Days with .04 in. or more.	9	13	12	9	4	3	12		8	14	16	9	~~107~~	109

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. N. Stanley Beale

[P.T.O.

~~6594~~5

STOCKBRIDGE
(LECKFORD EST)

1933 – 1940

48 01 14

Section **A** for the entry

AIR MINIS

Station No. 659/5

RAINFALL ORGANIZATION.

FORM 1090.

REGI 1933. Hants /4

STOCKBRIDGE

Kept at (Leckford E

in the County of Ham

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				–	·06	–	–	–	–	–	·01	·01		1
2			·5	–	·28	–	–	–	–	–	–	~~·01~~		2
3			·36	–	·01	–	–	–	–	–	–	–		3
4			·01	–	·23	–	–	–	–	–	–	–		4
5			·40	–	·04	–	–	–	–	–	–	–		5
6			–	–	·17	–	–	–	–	·27	·06	–		6
7			·03	–	·04	–	–	–	–	·03	–	–		7
8			·03	–	·03	–	·41	–	–	·17	–	–		8
9			–	–	·02	–	·22	–	–	·16	·05	–		9
10			–	–	·03	–	·15	·01	–	·34	·04	–		10
11			–	–	–	·04	·53	·06	·01	·03	–	–		11
12			–	·04	·01	·04	·05	–	·99	–	–	·01		12
13			–	–	·08	–	·53	–	·04	·04	·04	–		13
14			–	–	·01	–	·03	·04	–	·31	·39	–		14
15			·15	–	–	·76	·01	·11	–	·01	·01	–		15
16			·83	–	–	·05	·04	Trace	·01	–	–	–		16
17			·41	–	–	·03	–	Trace	·09	–	–	–		17
18			·38	–	–	·33	–	–	–	–	·03	–		18
19			·04	Trace	–	Trace	Trace	–	·62	–	·13	·01		19
20			–	·02	–	·19	–	Trace	·13	–	Trace	Trace		20
21			–	–	·01	·03	–		·03	·01	–	Trace		21
22			–	–	–	1·21	–	·06	·02	·17	–	–		22
23			–	·25	–	·16	–	·17	·42	·37	–	–		23
24			–	·21	–	·09	–	Trace	–	–	Trace	–		24
25			–	·28	–	·38	·01	–	Trace	–	Trace	·08		25
26			–	·10	–	·09	–	Trace	·65	·02	Trace	Trace		26
27			–	Trace	·53	–	·05	–	Trace	·28	–	·28		27
28			–	·12	–	·02	·30	–	–	·01	–	·04		28
29			–	·04	Trace	–	–	–	–	·01	–	·01		29
30		X	·11	Trace	–	–	·06	–	·12	–	–	·05		30
31		X	·02	X	–	X	–	Trace	X	–	X	–		31
													Year's Total	
TOTAL	nil	nil	3·27	1·06	1·55	3·42	2·39	·45	3·13	2·21	·76	·49	nil	
*Days with ·01 in. or more.	–	–	13	8	15	14	13	6	12	16	9	8	–	
*Days with .04 in. or more.	–	–	8	6	8	11	10	5	8	9	6	4	–	

40-9999

*See Instruction 2 (*f*) on other side.

D N

† Spare column, no entries required.

(Signed) THE MANAGING DIRECTOR

P.T.O.

Section **A** for the entry of Daily Observations. Station No. 659/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Hants/4

STOCKBRIDGE

Kept at (Leckford ESTATE)

in the County of Hampshire

c1933

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	in.	in.		
1				–	·06	–	–	–	–	–	·01	·01		1
2			·5	–	·28	–	–	–	–	–	–	–		2
3			·36	–	·01	–	–	–	–	–	–	–		3
4			·01	–	·23	–	–	–	–	–	–	–		4
5			·40	–	·04	–	–	–	–	–	–	–		5
6			–	–	·17	–	–	–	–	·27	·06	–		6
7			·03	–	·04	–	–	–	–	·03	–	–		7
8			·03	–	·03	–	·41	–	–	·17	–	–		8
9			–	–	·02	–	·22	–	–	·16	·05	–		9
10			–	–	·03	–	·15	·01	–	·34	·04	–		10
11			–	–	–	·04	·53	·06	·01	·03	–	–		11
12			–	·04	·01	·04	·05	–	·99	–	–	·01		12
13			–	–	·08	–	·53	–	·04	·04	·04	–		13
14			–	–	·01	–	·03	·04	–	·31	·39	–		14
15			·15	–	–	·76	·01	·11	–	·01	·01	–		15
16			·83	–	–	·05	·04	Trace	·01	–	–	–		16
17			·41	–	–	·03	–	Trace	·09	–	–	–		17
18			·38	–	–	·33	–	–	–	–	·03	–		18
19			·04	Trace	–	Trace	Trace	–	·62	–	·13	·01		19
20			–	·02	–	·19	–	Trace	·13	–	Trace	Trace		20
21			–	–	·01	·03	–		·03	·01	–	Trace		21
22			–	–	–	1·21	–	·06	·02	·17	–	–		22
23			–	·25	–	·16	–	·17	·42	·37	–	–		23
24			–	·21	–	·09	–	Trace	–	–	Trace	–		24
25			–	·28	–	·38	·01	–	Trace	–	Trace	·08		25
26			–	·10	–	·09	–	Trace	·65	·02	Trace	Trace		26
27			–	Trace	·53	–	·05	–	Trace	·28	–	·28		27
28			–	·12	–	·02	·30	–	–	·01	–	·04		28
29			–	·04	Trace	–	–	–	–	·01	–	·01		29
30		×	·11	Trace	–	–	·06	–	·12	–	–	·05		30
31		×	·02	×	–	×	–	Trace	×	–	×	–		31
TOTAL	nil	nil	3·27	1·06	1·55	3·42	2·39	·45	3·13	2·21	·76	·49	Year's Total nil	
*Days with ·01 in. or more.	–	–	13	8	15	14	13	6	12	16	9	8	–	
*Days with .04 in. or more.	–	–	8	6	8	11	10	5	8	9	6	4	–	

40-9999

*See Instruction 2 (*f*) on other side.

D N

† Spare column/no entries required.

(Signed) THE MANAGING DIRECTOR

P.T.O.

23294?/27

Station No. 659/5

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

11/Hants/4

Kept at Leckford Estate, Stockbridge

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 250 ft.

[illegible]

Comp 1933

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY. yes.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	–	–	–	Trace	–	–	·51	·10	·01	Trace	·67		1
2	·11	–	·06	·02	·05	–	–	Trace	·73	·11	·04	·34		2
3	·04	Trace	Trace	·03	–	–	–	·25	–	·31	–	·19		3
4	·07	–	·11	·04	·15	–	–	Trace	–	·28	–	·40		4
5	·01	–	·01	–	·05	–	–	·25	–	Trace	Trace	·55		5
6	·03	–	·39	–	·16	Trace	–	·02	–	·25	·03	·73		6
7	·15	–	Trace	–	–	·11	–	·21	–	·05	Trace	·73		7
8	–	–	–	–	·32	–	–	·01	·05	–	·44	·17		8
9	·02	–	·10	–	·01	–	–	–	–	–	·93	·45		9
10	·08	Trace	·31	·32	–	–	–	·05	Trace	Trace	·17	·34		10
11	·74	–	·60	·34	–	–	·24	·12	–	Trace	–	·36		11
12	Trace	·01	·08	Trace	–	–	·03	·20	–	–	–	·43		12
13	·57	·01	·06	·15	–	Trace	·33	·02	Trace	–	·06	·40		13
14	·09	–	·49	·02	–	–	–	–	Trace	–	·05	·80		14
15	·02	–	·04	–	·07	–	–	–	–	·12	·07	·29		15
16	·10	–	·39	–	Trace	–	–	–	–	–	·01	·02		16
17	·02	Trace	Trace	–	Trace	–	–	–	·07	·01	Trace	·26		17
18	·05	–	·09	·21	–	–	–	–	·08	–	–	·22		18
19	–	–	·51	–	–	·05	–	·02	·10	Trace	–	·14		19
20	–	–	·19	·05	–	–	·16	–	–	Trace	Trace	·01		20
21	–	–	Trace	·15	–	·13	Trace	·03	Trace	·12	–	–		21
22	–	–	–	Trace	–	–	·18	·46	·20	–	–	·06		22
23	–	·02	–	·26	–	·51	–	–	·04	–	–	Trace		23
24	–	·02	·08	·04	–	·08	·52	–	·06	–	Trace	–		24
25	·25	–	Trace	·01	–	·02	Trace	–	–	·15	–	·83		25
26	·02	–	·09	·18	–	·13	Trace	–	·12	–	–	·54		26
27	·03	–	–	Trace	–	·20	–	–	–	·10	–	·43		27
28	–	–	–	–	–	·33	·02	·73	–	Trace	·01	·34		28
29	–		–	–	–	Trace	·01	·08	·18	–	Trace	·01		29
30	·05	×	–	–	–	–	·02	·01	·14	·04	·01	·41		30
31	·01	×	–	×	–	×	Trace	–	×	Trace	×	·06		31
TOTAL	2·47	·06	3·60	1·82	·83	1·56	1·51	2·97	1·89	1·55	1·82	10·18	Year's Total. 30·26	
* Days with .01 in. or more.	21	4	17	14	7	9	9	16	12	12	11	28	160	
* Days with .04 in. or more.	12	0	16	10	6	8	5	10	11	10	7	25	120	

V.G. [illegible]

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ~~Charles T. Bamber~~

C. T. BAMBER ESQ.

[P.T.O.

COPY FOR OFFICIAL USE.

Section | **A** | for the entry of Daily Observations. Station No. 659/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM [illegible]90.

REGISTER OF RAINFALL IN 1935.

Kept at Lockford

in the County of Hants

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			·25				·57							1
2														2
3														3
4														4
5														5
6						1.12								6
7														7
8														8
9											1.25			9
10														10
11	·20													11
12														12
13														13
14														14
15				·57										15
16									1·02					16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24		·72						·82						24
25														25
26												·70		26
27														27
28														28
29														29
30		×			·37									30
31		×		×		×			×	1·02	×			31
TOTAL	0.57	3.64	0.67	3.84	1.14	4.42	0.86	2.25	4.19	5.21	7.20	4.04	Year's Total 38.03	
* Days with .01 in. or more.	7	16	7	21	11	20	6	12	22	21	25	15	183	
* Days with .04 in. or more.	4	12	6	17	7	16	3	7	17	14	18	13	134	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)..........

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 659/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Leckford

in the County of Hants

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 385 ft. from Feb 1922

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11											·95			11
12											~~·95~~			12
13												·91		13
14							·62					~~·91~~		14
15		1·15												15
16														16
17														17
18														18
19								·09	1·15					19
20									~~1·15~~					20
21				·64										21
22					·18									22
23														23
24										·56				24
25										~~·56~~				25
26						·44								26
27														27
28	·99		·38											28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	5·16	2·88	2·09	2·04	0·62	2·30	3·78	0·24	3·92	~~1·60~~ 1·73	3·~~24~~ 11	~~3·27~~ 3·83	Year's Total. 31·~~74~~ 70	✓
* Days with .01 in. or more.	25	14	15	11	10	17	26	7	15	~~10~~ 11	1~~9~~ 8	1~~7~~ 8	18~~6~~ 7	✓
* Days with .04 in. or more.	20	14	13	8	6	10	20	2	11	~~7~~ 8	1~~4~~ 3	1~~2~~ 3	13~~7~~ 8	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

214

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 659/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1937.

Kept at Leckford

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 385 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2		·66 ✓												2
3														3
4														4
5														5
6		~~·44~~												6
7												·50		7
8														8
9														9
10		·75	·68 ✓											10
11		~~·75~~				·55								11
12								·63						12
13														13
14														14
15							·23							15
16														16
17									1·14					17
18														18
19														19
20	·73 ✓													20
21	~~·73~~													21
22										·96	·47			22
23														23
24														24
25					1·21									25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	·26 ✓ 6·~~58~~	·19 ✓ 5·~~49~~	6 ✓ 3·5~~8~~	2·18 ✓	3·01	1·51	1·10	1·45	2·79	4·77	1·47	3·36	36·65	✓
* Days with .01 in. or more.	22 ✓	24 ✓	6 ✓ 1~~7~~	15 ✓	12	8	8	6	13	13	7	19	163	✓
* Days with .04 in. or more.	19 ✓	8 1~~9~~	13	11 ✓	10	7	8	5	12	11	7	14	135 ✓	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

214

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 659/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM [illegible]00

REGISTER OF RAINFALL IN 1938

Kept at Seckford

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 385 ft.

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2				·02										2
3										·74				3
4														4
5														5
6														6
7								1·00						7
8														8
9												1·14		9
10														10
11														11
12	·45													12
13														13
14														14
15														15
16							·70							16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24			·14											24
25											1·24			25
26		·33												26
27						·26			·24					27
28					·30									28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	3·37	·65	26	·03	1·56	·73	2·33	1·94	1·39	3·43	4·73	4·65	Year's Total 25·07	✓
* Days with .01 in. or more.	23	10	4	2	11	7	12	11	16	20	17	17	150	✓
* Days with .04 in. or more.	19	5	2	0	10	5	12	6	12	16	13	15	115	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

·94

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 659/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Leckford

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 385 ft.

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2									·98					2
3														3
4			·36											4
5					·34									5
6														6
7												·44		7
8														8
9														9
10														10
11														11
12														12
13										1·50				13
14	·65													14
15						·80								15
16														16
17														17
18							·77							18
19														19
20														20
21								1·25						21
22		·27												22
23											·84			23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕		·82										30
31		✕		✕		✕			✕		✕			31
TOTAL	5·26	1·44	1·17	2·28	1·05	1·94	5·55	3·12	1·34	5·33	6·35	1·74	Year's Total 36·57	
* Days with .01 in. or more.	22	8	15	14	8	13	21	14	6	21	27	16	185	
* Days with .04 in. or more.	15	8	8	10	5	11	18	10	3	13	20	9	130	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE 214/5

Section **A** for the entry of Daily Observations

Station No. 659/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

400

Kept at Leckford

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 385 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10							1·33							10
11														11
12														12
13			·77								1·12			13
14												·48		14
15														15
16														16
17														17
18		·40		·50										18
19									·71					19
20								·23						20
21														21
22						·29								22
23														23
24														24
25														25
26					·06									26
27		·40												27
28														28
29	·80													29
30		✕												30
31		✕		✕		✕			✕	·67	✕			31
													Year's Total	
TOTAL	2·34	2·99	2·92	1·33	·20	·46	3·40	·24	2·01	3·86	8·03	1·86	29·64	
* Days with .01 in. or more.	8	16	14	17	9	4	18	2	11	17	20	15	151	
* Days with .04 in. or more.	6	12	12	9	2	3	13	1	8	13	17	9	105	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

660

Section **A** for the entry of Dail

AIR MINISTRY.—M

FORM 1090.

REGISTE

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

3I. .

660

MICHELDEVER VILLAGE

1931 - 1938

1934 A/B

78 01 14

Kept at Micheldever Village

in the County of Hampshire

Diameter of Funnel of Gauge Five

Height of top of Gauge above Ground O

,, Ground ,, Sea Level

THE MORNING MEASUREM **AY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·02"	–	·03"	–	·05"	–	Tr.	·11"	·01"	Tr.	Tr.	1
2	·17"	·02"	–	·53"	–	–	·01"	Tr.	·03"	·02"	Tr.	·16"	2
3	·04"	–	·19"	·06"	·10"	–	·01"	·16"	·48"	–	·24"	·25"	3
4	–	–	·06"	·01"	·05"	–	·28"	·01"	·04"	·03"	·22"	–	4
5	–	·02"	–	·10"	·10"	·44"	·03"	·02"	·02"	Tr.	·12"	–	5
6	–	·12"	–	·26"	–	·02"	–	–	Tr.	·36"	·15"	·21"	6
7	–	–	–	·01"	·10"	·25"	–	·65"	–	·12"	·32"	·03"	7
8	–	·23"	–	·03"	·03"	·40"	–	·09"	–	·02"	·10"	Tr.	8
9	–	·25"	·05"	·05"	–	·02"	Tr.	–	–	–	·66"	Tr.	9
10	–	–	·01"	·01"	–	·06"	Tr.	·08"	–	–	·18"	Tr.	10
11	·01"	·28"	–	–	–	–	–	·01"	·03"	Tr.	·15"	–	11
12	–	–	–	–	–	–	·05"	Tr.	·32"	–	Tr.	–	12
13	–	–	·05"	–	–	·01"	·21"	Tr.	Tr.	–	–	–	13
14	–	·17"	–	–	–	·07"	1·30"	·29"	–	–	–	–	14
15	–	·06"	–	Tr.	·11"	–	·16"	·72"	Tr.	–	·02"	·04"	15
16	–	·06"	–	·11"	·16"	·15"	–	·47"	·06"	–	–	Tr.	16
17	·01"	·05"	–	·10"	–	·10"	·36"	·05"	·16"	–	Tr.	–	17
18	·02"	–	Tr.	·06"	–	·31"	·11"	1·25"	Tr.	Tr.	·47"	–	18
19	–	–	–	·45"	–	·30"	·14"	·06"	–	–	Tr.	–	19
20	–	·08"	·05"	·05"	–	–	–	·25"	–	–	–	–	20
21	·06"	–	Tr.	–	·20"	–	–	Tr.	–	–	–	–	21
22	·20"	–	–	–	·03"	–	–	–	–	–	·03"	–	22
23	·30"	–	–	·18"	·29"	–	–	–	Tr.	–	·23"	Tr.	23
24	·05"	–	–	·52"	·26"	·20"	·18"	·17"	Tr.	–	·01"	·01"	24
25	·27"	–	–	·48"	·06"	–	·44"	–	–	–	·06"	–	25
26	–	·02"	–	·15"	–	–	·58"	–	–	–	·29"	–	26
27	·12"	·33"	–	–	1·05"	–	·03"	–	–	·01"	Tr.	–	27
28	·02"	·08"	–	·08"	·05"	–	–	–	Tr.	Tr.	–	·03"	28
29	·10"	×	Tr.	Tr.	·21"	·01"	·12"	–	–	·06"	·01"	–	29
30	·05"	×	–	–	–	–	–	·04"	Tr.	–	Tr.	–	30
31	·33"	×	–	×	·10"	×	–	–	×	–	×	·04"	31
TOTAL	1·75"	1·79"	0·41"	3·24"	2·90"	2·39"	4·01"	4·32"	1·25"	0·63"	3·26"	0·77"	YEAR'S TOTAL 26·75"
*Days with ·01 in. or more.	15	15	6	20	16	15	16	16	9	8	17	8	161
*Days with ·04 in. or more.	11	11	5	15	14	11	12	13	6	3	13	5	119

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W. Geo. Gould

[P.T.O.

660

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931. .

Kept at Micheldever Village (School Field)

in the County of Hampshire

Diameter of Funnel of Gauge Five ins.

Height of top of Gauge above Ground One ft. — in.

,, Ground ,, Sea Level 280 (approx) ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·02"	–	·03"	–	·05"	–	Tr.	·11"	·01"	Tr.	Tr.	1
2	·17"	·02"	–	·53"	–	–	·01"	Tr.	·03"	·02"	Tr.	·16"	2
3	·04"	–	·19"	·06"	·10"	–	·01"	·16"	·48"	–	·24"	·25"	3
4	–	–	·06"	·01"	·05"	–	·28"	·01"	·04"	·03"	·22"	–	4
5	–	·02"	–	·10"	·10"	·44"	·03"	·02"	·02"	Tr.	·12"	–	5
6	–	·12"	–	·26"	–	·02"	–	–	Tr.	·36"	·15"	·21"	6
7	–	–	–	·01"	·10"	·25"	–	·65"	–	·12"	·32"	·03"	7
8	–	·20"	–	·03"	·03"	·40"	–	·09"	–	·02"	·10"	Tr.	8
9	–	·25"	·05"	·05"	–	·02"	Tr.	–	–	–	·66"	Tr.	9
10	–	–	·01"	·01"	–	·06"	Tr.	·08"	–	–	·18"	Tr.	10
11	·01"	·28"	–	–	–	–	–	·01"	·03"	Tr.	·15"	–	11
12	–	–	–	–	–	–	·05"	Tr.	·32"	–	Tr.	–	12
13	–	–	·05"	–	–	·01"	·21"	Tr.	Tr.	–	–	–	13
14	–	·17"	–	–	–	·07"	1·30"	·29"	–	–	–	–	14
15	–	·06"	–	Tr.	·11"	–	·16"	·72"	Tr.	–	·02"	·04"	15
16	–	·06"	–	·11"	·16"	·15"	–	·47"	·06"	–	–	Tr.	16
17	·01"	·05"	–	·10"	–	·10"	·36"	·05"	·16"	–	Tr.	–	17
18	·02"	–	Tr.	·06"	–	·31"	·11"	1·25"	Tr.	Tr.	·47"	–	18
19	–	–	–	·45"	–	·30"	·14"	·06"	–	–	Tr.	–	19
20	–	·08"	·05"	·05"	–	–	–	·25"	–	–	–	–	20
21	·06"	–	Tr.	–	·20"	–	–	Tr.	–	–	–	–	21
22	·20"	–	–	–	·03"	–	–	–	–	–	·03"	–	22
23	·30"	–	–	·18"	·29"	–	–	–	Tr.	–	·23"	Tr.	23
24	·05"	–	–	·52"	·26"	·20"	·18"	·17"	Tr.	–	·01"	·01"	24
25	·27"	–	–	·48"	·06"	–	·44"	–	–	–	·06"	–	25
26	–	·02"	–	·15"	–	–	·58"	–	–	–	·29"	–	26
27	·12"	·33"	–	–	1·05"	–	·03"	–	–	·01"	Tr.	–	27
28	·02"	·08"	–	·08"	·05"	–	–	–	Tr.	Tr.	–	·03"	28
29	·10"	×	Tr.	Tr.	·21"	·01"	·12"	–	–	·06"	·01"	–	29
30	·05"	×	–	–	–	–	–	·04"	Tr.	–	Tr.	–	30
31	·33"	×	–	×	·10"	×	–	–	×	–	×	·04"	31
TOTAL	1·75"	1·79"	0·41"	3·24"	2·90"	2·39"	4·01"	4·32"	1·25"	0·63"	3·26"	0·77"	YEAR'S TOTAL 26·75"
*Days with ·01 in. or more.	15.	15.	6.	20.	16.	15.	16.	16.	9	8.	17.	8.	161.
*Days with ·04 in. or more.	11.	11.	5.	15.	14.	11.	12.	13.	6.	3.	13.	5.	119.

40-9999

(Signed) W. Geo. Gould [P.T.O.

*See Instruction 2 (*f*) on other side.

660

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 660

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Micheldever Village

in the County of Hampshire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground One ft. in.

,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	·01		·06	·92		·01	·27	·03	·05	·02	·01	1
2				·22	·10			·07	·08		·03	·22	2
3				·19	·01			Tr	·40		Tr	Tr	3
4	·02	Tr		Tr		·11		Tr		Tr	·03	·01	4
5	·29		·01		·01	·02	·06		·17	Tr		·02	5
6	·43		·03	·45	·01		·02		·15	Tr		Tr	6
7	·01		·07	Tr	·03		·10		·17	·25		·02	7
8		·01	·29	·01	·19				·75	·13		Tr	8
9	·57		Tr	·14	·20				·01	·02			9
10	·69	·03	Tr	·31	·06	·10			·01	·17	·14		10
11	·03	Tr		·03	·01	Tr	Tr	·02	·02	Tr	·03	Tr	11
12	·45			Tr	·05		·01	Tr	·10	·12	·02	Tr	12
13	·07		Tr	·27	·05		1·29		Tr	·78	·02	·04	13
14	·26			·25	·01			·03	Tr	·01	Tr	Tr	14
15	·04		Tr	·03	·64		·06	Tr	Tr	·07	·08	·02	15
16	·33			·10	·02		·25			Tr	Tr	·02	16
17	·01			·02	Tr		·01			·04			17
18	Tr			Tr	·03		·06		·28	·01	·18	Tr	18
19							Tr		·05	·14			19
20				·42	·23		Tr	·34	Tr	·71	·10		20
21			Tr	·23	1·03			·02		·18	Tr	·18	21
22			·26	·03	·01		·08	Tr	·31	·15	·42		22
23	·01	·01		·02	·50		·03		Tr	·74	·01	·20	23
24		·07		Tr	Tr		·46		·14	·06	·06		24
25							·44		·05	·25	·04		25
26	Tr		·08	·01			·39		Tr	·07	·03		26
27			·43	·24	·11	·02	·27			·18		·10	27
28			·06	·03	·10	·02	·21			·06	Tr	·02	28
29			·40	·13	·19	·06	·01	·05	·30	·33	·18	·08	29
30		×	·04	·20	Tr	1·53	·05	Tr	·52	Tr	·72	·28	30
31	Tr	×	·17	×		×	·08		×		×	·12	31
TOTAL	3·35	0·13	1·84	3·39	4·51	1·86	3·89	0·80	3·54	4·52	2·11	1·34	YEAR'S TOTAL 31·26
*Days with ·01 in. or more.	15	5	11	22	23	7	20	7	18	22	17	15	182
*Days with .04 in. or more.	10	1	9	14	14	4	14	4	14	19	9	8	120

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) W. Geo Gould

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 660.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Year

Kept at Micheldever Village, Hants

in the County of Hampshire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground One ft - in.

,, Ground ,, Sea Level 280 (approx) ft.

Looks 10" high

Letter sent re Lower total 8/5/34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23.	·33.	·10	–	·05	·01.	–	Tr.	–	Tr.	Tr.	–		1
2	·41.	–	·56.	–	·19	Tr.	Tr.	–	–	Tr.	·02.	–		2
3	·02.	·12.	·37.	–	·01.	–	–	Tr.	–	Tr.	·01.	–		3
4	·28.	·03.	·01.	–	·28.	–	–	–	–	–	–	–		4
5	·06.	·04.	·62.	–	·02	–	–	–	–	Tr.	Tr.	–		5
6	–	·24	·07.	–	·26.	–	Tr.	–	–	·24.	·02.	–		6
7	·05.	·07.	·04	–	·12	–	Tr.	–	–	·12.	Tr.	·01.		7
8	·02	Tr.	·02.	–	·02	–	·61.	–	–	·18.	Tr.	Tr.		8
9	–	·02.	·01.	–	·07	–	·42.	Tr.	–	·24.	·05.	–		9
10	·04.	·22	–	–	·09	Tr.	·19.	Tr.	–	·61.	·16.	–		10
11	·24.	–	–	–	·07.	·03.	1·00.	·30.	–	·11.	Tr.	–		11
12	Tr.	Tr.	–	·10.	·04.	·06.	·10.	·01.	1·63	·01.	Tr.	–		12
13	·06.	–	–	–	·09	·02.	·70.	–	·06	·12.	·05.	–		13
14	·01.	–	–	–	Tr	Tr.	·05.	Tr.	Tr.	·40.	·40.	Tr.		14
15	·55.	–	·24.	–	Tr	·02.	·11.	·36.	–	·01.	·02	–		15
16	Tr.	·01	1·19.	–	–	·14.	·13.	·01	·03.	·06.	Tr.	–		16
17	Tr.	·03	·48.	–	–	·10.	Tr.	·03.	·19.	Tr.	·03.	–		17
18	·19.	·03	·36.	–	Tr.	·70.	–	–	Tr.	–	·02.	–		18
19	Tr.	·03.	·06.	–	–	·11.	–	Tr.	·88.	–	·10.	·11.		19
20	–	·07.	·08	·02	–	·20.	–	·01.	·08.	–	·01.	·01.		20
21	–	Tr.	–	Tr.	·04	·40.	–	·11.	·08.	·01.	Tr.	–		21
22	–	Tr.	·01.	–	·50	·21.	–	·33	·08.	·29.	Tr.	–		22
23	–	·02	–	·43.	·01	·26.	–	·01.	·77.	·75.	Tr.	–		23
24	–	1·74.	–	·35.	Tr	·28.	Tr.	–	Tr.	·03.	–	–		24
25	–	1·22.	–	·02	–	·49.	·01.	–	·03.	Tr.	–	·12.		25
26	–	1·46.	–	·12.	–	1·75.	Tr.	–	·13.	·05.	Tr.	Tr.		26
27	–	·01.	–	·01.	·68	·01.	Tr.	–	·02.	·53.	·01.	·27.		27
28	–	–	·03.	·12.	·05	Tr.	·49	–	Tr.	·20.	Tr.	·07.		28
29	·07.	×	–	·12.	Tr.	–	·01.	–	–	·02.	Tr.	·02.		29
30	·09	×	·14.	Tr.	–	–	·12.	–	·30.	·01.	–	·10		30
31	·18	×	·12.	×	–	×	Tr.	·01.	×	·01.	×	–		31
TOTAL	2·50.	5·69.	4·51.	1·29	2·59	4·79.	3·94.	1·18.	4·28.	4·00	0·90.	0·71.	Year's Total 36·38	
*Days with ·01 in. or more.	16.	18.	19.	9.	18.	17	13.	10	13.	21.	13.	8.	170.	
*Days with .04 in. or more.	13.	10.	14.	6.	14.	12.	11	4.	10.	14.	5.	5	118.	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. Geo. Gould

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 660.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Micheldever Village

in the County of Hampshire

Diameter of Funnel of Gauge Five ins.

Height of top of Gauge above Ground One ft - in.

,, Ground ,, Sea Level 280 (approx) ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.		
1	·03″		·08		·05	Tr.	·84		·02	·16	·36			1
2	Tr.					·07	·03		·04	·33	·03	·01		2
3			·01	Tr.		·28	Tr.		·45	·92	·16	·01		3
4		Tr.		Tr.		·52		·02	·12	·17	·29	·07		4
5		·07	·04	·16		·20			·44	·09	·04	·02		5
6		·37	Tr.	·03		1·09			Tr.	·02	·04	·03		6
7		·01		·20		·02			Tr.	·13	·45	·05		7
8			Tr.	·12		·16			Tr.	·22	·41	·01		8
9	·07		Tr.	·29		·76			·28	1·08	·64	·02		9
10	·02			·17		·03					·39	·04		10
11	·28	·03	Tr.	Tr.		·01	·41		Tr.	·09	·74	Tr.		11
12	·10	·06				·40		·02	·08	Tr.	·48	Tr.		12
13	·08	·06		·22	·07	·19			·04		·05			13
14		·01		·36	·07	·04			·03	·07	·52	·21		14
15		·11		·01	·03	·36			·36	Tr.	·64	·06		15
16		·06	·03	·05		·17			1·16	·03	·94	Tr.		16
17	Tr.		Tr.	·32	·11	·18		·04	·04	Tr.	·49	Tr.		17
18		·01		·26	·01	·08		·02	·52	·04	·03			18
19				·07	·44	·08	·25		·06	·04	·29	·02		19
20		·32		·03	·24	·07	·32		·01		·77			20
21		·48		·11					·02	·03	·02			21
22		·04	·06	·20				·20	·08	Tr.	·01			22
23			·08	Tr.				·44	·04	·65	Tr.	·22		23
24	·02	·29			·02			1·32	·52	·03		·44		24
25		·09	Tr.	·17	·25	·24		·01	Tr.	·04	·01	·52		25
26		·72		Tr.		·08		·32	·24	·01		·72		26
27	·03	·08				·02	·01	·03	·28		·15	·29		27
28	·01	·15			Tr.		Tr.	·02	·40	Tr.		·28		28
29	·02							·01	·37	·02	·02	·88		29
30	·05	X		·24	Tr.			·75	·05	·44	·89	·74		30
31	·01	X		X		X		·02	X	1·13	X	·48		31
TOTAL	0·72″	2·96″	0·30″	3·01″	1·29″	5·35″	1·86″	3·22″	5·69″	5·74″	8·86″	5·12″	Year's Total. 44·12″	
* Days with .01 in. or more.	12	18	6	18	10	22	6	14	24	22	26	21	199	
* Days with .04 in. or more.	5	14	4	15	7	19	4	6	20	16	20	14	144	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Wm. Geo. Gould

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 660

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Micheldever, Winchester

in the County of Hampshire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground One ft. – in.

" Ground " Sea Level 280 (approx) ft.

1935

756692/29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	·23	·06	·72		·39	·31	·03	Tr.		·05	·10		1
2	·03	·16				·10	·09	·03	Tr.		·01	Tr.		2
3	Tr.	Tr.		·60		·01	·02		·67		·30	Tr.		3
4	Tr.	Tr.	·16	Tr.		·02			·18	·02	·06	·05		4
5	·64	Tr.	·11		·10			·01	·04		Tr.	·03		5
6	·41		·03			·02		·03	·20	Tr.	·28			6
7	·11		·13				·09		·05	Tr.	·15	·07		7
8	·41		·30				·06				·15	·09		8
9	·54		·13				·27		·39		·04	·02		9
10	·09		Tr.				·17				·03			10
11	·06	·11		·09			Tr.		·10	·02	·95			11
12			Tr.		·05	·35	·27		·78	Tr.	·45	·08		12
13				·02	Tr.	·08	·02			·03	·17	·90		13
14		·12				·06	·66		·02	·02	·08	·80		14
15	Tr.	Tr.				·03	·05		·09		·05	·38		15
16	·13	·31					·06		·07		·28	·14		16
17	·04	·96			·23	·15	·10	Tr.	Tr.	·01	·08	·48		17
18	·20	·51				·35	·30		Tr.	·03	Tr.	·29		18
19	·36	·08	·02	·05		·13	·04	·10		Tr.				19
20	·19	·19	·12	·60			·05		·85	·04		·02		20
21	Tr	·02	Tr.	·65		·33	Tr.		·02			Tr.		21
22	·15	·82	·20	Tr.	·33		·21				Tr.	·04		22
23	·04		·33	·12	·06		·35			·04	Tr.			23
24	·15	·15			·05		·01		·05	·70	Tr.			24
25	·10		·10	·37	·03		·08		·06	·15	·05			25
26	·11	·24	·08		Tr.		·16		·01	·12	Tr.			26
27	·45	Tr.	·21				·05		·33	·45		·02		27
28	1·16		·60				·67		·02			·17		28
29	·02	·11	·18			·04	·20			·07	·25	·07		29
30	·18	×	Tr.		Tr.	·25	·02		Tr.	·20				30
31	·25	×	·50	×	·02	×	·16		×	·26	×	·48		31
TOTAL	5·99"	4·01"	3·26"	3·12"	0·87"	2·31"	4·47"	0·20"	3·93"	2·16"	3·43"	4·23"	Year's Total 37·98"	
* Days with .01 in. or more.	24	14	17	9	8	15	26	5	18	15	18	19	188	
* Days with .04 in. or more.	22	10	15	8	6	11	22	1	14	9	16	15	152	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

Micheldever (~~The~~ School House)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 660

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Micheldever, Winchester

in the County of Hampshire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground One ft. - in.

,, Ground ,, Sea Level 250 (approx) ft.

1935 } up big Query sent
1936 }

Jan 17th & 21st adjusted by surrounding stns.
24/3/38 E.L.R.

75669/2/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·35	·01		·19					·05		·58	·54		1
2	·02	·61	Tr.	Tr.				Tr.	·15		·01	·49		2
3	·01	·35	·01	Tr.	Tr.		Tr.	Tr.			Tr.	·02		3
4	·13	·87	Tr.	Tr.			Tr.		·01		Tr.	·30		4
5	·26	·02	·14	·01			·10	Tr.	Tr		Tr			5
6	·01	·06	·52	·08	·10		·04	Tr.		·09		Tr.		6
7		·61	Tr.	·14	·01				·01	·01		·23		7
8		·01		Tr.	·18				Tr		·01	·21		8
9		Tr.		·32	·10	·02	·03		·25			·16		9
10	·02	Tr.	·63	·46	·03	·30	Tr.	·19	Tr.			·39		10
11			·10	Tr.	·32	·37	·14	Tr.				Tr.		11
12	·38	·30	·26	·07	·20	·25	·01	·12	·10			·21		12
13	·02	·05	·50	·26	·02	Tr.	Tr.	·25	·07			·35		13
14	·01	·02	·38	Tr.	Tr.		Tr.	·21	·08			·02		14
15	·27	·21	·01	·26			·43		·15			·22		15
16	·01	·21	·60	·22	Tr.	·10		·35	·31	Tr.		Tr.		16
17	·80 ~~·05~~	·02	·10	Tr.			·04		·42		·05			17
18	·27	·06	Tr.	Tr.					·01		·43	·12		18
19	·14	·13	·06	·16	Tr.	·12	·11	Tr.	·03					19
20	·69	Tr.	·03	·14	·07	·03	Tr.	Tr.		·01		·02		20
21	·70 ~~·04~~	·35	·04	·05	Tr.	Tr.	Tr.			·02		·04		21
22	·58	·06	·18	Tr.	·25	·02	·17			1·10	·45	·13		22
23	·31	·12	·01		·40		·04	Tr.	Tr.	·25	·27	Tr.		23
24	·51	·45	·04		·01			·01	·14	·66		·02		24
25	·34	·52	·22		·90				·08	·09		Tr.		25
26		·33	·01		·02			Tr.	Tr.	·10		Tr.		26
27	·02	·19	Tr.	·15	·01		Tr.		Tr.	·66	·01			27
28		·04		Tr.			Tr.			·06		·02		28
29	·02	×						Tr.		·09	·12	·01		29
30	·19	×				Tr.				·03	·36			30
31	·40	×		×		×		Tr.	×	·54	×	·01		31
TOTAL	6·46 ~~5·05~~	5·60"	3·84"	2·51"	2·62"	1·21"	1·11"	1·13"	1·86"	3·71"	2·29"	3·51"	Year's Total ~~34·50~~"	35·85
* Days with .01 in. or more.	25	24	19	14	15	8	10	6	15	14	10	20	180	Printed ✓
* Days with .04 in. or more.	16	19	14	13	9	5	8	5	11	10	7	13	130	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) W. G. Gould [P.T.O.

X — W. G. Gould

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 660

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Micheldever
in the County of Hampshire
Diameter of Funnel of Gauge Five in.
Height of top of Gauge above Ground One ft. – in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following /

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01.	·01.			·02.	·12.	·20.			·07.	·01.	·14.		1
2	·02.	Tr.				Tr.	·03.			·49.	Tr.	·08.		2
3	Tr.		Tr.	·04.	·10.	Tr.				·75.	·06	·02		3
4	·03.	Tr.	Tr.	Tr.	Tr.	Tr.	·20.	·02.	Tr.	·03.	·01.	·20.		4
5	Tr.						·18.	·02.		·33.	Tr.	·01.		5
6	·02		Tr.				·07.		·13.	·02.	·03.	Tr.		6
7	·19					·02.	·69.	·41.	·12.	·30.	Tr.	·16.		7
8	·13.						·08.	·02.	·04.	·28.	Tr.	·12.		8
9	·06.	·04	Tr.			·06.	Tr.	·01.		·01.		1·34.		9
10	·10.	·01.				·02.	·02.	·01.		·02.	·01.	·64.		10
11	·17.	Tr.					Tr.	Tr.		·01.	·15.	·21.		11
12	·37.	·01.		Tr.	·06.		Tr.	Tr.	Tr.	·18.	Tr.	·03.		12
13	·25.	Tr.				Tr.	Tr.			·11.	·42.	·41.		13
14	·44.	Tr.	Tr.		·08.				·02.	Tr.	·01.	·01.		14
15	·08.	Tr.			·01.		·50		Tr.	·34.	·02.	·33.		15
16	·35.		·01.		·01.		—	·04.	Tr.	·03.	·02	·05.		16
17	Tr.	·07.	·02.				Tr.		·08.	·16.	·01.			17
18	·10.	Tr.			Tr.			Tr.	·02.	Tr.	·49.	Tr.		18
19	·08.	Tr.				Tr.		·08.	·10.	Tr.	·85.			19
20	Tr.					Tr.		Tr.	·08.	Tr.	·53.			20
21	·02.							·05.	·10.	Tr.	·05.	·50.		21
22						·01.		·25.	Tr.	Tr.	·23.	Tr.		22
23			Tr.		Tr.	·02.	Tr.	Tr.	·02.	Tr.	·05.			23
24		Tr.	·15		Tr.				·15	·02.	·14.			24
25	·10.	·07.	·06		·13.			Tr.	Tr.	·02.	1·35.	·12.		25
26	·30.	·36.	·05.		·05.	Tr.		Tr.	·05.	·19.	Tr.	·34.		26
27	·11.	·02.	Tr.		·16.	·26.	·47.	·02	·05.	·02	·45.	Tr.		27
28	·06.	·05.			·39.	·12.		·60	·05	Tr.		·08.		28
29	·16.				·26.	Tr.	·01.	·25.	·09.	·03.	·22.	·08.		29
30	·10.	✕			·13.	·05.	Tr.	·02.	·12.	·04.	·14.	·01.		30
31	·15.	✕		✕	·16.	✕	Tr.		✕	·25.	✕	·33.		31
TOTAL	3·40."	0·64."	0·29."	0·04."	1·56."	0·68."	2·45."	1·80."	1·22."	3·40."	5·25."	5·21."	Year's Total 26·24."	✓
* Days with .01 in. or more.	24.	9.	5.	1.	13.	9.	11.	14.	16.	23.	22.	22.	169.	✓
* Days with .04 in. or more.	19.	5.	3.	1.	10.	5.	8.	7.	13.	12.	14.	17.	114.	✓

† Spare column, no entries required.

(Signed) W. Geo. Gould

* See Instruction 3 (f) on other side.

[P.T.O.

Y WONSTON (ST OLAF'S)

660/8

WONSTON
(ST OLAFS)
1934 - 1936

780114

Section **A** for the entry of Daily ... Station No. 660/8

AIR MINISTRY.—ME... L ORGANIZATION.

FORM 1090.

REGISTER ...

11/ Hants/[illegible]A

Kept at (ST. OLAF'S) WO...
SUTTO...
in the County of HAMPSHIRE
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground 1
,, Ground ,, Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	–	·06	–	–	–	·49	·18	–	·08	·61		1
2	·10	–	·06	–	–	–	–	–	·63	·19	·02	·28		2
3	·05	–	–	–	–	–	–	·21	–	·49	–	·12		3
4	·08	–	·11	·38	–	–	–	–	–	·19	–	·48		4
5	–	–	–	–	·24	–	–	·18	–	–	·03	·54		5
6	·03	–	·37	–	–	–	–	–	–	·21	·18	·91		6
7	·15	–	–	–	–	·12	–	·29	–	·16	–	·60		7
8	–	–	–	–	·29	–	–	·01	·09	–	·46	·15		8
9	·01	–	·09	–	–	–	–	–	–	–	·96	·54		9
10	·02	·02	·32	·25	–	–	–	·03	–	–	·20	·22		10
11	·77	–	·57	·34	–	–	·13	·15	–	–	–	·30		11
12	·02	–	–	–	–	–	·06	·18	–	–	–	·29		12
13	·45	–	·02	·11	–	–	·49	–	–	–	–	·76		13
14	·11	–	·56	·02	–	–	–	–	–	–	·20	·54		14
15	·01	–	–	–	·09	–	–	–	–	·15	·07	·34		15
16	·10	–	·34	–	·04	–	–	–	–	–	–	·05		16
17	·10	–	–	–	–	–	–	–	·10	–	–	·23		17
18	·11	–	–	·15	–	–	–	–	·19	–	–	·23		18
19	–	–	·49	–	–	–	–	–	·07	–	–	·11		19
20	–	–	·17	·04	–	–	·10	·02	–	–	–	–		20
21	–	–	–	·17	–	·15	–	–	–	·10	–	–		21
22	–	–	–	–	–	–	·10	·57	·20	–	–	·05		22
23	–	–	–	·25	–	·68	–	·02	–	–	–	·01		23
24	–	·07	·15	·06	–	·05	·21	–	·10	–	–	–		24
25	·34	–	–	·14	–	–	–	–	–	·10	–	·70		25
26	·01	–	–	·15	–	·12	–	–	·13	–	–	·21		26
27	–	–	–	–	–	·15	–	–	–	·02	–	·26		27
28	–	–	–	–	–	·05	·02	·75	–	–	–	·40		28
29	–	×	–	–	–	–	–	·06	·16	–	·04	·01		29
30	·06	×	–	–	–	–	–	·09	·06	–	–	·47		30
31	–	×	–	×	–	×	–	–	×	–	×	·09		31
TOTAL	2·54	·09	3·25	2·12	·66	1·32	1·11	3·05	1·91	1·55	2·24	9·50	Year's Total 29·34	
*Days with ·01 in. or more.	~~19~~	~~2~~	~~12~~	~~13~~	~~4~~	~~7~~	~~7~~	~~14~~	~~11~~	~~9~~	~~10~~	~~28~~	~~136~~	
*Days with ·04 in. or more.	12	1	11	12	4	7	6	10	11	8	6	26	116	

OK

40-9999

*See Instruction 2 (*f*) on other side.

N

† Spare column, no entries required.

(Signed) James H Gray

X J H. GRAY ESQ X

[P.T.O.

Y WONSTON (ST OLAF'S)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 660/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

11/ Hants/A

Kept at (ST. OLAF'S) WONSTON SUTTON. SCOTNEY

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 200 ft.

C 1934

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	-	-	·06	-	-	-	·49	·18	-	·08	·61		1
2	·10	-	·06	-	-	-	-	-	·63	·19	·02	·28		2
3	·05	-	-	-	-	-	-	·21	-	·49	-	·12		3
4	·08	-	·11	·38	-	-	-	-	-	·19	-	·48		4
5	-	-	-	-	·24	-	-	·18	-	-	·03	·54		5
6	·03	-	·37	-	-	-	-	-	-	·21	·18	·91		6
7	·15	-	-	-	-	·12	-	·29	-	·16	-	·60		7
8	-	-	-	-	·29	-	-	·01	·09	-	·46	·15		8
9	·01	-	·09	-	-	-	-	-	-	-	·96	·54		9
10	·02	·02	·32	·25	-	-	-	·03	-	-	·20	·22		10
11	·77	-	·57	·34	-	-	·13	·15	-	-	-	·30		11
12	·02	-	-	-	-	-	·06	·18	-	-	-	·29		12
13	·45	-	·02	·11	-	-	·49	-	-	-	-	·76		13
14	·11	-	·56	·02	-	-	-	-	-	-	·20	·54		14
15	·01	-	-	-	·09	-	-	-	-	·15	·07	·34		15
16	·10	-	·34	-	·04	-	-	-	-	-	-	·05		16
17	·10	-	-	-	-	-	-	-	·10	-	-	·23		17
18	·11	-	-	·15	-	-	-	-	·19	-	-	·23		18
19	-	-	·49	-	-	-	-	-	·07	-	-	·11		19
20	-	-	·17	·04	-	-	·10	·02	-	-	-	-		20
21	-	-	-	·17	-	·15	-	-	-	·10	-	-		21
22	-	-	-	-	-	-	·10	·57	·20	-	-	·05		22
23	-	-	-	·25	-	·68	-	·02	-	-	-	·01		23
24	-	·07	·15	·06	-	·05	·21	-	·10	-	-	-		24
25	·34	-	-	·14	-	-	-	-	-	·10	-	·70		25
26	·01	-	-	·15	-	·12	-	-	·13	-	-	·21		26
27	-	-	-	-	-	·15	-	-	-	·02	-	·26		27
28	-	-	-	-	-	·05	·02	·75	-	-	-	·40		28
29	-	X	-	-	-	-	-	·06	·16	-	·04	·01		29
30	·06	X	-	-	-	-	-	·09	·06	-	-	·47		30
31	-	X	-	X	-	X	-	-	X	-	X	·09		31
TOTAL	2·54	·09	3·25	2·12	·66	1·32	1·11	3·05	1·91	1·55	2·24	9·50	Year's Total 29·34	
*Days with ·01 in. or more.	~~19~~	~~2~~	~~12~~	~~13~~	~~4~~	~~7~~	~~7~~	~~14~~	~~11~~	~~9~~	~~10~~	~~28~~	~~136~~	
*Days with ·04 in. or more.	12	1	11	12	4	7	6	10	11	8	6	26	116	

OK

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) James H Gray

N

X J. H. GRAY ESQ X

[P.T.O.

665955/26. Circ A.

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** **Station No.** 660/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at St Olafs. Wonston. Sutton Scotney

in the County of Hampshire

7 398408/35

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	·16	TR	·09	·06	·75	–	·03	·10	·55	TR		1
2	–	–	–	–	–	·04	·02	–	·01	·24	·08	–		2
3	–	TR	·03	·01	–	·13	–	–	·51	·90	·01	TR		3
4	–	·05	–	·21	–	·20	–	TR	·13	·19	·15	·04		4
5	–	·25	·10	·13	–	·16	–	–	·31	·09	·12	TR		5
6	–	·02	·01	·27	–	·95	–	–	–	·05	·03	·02		6
7	–	–	–	·37	–	·04	–	–	–	–	·32	·07		7
8	–	–	TR	·45	–	·04	–	–	TR	·10	·48	TR		8
9	·07	–	TR	·49	–	·94	–	–	·16	·35	·71	TR		9
10	·02	–	·06	·02	–	·01	–	–	–	·69	·41	TR		10
11	·23	TR	–	·09	–	·18	·01	–	–	·09	·51	TR		11
12	·04	·05	–	–	–	·22	–	·01	·09	–	·29	–		12
13	·06	·11	–	·11	–	·12	–	–	·02	TR	·06	–		13
14	–	–	–	·24	·10	·03	–	–	–	·01	·25	·15		14
15	–	·09	–	·60	–	·12	–	–	·18	–	·52	·04		15
16	–	·02	·04	·11	–	·02	–	TR	·75	·03	·68	–		16
17	–	–	–	·25	·06	·19	·01	·01	·06	–	·19	–		17
18	–	·01	[illegible]	·29	·05	·03	·01	·02	·35	·03	·02	–		18
19	–	TR	–	·04	·38	·05	·16	–	·03	·03	·13	–		19
20	–	·29	–	·03	·18	·03	·20	–	–	–	·53	–		20
21	TR	·41	–	·02	–	TR	–	–	·01	·03	–	–		21
22	–	TR	·08	·06	–	–	–	·13	·07	–	–	–		22
23	–	–	·09	–	–	–	–	·31	x –	·58	–	–		23
24	·01	·66	–	–	·02	–	–	·98	x	·05	–	·36		24
25	·03	·66	–	·14	·14	·34	–	–	–	–	–	·20		25
26	TR	·26	–	–	–	·02	–	·29	x	·01	–	·52		26
27	–	·42	–	–	–	–	–	·05	x ·54	TR	·01	·48		27
28	–	·24	–	–	·02	–	–	·02	·42	TR	TR	·17		28
29	–	×	–	–	–	–	–	TR	·40	TR	TR	·72		29
30	·05	×	–	·10	TR	–	–	·74	·01	·40	·70	·58		30
31	–	×	–	×	–	×	–	·01	×	·75	×	·27		31
TOTAL	·54	3·54	·57	4·03	1·04	3·92	1·16	2·57	4·08	4·72	6·75	3·62	Year's Total 36·54	
*Days with ·01 in. or more.	9	15	8	21	9	22	7	11	22 ~~19~~	20	22	13	17~~8~~9	
*Days with .04 in. or more.	5	12	6	17	7	16	3	6	16 ~~13~~	14	18	12	~~129~~	132

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required

(*Signed*) James H Gray [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. 660/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at St Olaf's Wonston Sutton Scotney Winchester

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

written 16/4

398408/35

Dr. Glasspoole

This g appears to be oversheltered by fruit trees, which the obsr. states ~~&~~ are 2-4 feet high, 6' N.

Will you take up the matter with him?

Upton House is a good record, & is < ¼ mile away. (see [illegible] encl with comparison)

THE PREVIOUS DAY.

ing made on January 1st of the following

nstructions Overleaf.

Jan. 1, following

								Aug.	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
								in.	in.	in.	in.	in.	†	
								·01	TR	-	·04	·08		**1**
								03	TR	-	TR	TR		**2**
								TR	·29	-	·30	TR		**3**
								-	·27	-	·03	·04		**4**
								02	·03	·	·01	·02		**5**
								3	·16	-	·30	TR		**6**
									·01	-	·18	·05		**7**
8									TR	-	·13	·08		**8**
9									·07	TR	·01	TR		**9**
10									·01	-	TR	TR		**10**
11									·12	-	·72	·02		**11**
12									·65	-	·38	·02		**12**
13									-	TR	·03	·70		**13**
14									·02	·02	·02	·57		**14**
15									·66	-	·09	·26		**15**
16									·03	-	·14	·08		**16**
17									TR	TR	·05	·34		**17**
18									-	·02	-	·37		**18**
19			TR	·01	-	·03	·09	·08	-	·01	TR	-		**19**
20	·14	·23	·14	·39	-	TR	·05	-	·88	-	-	TR		**20**
21	-	TR	TR	·56	TR	·15	·03	-	·04	-	-	-		**21**
22	·09	·43	·13	TR	·24	-	·16	-	TR	-	-	·03		**22**
23	·04	-	·43	·07	·03	-	·30	-	TR	·09	-	-		**23**
24	·10	·06	-	-	·02	-	·01	-	·04	·51	-	-		**24**
25	·08	TR	·03	·21	-	-	·29	-	·04	·05	·04	-		**25**
26	·03	·12	·11	TR	-	·03	·14	-	·02	·18	TR	·02		**26**
27	·32	-	·08	-	-	-	·06	-	·08	·40	-	TR		**27**
28	·89	-	·31	TR	-	-	·72	-	TR	-	-	·15		**28**
29	-	·07	·16	-	-	TR	·18	-	-	·06	·22	·04		**29**
30	·14	✕	TR	-	TR	·14	TR	-	-	·02	-	TR		**30**
31	·15	✕	·30	✕	·05	✕	·15	-	✕	·17	✕	·33		**31**
TOTAL	5·08	2·98	2·46	1·95	·51	1·76	4·34	·17	3·42	1·53	2·69	3·20	Year's Total 30·09	✓
* Days with .01 in. or more.	22	13	16	11	7	14	26	5	18	11	17	18	178	✓
* Days with .04 in. or more.	20	13	14	6	4	9	21	1	12	7	12	13	132	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) James H Gray

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 660/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at St Olaf's Wonston Sutton Scotney, Winchester
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 200 ft.

written 16/4
398408/35

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·16	·02	·40	-	·41	·18	·01	TR	-	·04	·08		1
2	TR	·14	TR	-	-	·07	·10	·03	TR	-	TR	TR		2
3	-	-	-	·27	-	·01	·02	TR	·29	-	·30	TR		3
4	-	-	·15	TR	-	·02	TR	-	·27	-	·03	·04		4
5	·43	-	·09	-	·03	-	-	·02	·03	-	·01	·02		5
6	·77	-	·11	-	TR	·04	TR	·03	·16	-	·30	TR		6
7	·11	-	·09	-	-	TR	·10	-	·01	-	·18	·05		7
8	·37	-	·19	-	-	-	·03	-	TR	-	·13	·08		8
9	·58	-	·12	-	-	-	·29	-	·07	TR	·01	TR		9
10	·02	-	-	TR	-	TR	·27	TR	·01	-	TR	TR		10
11	·04	·12	-	·01	-	-	TR	TR	·12	-	·72	·02		11
12	TR	-	-	·01	·09	·32	·23	TR	·65	-	·38	·02		12
13	TR	-	-	·01	-	·13	·04	-	-	TR	·03	·70		13
14	-	·08	-	TR	-	·04	·58	-	·02	·02	·02	·57		14
15	-	TR	-	-	-	·03	·03	-	·66	-	·09	·26		15
16	·04	·26	-	-	-	-	·05	-	·03	-	·14	·08		16
17	·14	·92	-	·01	·05	-	·06	TR	TR	TR	·05	·34		17
18	·14	·32	-	-	-	·34	·18	-	-	·02	-	·37		18
19	·36	·07	TR	·01	-	·03	·09	·08	-	·01	TR	-		19
20	·14	·23	·14	·39	-	TR	·05	-	·88	-	-	TR		20
21	-	TR	TR	·56	TR	·15	·03	-	·04	-	-	-		21
22	·09	·43	·13	TR	·24	-	·16	-	TR	-	-	·03		22
23	·04	-	·43	·07	·03	-	·30	-	TR	·09	-	-		23
24	·10	·06	-	-	·02	-	·01	-	·04	·51	-	-		24
25	·08	TR	·03	·21	-	-	·29	-	·04	·05	·04	-		25
26	·03	·12	·11	TR	-	·03	·14	-	·02	·18	TR	·02		26
27	·32	-	·08	-	-	-	·06	-	·08	·40	-	TR		27
28	·89	-	·31	TR	-	-	·72	-	TR	-	-	·15		28
29	-	·07	·16	-	-	TR	·18	-	-	·06	·22	·04		29
30	·14	✕	TR	-	TR	·14	TR	-	-	·02	-	TR		30
31	·15	✕	·30	✕	·05	✕	·15	-	✕	·17	✕	·33		31
TOTAL	5·08	2·98	2·46	1·95	·51	1·76	4·34	·17	3·42	1·53	2·69	3·20	Year's Total 30·09	✓ [illegible]
* Days with .01 in. or more.	22	13	16	11	7	14	26	5	18	11	17	18	178	✓
* Days with .04 in. or more.	20	13	14	6	4	9	21	1	12	7	12	13	132	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) James H Gray [P.T.O.

Section **A** for the entry of
AIR MINISTRY

661

661
WONSTON
UPTON HOUSE
1931 - 1939

780114

COPY FOR OFFICIAL USE.
NFALL ORGANIZATION.

FORM 1090.

REGIST **93**/.

Kept at Upton House – N

in the County of Han

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	·04	—	·04	—	·03	·02	—	·18	·02	—	—	1	
2	·19	·02	—	·58	—	—	—	—	·39	·02	·02	·16	2	
3	·05	—	·18	·07	·05	—	—	·14	·45	—	·32	·30	3	
4	—	—	·06	—	·04	—	·23	·02	·03	·02	·27	—	4	
5	—	·02	—	·11	·16	·47	·03	·01	—	—	·23	·18	5	
6	—	·10	—	·23	—	·09	—	—	—	·35	·17	—	6	
7	—	—	—	—	·11	·10	—	·50	—	·11	·28	·04	7	
8	—	·15	—	·07	·05	·33	—	·04	—	·02	·08	·01	8	
9	·03	·28	—	·04	—	·03	·02	—	—	—	·69	·02	9	
10	·02	·02	—	—	·01	·05	·05	·05	—	·02	·23	·01	10	
11	·10	·43	—	—	—	·01	·20	—	·04	—	·13	—	11	
12	·01	—	—	—	—	—	·04	—	·47	—	—	—	12	
13	—	—	—	—	—	—	·21	·05	—	—	—	—	13	
14	—	·15	·01	—	—	·03	1·12	·32	—	—	·03	—	14	1·12
15	—	·07	—	·05	·09	—	·26	·52	—	—	—	·06	15	·26
16	—	·02	—	·11	·12	·12	[illegible]	·19	·12	—	—	—	16	—
17	·02	·08	—	·18	—	·17	·33	·02	·11	—	·01	—	17	·33
18	·07	·02	·03	·10	—	·11	·11	1·41	—	—	·46	—	18	·11
19	·08	—	—	·37	—	·24	·08	·07	—	—	·31	·01	19	·08
20	—	·05	·08	·08	—	—	—	·24	—	—	—	—	20	—
21	·05	·22	·02	—	·21	—	—	—	—	—	·01	—	21	
22	·23	—	—	—	—	—	—	—	—	—	·01	—	22	
23	·29	—	—	·19	·32	·01	—	—	—	—	·22	—	23	
24	·04	—	—	·56	·18	·35	·20	·15	—	—	·01	—	24	
25	·32	—	—	·58	·05	—	·30	—	—	—	·08	—	25	
26	—	—	—	·17	—	—	·77	—	—	—	·26	—	26	
27	·11	·34	—	—	1·03	—	—	—	—	—	·01	—	27	
28	·02	·08	·02	·12	·02	—	—	—	—	—	—	·02	28	
29	·12	—	—	—	·22	—	·10	—	—	·05	·01	·01	29	
30	·02	×	—	·01	—	—	—	·08	—	—	·01	—	30	F
31	·34	×	—	×	·02	×	—	—	×	—	×	·04	31	(27·33)
TOTAL	2·13	1·67	·40	3·61	2·68	2·66	4·07	3·76	1·79	·61	3·49	·86	YEAR'S TOTAL 27·33	
*Days with ·01 in. or more.	20	16	7	19	16	15	19	16	8	8	23	12	177 (177)	
*Days with ·04 in. or more.	13	11	3	17	13	10	13	12	7	3	13	6	121	

40-9999 3·61 27·33

*See Instruction 2 (*f*) on other side.

(*Signed*)

1·79

[P.T.O.

27·33

661

Section **A** for the entry of ~~Daily Observations.~~ COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Upton House – Norton – Sutton Scotney Hants

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	·04	–	·04	–	·03	·02	–	·18	·02	–	–	1	
2	·19	·02	–	·58	–	–	–	–	·39	·02	·02	·16	2	
3	·05	–	·18	·07	·05	–	–	·14	·45	–	·32	·30	3	
4	–	–	·06	–	·04	–	·23	·02	·03	·02	·27	–	4	
5	–	·02	–	·11	·16	·47	·03	·01	–	–	·23	·18	5	
6	–	·10	–	·23	–	·09	–	–	–	·35	·17	–	6	
7	–	–	–	–	·11	·10	–	·50	–	·11	·28	·04	7	
8	–	·15	–	·07	·05	·33	–	·04	–	·02	·08	·01	8	
9	·03	·28	–	·04	–	·03	·02	–	–	–	·63	·02	9	
10	·02	·02	–	–	·01	·05	·05	·05	–	·02	·23	·01	10	
11	·10	·43	–	–	–	·01	·20	–	·04	–	·13	–	11	
12	·01	–	–	–	–	–	·04	–	·47	–	–	–	12	
13	–	–	–	–	–	–	·21	·05	–	–	–	–	13	
14	–	·15	·01	–	–	·03	1·12	·32	–	–	·03	–	14	1·12
15	–	·07	–	·05	·09	–	·26	·52	–	–	–	·06	15	·26
16	–	·02	–	·11	·12	·12	[illegible]	·19	·12	–	–	–	16	–
17	·02	·08	–	·18	–	·17	·33	·02	·11	–	·01	–	17	·33
18	·07	·02	·08	·10	–	·11	·11	1·41	–	–	·46	–	18	·11
19	·08	–	–	·37	–	·24	·08	·07	–	–	·31	·01	19	·08
20	–	·05	·08	·08	–	–	–	·24	–	–	–	–	20	–
21	·05	[illegible]	·02	–	·21	–	–	–	–	–	·01	–	21	
22	·23	–	–	–	–	–	–	–	–	–	·01	–	22	
23	·29	–	–	·19	·32	·01	–	–	–	–	·22	–	23	
24	·04	–	–	·56	·18	·35	·20	·15	–	–	·01	–	24	
25	·32	–	–	·58	·05	–	·30	–	–	–	·08	–	25	
26	–	–	–	·17	–	–	·77	–	–	–	·26	–	26	
27	·11	·34	–	–	1·03	–	–	–	–	–	·01	–	27	
28	·02	·08	·02	·12	·02	–	–	–	–	–	–	·02	28	
29	·12	–	–	–	·22	–	·10	–	–	·05	·01	·01	29	
30	·02	×	–	·01	–	–	–	·08	–	–	·01	–	30	F
31	·34	×	–	×	·02	×	–	–	×	–	×	·64	31	(27·33)
TOTAL	2·13	1·87	·40	3·61	2·68	2·66	4·07	3·76	1·79	·61	3·49	·86	YEAR'S TOTAL 27·33	
*Days with ·01 in. or more.	20	16	7	19	16	15	17	16	8	8	23	12	177 (177)	
*Days with ·04 in. or more.	13	11	3	17	13	10	13	12	7	3	13	6	121	

40-9999

3·61

*See Instruction 2 (*f*) on other side.

(Signed) [illegible] Gardiner

27·33

P.T.O.

1·79

27·33

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 661

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Upton House – Wonston – Sutton Scotney

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	·03	–	·07	1·21	–	·02	·15	·03	·04	·02	–	1
2	·02	–	–	·22	·07	–	–	·07	·20	–	·02	·23	2
3	–	·01	–	·16	·08	–	–	–	·29	–	–	–	3
4	·03	–	–	–	–	·09	·06	–	–	–	·03	–	4
5	·28	–	·02	–	–	–	·03	–	·17	–	–	–	5
6	·39	–	·05	·39	·02	–	–	–	·21	–	–	·01	6
7	·01	–	·07	–	·03	–	·20	–	·28	·32	–	–	7
8	·02	–	·31	·01	·24	–	–	–	·99	·12	–	–	8
9	·48	–	·01	·18	·10	–	–	–	–	–	–	–	9
10	·65	–	–	·37	·05	·15	–	–	·02	·16	·12		10
11	·05	–	–	·05	·02	–	–	–	–	–	·03	·03	11
12	·48	–	–	–	·06	–	–	–	·09	·14	·01	·01	12
13	·07	–	–	·26	·04	–	1·15	–	·01	·80	·01	·06	13
14	·24	–	–	·11	·01	–	–	·04	–	·02	–	·02	14
15	·03	–	–	·03	·66	–	·06	–	–	·06	·18	·02	15
16	·33	–	–	·08	–	–	·47	–	–	–	–	·02	16
17	·01	–	–	·02	–	–	–	–	–	·04	–	–	17
18	–	–	–	–	·03	–	·06	–	·25	–	·26	·01	18
19	–	–	–	–	–	–	–	–	·04	·13	·02	–	19
20	–	–	–	·26	·26	–	–	·36	–	·42	·14	·02	20
21	–		·02	·20	·92	–	–	–	–	·17	–	·17	21
22	·01		·22	·03	–	·08	·08	–	·34	·17	·37	·01	22
23	·02	·03	–	·03	·44	–	·04	–	·04	·70	–	·18	23
24	–	·08	·01	–	–	– (39)	·39	–	·13	·05	·04	·01	24
25	–	–	–	–	–	–	·46	–	·04	·24	·04	·02	25
26	–	–	·11	·02	–	–	·19	–	–	·06	·05	–	26
27	–	–	·38	·27	·10	·03	·17	–	–	·09	–	·04	27
28	–	–	·04	·03	·16	·02	·17	–	–	·07	–	–	28
29	–	–	·46	·21	·33	·17	–	·09	·35	·34	·17	·06	29
30	–	×	·06	·19	–	1·48	·07	–	·60	–	·69	·30	30
31	–	×	·16	×		×	·05	–	×	–	×	·11	31
TOTAL	3·26	·15	2·11	3·10	4·79	1·97	3·61	·71	4·03	4·44	2·09	1·33	YEAR'S TOTAL 31·59
*Days with ·01 in. or more	(18) 16	4	14	22	20	9	17	5	18	26	17	19	181
*Days with .04 in. or more.	10	1	10	15	14	4	15	5	15	19	10	8	126

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Henry J. Garamed

P.T.O.

COPY FOR OFFICIAL USE.

Section | **A** | **for the entry of Daily Observations.** Station No. 661

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Upton House Wonston Sutton Scotney

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·47	·32	·10	–	·04	–	–	–	–	–	–	–		1
2	·39	·02	·52	–	·13	–	–	–	–	–	–	–		2
3	·02	·10	·37	–	·02	–	–	–	–	–	–	–		3
4	·27	·08	·01	–	·36	–	–	–	–	–	–	–		4
5	·07	03	·35	–	–	–	–	–	–	–	–	–		5
6	–	·24	·04	–	·17	–	–	–	–	·11	·05	~~·80~~		6
7	·64	·05	–	–	·05	–	–	–	–	·08	–	–		7
8	·02	·02	·04	–	·09	–	·41	–	–	·14	–	–		8
9	–	·03	–	–	·06	–	·22	–	–	·22	·04	–		9
10	·02	·42	–	–	·07	–	·15	–	–	·36	~~·06~~ ·12	–		10
11	·24	·01	–	–	·10	·05	·62	·15	–	·11	·02	–		11
12	–	–	–	·05	·04	·07	·21	–	1·00	–	–	–		12
13	·06	–	–	–	·05	·01	·42	·01	·02	·07	·05	–		13
14	·02	–	–	–	–	–	·03	·01	–	·21	·30	–		14
15	·60	–	·18	–	–	–	·20	·11	–	·02	·02	–		15
16	–	·02	·85	–	–	·08	·12	–	·03	·01	–	–		16
17	·17	·04	·46	–	–	·05	–	–	·41	–	·02	–		17
18	–	·02	·34	–	–	·39	–	–	–	–	·02	–		18
19	–	·04	·03	–	–	·08	–	–	·69	–	·14	·07		19
20	·01	·04	·03	·02	–	·16	–	–	·05	–	·02	·01		20
21	–	·01	·02	–	·05	·12	–	·05	·04	–	–	·01		21
22	–	–	–	–	–	·32	–	·18	·03	·16	–	–		22
23	–	·01	–	·35	–	·16	–	–	·43	·54	–	–		23
24	–	1·72	–	·16	–	·20	–	–	–	·01	·02	–		24
25	–	1·25	–	·26	–	·20	–	–	·02	–	·02	·08		25
26	–	·93	–	·08	·07	1·30	–	–	·14	·04	–	·02		26
27	–	·02	–	–	·37	–	·08	–	·03	·28	–	·19		27
28	–	–	–	·06	·09	–	·33	–	–	·08	–	·05		28
29	·11	–	·02	·13	–	–	–	–	–	·02	–	·02		29
30	·41	×	·08	–	–	–	·05	–	·13	–	–	·06		30
31	·16	×	·04	×	–	×	–	–	×	–	×	–		31
TOTAL	2·80	5·37	3·68	1·11	1·84	3·28	2·82	·51	2·72	2·46	·84	·51	Year's Total	27·94
*Days with ·01 in. or more.	17	22	17	8	16	14	12	6	13	17	13	9		164
*Days with ·04 in. or more.	12	11	12	7	14	13	10	4	8	13	6	5		115

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Henry J. Gardiner

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 661

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Upton House Wonston Sutton Scotney

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

	Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
	1	·03	—	—	—	—	—	—	·46	·15	·02	·03	·68	1·37	1	
	2	·12	—	·07	·04	·16	—	—	—	·71	·19	·02	·32	1·63	2	
	3	·05	·02	—	—	—	—	—	·34	·01	·46	—	·21	1·09	3	
	4	·08	—	·11	·37	·19	—	—	·19	—	·15	—	·45	1·54	4	
·025	5	·03	—	·02	—	·09	—	—	·05	—	—	·04	·58	·81	5	
	6	·03	—	·38	—	·22	—	—	·25	—	·21	·08	·99	2·16	6	
	7	·14	—	—	—	—	·12	—	·08	—	·10	—	·61	1·05	7	
	8	—	—	—	—	·29	—	—	—	·09	—	·53	·15	1·06	8	
	9	·02	—	·11	—	—	—	—	—	—	—	·93	·55	1·61	9	
	10	·08	·02	·34	·27	—	—	—	·04	—	·01	·19	·23	1·18	10	
·15	11	·82	—	·59	·34	—	—	·15	·17	—	—	—	·31	2·41	11	
·07	12	·03	·01	·02	—	—	— ·07	[illegible]	·19	—	—	—	·42	·74	12	
	13	·50	·01	·02	·14	—	—	·49	·01	—	—	·05	·62	1·84	13	
	14	·13	—	·62	·03	—	—	—	—	—	—	·17	·62	1·57	14	
	15	·03	—	·07	—	·10	—	—	—	—	·14	·07	·35	·76	15	
	16	·12	—	·22	—	—	—	—	—	—	—	·03	·05	·42	16	
	17	·05	—	—	·02	·03	—	—	—	·08	·02	·01	·25	·46	17	
·01	18	·11	[illegible]	·11	·15	—	—	—	—	·20	—	—	·20	·81	18	
—	19	—	[illegible]	·46	—	—	·04	—	·08	·08	—	—	·11	·72	19	
—	20	—	[illegible]	·15	·07	—	—	·13	—	—	—	·02	—	·37	20	
	21	—		—	·15	—	·11	—	·04	·02	·11	·01	—	·44	21	
	22	—	·01	—	—	—	—	·07	·54	·20	—	—	·05	·87	22	
	23	—	·03	—	·27	—	·40	—	·02	·03	—	—	·02	·77	23	
·03	24	—	·03	·09	·06	—	·05	·21	—	·08	—	—	·01	·53	24	·53
	25	·36		—	·12	—	—	—	—	—	·13	—	·75	1·36	25	
	26	·02	·01	·03	·45	—	·13	—	—	·12	—	—	·25	·92	26	
	27	·02	—	—	—	—	·15	—	—	·01	·03	·02	·31	·54	27	
	28	·02	—	—	—	—	·06	—	·80	—	·02	·02	·39	1·31	28	·02
	29	—	—	—	—	—	—	—	·07	·16	—	·02	·02	·25	29	
	30	·05	×	—	—	—	—	—	·08	·10	·03	·01	·50	·77	30	
	31	·02	×	—	×		×	·08	—	×	·02	×	·11	·18	31	
														Year's Total.		
2.86	TOTAL	2·86	·15	3·51	2·21	1·08	1·36	1·15	3·36	2·05	1·64	2·23	10·14	31·74		
	* Days with .01 in. or more.	23	9	17	14	7	8	7	17	15	15	17	29	178		
	* Days with .04 in. or more.	13	0	13	12	6	8	6	14	13	8	8	26	125		

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 661

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Upton House Wonston Sutton Scotney

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	·17	–	·07	·07	·73	–	·04	·10	·28	–	1·49	1
2	–	–	–	–	–	·07	·01	–	·03	·28	·04	–	·43	2
3	–	–	·03	·01	–	·15	–	–	·57	·89	·10	–	1·75	3
4	–	·06	·01	·23	–	·29	–	–	·07	·17	·15	·05	1·03	4
5	–	·31	·13	·13	–	·07	–	–	·30	·10	·06	·03	1·13	5
6	–	–	·02	·28	–	1·18	–	–	–	·09	·03	·01	1·61	6
7	–	–	–	·38	–	·01	–	–	–	·12	·32	·06	·89	7
8	–	–	–	·35	–	·05	–	–	–	·30	·80	·02	1·52	8
9	·08	–	–	·45	–	·92	–	–	·15	·74	·46	·01	2·81	9
10	·04	–	·08	·03	–	·02	–	–	–	–	·55	–	·72	10
11	·24	·02	–	·08	–	·24	·02	–	–	·11	·30	–	1·01	11
12	·03	·07	–	–	–	·20	–	·02	·04	–	·07	–	·43	12
13	·07	·11	–	·10	·05	·12	–	–	·03	–	·25	–	·73	13
14	–	–	–	·28	·05	·04	–	–	·03	·01	·20	·17	·78	14
15	–	·09	–	·62	–	·03	–	–	·19	–	·53	·05	1·51	15
16	–	·03	·04	·13	–	·04	–	–	·84	·04	·75	–	1·87	16
17	–	–	–	·25	·06	·19	·01	·02	·09	–	·15	–	·77	17
18	–	·01	–	·28	·02	·04	·01	·02	·39	·02	·02	–	·81	18
19	–	·01	–	·04	·45	·05	·16	–	·04	·04	·18	–	·97	19
20	–	·30	–	·03	·17	·03	·18	–	–	–	·53	–	1·24	20
21	–	·45	–	·04	–	–	–	–	·04	·03	·01	–	·57	21
22	–	·03	·08	·05	–	–	–	·17	·04	–	–	–	·37	22
23	–	·01	·10	–	–	–	–	·38	·04	·62	·02	·07	1·24	23
24	·03	·74	–	–	·05	–	–	·94	·24	·01	–	·32	2·33	24
25	·04	·60	–	·13	·14	·35	–	·01	–	–	–	·26	1·53	25
26	–	·43	–	–	–	·02	–	·30	·15	·01	·02	·61	1·54	26
27	–	·31	–	–	–	–	–	·03	·14	–	·08	·45	1·01	27
28	–	·23	–	–	·04	–	–	·03	·55	–	–	·11	·96	28
29	–	×	–	–	–	–	–	–	·25	–	·02	·85	1·12	29
30	·07	×	–	·12	–	–	–	·75	–	·38	·76	·81	2·89	30
31	–	×	–	×	–	×	–	·01	×	1·09	×	·20	1·30	31
TOTAL	·63	3·81	·66	4·01	1·10	4·18	1·12	2·38	4·26	5·15	6·68	4·08	Year's Total 38·06	
* Days with .01 in. or more.	9	18	9	21	10	22	7	12	22	20	26	17	193	
* Days with .04 in. or more.	6	12	6	18	9	17	3	5	19	15	20	13	143	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 661

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Upton House Wonston Sutton Scotney

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·15	·03	·37	–	·35	·18	·02	–	–	·04	·09	1·35	1
2	·02	·13	–	–	–	·06	·08	·04	–	–	·01	·01	·35	2
3	–	–	–	32	–	·02	·02	–	·13	–	·30	–	1·14	3
4	–	–	·15	–	–	·02	–	–	·16	–	·04	·05	·42	4
5	·48	–	·09	–	·04	–	–	·02	·03	–	–	·02	·68	5
6	·79	–	·02	–	–	·04	–	·08	·18	–	·31	–	1·37	6
7	·07	–	·12	–	–	–	·06	–	·03	–	·18	·08	·54	7 ·08
8	·40	–	·20	–	–	–	·10	–	–	–	·13	·07	·90	8
9	·66	–	[illegible]	–	–	–	·22	–	·49	–	·02	·01	1·55	9
10	·14	–	·01	–	–	–	·30	–	–	–	–	–	·35	10
11	·04	–	–	·02	–	–	–	–	·16	–	·80	·02	1·04	11
12	–	–	–	–	·09	·35	·24	–	·70	–	·43	·07	1·88	12
13	–	–	–	–	–	·08	·03	–	–	·03	·16	·77	1·07	13
14	–	·20	–	–	–	·04	·60	–	·02	·01	·08	·65	1·60	14
15	·01	·04	–	–	–	·03	·03	–	·40	–	·05	·31	·87	15
16	·07	·26	–	–	–	–	·04	–	·04	–	·14	·11	·66	16
17	·13	1·03	–	·02	·07	·14	·08	–	–	–	·05	·39	1·91	17
18	·12	·32	–	–	–	·21	·22	–	–	·03	·01	·31	1·22	18
19	·42	·07	–	·11	–	·14	·07	·09	–	–	–	–	·90	19
20	·13	·22	·14	·31	–	·02	·08	–	·97	–	–	·01	1·88	20
21	–	·02	–	·59	–	·13	·01	–	–	–	–	–	·75	21
22	·12	·45	·13	–	·23	–	·29	–	–	–	–	·03	1·25	22
23	·04	–	·40	·07	·04	–	·22	–	–	·09	–	–	·86	23
24	·10	·06	–	–	·03	–	–	–	·05	·35	–	·01	·60	24
·22 25	·08	–	·05	·22	·07	–	·23	–	·07	·14	·05	–	·91	25
26	·12	·13	·09	–	–	·03	·14	–	·01	·09	–	–	·61	26
27	·28	–	·07	–	–	–	·27	–	·09	·39	–	–	1·10	27
28	·91	–	·44	–	–	–	·54	–	–	–	–	·18	2·07	28
29	–	·06	·12	–	–	–	·17	–	–	·07	·28	·05	·75	29
30	·15	×	–	–	–	·45	·03	–	–	·24	–	·01	·88	30
·13 31	·18	×	·36	×	·05	×	·13		×	·17	×	·48	1·37	31
TOTAL	5·45	3·14	2·55	2·03	·62	1·83	4·41	·20	3·83	1·81	3·03	2·79	Year's Total 32·63	✓
* Days with .01 in. or more.	24	[illegible]	17	9	8	16	26	5	16	11	18	22	187	✓
* Days with .04 in. or more.	22	13	14	7	4	11	21	2	12	8	15	14	146	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 661

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Upton House [illegible] Winchester

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

	Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
	1	·27	·01	–	·01	–	–	–	–	·04	–	·43	·37	1·13	1	
	2	·03	·56	–	·15	–	–	–	–	·15	–	–	·37	1·26	2	
	3	·01	·30	·01	–	–	–	·01	–	–	–	–	–	·33	3	
	4	·10	·77	–	–	–	–	–	–	–	–	–	·28	1·15	4	
	5	·16	·03	·12	·02	–	–	·15	–	–	–	–	–	·48	5	
·48	6	·10	·04	·78	·11	·09	–	·05	–	–	·08	–	–	·95	6	
·09	7	–	·60	·01	·10	·11	–	–	·02	·01	·01	–	–	·86	7	
	8	–	·01	–	–	·19		–	–	–	–	–	·13	·33	8	
	9	–	–	–	·17	·10	·02	·05	·35	·25	–	–	·19	1·13	9	
	10	–	·01	·70	·49	·06	·32	–	–	–	–	–	·45	2·03	10	
	11	–	–	10	–	·18	·34	·14	–	–	–	–	–	·76	11	
	12	·32	·29	·28	·08	·15	·37	–	·24	·09	–	–	·36	2·18	12	·36
{·46 –	13	·17	·05	·40	·22	·01	–	·01	·06	·08	–	–	·20	1·26	13	
	14	·01	·03	·37	–	–		–	·32	·05	–	–	·02	·80	14	
	15	·30	·20	–	·21	–	–	·54	–	·15	–	–	·25	1·65	15	
	16	–	·12	·70	·17	–	·08	–	·33	·94	–	–	·06	2·40	16	
	17	·84	·06	·11	–	–	·01	·02	–	·22	–	·05	–	1·31	17	
	18	·28	·08	–	–	–	–	–	–	–	–	·10	·12	·58	18	
	19	·12	·10	·06	·15	–	·14	–	–	·06	–	–	–	·63	19	
·14	20	·78	–	·05	·14	·04	·03	–	–	–	–	–	·04	1·08	20	
	21	·74	·36	·04	·05	·03	–	·05	–	·01	·02	–	·03	1·33	21	
	22	·60	·02	·12	–	·34	–	·15	–	–	·88	·44	·12	2·67	22	
	23	·40	·12	·02	–	·41	–	–	–	–	·26	–	·05	1·26	23	
	24	·53	·48	·02	–	·02	–	–	–	·13	·60	–	·02	1·80	24	
	25	·33	·51	·22	–	1·55	–	–	–	·05	·29	–	·03	2·98	25	
nil	26	[illegible]	·37	·02	–	·04	–	–	–	–	·10	–	–	·53	26	
	27	·02	·15	–	·73	–	–	–	–	–	·60	–	–	·90	27	
	28	·01	·05	–	·18	–	–	–	–	–	·08	–	·01	[illegible]	28	
·03	29	·03	×	–	–	–	–	–	–	–	·10	·15	–	·28	29	
	30	·40	×	–	–	–	·01	–	·24	–	·04	·26	–	·95	30	
	31	·33	×		×		×	–	–	×	·64	×		·97	31	
														Year's Total		
	TOTAL	6·88	5·32	3·89	2·20	3·32	1·32	1·17	1·56	2·23	3·70	1·43	3·10	36·12		✓ ✓
	* Days with .01 in. or more.	24	25	19	15	15	9	10	7	14	13	6	19	176		✓ ✓
	* Days with .04 in. or more.	18	19	14	12	12	5	7	6	12	11	6	14	137		✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Henry J. Gardiner [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 661

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Upton House Wonston Winchester

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·02	—	—	·01	·11	·02	—	—	·06	—	·13		1
2	·02	—	—	·03	—	—	·20	—	—	·41	—	·06		2
3	—	—	—	—	·08	—	—	—	—	·75	·04	—		3
4	·03	—	—	—	—	—	·16	·02	—	·02	—	·21		4
5	—	—	—	—	—	—	·14	—	—	·36	—	—		5
6	·03	—	—	—	—	—	·12	—	·18	·04	·01	—		6
7	·20	—	—	—	—	·01	·62	·65	·06	·26	—	·08		7
8	·14	—	—	—	—	—	·05	·03	·04	·23	—	—		8
9	·10	·04	—	—	—	·02	·01	—	—	—	—	1·35		9
10	·08	—	—	—	—	·04	·02	—	—	·01	—	·15		10
11	·26	—	—	—	—	—	—	—	—	—	·15	·25		11
12	·39	—	—	—	·07	—	—	—	—	·17	—	·04		12
13	·24	—	—	—	—	—	—	—	—	·09	·31	—		13
14	·47	—	—	—	·07	—	·11	—	·02	—	·01	—		14
15	·12	—	—	—	—	—	·51	·03	—	·33	—	·44		15
16	·37	—	—	—	—	—	—	·01	—	·08	·01	·01		16
17	—	·05	—	—	—	—	—	—	·05	·16	—	—		17
18	·09	—	—	—	—	—	—	—	·03	—	·47	—		18
19	·09	—	—	—	—	—	—	·06	·19	—	·74	—		19
20	·01	—	—	—	—	—	—	—	·02	—	·48	—		20
21	·01	—	—	—	—	—	—	—	·08	—	·02	·09		21
22	·05	—	—	—	—	·01	—	·24	—	—	·24	·31		22
23	—	—	—	—	—	·01	—	—	—	—	·07	—		23
24	·09	—	·15	—	—	—	—	—	·20	—	·13	—		24
25	—	·07	·05	—	·12	—	—	—	—	·02	1·70	—		25
26	·09	·39	·03	—	·06	—	—	—	·05	·15	—	·35		26
27	·18	·02	·05	—	·23	·25	·39	·01	·25	—	·44	—		27
28	·05	·05	—	—	·31	·12	—	·57	·05	—	—	·05		28
29	·18	×	—	—	·28	—	—	—	·15	—	·20	·07		29
30	·08	×	—	·01	·14	·07	—	—	·07	·01	·13	—		30
31	·17	×	—	×	·14	×	—	—	×	·23	×	·34		31
TOTAL	3·54	·64	·28	·04	1·51	·64	2·35	1·62	1·44	3·38	5·15	3·93	Year's Total 24·52	✓
* Days with .01 in. or more.	25	7	4	2	11	9	12	9	15	18	17	16	145	✓
* Days with .04 in. or more.	20	5	3	—	10	5	9	4	12	14	13	15	110	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) Nelson L. Gardner [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 661

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at UPTON HOUSE, WONSTON, SUTTON SCOTNEY.

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·12	·21	·10	—	—	·06	·06	—	—	·02	·57	1
2	·07	—	—	·07	—	—	·07	·60	·54	—	—	·04	1·39	2
3	·68	—	—	·25	—	—	—	·13	—	—	·19	·20	1·45	3
4	·03	—	·34	·26	·15	—	·48	·23	—	·62	·08	·05	2·24	4
5	—	—	—	·14	·40	—	·12	·09	—	·22	·56	·11	1·64	5
6	·35	—	·01	—	·04	—	·57	·04	—	—	·60	—	1·61	6
7	·01	·20	—	—	—	—	—	·01	—	—	·48	·35	1·05	7
8	·09	·24	·19	—	—	—	·05	·08	—	·36	·44	·24	1·69	8
9	·01	·02	—	—	—	—	—	·09	—	·12	·06	·25	·55	9
10	·32	—	—	—	—	·07	—	·18	·05	·05	·01	—	·68	10
11	—	—	·18	—	—	—	—	·02	—	·40	·02	—	·62	11
12	—	—	—	—	—	—	—	—	—	—	—	—	—	12
13	—	—	—	·03	—	·02	·33	—	·31	1·31	·01	—	2·01	13
14	·63	—	—	·08	·03	·02	·16	—	—	·36	·43	·03	1·74	14
15	·26	—	—	—	·37	·70	·40	—	—	·29	·31	·01	2·34	15
16	·41	—	·02	·03	·04	·17	·02	—	—	—	·24	—	·93	16
17	·34	·03	—	—	·02	·04	·11	—	—	·39	·08	—	1·01	17
18	·35	—	·02	—	—	·16	·74	—	—	—	·42	—	1·69	18
19	·23	—	—	—	—	—	·03	—	—	·03	—	·01	·30	19
20	·33	—	—	—	—	—	·66	—	—	—	—	—	·99	20
21	·04	·30	·04	—	—	·09	·18	·92	·02	—	—	—	1·59	21
22	·29	·50	—	—	—	·21	·12	—	—	—	·12	—	1·24	22
23	·03	—	—	·12	—	—	·01	—	—	—	·76	·02	·94	23
24	·37	—	—	—	—	·21	·02	—	—	·07	—	—	·67	24
25	·48	·17	·02	—	—	—	·04	—	—	·04	·28	—	1·03	25
26	·07	—	—	—	—	—	—	·02	—	·06	·19	·01	·35	26
27	—	·14	·04	—	—	·03	—	—	—	—	·13	—	·34	27
28	—	·29	·06	·01	—	·03	·40	—	—	—	·17	·06	1·02	28
29	—	X	—	·07	—	—	·37	—	—	·04	·06	·10	·64	29
30	—	X	—	·74	—	·46	—	—	—	·03	·04	·03	1·30	30
31	—	X	—	X	—	X	·23	—	X	·10	X	—	·33	31
													Year's Total	
TOTAL	5·39	1·89	1·07	2·01	1·15	2·21	5·11	2·47	·98	4·49	5·68	1·53	33·98	✓
* Days with .01 in. or more.	21	9	11	12	8	13	21	13	5	17	23	16	1·69	✓
* Days with .04 in. or more.	14	7	7	9	6	9	17	10	4	15	20	9	1·30	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(Signed) for Henry John Gardener
F. S. Shuttle

P.T.O.

MICHELDER

661/3

MICHELDEVER

1939-1940

480114

Section **A** for the entry o

AIR MINIST

H RAINFALL ORGANIZATION

Station No. 661/3

FORM 1090

REGI N 1939.

Kept at Michelde

st d from nearby sts.

in the County of Hamps

Diameter of Funnel of Gauge

578861/36

Height of top of Gauge above G

,, Ground ,, Se

THE MORNING MEASUR PREVIOUS DAY

An observer who does not conform ry 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.20	–	–	.04	.55	–	–	.29	.05^{4}	–	–	.03		1
2	.04	–	–	.41	.02	–	.01	.02	.70^{4}	–	–	.04		2
3	–	–	–	.06	–	–	–	.76	tr	–	.17	.21		3
4	.39	–	.10	.41	–	–	–	.44	– ·65	.61	.06	.02		4
5	–	–	–	.25	.11	–	.04	.33	–	.16	.55	.12		5
6	–	–	.11	.15	.04	–	.12	.01	–	–	.77	–		6
7	.46	.08	–	–	–	–	.08	.07	–	.04	.54	tr		7
8	–	.09	.12	–	–	–	.02	.04	–	–	.16	.79		8
9	.03	.17	–	–	–	–	–	.02	–	.45	.12	.38		9
10	.14	–	–	–	–	–	–	.25	– 4	.12	.01	–		10
11	.08	–	.02	–	–	.37	–	–	–	.52	.02	–		11
12	–	–	.19	–	–	.09	–	–	–	–	–	–		12
13	–	–	–	–	–	.03	–	–	.18	1.37	–	–		13
14	.34	–	–	.04	.04	.02	.03	–	–	.27	.04	–		14
15	.25	–	–	–	.09	.09	–	–	.01	.39	.68	.07		15
16	.38	–	.10	–	.56	.42	–	–	–	–	.35	–		16
17	.06	.03	.06	–	.33	–	.27	–	–	.38	.12	–		17
18	.22	–	–	–	–	.09	.13	–	–	–	.45	–		18
19	.13	.02	.04	–	–	–	.18	–	–	.07	–	–		19
20	.30	–	–	–	–	.28	.32	–	–	–	–	–		20
21	.12	–	.01	–	–	.02	.31	x	.04	–	–	–		21
22	.07	.17	.27	.03	–	–	.01	–	.01	tr	.14	–		22
23	.09	.02	.04	.03	–	–	–	.72	–	–	.87	–		23
24	–	–	.01	.08	–	–	.01	–	–	.09	–	–		24
25	1.02^{s}	.10	.05	–	–	–	–	–	–	.03	.36	–		25
26	.27	.05	–	.02	–	–	.09	–	–	.09	.15	–		26
27	.09	–	.08	.02	–	–	–		–	tr	.21	–		27
28	–	.18	.05	.02	–	.04	–	–	–	–	.17	.47^{s}		28
29	–		–	.09	–	–	.35	–	–	.04	.10	–		29
30	–	X	–	.56	–	.15	.02	–	–	–	.06	tr^{s}		30
31	–	X	–	X	–	X	.06	–	X	.06	X	–		31
TOTAL	4.68	0.91	1.25	2.21	1.74	1.60	2.05	2.95	0.~~99~~ .89	4.69	6.10	2.13	Year's Total ~~31.3~~	r.p
* Days with .01 in. or more.	20	10	15	15	8	11	17	11+	~~6~~7	16	22	9	~~160~~	imp
* Days with .04 in. or more.	19	7	12	10	7	8	11	8+	~~4~~5	15	20	7	~~128~~	WH

Note: s = rain equiv. of snow. † Spare column, no entries required.

* See Instruction 3 (f) on other side. J. F. NIXON Esq. (Signed) J. Nixon [P.T.O.

MICHELDER INSTITUT

Section A for the entry of Daily Observations

Station No. 661/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Micheldever.

in the County of Hampshire.

Diameter of Funnel of Gauge 3.5 in.

Height of top of Gauge above Ground – ft. 8 in.

„ Ground „ Sea Level 290 ft.

Sept. 1–10 est'd from nearby stns.

f 578861/36

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20	–	–	.04	.55	–	–	.29	$.05^{4}$	–	–	.03		1
2	.04	–	–	.41	.02	–	.01	.02	$.70^{4}$	–	–	.04		2
3	–	–	–	.06	–	–	–	.76	tr	–	.17	.21		3
4	.39	–	.10	.41	–	–	–	.44	– .65	.61	.06	.02		4
5	–	–	–	.25	.11	–	.04	.33	–	.16	.55	.12		5
6	–	–	.11	.15	.04	–	.12	.01	–	–	.77	–		6
7	.46	.08	–	–	–	–	.08	.07	–	.04	.54	tr		7
8	–	.09	.12	–	–	–	.02	.04	–	–	.16	.79		8
9	.03	.17	–	–	–	–	–	.02	–	.45	.12	.38		9
10	.14	–	–	–	–	–	–	.25	– 4	.12	.01	–		10
11	.08	–	.02	–	–	.37	–	–	–	.52	.02	–		11
12	–	–	.19	–	–	.09	–	–	–	–	–	–		12
13	–	–	–	–	–	.03	–	–	.18	1.37	–	–		13
14	.34	–	–	.04	.04	.02	.03	–	–	.27	.04	–		14
15	.25	–	–	–	.09	.09	–	–	.01	.39	.68	.07		15
16	.38	–	.10	–	.56	.42	–	–	–	–	.35	–		16
17	.06	.03	.06	–	.33	–	.27	–	–	.38	.12	–		17
18	.22	–	–	–	–	.09	.13	–	–	–	.45	–		18
19	.13	.02	.04	–	–	–	.18	–	–	.07	–	–		19
20	.30	–	–	–	–	.28	.32	–	–	–	–	–		20
21	.12	–	.01	–	–	.02	.31	x	.04	–	–	–		21
22	.07	.17	.27	.03	–	–	.01	–	.01	tr	.14	–		22
23	.09	.02	.04	.03	–	–	–	.72	–	–	.87	–		23
24	–	–	.01	.08	–	–	.01	–	–	.09	–	–		24
25	1.02 s	.10	.05	–	–	–	–	–	–	.03	.36	–		25
26	.27	.05	–	.02	–	–	.09	–	–	.09	.15	–		26
27	.09	–	.08	.02	–	–	–		–	tr	.21	–		27
28	–	.18	.05	.02	–	.04	–	–	–	–	.17	.47 s		28
29	–		–	.09	–	–	.35	–	–	.04	.10	–		29
30	–	X	–	.56	–	.15	.02	–	–	–	.06	tr s		30
31	–	X	–	X	–	X	.06	–	X	.06	X	–		31
TOTAL	4.68	0.91	1.25	2.21	1.74	1.60	2.05	2.95	0.~~99~~ 89	4.69	6.10	2.13	Year's Total ~~31.3.~~	r.p
* Days with .01 in. or more.	20	10	15	15	8	11	17	11+	~~8~~ 7	16	22	9	~~180.~~	imp
* Days with .04 in. or more.	19	7	12	10	7	8	11	8+	~~4~~ 5	15	20	7	~~128.~~	WH

Note: s = rain equiv. of snow.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

J. F. NIXON Esq.

(Signed) J. Nixon

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 661/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Weston, ~~near~~ Micheldever

in the County of Hampshire.

Diameter of Funnel of Gauge ~~3½~~ in. 5

Height of top of Gauge above Ground – ft. 8 in.

,, Ground ,, Sea Level 290 ft.

~~July 24~~, Sept 22-23 esta fr nearby stns.
Acc
Obs not [illegible] WH

np 1939

f 578861/36

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: –

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	tr	–	tr	tr	–	–	–	–	–	–	–		1
2	–	–	–	.04	–	–	–	–	–	.04	.74	–		2
3	–	.21	–	.03	–	–	–	–	–	.15	1.06	.04		3
4	.02	.10	–	tr	–	–	–	–	–	.33	.04	.09		4
5	–	.22	–	–	–	–	tr	–	–	.05	.55	.22		5
6	.22	.05	–	–	–	–	.22	–	–	.30	.03	–		6
7	.16	.30	–	tr	–	–	.02	–	–	–	–	–		7
8	–	–	–	–	tr	.01	.05	tr	tr	.30	.08	.26		8
9	–	–	–	–	–	tr	–	–	.01	.44	.41	.13		9
10	–	–	–	tr	–	–	1.20	tr	.02	.18	.04	.06		10
11	–	–	–	–	–	–	.08	–	–	–	.84	.06		11
12	–	✗	.13	.01	–	–	.21	–	.14	–	.17	–		12
13	–	.12 ✓	.55	–	–	–	–	–	.22	–	1.20	tr		13
14	–	✓	.21	–	–	–	.07	–	.01	.35	–	.47		14
15	–	–	–	.02	tr	–	.67	–	.06	.04	.27	.01		15
16	.01	.20	.10	tr	–	tr	tr	–	.20	.42	1.27	.01		16
17	–	–	.15	–	–	–	–	–	–	–	.53	–		17
18	.03	.47	.44	.49	–	–	.28	–	–	.28	.06	.15		18
19	–	–	.30	.07	–	–	.15	–	.77	–	.20	–		19
20	–	–	tr	.01	–	–	.06	–	.10	–	.10	–		20
21	tr	–	–	–	.03	–	.04	–	–	.24	.85	–		21
22	.02	–	.02	tr	.01	.33	–	–	✗ tr	–	.01	–		22
23	–	.12	.09	.02	tr	–	–	–	(·20) ✓ tr	–	.01	–		23
24	–	–	–	–	–	–	·03 .03	–	–	–	–	tr		24
25	–	–	.01	.07	tr	tr	–	–	–	tr	–	–		25
26	.20	.46	.44	–	.04	tr	–	–	–	–	–	–		26
27	1.03	.24	–	tr	–	–	.17	–	–	–	–	–		27
28	.05	.02	.01	–	.16	–	tr	–	–	–	–	–		28
29	.81	.22	.03	–	.10	–	–	–	–	–	–	.08		29
30	tr	✕	–	.10	–	–	–	–	–	.36	–	.29		30 Print WH
31	–	✕	–	✕	–	✕	–	–	✕	.82	✕	.02		31
TOTAL	2.55	2.73	2.48	0.86	0.34	0.34	3.25 ~~3.25~~	trace	1.73 ~~1.53~~	4.30	8.46	1.89	Year's Total ~~28.73~~	28.93
* Days with .01 in. or more.	10	15	13	10	5	2	14	–	11 ~~9~~	15	20	14	~~112~~+	129
* Days with .04 in. or more.	6	13	9	5	3	1	12	–	7 ~~8~~	15	17	11	~~85~~+	~~98~~ 99

† Spare column, no entries required.

* See Instruction 3 (f) on other side. J. F. Nixon Esq

3·25

(*Signed*) J. Nixon

[P.T.O.

Section **A** for the entry

AIR MINIST

RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

661/5

Hants/4

FORM 1090.

REGIS N 193/ .

661/5

ABBOTS ANN
THE OLD MANOR
1931 - 1940

78 01 14

Kept at The Old Mano

in the County of Southa

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

amendments to May as below.

Stuck

of Abbots Ann

with amendment May 27th 28th But

Fyfield should agree. 906 seems

·06 inch. Stuck 12/4/32.

THE MORNING MEAS ~~TO THE~~ PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·05	–	·06	–	·40	–	–	·33	–	–	–	1
2	·24	·04	–	·63	·01	–	–	·01	·05	·07	–	·23	2
3	–	–	–	·06	–	–	–	·06	·38	–	·62	·12	3
4	–	–	·26	–	–	–	·25	–	·50	–	–	–	4
5	–	·06	–	x	·01	·47	–	–	–	trace	·24	·12	5
6	–	·12	–	x	–	x	–	·06	·04	·25	·23	–	6
7	–	–	–		·20	·18	–	·82	–	·10	·33	·05	7
8	Snow ·04	·15	–	·40	·11	·36	–	·10	–	–	·18	–	8
9	–	·27	–	·05	–	✓	trace	–	–	–	·50	–	9
10	–	·01	–	–	–	·10	·05	·04	–	–	·43	–	10
11	·11	High Wind ·45	–	–	–	–	·20	–	–	–	·19	–	11
12	–	·01	–	–	–	–	·44	Thundery –	·41	–	–	–	12
13	–	–	–	–	–	·05	–	–	–	–	–	–	13
14	–	·15	–	–	·05	x –	·99	gale S.W. x	–	–	–	–	14
15	–	·12	–	·02	–	x –	·91	x	–	–	–	·06	15
16	–	x	–	x	·27	·23	–	·61	·12	–	–	–	16
17	·03	·17	–	x	–	·13	·33	–	·07	–	·02	–	17
18	·08	trace	·09	x ·27	–	·19	·14	1·16	–	–	x	–	18
19	·08	–	–	·30	–	·07	–	–	–	–	x ·47	–	19
20	–	·08	·10	·02	–	–	–	–	–	–	–	–	20
21	·10	–	–	–	–	–	–	·33	–	–	–	–	21
22	·29	–	–	trace	–	–	–	–	–	–	·02	–	22
23	·31	–	–	·19	~~4·75~~	·26	–	·01	–	–	·23	·05	23
24	·09	–	–	·64	–	·05	·23	–	–	–	·01	–	24
25	·33	·04	–	·16	✓	–	·19	–	–	–	·15	–	25
26	–	–	–	·05	·39	–	Thunder at night ·54	–	–	–	S. Wind ·21	–	26
27	·14	·39	–	trace	47	–	–	–	–	–	–	–	27
28	–	snow ·11	·01	·19	✓ (4·80)	–	–	–	–	–	·01	·02	28
29	·16	×	–	–	x	–	·11	–	–	·05	·09	·09	29 "d"
30	snow ·06	×	–	–		–	–	–	–	–	–	–	30
31	·32	×	–	×	✓ ·20	×	trace	–	×	–	×	–	31 28.17
TOTAL	2·38	2·22	·46	3·04	(2.96)	2·49	4·38	3·20	1·90	·47	3·93	·74	YEAR'S TOTAL ~~26·92~~
Days with ·01 in. or more.	~~15~~	~~17~~	~~4~~	~~18?~~	~~12?~~	~~16?~~	~~11~~	~~12~~	~~8~~	~~4~~	~~18?~~	~~8~~	~~143~~
Days with ·04 in. or more.	14	15	3	16	7	15	11	10	8	4	14	7	124

40-9999

N

(Signed) Edith E. de Paravicini

P.T.O.

Section **A** for the entry ~~of Daily Observations.~~

FOR OFFICIAL USE. 661/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Hants/4

Kept at The Old Manor, Abbots Ann

in the County of Southampton Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 9 in.

,, Ground ,, Sea Level 225 ft.

906 sent 8/4/32 suggesting amendments to May as below. JStech

Continuation of Abbots Ann ...

Observer concurs with amendment May 27th & 28th. But says May 21st-24th is O.K. Says Fyfield should agree. 906 sent 12/4/32 giving Fyfield 1.06 inch. JStech 12/4/32.

Observer agrees 14/4/32. S.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·05	–	·06	–	·40	–	–	·33	–	–	–	1
2	·24	·04	–	·63	·01	–	–	·01	·05	·07	–	·23	2
3	–	–	–	·06	–	–	–	·06	·38	–	·62	·12	3
4	–	–	·26	–	–	–	·25	–	·50	–	–	–	4
5	–	·06	–	x	·01	·47	–	–	–	trace	·24	·12	5
6	–	·12	–	x	–	x	–	·06	·04	·25	·23	–	6
7	–	–	–		·20	·18	–	·82	–	·10	·33	·05	7
8	snow ·04	·15	–	·40	·11	·36	–	·10	–	–	·18	–	8
9	–	·27	–	·05	–	✓	trace	–	–	–	·50	–	9
10	–	·01	–	–	–	·10	·05	·04	–	–	·43	–	10
11	·11	High Wind ·45	–	–	–	–	·20	–	–	–	·19	–	11
12	–	·01	–	–	–	–	·44	Thundery –	·41	–	–	–	12
13	–	–	–	–	–	·05	–	–	–	–	–	–	13
14	–	·15	–	–	·05	x –	·99	gale S.W. x	–	–	–	–	14
15	–	·12	–	·02	–	x –	·91	x	–	–	–	·06	15
16	–	x	–	x	·27	·23	–	·61	·12	–	–	–	16
17	·03	·17	–	x	–	·13	·33	–	·07	–	·02	–	17
18	·08	trace	·09	x ·27	–	·19	·14	1·16	–	–	x	–	18
19	·08	–	–	·30	–	·07	–	–	–	–	x ·47	–	19
20	–	·08	·10	·02	–	–	–	–	–	–	–	–	20
21	·10	–	–	–	–	–	–	·33	–	–	–	–	21
22	·29	–	–	trace	–	–	–	–	–	–	·02	–	22
23	·31	–	–	·19	±·75	·26	–	·01	–	–	·23	·05	23
24	·09	–	–	·64	–	·05	·23	–	–	–	·01	–	24
25	·33	·04	–	·16	✓	–	·19	–	–	–	·15	–	25
26	–	–	–	·05	·39	–	Thunder at night ·54	–	–	–	S. Wind ·21	–	26
27	·14	·39	–	trace	47	–	–	–	–	–	–	–	27
28	–	snow ·11	·01	·19	✓ (·00)	–	–	–	–	–	·01	·02	28
29	·16	X	–	–	x	–	·11	–	–	·05	·09	·09	29 "d"
30	snow ·06	X	–	–		–	–	–	–	–	–	–	30
31	·32	X	–	X	✓ ·20	X	trace	–	X	–	X	–	31 28.17
TOTAL	2·38	2·22	·46	3·04	(2·96) ~~[illegible]~~	2·49	4·38	3·20	1·90	·47	3·93	·74	YEAR'S TOTAL ~~[illegible]~~
Days with ·01 in. or more.	~~15~~	~~17~~	~~4~~	~~18~~ ?	~~12~~ ?	~~16~~ ?	~~11~~	~~12~~	~~8~~	~~4~~	~~18~~ ?	~~8~~	~~143~~
Days with ·04 in. or more.	14	15	3	16	7	15	11	10	8	4	14	7	124

40-9999

N

(Signed) Edith E. de Paravicini

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 661/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Old Manor, Abbots Ann,

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 9 in.

,, Ground ,, Sea Level 225 ft.

dgp ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	·01	-	·05	·83	-	-	·20	·05	·04	·03	-	1
2	-	·	-	·20	·11	-	-	·04	·25	-	·01	·28	2
3	-	-	-	·20	·03	·05	·05	-	·24	-	-	-	3
4	·02	-	-	-	-	·08	·04	-	-	-	-	-	4
5	·24	-	·01	-	trace	-	·03	-	·21	-	-	-	5
6	·32	-	·04	·38	-	-	·07	-	·19	-	-	-	6
7	-	-	·05	·01	·01	-	-	-	·13	-	-	-	7
8	-	·01	·34	·02	·19	-	-	-	·47	·41	-	-	8
9	·44	snow. trace	·01	·12	·06	-	-	-	·01	·09		-	9
10	·43	-	-	·30	·07	·04	-	-	·01	·13	✓	-	10
11	-	-	-	·04	·02	-	-	-	-	·05	·08 ✓	-	11
12	·37	-	-	-	·08	-	-	trace	·10	·25	-	·08	12
13	·05	-	-	·24	·11	-	·98	trace	-	·73	·01	·10	13
14	gale at night ·21	-	-	·30	·02	-	·01	·05	-	·01	-	-	14
15	·02	-	-	·04	1·27	-	·30	-	-	·07	·14 ✗	·02	15
16	·50	-	-	·07	·01	thunder ·08	-	-	-	·08	-	·01	16
17	-	-	-	·02	-	-	·01	-	·27	-	-	-	17
18	·01	-	-	-	·07	-	-	-	-	-	·26	-	18
19	-	-	-	-	? -	-	-	-	·10	·13	-	-	19
20	-	-	-	·18	·36	-	·01	·52	-	·55	·11	✓	20
21	-	-	·11	·12	·77	-	-	-	-	·16	-	✗	21
22	·01	-	·20	·03	·03	·04	·05	-	·30	·20	·34	-	22
23	-	trace	·06	-	·65	-	·05	-	·85	·79	·01	·24 ✗	23
24	-	·09	-	-	-	-	·53	-	·15	·06	·04	-	24
25	-	-	-	-	-	-	·13	-	·09	·24	✓	SUNNY. -	25
26	-	-	·15	·01	·01	-	-	-	-	✗	·05 ✓	-	26
27	-	-	·42	·26	·15	·04	·16	-	-	✗	-	-	27
28	-	-	·02	·07	·08	·05	·29	-	-	✗	-	·01	28
29	-	-	·43	·16	·12	·10	·01	·11	·33	·48	✗	·08	29
30	-	×	·03	·22	-	1·34	·07	-	·64	-	·37 ✗	·29	30
31	-	×	·12	×	-	×	·05	-	×	-	×	·16	31 d.
TOTAL	2·77	·11	1·99	3·04	5·05	1·82	2·84	·92	4·39	4·47	1·45	1·27	YEAR'S TOTAL 30·12
*Days with ·01 in. or more.	13 ✓	3 ✓	14 ✓	22 ✓	22	9 ✓	18 ✓	5 ✓	18 ✓	21	15	12	(172)
*Days with .04 in. or more.	9 ✓	1 ✓	10 ✓	17 ✓	15	9 ✓	13 ✓	5 ✓	16 ✓	20	8	8	(131)

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) E. E. de Paravicini

P.T.O.

661/5

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 661/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

January 1" low

Corr'd for arithmetic.

B A

Kept at The Old Manor, Abbots Ann,

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 9 in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·25	·33	·07	-	·08	-	-	-	-	-	·01	·01		1
2	windy ·28	-	·52	-	·20	-	-	-	-	-	-	-		2
3	-	·14	·15	-	✓	-	-	-	-	-	-	-		3
4	·18	·01	·05	-	x	-	-	-	-	-	-	-		4
5	·04	·01	·36	-	x	-	-	-	-	-	-	-		5
6	trace	·21	·01	-	·43 4	-	-	-	-	·20	·06	-		6
7	·04	·07	-	-	·01	-	-	-	-	·07	-	-		7
8	-	trace	·02	-	·07	-	·35	-	-	·02	-	-		8
9	-	·01	-	-	·01	-	·27	-	-	x	·06	-		9
10	·02	·10	-	-	-	-	·11	·01	-	·46 x	·01	-		10
11	·26	-	-	-	·01	thunder trace	·68	·09	·09	·03	·03	-		11
12	-	-	-	·09	·03	-	·10	-	·65	·07	·02	-		12
13	·06	-	-	-	-	·06	·40	·01	·01	·32	-	-		13
14	-	-	-	-	-	-	·07	-	-	-	·44	-		14
15	·53	-	·19	-	·09	-	·02	·12	-	·01	-	-		15
16	-	·01	·83	-	-	·10	·08	-	·01	·01	-	-		16
17	·01	·01	·48	-	-	·05	trace	-	·10	-	·01	-		17
18	·12	snow ·02	·36	-	-	·38	trace	-	-	-	-	-		18
19	-	·02	·11	·01	-	·06	-	-	·64	-	-	·01		19
20	-	·02	·04	·09	-	·19	-	·01	·11	-	·11	-		20
21	-	-	-	-	-	·12	-	·16	·10		-	-		21
22	-	-	-	-	-	·67	-	·12	·08	·18 x	-	-		22
23	-	·02	-	·36	-	·14	-	-	·24	-	-	-		23
24	-	snow 1·57	-	·11	-	·32	-	·01	·02	-	-	-		24
25	-	rain ·70	-	·31	-	·14	-	-	·03	-	-	·08		25
26	-	·91	-	·19	-	·04	-	-	Thunder St. 1·29	-	-	-		26
27	-	-	-	-	·60	-	·07	-	·01	·34	-	·26		27
28	thaw	-	-	·20	-	-	·07	-	-	·04	-	-		28
29	·15	X	·01	·30	-	-	-	-	-	-	-	·04		29
30	·06	X	·11	·06	-	-	·05	-	·08	·03	-	·02		30
31	·30	X	-	X	-	X	-	-	X	·02	X	·03		31
TOTAL	~~1·10~~ 2·30	4·16	3·31	1·72	1·53	2·27	2·27	·53	3·46	1·80	·75	·45	Year's Total ~~23·35~~	24·55
*Days with ·01 in. or more.	14	17	17	10	13	12	12	8	15	15	9	7	149	
*Days with ·04 in. or more.	12	8	8	9	8	12	11	4	10	9	4	3	98	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) E. E. de Paravicini

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 661/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The old Manor, Abbots Ann

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 9 in.

,, Ground ,, Sea Level 225 ft.

~~B.A.~~

all/Est/days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	*in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	†	
1	-	-	-	-	-	-	-	·34	·25	·08	·07	·61		1
2	·12	·02	·03	-	·05	-	-	-	·64	·12	-	·27		2
3	-	-	-	x	-	-	-	·17	·01	·28	-	·20		3
4	·06	-	·12	·06	·20	-	-	-	-	·15	-	·30		4
5	-	-	·02	-	·07	-	-	·32	-	-	·02	·49		5
6	-	-	·37	-	·15	·01	-	-	-	·27	-	·68		6
7	·12	-	-	-	-	·12	-	·27	-	·05	-	·64		7
8	-	-	-	-	·33	-	-	-	·07	-	·43	·16		8
9	·02	-	·10	-	-	-	-	·01	-	-	·85	·45		9
10	·28	-	·35	·25	-	-	-	·04	·01	·02	·12	·11		10
11	·42	-	x	·35	-	-	·20	-	-	-	-	x		11
12	·01	-	·63x	-	-	-	-	·15	-	-	-	·49x		12
13	·53	-	·04	·13	-	-	-	-	-	-	·07	·55		13
14	·19	-	x	-	-	·01	-	-	-	-	-	·39		14
15	·02	-	·58x	-	·08	-	-	-	-	·02	·12	·23		15
16	·07	-	·31	-	-	-	-	-	-	·11	·01	·03		16
17	·05	-	-	·23	-	-	-	-	·14	·01	-	·21		17
18	·18	-	x	-	-	·01	-	-	·01	-	-	·30		18
19	-	-	·55x	-	-	-	-	·02	·02	·01	-	·08		19
20	-	-	·03	·07	-	-	·11	-	·05	·02	·01	-		20
21	-	-	-	·05	-	·12	-	·02	·01	·06	-	-		21
22	-	·02	-	-	-	-	·59	·56	·21	·04	-	x		22
23	-	·02	-	·23	-	·36	-	·01	·01	-	-	/		23
24	-	·03	·07	·02	-	·03	·50	-	·14	-	-	-		24
25	·23	-	-	·15	-	·01	trace	-	-	·12	-	·73x		25
26	·03	-	·20	·05	-	·10	-	-	·08	-	-	x		26
27	·02	-	-	-	-	·24	-	-	-	·04	-	x		27
28	-	-	-	-	-	·16	·06	·50	-	-	-	x ·02		28
29	-	x	-	-	-	-	-	-	·26	-	·02	·05		29
30	·02	x	-	-	-	-	-	·03	·09	-	-	·27		30
31	-	x	-	x	-	x	·02	·03	x	-	x	·08		31
TOTAL	2·37	·09	3·40	~~1·69~~ 1·59	·88	1·17	1·48	2·47	2·00	1·40	1·72	8·34	Year's Total 27·01	26·91
*Days with ·01 in. or more.	17	4	14	11	6	11	6	14	16	16	10	28	156	
*Days with .04 in. or more.	11	0	14	10	6	6	5	8	10	11	6	26	113	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) E. E. de Paravicini

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 661/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The old Manor, abbots ann,

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·14	-	·08	·08	·38	-	·02	·02	·11	trace		1
2	-	-	·01	-	-	trace	-	-	·02	·20	·04	trace		2
3	-	·04	·05	-	-	·29	·01	·04	·32	·62	·28	-		3
4	-	·05	-	·19	-	·09	-	-	·11	·53	·19	-		4
5	-	·61	·15	·15	-	·05	-	-	·24	·28	-	·03		5
6	-	-	-	·29	-	·98	-	-	-	·04	·10	trace		6
7	-	-	-	·42	-	·05	-	-	-	·18	·21	-		7
8	-	-	-	·44	-	·02	-	-	·03	-	·43	·08		8
9	·14	-	-	·56	-	·69	-	-	·13	·77	·86	-		9
10	·06	-	·05	·12	-	·08	-	-	-	-	·12	-		10
11	·22	-	-	-	-	·15	·18	·02	-	-	·43	-		11
12	-	·10	-	-	-	·30	-	-	-	-	·27	-		12
13	·08	·10	-	·18	·07	·11	-	-	-	-	·14	-		13
14	-	-	-	·13	·04	·02	-	-	-	-	·30	·20		14
15	-	·08	-	·52	-	·65	-	-	·20	-	·36	·10		15
16	-	·10	·01	·18	-	·09	-	-	·82	-	·80	-		16
17	-	-	-	·33	·02	·15	-	-	·04	-	·27	-		17
18	-	-	-	·30	·01	·01	-	-	·36	·04	-	-		18
19	-	·02	-	·03	·45	·06	·26	-	·05	·03	·16	-		19
20	-	·31	-	·10	·07	·04	·05	-	-	-	·64	-		20
21	-	·44	-	·09	-	-	-	-	-	·06	·01	-		21
22	-	·09	·05	·06	-	-	-	·22	·08	-	-	-		22
23	-	·04	·09	-	-	-	-	·12	·11	·82	-	-		23
24	·07	·57	-	-	-	-	-	·71	·23	-	-	·40		24
25	-	·36	-	·12	·14	thunder ·72	-	-	-	-	-	·32		25
26	-	·42	-	-	-	·01	-	·30	·18	·03	-	·62		26
27	-	·19	-	-	-	-	-	-	-	-	·11	·46		27
28	-	·20	-	-	·04	-	-	-	·47	-	-	·23		28
29	-	X	·02	-	-	-	-	-	·22	·02	·02	·60		29
30	-	X	-	·15	-	-	-	·56	·04	·15	·90	·56		30
31	-	X	-	X	thunder ·01	X	-	·04	X	·95	X	·24		31
TOTAL	·57	3·72	·57	4·36	·93	4·64	·88	2·01	3·67	4·74	6·75	3·84	Year's Total. 36·68	
* Days with .01 in. or more.	5	17	9	19	10	21	5	8	19	16	22	12	163	
* Days with .04 in. or more.	5	16	6	18	7	17	4	7	16	12	20	11	139	

40-9999

† Spare column, no entries required.

(Signed) H Ella de Paravicini

P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 661/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at The Old Manor, Abbots Ann,

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

,, Ground ,, Sea Level 225 ft.

16 Jan est snow

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·17	trace	·23	-	·25	·17	·01	-	-	·05	·12		1
2	·02	·05	·02	·02	-	·05	·12	·12	·01	-	·02	·01		2
3	-	-	-	·31	-	·07	·02	-	·44	-	·30	·10		3
4	trace	-	·19	-	-	thunder ·10	trace	-	·19	-	·02	·10		4
5	·50	-	·04	-	-	-	trace	·01	·05	-	-	-		5
6	·32	-	-	-	-	·03	-	trace	·14	-	·34	-		6
7	·06	-	·10	-	-	-	·06	-	·03	-	·21	·10		7
8	·40	-	·32	-	-	-	·21	-	·01	trace	·05	-		8
9	·59	-	·13	-	-	-	·20	-	·34	·02	·01	-		9
10	·04	-	-	-	·01	-	·30	-	·06	-	-	-		10
11	-	·10	-	·02	-	-	trace	·16	·42	-	·92	-		11
12	trace	-	-	-	·18	·36	·27	-	·10	-	·54	·05		12
13	-	-	-	·01	-	·08	trace	trace	-	·02	·13	·73		13
14	-	·03	-	-	-	·03	·53	-	·03	-	·07	·61		14
15	·04	-	-	-	-	-	·02	-	·01	-	·02	·20		15
16	2 inches (·17) snow	·34	-	-	-	-	·04	-	·01	-	·12	·10		16
17	·23	·90	-	-	-	-	·09	-	-	·01	·10	-		17
18	·10	·09	-	-	-	·12	·30	-	-	·04	·02	·26		18
19	·42	·04	trace	·18	-	thunder ·24	·05	·12	-	·02	·01	·26		19
20	·07	·20	·17	·22	-	·05	·02	-	1·07	-	-	·02		20
21	-	·04	-	Snow ·68	-	·05	-	-	·02	-	-	-		21
22	·10	·50	·14	·01	·18	-	·30	-	-	·02	-	-		22
23	·07	·04	·48	·08	·02	-	·17	-	-	·07	-	-		23
24	·14	-	-	-	·03	-	-	-	·03	·27	-	·01		24
25	·08	-	·12	·20	·05	-	·38	-	·06	·15	·05	-		25
26	·09	·17	·14	·04	-	1·00	·09	-	·01	·22	-	-		26
27	·27	-	·06	-	-	-	·22	-	·18	·46	-	-		27
28	·90	-	·36	-	-	-	·30	-	-	·05	-	·22		28
29	·01	·09	·10	-	-	-	·15	-	-	·02	·19	·06		29
30	·10	✕	-	-	·04	·10	·04	-	-	·40	-	-		30
31	·14	✕	·40	✕	·08	✕	·14	-	✕	·33	✕	·51		31
TOTAL	~~4·87~~ 5·04	2·76	2·77	2·00	·59	2·53	4·19	·42	3·21	2·10	3·17	3·46	Year's Total ~~32·07~~	✓ 31·24
* Days with .01 in. or more.	24	14	15	12	8	14	24	5	20	15	19	17	187	✓
* Days with .04 in. or more.	22	13	14	8	5	12	21	3	11	9	13	14	145	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. E. de Paravicini [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 661/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at The old Manor, Abbots Ann

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 9 in.

,, Ground ,, Sea Level 225 ft.

Ace

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·01	-	-	-	-	-	-	·11	·04	·43	·31		1
2	·06	·48	-	·04	-	-	-	-	·17	-	-	·15		2
3	·01	·31	-	·08	-	-	-	-	-	-	-	·02		3
4	·11	·62	-	·06	-	-	-	-	-	-	-	·27		4
5	·18	·01	·04	·01	-	-	·21	-	-	-	·04	-		5
6	·10	·05	·57	·01	-	-	·18	-	-	·07	-	-		6
7	-	·82	-	·20	-	-	-	-	·01	-	-	·40		7
8	-	·01	-	-	·28	-	·07	-	·25	-	-	·10		8
9	·01	-	-	·20	-	·05	-	-	-	-	-	·18		9
10	·01	·01	·66	·65	-	·42	-	-	-	-	-	·43		10
11	-	-	·10	-	-	·45	·14	·19	-	-	-	-		11
12	·30	·32	·12	x }	·45	·29	·12	-	·10	-	-	·34		12
13	·17	·06	·22	x ·19 }	-	-	-	·36	-	-	-	·10		13
14	·01	·02	·55	-	-	-	-	·01	·11	-	-	-		14
15	·28	·17	-	·22	-	-	·29	·12	·05	-	-	·44		15
16	-	·09	·74	x }	-	·04	-	·32	·54	-	-	-		16
17	·71	·08	·39	- ·18 }	-	-	-	-	·40	-	·07	-		17
18	·22	·09	·02	-	-	-	-	-	-	-	·09	·14		18
19	·13	·10	·12	·13	-	·10	-	-	·02	-	-	-		19
20	·69	-	·20	·20	-	·06	-	-	-	·01	-	·04		20
21	·68	·43	·02	·09	·04	-	·10	-	-	·01	·01	·03		21
22	·17	·06	·06	-	-	·03	·14	-	-	·73	·42	·07		22
23	·52	·16	-	-	·40	-	-	-	-	·54	·12	- }		23
24	·39	·58	-	-	·17	-	-	-	·13	·79	-	✓ }		24
25	·25	·36	·22	-	1·01	-	-	-	·05	·37	-	✓ ·05 }		25
26	-	·45	-	-	·06	-	-	-	-	·12	-	-		26
27	·02	·18	-	·11	-	-	-	-	-	·66	-	-		27
28	-	·06	-	-	-	-	-	-	-	·21	-	-		28
29	·01	X	-	-	-	-	-	-	-	·04	·34	-		29
30	·54	✕	-	·09	-	·03	-	-	-	·22	·18	-		30
31	·23	✕	-	✕	-	✕	-	-	✕	·34	✕	·02		31
TOTAL	5·92	5·53	4·03	2·46	2·41	1·47	1·25	1·00	1·94	4·15	1·70	3·09	Year's Total 34·95	✓
* Days with .01 in. or more.	25	25	15	17	7	9	8	5	12	14	9	18	164	✓
* Days with .04 in. or more.	19	20	13	15	7	7	8	4	10	12	8	13	136	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) Edith E. de Paravicini [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations.

Station No. 661/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The old manor, abbots ann

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

,, Ground ,, Sea Level 225 ft.

Days Totals

W.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·02	·09	–	–	·11	·61	–	–	·05	·02	·18		1
2	–	–	–	·05	–	–	·04	–	–	·74	–	·08		2
3	·01	–	–	–	·14	–	–	–	–	·72	·02	·13		3
4	·06	–	–	–	–	–	·01	–	–	·04	–	–		4
5	–	–	–	–	–	–	·07	·10	·01	·36	–	–		5
6	–	–	–	–	–	–	·18	·02	·15	·04	·02	–		6
7	·15	–	·01	–	–	·02	·50	·47	–	·17	·01	·09		7
8	·17	–	–	–	–	–	·20	·04	–	·21	–	–		8
9	·13	·07	–	–	–	·05	–	–	–	–	–	1·38		9
10	·13	·01	–	–	–	·02	·05	–	–	·02	·01	·29		10
11	·20	–	–	–	–	–	–	–	–	·03	·16	·19		11
12	·40	–	–	–	·08	–	–	·02	–	·05	·10	·03		12
13	·17	·02	–	–	–	–	–	–	–	·15	·18	·65		13
14	·48	–	–	–	·08	–	·15	–	·05	–	·01	·02		14
15	·17	–	–	–	·04	–	·47	–	–	·20	–	·60		15
16	·20	–	·01	–	·01	–	–	·05	–	·14	·05	·05		16
17	–	–	·02	–	–	–	–	–	·06	·10	·01	–		17
18	·14	·06	–	–	–	·01	–	–	·19	·02	·45	–		18
19	·12	–	–	–	–	–	–	·07	·19	–	·32	–		19
20	–	–	–	–	–	–	–	–	–	–	1·05	–		20
21	·02	–	–	–	–	–	–	·01	·06	–	·02	Snow ·21		21
22	–	–	–	–	–	·03	–	·23	–	–	·24	–		22
23	–	–	–	–	–	·01	·02	–	·01	–	·16	·12		23
24	–	–	·15	–	·01	–	–	–	·18	–	·10	–		24
25	·09	·09	·05	–	·10	–	·01	·08	·01	·04	1·10	–		25
26	·14	·40	·02	–	·07	–	–	–	·11	·12	–	Snow & rain ·34		26
27	·08	–	–	–	·11	·28	·35	–	·23	·01	·35	–		27
28	·07	–	–	–	·44	·08	–	·58	·06	·03	–	·05		28
29	·35	–	–	–	·36	–	–	–	–	·03	·18	·06		29
30	·10		–	–	·15	·07	–	–	·20	·02	·26	–		30
31	·26		–		·14		–	–		·20		·30		31
TOTAL	3·64	·67	·35	·05	1·73	·68	2·66	1·67	1·51	3·49	4·82	4·77	Year's Total 26·04*	✓
* Days with .01 in. or more.	22	7	7	1	13	10	13	11	14	23	22	18	161	✓
* Days with .04 in. or more.	20	4	3	1	11	5	10	8	11	16	14	16	119	✓

† Spare column, no entries required.

(Signed) Edith E. de Paravicini

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 661/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at The old Manor, Abbots Ann.

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	·08	·19	·11	–	–	·10	·07	–	–	·03		1
2	·04	–	–	·06	–	–	·04	·47	·72	–	·02	·06		2
3	·42	–	·01	·26	–	–	–		–	–	·19	·36		3
4	·02	–	·30	·42	·15	–	–	·24	–	·51	·15	·08		4
5	–	–	–	·35	·26	–		·25	–	·31	·45	–		5
6	·41	–	–	–	·09	–	·63	·02	–	–	·70	–		6
7	·07	·26	–	–	–	–	–	·03	–	–		·48		7
8	–	·13	·20	–	–	–	·12	·03	–	·43	·84	·23		8
9	·01	–	–	–	–	–	–	·02	–	·10	·07	·20		9
10	–	·01	–	–	–	·04	–	·41	–	·31	·01	–		10
11	–	·01	·17	–	–	–	–	–	–	·10	·02	–		11
12	·01	–	–	–	–	·06	–	–	–	–	·08	–		12
13	–	–	·01	·02	–	·03	·29	–	–	1·10	·01	–		13
14	·63	–	–	·02	–	–	·25	–	–	·28	·32	·14		14
15	·25	–	–	–	·25	·61	·15	–	–	·36	·21	·01		15
16	·27	–	·01	·01	–	·24	·06	–	–	–	·32	–		16
17	·33	–	–	–	·11	–	·11	–	–	·55	·14	–		17
18	·17	·05	·02	–	–	–	·57	–	–	–	·40	·01		18
19	·19	–	–	–	–	–	·25	–	·01	–	–	·02		19
20	·36	·01	–	–	–	–	·70	–	·01	–	–	–		20
21	·05	·25	·05	–	–	·43	·18	Thunder storm 1·06	–	–	–	–		21
22	·24	·20	·04	–	–	·21	·16	–	–	–	·15	–		22
23	·02	–	–	·15	–	–	·10	–	–	·03	·79	–		23
24	·27	–	–	·02	–	–	·02	–	–	·03	–	·03		24
25	·82	·19	–	–	–	–	·43	–	–	·07	·20	–		25
26	·05	–	–	·01	–	·20	trace	–	–	·02	·21	–		26
27	–	·21	·07	–	–	–	trace	·02	–	·04	·21	–		27
28	–	·17	·08	·20	–	·04	·48	–	–	–	·17	–		28
29	–	×	–	–	–	–	·51	–	–	·05	·09	2" snow ·18		29
30	–	×	–	·80	–	–	–	–	–	·06	·06	–		30
31	–	×	–	×	–	×	·11	–	×	·33	×	–		31
TOTAL	4·65	1·49	1·04	2·57	·97	1·86	5·61	2·65	·81	4·68	5·81	1·83	Year's Total 33·97	
* Days with .01 in. or more.	21	11	12	13	6	9	20	12	4	18	25	13	164	
* Days with .04 in. or more.	16	8	8	8	6	8	19	7	2	15	21	8	126	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Edith E. de Paravicini

[B.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 661/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~4~~0.

Kept at The old Manor, abbots' Ann

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

,, Ground ,, Sea Level 225 ft.

~~662~~
~~659/5~~
665

Accs Days

Jan 28th-31st adj for snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·06	-	-	-	-	- }	-	-	-	·20	-		1
2	-	·12	-	·08	-	-	✓·03 }	-	-	-	1·06	·01		2
3	-	·22	-	-	-	-	-	-	-	× }	·64	·17		3
4	-	·07	-	-	-	-	-	-	-	·54 }	·01	·01		4
5	-	·03	-	-	-	-	·01	-	-	-	·42	·13		5
6	-	·23	-	-	-	-	·19	-	·	·40	·04	-		6
7	·17	·25	-	-	-	-	·12	-	·03	·10	-	-		7
8	·	-	-	-	-	-	·01	-	·17	·21	·05	·21		8
9	·09	-	-	-	-	·36	·01	-	·02	·11	·31	·13		9
10	-	-	-	-	-	-	·80	-	·02	·08	× }	·08		10
11	-	-	-	✓ }	-	-	·13	-	-	-	×·31 }	-		11
12	-	-	·14	✓·02 }	-	-	·20	·01	·44	-	·38	-		12
13	-	½" snow ·05	·24	-	-	-	·02	-	·04	-	1·05	-		13
14	-	-	-	·08	-	-	·18	-	-	·39	-	-		14
15	-	-	·03	-	·08	-	·45	-	·24	-	·56	·15		15
16	-	8" snow × }	-	·17	-	·02	·02	-	·07	-	·70	·01		16
17	-	× }	·34	-	-	-	·01	-	-	·51	·10	·01		17
18	-	rain ·72 }	·24	·40	-	-	·07	-	-	·27	-	·14		18
19	-	·10	·10	·11	-	-	·06	-	·59	-	·25	-		19
20	-	·61	-	-	-	-	·01	·05	·09	-	·03	-		20
21	-	·01	·04	-	-	-	·09	-	-	·21	·55	-		21
22	-	·01	·03	·04	·03	·28	-	-	·22	-	-	-		22
23	-	·04	·08	-	-	-	-	-	-	-	·01	-		23
24	-	-	-	-	-	-	·24	-	-	-	-	-		24
25	-	-	·17	·07	-	-	·01	-	-	-	-	-		25
26	·70	·14	-	·01	-	-	-	-	-	-	-	-		26
27	·22	·10	·01	-	·08	-	-	-	-	-	-	-		27
28	× }	-	-	-	× }	-	·07	-	-	-	·01	-		28
29	8 in. snow ×1·40 }	·05	·14	·20	·20 }	- }	-	-	-	-	-	·30		29
30	·77 }	✕	-	·04	-	✓·02 }	-	-	-	·31	-	·04		30
31	·01	✕	-	✕	-	✕	-	-	✕	·50	✕	·03		31
TOTAL	2·58 ~~1·96~~	2·91	1·56	1·22	·39	·68	2·73	·06	1·93	3·63	6·68	1·42	Year's Total ~~25·17~~	25·79
* Days with .01 in. or more.	7	19	12	12	5	4	21	2	11	13	20	14	140	
* Days with .04 in. or more.	6	16	9	9	4	2	12	1	8	13	16	9	105	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Edith E. de Paravicini

[P.T.O.

662.

ANDOVER S.W.

1931–40

780114

94131/26

662

COPY FOR OFFICIAL USE.

OFFICE.—BRITISH RAINFALL ORGANIZATION.

NFALL IN 1931 .

D TO THE PREVIOUS DAY.

ading made on *January 1st of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·03	—	·25	—	—	·09	·01	—	—	1
2	—	·06	—	·64	—	—	·01	—	·48	·02	·02	·18	2
3	·16	·03	·20	·10	·01	—	·01	·04	·63	—	·47	·14	3
4	·04	—	·07	—	—	—	·24	·20	·04	—	·20	—	4
5	—	·03	—	·11	·02	·42	·02	—	—	—	·05	·11	5
6	—	·11	—	·24	—	·04	·02	—	·05	·25	·22	—	6
7	—	—	—	—	·30	·16	—	·73	—	·12	·28	·04	7
8	—	·13	—	·07	·04	·34	—	·10	—	—	·12	—	8
9	—	·36	—	·05	—	·01	—	—	—	—	·47	—	9
10	—	·02	—	—	—	·05	·05	·04	—	—	·60	—	10
11	·11	·34	—	—	—	·02	—	—	·02	·01	·15	—	11
12	—	·01	—	—	—	—	·39	·01	·50	—	—	—	12
13	—	—	—	—	—	—	·43	—	—	—	—	—	13
14	—	·15	—	—	—	·06	1·38	·37	—	—	·02	—	14
15	·02	·10	—	·03	·18	—	·84	·12	—	—	—	·04	15
16		·04	—	·09	·12	·21	·40	·15	·08	—	—	—	16
17	·07	·12	—	·13	—	·09	—	·09	·15	—	—	—	17
18	·09	—	·14	·10	—	·25	·13	1·49	—	—	·61	—	18
19	·08	—	—	·28	—	·05	·04	·02	—	—	—	—	19
20	—	—	·09	·04	—	—	—	—	—	—	—	—	20
21	·08	—	—	—	·17	—	—	—	—	—	—	—	21
22	·25	—	—	—	·01	·01	—	—	—	—	·01	—	22
23	·35	—	—	·18	·44	·12	—	·10	—	—	·20	·05	23
24	·08	—	—	·45	·24	·28	·17	—	—	—	·02	·01	24
25	·37	·01	—	·28	·02	—	·52	—	—	—	·13	—	25
26	·01	—	—	·06		—	·51	—	—	—	·23	—	26
27	·13	·45	—	—	—	—	—	—	—	—	·05	—	27
28	·01	·11	—	·16	·98	—	—	—	—	—	—	·03	28
29	·13	×	—	—	·03	—	—	—	—	·04	·03	—	29
30	·09	×	—	—	·26	—	·10	·54	·01	—	—	—	30 9·50
31	·25	×	—	×	13	×	—	—	×	—	×	—	31 29·50 ~~29·50~~
99 TOTAL	2·32	2·07	·50	3·04	3·97 2·94	2·36	5·26	4·00	2·05	·45	3·88	·60	YEAR'S TOTAL 29·50
*Days with ·01 in. or more.	18	17	4	18	15	16	17	14	10	5	19	8	161
*Days with ·04 in. or more.	15	11	4	16	11	13	13	12	8	3	14	6	126

40-9999

(Signed) C. Jerome [P.T.O.

*See Instruction 2 (*f*) on other side.

94131/26 662

COPY FOR OFFICIAL USE.

[redacted] OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Andover Sewage Works

in the County of Hants

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1' ft. 0" in.

" Ground " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·03	—	·25	—	—	·09	·01	—	—	1
2	—	·06	—	·64	—	—	·01	—	·48	·02	·02	·18	2
3	·16	·03	·20	·10	·01	—	·01	·04	·63	—	·47	·14	3
4	·04	—	·07	—	—	—	·24	·20	·04	—	·20	—	4
5	—	·03	—	·11	·02	·42	·02	—	—	—	·05	·11	5
6	—	·11	—	·24	—	·04	·02	—	·05	·25	·22	—	6
7	—	—	—	—	·30	·16	—	·73	—	·12	·28	·04	7
8	—	·13	—	·07	·04	·34	—	·10	—	—	·12	—	8
9	—	·36	—	·05	—	·01	—	—	—	—	·47	—	9
10	—	·02	—	—	—	·05	·05	·04	—	—	·60	—	10
11	·11	·34	—	—	—	·02	—	—	·02	·01	·15	—	11
12	—	·01	—	—	—	—	·39	·01	·50	—	—	—	12
13	—	—	—	—	—	—	·43	—	—	—	—	—	13
14	—	·15	—	—	—	·06	1·38	·37	—	—	·02	—	14
15	·02	·10	—	·03	·18	—	·84	·12	—	—	—	·04	15
16		·04	—	·09	·12	·21	·40	·15	·08	—	—	—	16
17	·07	·12	—	·13	—	·09	—	·09	·16	—	—	—	17
18	·09	—	·14	·10	—	·25	·13	1·49	—	—	·61	—	18
19	·08	—	—	·28	—	·05	·04	·02	—	—	—	—	19
20	—	—	·09	·04	—	—	—	—	—	—	—	—	20
21	·08	—	—	—	·17	—	—	—	—	—	—	—	21
22	·25	—	—	—	·01	·01	—	—	—	—	·01	—	22
23	·35	—	—	·18	·44	·12	—	·10	—	—	·20	·05	23
24	·08	—	—	·45	·24	·28	·17	—	—	—	·02	·01	24
25	·37	·01	—	·28	·02	—	·52	—	—	—	·13	—	25
26	·01	—	—	·06		—	·51	—	—	—	·23	—	26
27	·13	·45	—	—	—	—	—	—	—	—	·05	—	27
28	·01	·11	—	·16	·98	—	—	—	—	—	—	·03	28
29	·13	×	—	—	·05	—	—	—	—	·04	·03	—	29
30	·09	×	—	—	·26	—	·10	·54	·01	—	—	—	30 9·50
31	·25	×	—	×	13	×	—	—	×	—	×	—	29·50 31 ~~29·50~~
99 TOTAL	2·32	2·07	·50	3·04	2·97 2·94	2·36	5·26	4·00	2·05	·45	3·88	·60	YEAR'S TOTAL 29·50
*Days with ·01 in. or more.	18	17	4	18	15	16	17	14	10	5	19	8	161
*Days with ·04 in. or more.	15	11	4	16	11	13	13	12	8	3	14	6	126

40-9999

(Signed) C. Jerome

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 662

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at ANDOVER.

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1' ft 0" in.

,, Ground ,, Sea Level 183 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
32	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·05	·74	—	·03	·29	·03	·04	·02	—	1
2	·25	—	—	·19	·10	—	—	·04	·05	—	—	·30	2
3	—	—	—	·36	·03	·03	—	—	·42	—	—	—	3
4	·02	—	—	—	—	·01	—	—	—	—	·06	—	4
5	·23	—	—	—	—	·01	·09	—	·20	—	—	—	5
6	·27	—	·04	·37	—	—	·13	—	·15	—	—	—	6
7	—	—	·04	—	—	—	—	—	·13	·33	—	—	7
8	—	—	·31	—	·14	—	—	—	·59	·11	—	—	8
9	·38	—	—	·14	·19	—	—	—	·03	—	—	—	9
10	·47	—	—	·27	·08	·03	—	—	—	·14	·06	—	10
11	·01	—	—	·05	·02	—	—	—	—	—	—	·05	11
12	·32	—	—	—	·12	—	—	—	·10	·21	—	—	12
13	·08	—	—	·18	·04	—	·91	—	—	·88	—	·08	13
14	·18	—	—	—	·02	—	—	—	—	·01	—	·01	14
15	—	—	—	·20	1·77	—	·10	—	—	·06	·21	—	15
16	·78	—	—	·08	·01	—	—	—	—	—	—	·01	16
17	—	—	—	·02	—	—	·03	—	—	·04	—	—	17
18	—	—	—	—	·04	—	—	—	·34	—	·20	—	18
19	—	—	—	—	—	—	—	—	·05	·10	—	—	19
20	—	—	—	·19	·13	—	—	·46	·01	·56	·12	—	20
21	—	—	—	·15	·18	—	—	—	—	·13	—	·09	21
22	—	—	·35	·02	·03	·02	·09	—	·27	·18	·35	—	22
23	—	—	—	—	·49	—	·05	—	·02	·44	—	·15	23
24	·02	·10	—	—	—	—	·40	—	·17	·06	·04	—	24
25	—	—	—	—	—	—	·26	—	·05	·26	·02	·01	25
26	—	—	·12	·02	—	—	·20	—	—	·05	·02	—	26
27	—	—	·44	·21	·14	·04	·10	—	—	·08	—	—	27
28	—	—	·04	·04	·07	·02	·60	—	—	·07	—	—	28
29	—	—	·44	·26	·09	·09	—	·11	·35	·33	·22	·09	29
30	—	×	·04	·19	—	1·53	—	—	·55	—	·38	·24	30
31	—	×	·18	×	—	×	—	—	×	—	×	·15	31
99 TOTAL	3·01	0·10	2·00	2·99	5·63	1·84	2·99	0·90	3·51	4·41	1·40	1·18	YEAR'S TOTAL 30·26
*Days with ·01 in. or more.	12	1	10	19	20	9	13	4	18	20	12	11	149
*Days with .04 in. or more.	9	1	10	16	15	4	11	4	14	19	9	8	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C. Jerome

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 662.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Andover Sewage Works

in the County of Hants.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground — ft. — in.

,, Ground ,, Sea Level ft.

Duplicate

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
33	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	.28	.10	—	.09	—	—	—	—	—	—	—		1
2	.29	—	.49	—	.24	—		—	—	—	—	—		2
3	—		.21	—	—	—	—	—	—	—	—	—		3
4	.17	—	.02	—	.22	—	—	—	—	—	—	—		4
5	.03	.01	.54	—	.04	—	—	—	—	—	—	—		5
6	—	.22	—	—	.17	—	—	—	—	.37	.06	—		6
7	.03	.02	—	—	—	—	—	—	—	.04	.01	—		7
8	—	—	.02	—	.06	—	.42	—	—	.03	—	—		8
9	—	.02	—	—	—	—	.39	—	—	.11	.06	—		9
10	—	.07	—	—	.02	—	.13	—	—	.31	.09	—		10
11	.24	—	—	—	.03	—	.77	.07	—	—	—	—		11
12	—	—	—	.10	.03	—	.05	—	.71	—	—	—		12
13	.05	—	—	—	—	.13	.36	—	.02	.03	.06	—		13
14	—	—	—	—	—	—	.04	—	—	.26	.39	—		14
15	.49	—	.15	—	—	—	.09	.13	—	.01	—	—		15
16	—	.02	.77	—	—	.01	.10	—	.01	.02	—	—		16
17	—	—	.47	—	—	.06	—	.01	.09	—	—	—		17
18	.13	.05	.31	—	—	.35	—	—	—	—	—	—		18
19	—	—	.09	—	—	.05	—	—	.67	—	.03	—		19
20	—	.03	.06	.09	—	.27	—	—	.10	—	.12	—		20
21	—	.02	—	—	—	.03	—	.13	.04	—	—	—		21
22	—	—	—	—	—	.86	—	.10	—	.13	—	—		22
23	—	—	—	.30	—	.12	—	—	.25	—	—	—		23
24	—	1.67	—	.08	—	.44	—	—	.01	.41	—	—		24
25	—	.78	—	.40	.02	.11	—	—	—	—	—	.07		25
26	—	.83	—	.28	—	.25	—	—	.54	.05	—	—		26
27	—	—	—	—	.62	—	.07	—	—	.35	—	.21		27
28	—	—	—	.27	—	—	.05	—	—	.02	—	.02		28
29	.15	×	—	.18	—	—	—	—	—	.01	—	—		29
30	.09	×	.11	.14	—	—	—	—	.10	—	—	.05		30
31	.24	×	—	×	—	×	.03	—	×	—	×	—		31
99 TOTAL	2.12	4.02	3.34	1.84	1.54	2.68	2.50	0.44	2.54	2.15	0.82	0.35	Year's Total 24.34	
*Days with ·01 in. or more.	12	13	13	9	11	12	12	5	11	15	8	4	125	
*Days with ·04 in. or more.	10	7	11	9	7	10	11	4	8	9	6	3	95	

40-9999

† Spare column, no entries required.

*See Instruction 2 (*f*) on other side.

(*Signed*) Jerome

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 662

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at ANDOVER

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·02

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
34	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	–	–	–	–	·30	·22	–	·04	·64		1
2	·13	–	·04	·02	–	–	–	–	·65	·19	·02	·27		2
3	·01	·02	–	–	·08	–	–	·25	–	·30	–	·12		3
4	·04	–	·08	·04	·17	–	–	–	–	·10	·01	·38		4
5	–	–	·01	–	·02	–	–	·28	–	–	·03	·52		5
6	–	–	·36	·02	·21	–	–	–	–	·30	–	·66		6
7	·12	–	–	–	–	·14	–	·22	–	·05	·01	·61		7
8	–	–	–	–	·28	–	–	·01	·09	–	·40	·18		8
9	–	–	·10	–	–	–	–	–	–	–	·98	·45		9
10	·12	–	·27	·25	–	–	–	·02	–	·02	·12	·12		10
11	·60	–	·59	·33	–	–	·13	·06	–	–	–	·18		11
12	–	–	·03	–	–	–	·04	·09	–	–	–	·25		12
13	·43	–	·02	·14	–	–	·02	·03	–	–	·06	·56		13
14	·17	–	·45	–	–	–	–	–	–	–	·05	·35		14
15	·01	–	·03	–	·08	–	–	–	–	·11	·04	·27		15
16	·08	–	·34	–	–	–	–	–	–	–	–	·06		16
17	·05	–	–	–	–	–	–	–	·10	·02	–	·17		17
18	·18	–	·08	·03	–	–	–	–	·10	–	·01	·30		18
19	–	–	·60	–	–	·01	–	–	·05	–	–	–		19
20	–	–	·03	·05	–	–	·12	·01	·06	·01	–	·12		20
21	–	–	–	·20	–	·10	–	·02	–	·08	–	–		21
22	–	–	·01	–	–	–	·57	·13	·21	–	–	·04		22
23	–	·01	–	·22	–	·55	–	–	·06	–	–	·02		23
24	–	·02	·08	·13	–	·17	·43	–	·09	–	–	–		24
25	·20	–	–	·14	–	·04	–	–	–	·11	–	·67		25
26	–	–	·13	·05	–	·10	–	·03	·06	–	–	·31		26
27	·01	–	–	·01	–	·26	–	–	–	–	–	·43		27
28	–	–	–	–	–	·14	·03	·52	–	·08	·01	·41		28
29	–	×	–	–	–	–	·04	·04	·37	–	–	–		29
30	·03	×	–	–	–	–	–	–	·09	–	·01	·32		30
31	–	×	–	×	–	×	·02	·03	×	·02	×	·08		31
99 TOTAL	2·18	0·05	3·27	1·63	0·84	1·51	1·40	2·64	2·15	1·39	1·79	8·49	Year's Total 27·34	
*Days with ·01 in. or more.	15	3	18	14	6	9	9	16	13	13	14	27	157	
*Days with ·04 in. or more.	11	–	13	10	5	8	6	9	13	9	7	26	117	

† Spare column, no entries required.

(Signed) C. Jerome

40-9999

*See Instruction 2 (*f*) on other side.

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 662

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935. Fil. n. 694131/26

Kept at The Andover Sewage Disposal Works.

in the County of Hampshire.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. --- in.

,, Ground ,, Sea Level 180 ft. approx.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
35	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	.20	.02	.13	.09	.47	—	.04	.01	.12	—		1
2	—	—	—	—	—	.01	.02	—	.03	.18	.02	.01		2
3	—	—	.05	—	—	.35	—	—	.32	.64	.23	—		3
4	—	.09	—	.15	—	.16	—	—	.18	.36	.34	.02		4
5	—	.48	.13	.13	—	.12	—	—	.38	.33	.03	.02		5
6	—	—	—	.32	—	.93	—	—	—	.02	.08	.02		6
7	—	—	—	.45	—	.01	—	—	—	.11	.20	.05		7
8	—	—	—	.32	—	.04	—	—	.01	.15	.32	—		8
9	.10	—	—	.43	—	1.03	—	—	.13	.57	1.08	—		9
10	.20	—	.03	.02	—	.04	—	—	—	—	.10	—		10
11	.32	—	—	—	—	.20	.21	—	—	—	.42	—		11
12		.13	—	—	—	.30	—	.02	.02	—	.20	—		12
13	.08	.10	—	.18	.05	.15	—	—	—	—	.02	—		13
14	—	—	—	.09	.02	.02	—	—	—	—	.33	.19		14
15	—	.08	—	.52	—	.41	—	—	.15	—	.40	.08		15
16	—	.06	—	.17	—	.03	—	—	.75	.03	.86	.01		16
17	—	.01	—	.31	—	.13	—	—	.03	—	.17	—		17
18	—	—	—	.26	.02	.02	—	.04	—	—	.01	—		18
19	—	—	—	.03	.49	.05	.16	—	.37	—	.15	—		19
20	—	.28	—	.04	.15	.04	.11	—	.04	.03	.63	—		20
21	—	.48	.01	.13	—	—	—	—	.02	—	—	—		21
22	—	.04	.08	—	—	—	—	.14	.07	.04	—	—		22
23	—	.03	.07	—	—	—	—	.14	.10	.71	—	.08		23
24	.02	.44	—	—	—	—	—	.77	.23	.02	—	.26		24
25	.07	.39	—	.14	—	.04	—	—	.15	—	—	.36		25
26	—	.43	—	—	—	—	—	.45	.02	.02	—	.67		26
27	—	.25	—	—	—	—	—	—	.41	—	—	.47		27
28	—	.18	—	—	—	—	—	.02	.27	—	—	.17		28
29	—	×	—	—	—	—	—	—	—	.03	.02	.65		29
30	.02	×	—	.13	—	—	—	.66	.05	.13	.73	.55		30
31	—	×	—	×	—	×	—	—	×	.88	×	.24		31
99 TOTAL	.83	3.47	.59 .59	3.84	.86	4.17	.97	2.24	3.77	4.26	6.46	3.85	Year's Total. 35.31	35.29
* Days with .01 in. or more.	8	16	7	18	6	21	5	7	22	18	22	17	167	
* Days with .04 in. or more.	5	14	5	16	4	17	4	6	17	11	17	12	128	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 662

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

File No.6991316

Kept at Andover Sewage Pumping Station.

in the County of Southampton.

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1' ft. in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
36	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	.13	—	.20	—	.29	.14	.06	—	—	.05	.10		1
2	.02	.10	.02	—	—	.07	.04	.19	—	—	.03	—		2
3	—	—	.01	.02	—	.10	.03	—	.44	—	.33	—		3
4	—	—	.18	—	—	.08	—	—	.15	—	.02	.06		4
5	.43	—	.10	—	.11	.04	—	.01	.05	—	.	.02		5
6	.34	—	.06	—	—	—	—	.02	.08	—	.32	—		6
7	.04	—	—	—	—	—	.05	—	.03	—	.22	.09		7
8	.40	—	.24	—	—	—	.09	—	—	—	.03	—		8
9	.58	—	.12	—	—	—	.33	—	.40	—	—	—		9
10	—	—	—	—	.01	—	—	.02	.03	—	—	—		10
11	.03	.10	—	—	—	—	—	.13	.44	.02	.78	.07		11
12	—	—	—	.01	.14	.32	.22	—	.19	—	.51	—		12
13	—	—	—	.62	—	.12	—	—	—	.04	.10	.58		13
14	—	—	—	—	—	.02	.53	—	.03	.01	.16	.53		14
15	—	—	—	.02	.04	—	.03	—	.05	—	.03	.14		15
16	.11	.26	—	—	—	—	.04	—	—	—	.16	.08		16
17	.11	.83	—	—	—	—	.10	—	—	—	.08	.24		17
18	.10	.09	—	—	—	.18	.12	—	—	.04	—	.20		18
19	.31	.03	—	.09	—	.24	.10	.09	—	—	—	—		19
20	.06	.18	.12	.13	—	—	.02	—	1.05	—	—	.02		20
21	—	—	—	.61	—	.13	—	—	—	—	—	—		21
22	.19	.59	.12	—	.30	—	.24	—	—	—	—	—		22
23	.05	—	.62	.05	—	—	.15	—	—	.08	—	.04		23
24	.10	.04	—	—	.04	—	—	—	.04	.23	—	—		24
25	.05	—	.07	.21	.08	—	.45	—	.05	.13	.04	—		25
26	.08	.17	.10	.02	—	.77	.10	—	—	.12	—	—		26
27	.22	—	.04	—	—	—	.18	—	.19	.39	—	—		27
28	1.34	—	.38	—	—	—	.64	—	—	.03	—	.17		28
29	—	.07	.09	—	—	—	.06	—	—	.08	.20	.05		29
30	.08	✕	—	—	.05	.08	—	—	—	.38	—	.02		30
31	.12	✕	.41	✕	.04	✕	.20	—	✕	.33	✕	.49		31
99													Year's Total	
TOTAL	4.86	2.59	2.68	1.38	.81	2.44	3.86	.52	3.22	1.88	3.06	2.90	30.20	✓
* Days with .01 in. or more.	22	12	16	11	9	13	22	7	15	13	16	17	173	✓
* Days with .04 in. or more.	19	11	14	6	8	12	19	4	12	10	12	14	141	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. Jerome [P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 662

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Andover Sewage Disposal Works

in the County of Hampshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. ...... in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
37	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	.02	—	—	—	—	.10	—	.37	.43		1
2	.15	.42	—	.05	—	—	—	—	.14	—	—	.12		2
3	—	.28	—	—	—	—	—	—	—	—	—	.01		3
4	.10	.60	—	.02	—	—	—	—	—	—	—	.26		4
5	.16	—	.06	.02	—	—	.20	.04	—	—	—	—		5
6	.08	.08	.24	.12	.08	—	.20	—	—	.06	.01	—		6
7	—	.64	—	.08	.12	—	—	—	.02	.01	—	.15		7
8	—	.01	—	—	.18	—	—	—	—	—	.03	.18		8
9	—	—	—	.17	.13	.05	.80	—	.25	—	—	.10		9
10	.01	—	.80	.38	.01	.20	—	.22	—	—	—	.38		10
11	—	—	.07	.01	—	.70	.19	—	—	—	—	—		11
12	—	.28	.12	.04	.04	.30	.30	.38	.08	—	—	.30		12
13	.17	.06	.39	.27	—	.02	—	.02	.09	—	—	.16		13
14	.04	.03	.23	—	—	—	—	.38	.04	—	—	.02		14
15	.22	.16	—	.22	—	—	.20	—	.06	—	—	.45		15
16	—	.09	.63	.18	—	.06	—	.28	.43	—	—	—		16
17	.58	.06	—	—	—	—	.01	—	.43	—	.02	—		17
18	.31	.10	.32	—	—	—	—	—	—	—	.07	.13		18
19	.14	.09	.09	—	—	.10	—	—	.04	—	—	—		19
20	.65	—	.22	.20	—	.17	—	—	—	—	—	.04		20
21	.47	.42	.02	—	.03	—	—	—	—	—	—	.02		21
22	.43	.05	.08	—	.22	.06	.08	—	—	.72	.52	.06		22
23	.45	.16	.23	—	.30	—	.12	—	—	.53	.08	—		23
24	.47	.58	—	—	.05	—	—	—	.10	.70	—	—		24
25	.46	.45	.21	—	1.25	—	—	—	.02	.52	—	—		25
26	—	.34	—	—	.08	—	—	—	—	.12	—	.06		26
27	.01	.15	—	.12	—	—	—	—	—	.63	—	.02		27
28	—	.07	—	—	—	.01	—	—	—	.13	—	—		28
29	—	✕	—	—	—	.03	—	—	—	.25	.19	—		29
30	.45	✕	—	—	—	.02	—	—	—	.05	.35	—		30
31	.27	✕	—	✕	—	✕	—	—	✕	.45	✕	—		31
99 TOTAL	5.62	5.12	3.71	1.90	2.49	1.72	2.10	1.32	1.80	4.17	1.64	2.89	Year's Total 34.48	
* Days with .01 in. or more.	20	22	15	15	12	12	9	6	13	12	9	18	163	
* Days with .04 in. or more.	18	20	14	11	10	8	8	5	11	11	6	14	136	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 662

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Sewage Works Andover
in the County of Hampshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1' ft 6" in.
,, Ground ,, Sea Level .... ft.

Entries on Oct. 29th–31st & on Nov. 20th estd. from nearby stns. to agree with monthly totals. ~~weak~~

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
38	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·03	·02	—	—	·06	·22	—	—	·07	·05	·13		1
2	·01	—	—	·03	—	—	·08	—	—	·70	·02	·09		2
3	—	—	—	—	·15	—	—	—	—	·53	·03	—		3
4	·04	—	—	—	—	—	—	·02	—	·03	·01	—		4
5	—	—	—	—	—	—	·06	—	—	·34	—	—		5
6	·13	—	—	—	—	·01	·12	—	·15	·03	·02	—		6
7	·10	—	—	—	—	—	·65	1·39	·02	·12	·01	·05		7
8	·15	—	—	—	—	—	·13	·02	·02	·13	—	·02		8
9	·12	·05	—	—	—	·06	—	·08	—	—	—	1·15		9
10	·11	·01	—	—	—	—	·06	—	—	—	—	·26		10
11	·18	—	—	—	—	—	—	—	—	—	·16	·19		11
12	·33	—	—	—	·11	—	—	—	—	·20	·01	·01		12
13	·19	·02	—	—	—	—	—	—	—	·05	·22	·55		13
14	·38	—	—	—	·07	—	·08	—	—	—	·02	—		14
15	·10	—	—	—	·02	—	·43	—	·15	·21	—	·58		15
16	·22	—	—	—	—	—	—	—	—	·14	·04	·10		16
17	—	·05	—	—	—	—	—	—	·04	·09		·03		17
18	—	—	—	—	—	—	—	—	·27	·01	·62	—		18
19	·07	—	—	—	—	—	—	·04	·18	—	·56	—		19
20	—	—	—	—	—	—	—	—	·02	—	·93	—		20
21	·21	—	·01	—	—	—	—	·02	·08	—	·02	·04		21
22	—	—	—	—	—	—	—	·22	—	—	·22	·40		22
23	—	—	—	—	—	—	—	—	—	—	·11	—		23
24	—	—	·15	—	·02	·02	—	—	·15	—	·12	—		24
25	·08	·04	·04	—	·15	—	—	·05	—	·04	·92	·09		25
26	·12	·38	·02	—	·04	—	·02	—	·09	·19	—	·29		26
27	·07	·01	—	—	·11	·27	·55	—	·19	·02	·30	—		27
28	·05	·04	—	—	·34	·04	—	·65	·06	—	—	·04		28
29	·47	×	—	—	·27	—	—	—	·08	·02	—	·05		29
30	·07	×	—	—	·08	·08	—	—	—	·02	·21	—		30
31	·21	×	—	×	·07	×	—	—	×	·20	×	·26		31
99 TOTAL	3·41	·63	·24	·03	1·43	·54	2·40	2·49	1·50	3·14 ✓	4·60 ✓	4·33	Year's Total 24·74 ✓	✓
* Days with .01 in. or more.	22	9	5	1	12	7	11	9	14	20 ~~17~~	21	19	150 ~~147~~	" ✓
* Days with .04 in. or more.	21	5	2	—	10	5	10	6	11	14 ~~13~~	12	16	112 ~~111~~	" ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Chas Jerome

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations 694131/26 Station No. 662

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Sewage Pumping Station Andover

in the County of Hampshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 182 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
39	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	.05	.18	.09	—	—	.10	.16	—	.01	.02		1
2	.06	—	—	.04	—	—	—	.50	.55	—	.03	.04		2
3	.45	—	—	.25	—	—	—	—	—	—	.16	.29		3
4	.05	—	—	.42	.12	—	.69	.21	—	.50	.09	.03		4
5	—	—	—	.35	37	—	.11	.15	—	.30	.43	.10		5
6	.38	—	.02	—	.13	—	.37	.02	—	—	.60	—		6
7	—	.24	—	—	—	—	.02	.02	—	—	.50	.33		7
8	.04	.11	.18	—	—	—	.06	.10	—	.45	.30	.18		8
9	—	—	—	—	—	—	—	.04	—	.10	.10	.22		9
10	.35		.02	—	—	.03	—	.33	—	.27	.03	—		10
11	—	—	.14	—	—	—	—	—	—	.20	.01	—		11
12	.01	—	.02	—	—	.06	—	—	—	—	.05	—		12
13	—	—		—	—	.04	.28	—	.25	.99	—	—		13
14	.56	—	—	.05	.02	.01	.24	—	.02	.27	.24	.01		14
15	.20	—	—	—	24	.58	.46	—	—	.27	.20	—		15
16	.30	—	.01	02	—	.23	.03	—	—	—	.34	—		16
17	.37	.05	—	—	.08	—	.19	—	—	.44	.23	—		17
18	.14	—	02	—	—	.21	.62	—	—	—	.36	—		18
19	.20	—	—	—	—	—	.29	—	—	—	—	—		19
20	.34	—	—	—	—	—	.72	—	—	—	—	—		20
21	.04	.24	—	—	—	.28	.44	.08	.01	—	—	—		21
22	.19	.20	.04	—	—	.18	.17	—	—	—	.11	—		22
23	.04	—	02	.17	—	—	.18	.01	—	—	.69	—		23
24	35	—	—	—	—	.20	.01	—	—	.17	—	—		24
25	.40	.18	—	—	—	02	.50	—	—	.09	.17	—		25
26	.05	—	—	.03	—	—	—	—	—	—	.22	.02		26
27	—	.18	.08	.01	—	—	.01	.03	—	—	.10	—		27
28	—	.17	.07	.14	—	.01	69	—	—	—	.16	.11		28
29	—	X	—	.04	—	—	.59	—	—	.02	.06	—		29
30	—	✕	—	73	—	.04	—	—	—	.05	.03	—		30
31	—	✕	—	✕	—	✕	.15	—	✕	.22	✕	.03		31
99 TOTAL	4.52	1.37	.67	2.43	1.05	1.89	6.82	1.59	.99	4.34	5.22	1.38	Year's Total 32.27	✓
* Days with .01 in. or more.	20	8	12	13	7	13	22	12	5	15	25	12	164	✓
* Days with .04 in. or more.	19	8	6	10	6	9	18	8	3	14	20	7	128	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. Jevons

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 662

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at SEWAGE PUMPING STN., ANDOVER

in the County of SOUTHAMPTON

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 181 ft.

Snow?

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
40	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.02	—	—	—	—	—	—	—	—	.08	—		1
2	—	.10	—	—	.01	—	.04	—	—	.01	.46	—		2
3	—	.18	—	—	—	—	—	—	—	.19	1.31	.14		3
4	—	.08	—	—	—	—	—	—	—	.28	.03	.01		4
5	—	.02	—	—	—	—	—	—	—	.05	.57	.11		5
6	.19	.38	—	—	—	—	.20	—	—	.27	.05	—		6
7	.14	.30	—	—	—	—	—	—	—	—	—	—		7
8	—	—	—	—	—	.22	.05	—	.03	.27	.04	.22		8
9	—	—	—	—	—	.21	—	.03	.02	.13	.38	.18		9
10	—	—	—	—	—	—	1.15	—	—	.08	.05	.03		10
11	—	—	—	.01	—	—	.08	—	—	—	.50	—		11
12	—	—	.12	.01	—	—	.20	—	.22	—	12	—		12
13	—	—	.62	—	—	—	.02	—	.17	—	1.51	—		13
14	—	.07	.07	.06	—	—	.27	—	.03	.26	—	.38		14
15	—	—	—	.04	.26	—	.46	—	.10	.20	.55	.01		15
16	—	.16	.28	.10	—	—	.01	—	.19	.50	.78	.01		16
17	—	.20	.37	—	—	—	.01	—	.05	—	.13	—		17
18	—	.45	.34	.29	—	—	.03	—	.01	.30	.03	.13		18
19	—	.12	.06	.08	—	—	.11	—	.51	—	.14	—		19
20	—	—	.04	—	—	—	—	—	.06	.24	.06	—		20
21	—	—	.02	—	.02	—	.07	.01	—	—	.46	—		21
22	—	—	.03	.02	—	.23	—	—	.17	—	—	—		22
23	—	.03	.08	—	—	.02	—	—	—	—	.01	—		23
24	—	—	—	—	—	—	.24	—	—	—	—	—		24
25	.03	—	.08	.03	—	.01	.02	—	—	—	—	—		25
26	.70	.24	.05	.02	.07	.07	.01	—	—	—	—	—		26
27	.49	.27	.01	.09	—	—	.03	—	—	—	—	—		27
28	.13	—	—	—	.26	—	—	—	—	—	—	—		28
29	.95	.12	.13	.16	.07	.01	—	—	—	—	—	.23	.23	29
30	—	✕	—	.06	—	—	—	—	—	.27	—	—		30
31	.08	✕	—	✕	—	✕	—	—	✕	.58	✕	.04	.04	31
99 TOTAL	2.71	2.74	2.30	.97	.69	.77	3.00	.04	1.56	3.63	7.26	1.49	Year's Total 27.16	
* Days with .01 in. or more.	9 7	16	15	13	6	7	18	2	12	15	20	10	141 3	
* Days with .04 in. or more.	8 6	13	12	8	4	4	11	-	8	14	17	6	103 5	

† Spare column, no entries required.

(*Signed*) W. Jerome

* See Instruction 3 (f) on other side.

[P.T.O.

663

Section **A** for the entry of D

AIR MINISTRY

FOR OFFICIAL USE.

AINFALL ORGANIZATION.

FORM 1090.

REGIS

1931.

663

HALTERDEAN

LITTLE GODDARDS

1931- 1933

78 0114

Kept at Little Goddards

in the County of Hants

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

„ Ground „ Sea l

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·10	—	·04	trace	·20	trace	—	·10	·01	—	—	1
2	·15	·04	—	·56	—	trace	—	—	·52	·05	·01	·09	2
3	·09	trace	·12	·09	trace	—	·03	·06	·64	—	·48	·25	3
4	—	trace	·07	trace	trace	—	·24	·08	·12	·01	·21	trace	4
5	—	·04	—	trace	trace	·52	·04	trace	·01	—	·07	·14	5
6	—	·15	—	·28	—	trace	·05	—	·03	·28	·23	trace	6
7	—	trace	trace	·01	·25	·15	trace	·37	—	·18	·34	·04	7
8	·02	·12	—	·03	·02	·26	—	·17	—	trace	·16	trace	8
9	—	·04	trace	·08	—	trace	·01	—	—	—	·37	—	9
10	—	·19	trace	trace	—	·09	·01	·09	—	·01	·54	—	10
11	·05	·33	—	—	—	·04	·04	—	—	—	·13	—	11
12	·01	·01	—	—	—	—	·26	—	·41	·01	—	—	12
13	—	trace	·01	—	—	trace	·21	trace	trace	trace	—	—	13
14	—	·11	trace	—	trace	·03	1·17	·46	—	—	·02	—	14
15	—	·13	—	·09	·21	trace	·38	·27	·01	—	—	·02	15
16	·01	·02	—	·18	·11	·26	—	·17	trace	—	—	—	16
17	·02	·33	—	·18	·01	·01	·41	·02	·25	trace	·01	—	17
18	·11	·02	·11	·17	—	·18	·02	·87	—	trace	·45	—	18
19	·10	—	—	·36	—	·07	·10	·35	—	—	trace	—	19
20	—	·07	·10	·05	—	—	trace	·32	—	trace	trace	—	20
21	·09	—	trace	—	·21	—	—	—	—	—	—	—	21
22	·26	—	—	·01	trace	—	—	—	—	—	trace	—	22
23	·38	—	—	·16	·80	·03	—	trace	—	—	·28	—	23
24	·03	—	trace	·53	·33	·26	·15	·02	—	—	·01	·05	24
25	·25	·03	—	·37	—	—	·25	—	—	—	·20	·01	25
26	·01	·01	—	·05	trace	—	·59	—	—	—	·20	—	26
27	·20	·49	—	—	·61	—	—	—	—	—	·08	—	27
28	·02	·09	·01	·09	·34	—	—	—	—	·03	·04	·04	28
29	·14		trace	—	·28	—	·13	—	—	·06	—	·04	29
30	·15	×	—	—	—	—	—	·09	·02	—	—	—	30
31	·23	×	—	×	·13	×	trace	—	×	—	×	·04	31
TOTAL	2·34	2·32	·42	3·13	2·97	2·10	4·09	5·34	2·11	·64	3·78	·72	YEAR'S TOTAL 27·96
Days with ·01 in. or more.	21	19	6	19	12	13	18	14	10	9	19	10	170
Days with ·04 in. or more.	13	14	4	16	10	10	14	12	6	4	15	8	126

40-9999

(Signed)..........

[P.T.O.

663

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1921.

Kept at Little Goddards Hatherden Andover.
in the County of Hants
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" Ground " Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·10	—	·04	trace	·20	trace	—	·10	·01	—	—	1
2	·15	·64	—	·56	—	trace	—	—	·52	·05	·01	·09	2
3	·09	trace	·12	·09	trace	—	·03	·06	·64	—	·48	·25	3
4	—	trace	·07	trace	trace	—	·24	·08	·12	·01	·21	trace	4
5	—	·04	—	trace	trace	·52	·04	trace	·01	—	·07	·14	5
6	—	·15	—	·28	—	trace	·05	—	·03	·28	·23	trace	6
7	—	trace	trace	·01	·25	·15	trace	·37	—	·18	·34	·04	7
8	·02	·12	—	·03	·02	·26	—	·17	—	trace	·16	trace	8
9	—	·04	trace	·08	—	trace	·01	—	—	—	·37	—	9
10	—	·19	trace	trace	—	·09	·01	·09	—	·01	·54	—	10
11	·05	·33	—	—	—	·04	·04	—	—	—	·13	—	11
12	·01	·01	—	—	—	—	·26	—	·41	·01	—	—	12
13	—	trace	·01	—	—	trace	·21	trace	trace	trace	—	—	13
14	—	·11	trace	—	trace	·03	1·17	·46	—	—	·02	—	14
15	—	·13	—	·09	·21	trace	·38	·27	·01	—	—	·02	15
16	·01	·02	—	·18	·11	·26	—	·17	trace	—	—	—	16
17	·02	·33	—	·18	·01	·01	·41	·02	·25	trace	·01	—	17
18	·11	·02	·11	·17	—	·18	·02	·87	—	trace	·45	—	18
19	·10	—	—	·36	—	·07	·10	·35	—	—	trace	—	19
20	—	·07	·10	·05	—	—	trace	·32	—	trace	trace	—	20
21	·09	—	trace	—	·21	—	—	—	—	—	—	—	21
22	·26	—	—	·01	trace	—	—	—	—	—	trace	—	22
23	·38	—	—	·16	·80	·03	—	trace	—	—	·23	—	23
24	·03	—	trace	·23	·33	·26	~~·15~~	·02	—	—	·01	·05	24
25	·25	·03	—	·37	—	—	·25	—	—	—	·20	·01	25
26	·01	·01	—	·05	trace	—	·59	—	—	—	·20	—	26
27	·20	·49	—	—	·61	—	—	—	—	—	·08	—	27
28	·02	·09	·01	·09	·84	—	—	—	—	·03	·04	·04	28
29	·14		trace	—	·28	—	·13	—	—	·06	—	·04	29
30	·15	×	—	—	—	—	—	·09	·02	—	—	—	30
31	·23	×	—	×	·13	×	trace	—	×	—	×	·04	31
TOTAL	2·34	2·32	·42	3·13	2·97	2·10	4·09	5·34	2·11	·64	3·78	·72	YEAR'S TOTAL 27·96
Days with ·01 in. or more.	21	19	6	19	12	13	18	14	10	9	19	10	170
Days with ·04 in. or more.	13	14	4	16	10	10	14	12	6	4	15	8	126

40-9999

(Signed)

[P.T.O.

Section **A** for the entry of Daily Observations.

663

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1922.

Kept at Little [illegible] Hatherden

in the County of Hampshire. Andover.

Diameter of Funnel of Gauge..............in.

Height of top of Gauge above Ground 1 ft. 3 in.

„ Ground „ Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25	·01	—	·05	·77	—	·09	·23	·06	·07	·04	—	1
2	·02	—	—	·26	·26	—	—	·02	·10	trace	trace	·28	2
3	·01	—	—	·17	·08	—	—	trace	·42	trace	—	·02	3
4	·03	—	—	—	—	·08	—	—	—	—	·09	—	4
5	{·64	—	·02	—	—	trace	·06	—	·14	—	—	—	5
6		—	·01	·42	trace	—	·06	—	·24	[illegible] —	—	—	6
7	—	—	·04	·10	·07	—	trace	—	·15	·26	—	—	7
8	—	·02	·30	trace	·14	—	—	—	·55	·17	—	—	8
9	·32	trace	—	·14	·31	—	—	—	·02	—	—	—	9
10	·37	·02	trace	·28	·07	trace	—	—	·01	·15	·05	—	10
11	·02	—	—	·09	·02	trace	trace	trace	·02	trace	·02	·07	11
12	·29	trace	—	trace	·18	—	—	trace	·06	·31	—	·01	12
13	·10	trace	—	·14	·06	—	·88	—	·03	·54	·02	·08	13
14	·22	—	—	·35	·01	—	—	·05	—	·04	trace	·01	14
15	trace	—	—	·04	1·38	—	·06	—	—	·07	·20	—	15
16	·30	—	—	·14	·01	trace	trace	—	—	—	—	·01	16
17	·02	—	—	·04	—	—	·02	—	trace	·04	trace	—	17
18	·01	—	—	—	·06	—	—	—	·45	—	·24	—	18
19	—	—	—	trace	trace	—	—	—	·05	·16	trace	—	19
20	—	—	—	·12	·42	—	trace	·69	·01	·66	·08	·01	20
21	·01	—	·01	·15	·77	—	trace	·07	—	·17	trace	·09	21
22	·01	trace	·27	trace	·01	·01	·15	·01	·25	·29	·42	—	22
23	—	trace	·01	·01	·41	—	·06	—	trace	·75	trace	·14	23
24	—	·11	—	—	·02	trace	·42	—	·15	·07	·07	—	24
25	—	trace	—	—	trace	—	·29	—	·04	·26	·02	·01	25
26	—	—	·12	·04	—	—	·06	—	—	·10	·02	—	26
27	—	—	·50	·25	·17	·03	·12	—	—	·17	—	—	27
28	—	—	·06	·20	·10	·14	·28	—	—	·04	—	—	28
29	—	—	·42	·28	·21	·11	—	·09	·86	·36	·15	·08	29
30	trace	✕	·10	·18	trace	1·20	·01	—	·56	trace	·43	·16	30
31	—	✕	·25	✕	—	✕	·06	—	✕	—	✕	·24	31
TOTAL	2·62	·16	2·09	3·45	5·52	1·57	2·51	1·16	3·67	4·42	1·85	1·01	YEAR'S TOTAL 30·04 3
Days with ·01 in. or more.	16	4	13	21	22	6	15	7	20	20	14	14	172
Days with ·04 in. or more.	8	1	9	20	17	4	12	5	15	20	10	8	129

40-12-1-27
144w)

(Signed) Edward Leader.

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 663

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Little [illegible] Hatherden Grange

in the County of Hants.

Diameter of Funnel of Gauge ~~5~~ in.

Height of top of Gauge above Ground 1 ~~0~~ ft 3 in.

,, Ground ,, Sea Level 350 ft.

Observer has sold property & purchaser does not continue

Oct. OK.
Nov + Dec estimated by surrounding obs.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	·25	·14	Nil	·09	Nil	Nil	Nil	Nil	trace			1
2	Nil	Nil	·57	Nil	·24	Nil	Nil	Nil	Nil	Nil			2
3	·26	·19	·23	Nil	·01	Nil	Nil	Nil	Nil	Nil			3
4	·03	trace	trace	Nil	·21	Nil	Nil	Nil	Nil	Nil			4
5	Nil	·05	·29	Nil	·12	Nil	Nil	Nil	Nil	Nil			5
6	Nil	·24	·05	Nil	·18	Nil	Nil	Nil	Nil	·22			6
7	·04	·12	·02	Nil	·03	Nil	Nil	Nil	Nil	·08			7
8	Trace	·01	Nil	Nil	Nil	Nil	·34	Nil	Nil	·04			8
9	Nil	·09	Nil	Nil	Nil	Nil	·33	Nil	Nil	·12			9
10	Nil	·08	Nil	Nil	Nil	Nil	·17	Nil	Nil	·37			10
11	·27	Nil	Nil	trace	·04	·05	·39	·10	trace	Nil			11
12	Nil	Nil	Nil	·06	Nil	Nil	trace	Nil	·63	Nil			12
13	·05	Nil	Nil	Nil	·10	·04	·41	Nil	·05	Nil			13
14	Nil	Nil	Nil	Nil	·02	Nil	·07	trace	Nil	·39			14
15	·55	Nil	·13	Nil	Nil	·13	trace	·13	Nil	Nil			15
16	Nil	·02	·73	Nil	Nil	Nil	·13	Nil	·02	·02			16
17	Nil	·04	·45	Nil	Nil	·12	trace	trace	·12	Nil			17
18	·13	trace	·25	Nil	Nil	·34	Nil	Nil	Nil	Nil			18
19	Nil	·05	·13	trace	Nil	·02	Nil	Nil	·41	Nil			19
20	Nil	·01	·08	·08	Nil	·58	Nil	·05	·17	Nil			20
21	Nil	Nil	Nil	Nil	·05	·01	Nil	Nil	·04	trace			21
22	Nil	Nil	Nil	Nil	Nil	·20	Nil	Nil	trace	·11			22
23	Nil	trace	Nil	·27	Nil	·03	Nil	Nil	·22	·41			23
24	Nil	1·35	Nil	·18	Nil	·30	Nil	Nil	·01	·05			24
25	Nil	·72	Nil	·36	Nil	·44	Nil	Nil	trace	Nil			25
26	Nil	·92	Nil	·17	Nil	·36	Nil	Nil	·44	Nil			26
27	Nil	·01	Nil	·61	·46	Nil	·08	Nil	·01	·40			27
28	trace	Nil	Nil	·21	Nil	Nil	·07	Nil	Nil	·05			28
29	·17		·02	·75	Nil	Nil	·03	Nil	Nil	–			29
30	·10	×	·13	·62	Nil	Nil	·05	Nil	·11	–			30
31	·27	×	trace	×	Nil	×	Nil	Nil	×	–	×		31
TOTAL	2·45	4·14	3·06	2·11	1·55	2·72	2·08	·28	2·23	2·26	(·75)	(·40)	YEAR'S TOTAL (24·03)
*Days with ·01 in. or more.	11	16	14	10	12	13	11	3	12	12	(8)	(4)	(126)
*Days with ·04 in. or more.	10	12	12	8	9	10	10	3	9	11	(6)	(3)	(103)

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Edward E Leader.

P.T.O.

664

Section **A** for the entry o

AIR MINISTR RAINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIS N 1931.

664 —

FYFIELD RECTORY

SOUTHAMPTON

1931 - 1932

78 01 14

Kept at Fyfield Re

in the County of Sout

Diameter of Funnel of Gauge F

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS IOUS DAY.

An observer who does not conform t should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·05	—	·05	—	·39	—	—	·09	·02	—	—	1
2	·16	·09	·01	·69	·02	—	—	·01	·56	·07	·01	·11	2
3	·07	·01	·16	·09	—	—	·03	·03	·48	—	·34	·11	3
4	—	·02	·06	—	02	—	·22	·12	·05	·01	·09	—	4
5	—	·04	—	·10	·03	·51	·01	·01	·01	—	·11	·10	5
6	—	·12	—	·25	—	·07	·02	·01	·05	·27	·25	—	6
7	—	—	—	—	·29	·09	—	·46	—	·16	·47	·05	7
8	—	·07	—	·06	·15	·26	—	·22	—	—	·14	—	8
9	—	·14	·01	·06	—	·01	·01	—	—	—	·41	—	9
10	·03	·06	—	—	—	·05	·02	·06	—	—	·55	—	10
11	·08	·28	—	—	—	·03	—	—	·03	—	·27	—	11
12	—	—	—	—	—	—	·17	·01	·24	·02	—	—	12
13	—	—	—	—	—	—	·08	·04	—	—	—	—	13
14	—	·01	—	—	·03	·26	1·15	·32	—	—	·03	—	14
15	·01	·13	—	·03	·15	—	·96	·46	—	—	—	·05	15
16	—	·07	—	·10	·12	·22	—	·14	—	—	—	—	16
17	·02	·20	—	·08	—	·02	·42	·07	·20	—	—	—	17
18	·07	·02	·06	·10	—	·21	·08	1·18	—	—	·46	—	18
19	·09	—	—	·27	—	·15	—	·05	—	—	—	—	19
20	—	·06	·10	·03	—	—	·02	·27	—	—	·01	—	20
21	·08	—	—	—	·19	—	—	—	—	—	·01	—	21
22	·14	—	—	—	—	—	—	—	—	—	—	—	22
23	·27	—	—	·11	·55	·20	—	·04	—	—	·18	·05	23
24	·11	—	—	·45	·32	·32	·15	·05	—	—	—	·01	24
25	·37	·02	—	·35	·08	—	25	—	—	—	15	—	25
26	—	—	—	·08	—	—	·60	—	—	—	·20	—	26
27	·16	·46	—	—	·68	—	—	—	—	—	·06	—	27
28	·01	·10	—	·22	·12	—	—	—	—	—	—	·02	28
29	·17	×	—	—	·20	—	·12	—	—	·04	·05	—	29
30	·03	×	—	—	—	—	—	·17	·01	—	—	—	30
31	·25	×	—	×	·18	×	—	—	×	—	×	—	31
TOTAL	2·12	1·19	·40	3·12	3·13	2·79	4·31	3·72	1·72	·59	3·79	·50	YEAR'S TOTAL 27·38
*Days with ·01 in. or more.	18	19	6	18	16	15	17	20	10	7	19	8	173
*Days with ·04 in. or more.	13	14	4	16	12	12	11	15	7	4	15	6	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. K. Revell Reynolds

P.T.O.

664

Section | **A** | for the entry o

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Fyfield Rectory
in the County of Southampton
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground — ft. 16 in.
,, Ground ,, Sea Level 250 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·05	—	·05	—	·39	—	—	·09	·02	—	—	1
2	·16	·09	·01	·69	·02	—	—	·01	·56	·07	·01	·11	2
3	·07	·01	·16	·09	—	—	·03	·03	·48	—	·34	·11	3
4	—	·02	·06	—	02	—	·22	·12	·05	·01	·09	—	4
5	—	·04	—	·10	·03	·51	·01	·01	·01	—	·11	·10	5
6	—	·12	—	·25	—	·07	·02	·01	·05	·27	·25	—	6
7	—	—	—	—	·29	·09	—	·46	—	·16	·47	·05	7
8	—	·07	—	·06	·15	·26	—	·22	—	—	·14	—	8
9	—	·14	·01	·06	—	·01	·01	—	—	—	·41	—	9
10	·03	·06	—	—	—	·05	·02	·06	—	—	·55	—	10
11	·08	·28	—	—	—	·03	—	—	·03	—	·27	—	11
12	—	—	—	—	—	—	·17	·01	·24	·02	—	—	12
13	—	—	—	—	—	—	·08	·04	—	—	—	—	13
14	—	·01	—	—	·03	·26	1·15	·32	—	—	·03	—	14
15	·01	·13	—	·03	·15	—	·96	·46	—	—	—	·05	15
16	—	·07	—	·10	·12	·22	—	·14	—	—	—	—	16
17	·02	·20	—	·08	—	·02	·42	·07	·20	—	—	—	17
18	·07	·02	·06	·10	—	·21	·08	1·18	—	—	·46	—	18
19	·09	—	—	·27	—	·15	—	·05	—	—	—	—	19
20	—	·06	·10	·03	—	—	·02	·27	—	—	·01	—	20
21	·08	—	—	—	·19	—	—	—	—	—	·01	—	21
22	·14	—	—	—	—	—	—	—	—	—	—	—	22
23	·27	—	—	·11	·55	·20	—	·04	—	—	·18	·05	23
24	·11	—	—	·45	·32	·32	·15	·05	—	—	—	·01	24
25	·37	·02	—	·35	·08	—	25	—	—	—	15	—	25
26	—	—	—	·08	—	—	·60	—	—	—	·20	—	26
27	·16	·46	—	—	·68	—	—	—	—	—	·06	—	27
28	·01	·10	—	·22	·12	—	—	—	—	—	—	·02	28
29	·17	×	—	—	·20	—	·12	—	—	·04	·05	—	29
30	·03	×	—	—	—	—	—	·17	·01	—	—	—	30
31	·25	×	—	×	·18	×	—	—	×	—	×	—	31
TOTAL	2·12	1·19	·40	3·12	3·13	2·79	4·31	3·72	1·72	·59	3·79	·50	YEAR'S TOTAL 27·38
*Days with ·01 in. or more.	18	19	6	18	16	15	17	20	10	7	19	8	173
*Days with ·04 in. or more.	13	14	4	16	12	12	11	15	7	4	15	6	129

40-9999

(Signed) E. K. Revell Reynolds [P.T.O.

*See Instruction 2 (*f*) on other side.

664

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 664

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Fyfield Rectory

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 15 in.

,, Ground ,, Sea Level 250 ft.

Jan 1st

da

nofile

15/5/33

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	in	
1	·23	—	—	·04	·78	—	·50	·19	·04	·04	·03	·30	1
2	tr	—	—	·26	·20	—	—	·04	·09	—	—	·23	2
3	—	—	—	·23	·04	—	—	—	·38	—	—	—	3
4	·01	—	—	—	—	·06	—	—	—	—	·08	·01	4
5	·19	—	—	—	—	—	·03	—	·14	—	—	—	5
6	·30	—	·03	·38	—	—	·04	—	·20	—	—	—	6
7	—	—	·05	·02	·01	—	—	—	·19	·41	—	—	7
8	—	—	·32	—	·12	—	—	—	·32	·15	—	—	8
9	·21	—	·03	·11	·20	—	—	—	·01	—	—	—	9
10	·29	·03	—	·29	·08	—	—	—	·01	·17	·04	—	10
11	—	—	—	·05	·01	—	—	tr	·01	tr	—	·07	11
12	·22	—	—	—	·15	—	—	—	·11	·33	·02	·01	12
13	·04	tr	—	·12	·04	—	·82	—	tr	·71	·02	·10	13
14	·20	—	—	·23	·01	—	—	·06	—	·01	—	tr	14
15	tr	—	—	·03	·92	—	·22	—	—	·07	·13	tr	15
16	·25	—	—	·10	·04	—	—	—	—	—	tr	—	16
17	tr	—	—	·02	·03	—	·01	—	—	·09	—	—	17
18	—	—	—	—	·04	—	—	—	·46	—	·25	—	18
19	—	—	—	—	—	—	—	—	·05	·13	—	—	19
20	—	—	—	·12	·43	—	·01	·48	·01	·54	·08	tr	20
21	—	—	—	·13	·70	—	—	·08	—	·14	—	·07	21
22	—	—	·31	·01	·04	·09	·09	—	·25	·26	·30	—	22
23	—	·02	·01	—	·37	—	·06	—	·01	·72	—	·10	23
24	—	·08	—	—	·01	—	·31	—	·11	·06	·05	—	24
25	—	—	—	—	—	—	·21	—	·04	·25	·02	—	25
26	—	—	·11	·03	—	—	·15	—	—	·08	·06	—	26
27	—	—	·44	·25	·16	·04	·22	—	—	·10	—	·02	27
28	—	—	·02	·05	·12	—	·31	—	—	—	—	·03	28
29	—	—	·40	·11	·11	—	—	·08	·34	·32	·06	·11	29
30	—	×	·08	·20	—	1·04	·01	·02	·51	—	—	·25	30
31	—	×	·21	×	—	×	·03	—	×	—	×	·15	31
TOTAL	1·94 1·73	·13	2·01	2·78	4·61	1·23	3·02	·95	3·28	4·58	1·14	1·45	YEAR'S TOTAL 26·91
*Days with ·01 in. or more.	9	3	12	21	23	4	16	7	20	19	13	13	160
*Days with .04 in. or more.	8	1	8	17	18	4	11	6	15	18	9	9	124

about an inch of snow

thunder and hail

big thunder storm

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) E K Revell Reynolds

P.T.O.

X WHITCHURCH (LAVERSTOKE

COP

Section **A** for the entry of Daily Ob

AIR MINISTRY.—MET

Station No. 664/5

LL ORGANIZATION.

FORM 1090.

REGISTER

664/5

WHITCHURCH

LAVERSTOKE MILLS

1935 - 1940

780114

5. apr 4 Dw. cond. for anth. issue

Kept at ~~Laverstoke, White~~

in the County of Hampshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1

" Ground " Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.037	-	.100	-	.080		.333	-	.047	.015	.187	-		1
2	-	-	.031	-	-	.144	.010	-	-	.185		.010		2
3	-		-		-	.394	-	-	.260	.852	.138	-		3
4	-	.065		.077	-	.206	-	-	.107	.170	.135	.018		4
5	-	.510	.160	.09	-	.030	-	-	.442		.010	.010		5
6	-	.020	-		-	.920	-	-	-	.067	.023	.022		6
7	-	-	-	.850	-	.010	-	-	-	.087	.302			7
8	.043	-	-	.367	-		-	-	-	.235	.345	.090		8
9	.010	-	.115	.485	-		-	-	.130	.750		.010		9
10	.380	-	-	.043	-	.983	-	-	-	-	.900	-		10
11	.070	-	-	.070	-	.157	.440	-	-	-	.420	-		11
12	-	.106	-	-	-	.188	-	.020	.025	-	.205	-		12
13	-	.200	-	.195	.050	.147	-	-	-	-	.015	-		13
14	-	-	-		.055	.030	-	-		.010	.312			14
15	-	.142	-	.470	-	.610	-	-	.130	-	.403	.227		15
16	-		.045	.130	-		-	-	.565	.035		-		16
17	-	.058	-	.22	.136	.125	-		.098	-	.927	-		17
18	-	.020	-			.095	-	.047	.423	.020	.010	.010		18
19	-	-	-		.550	.065	.190	-	.030	-	.167	.015		19
20	-	.269	-		.220	.045		-	.015	.030	.487	-		20
21	-	.395	-		-	-	.125	-		.035	-	-		21
22	-	.020	.075	.410	-	-	-	.145	.160	-	-	-		22
23	-		.115	-	-	-	-	.300	.130	.505	-	.070		23
24	.035	.620	-	-	.020	-	-		.293	.025	-			24
25	.034	.855	-	.190		1.400	-	.883	-	-	-			25
26	-	.370	-	-	.240	.010	-	.343	.150					26
27	-	.290	-	-	-	-	-	.010	.080	.010	.098			27
28	-	.130	-	-	-	-	-	.175		-	-			28
29	-	✕	-	-	-	-	-	-		.025	.013	2.156		29
30	.039	✕	-	.153	.037	-	-	.767	.871	.337	.835	.631		30 o.k. JS
31	-	✕	-	✕	-	✕	-	-	✕	.878	✕	.260	54	31 d
TOTAL	0.648 .65	4.070 ✓	0.641 ✓	3.850 7	1.388 9	5.559 6	1.098 10	2.690 ✓	3.956 6	4.271 ✓	6.038 5.93	3.529 3	Year's Total ~~37.732~~	37.54.
* Days with .01 in. or more.													—	...
* Days with .04 in. or more.													—	..

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) J. Knaggs [P.T.O.

X DR. J. KNAGGS, A.R.C.S, F.I.C. X

X WHITCHURCH, LAVERSTOKE 38

COPY FOR OFFICIAL

Section **A** for the entry of Daily Observations. Station No. 664/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

apr 4 obv. word. for anth.

Kept at ~~Laverstoke, Whitchurch,~~ Hants/4

in the County of Hampshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 250 ft. c — from ordnance map.

7. 10 days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.037	-	.100	-	.080	.144	.333	-	.047	.015	.187	-		1
2	-	-	.031	-	-		.010	-	-	.185	.138	.010		2
3	-	.065	-	.077	-	.394	-	-	.260	.852		-		3
4	-				-	.206	-	-	.107	.170	.135	.018		4
5	-	.510	.160	.09	-	.030	-	-	.442	.067	.010	.010		5
6	-	.020	-	.850	-	.920	-	-	-		.023	.022		6
7	-	-	-		-	.010	-	-	-	.087	.302	.090		7
8	.043	-	-	.367	-	.983	-	-	-	.235	.345			8
9	.010	-	.115	.485	-		-	-	.130	.750	.900	.010		9
10	.380	-	-	.043	-		-	-	-	-		-		10
11	.070	-	-	.070	-	.157	.440	-	-	-	.420	-		11
12	-	.106	-	-	-	.188	-	.020	.025	-	.205	-		12
13	-	.200	-	.195	.050	.147	-	-	-	-	.015	-		13
14	-	-	-	.470	.055	.030	-	-	.130	.010	.312	.227		14
15	-	.142	-		-	.610	-	-		-	.403			15
16	-	.058	.045	.130	-	.125	-	-	.565	.035	.927	-		16
17	-		-	.22	.136		-	.047	.098	-		-		17
18	-	.020	-	.410	.550	.095	-		.423	.020	.010	.010		18
19	-	-	-			.065	.190	-	.030	-	.167	.015		19
20	-	.269	-		.220	.045	.125	-	.015	.030	.487	-		20
21	-	.395	-		-	-		-	.160	.035	-	-		21
22	-	.020	.075		-	-	-	.145		-	-	-		22
23	-	.620	.115	-	-	-	-	.300	.130	.505	-	.070		23
24	.035		-	-	.020	-	-	.883	.293	.025	-	2.156		24
25	.034	.855	-	.190	.240	1.400	-		-	-	-			25
26	-	.370	-	-		.010	-	.343	.150	.010				26
27	-	.290	-	-	-	-	-	.010	.080		.098			27
28	-	.130	-	-	-	-	-	.175	.871	-	-			28
29	-	✕	-	-	-	-	-	-		.025	.013			29
30	.039	✕	-	.153	.037	-	-	.767		.337	.835	.631		30 o.K. JS
31	-	✕	-	✕	-	✕	-	-	✕	.878	✕	.260		31 d
TOTAL	0.648 ·65	4.070 ✓	0.641 ✓	3.850 7	1.388 9	5.559 6	1.098 10	2.690 ✓	3.956 6	4.271 ✓	~~6.032~~ 5.93	3.523 3	Year's Total ~~37.732~~ 54	37.54.
* Days with .01 in. or more.													—	...
* Days with .04 in. or more.													—	..

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(*Signed*) ....

[P.T.O.

X DR. J. KNAGGS, A.R.C.S, F.I.C. X

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations. **Station No.** 664|5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Laverstoke , Whitchurch

in the County of Hampshire.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ....ft..........in.

,, Ground ,, Sea Level ....ft.

Return adjusted for errors, by neighbouring stations, for reading entered a day late or a day early. Cw 9.3.37

Correspondence — file

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following (·50)

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.13	.25	-	.36	-	-	.13	~~.20~~ .02	-	-	-	.08		1
2	.01	-	-	-	-	.36	.18	.21	-	-	.01	-		2
3	-	.01	-	.46	-	.10	.02	-	.40		.28	.03		3
4	-	-	.21			.06	.06	.05	.28		.01	.05		4
5	.51	-	.02		~~.60~~ (.06)	.13		.02	.15		-	.02		5
6	.68	-	.01			-			-		.27	-		6
7	.11	-	-			.04			.04		.40	.08		7
8	.37	-	.21			-	.01		-			.11		8
9	.54	-	.10				.20		.45	.01		.01		9
10	-	-	-				.36		.02	-		-		10
11	-	.05					.10	.03	.14		.75	.01		11
12	.01	.02							.54		.42	.63		12
13				~~.70~~ (.07)		.36	.33	.01		.02	.22	.60		13
14		.04				-	.02		.02	.03	.06	.19		14
15						.28	.52		-		-	.07		15
16	.21	.29					.02		.02		.25	-		16
17	.20	.77					.01				.12	.33		17
18		.27					.05			.02	.02	.30		18
19	.45	.05	.02			.32	-	.12				-		19
20	.03	.20	.11	.50		.19	.45		.49			.02		20
21				.46			.03		.10					21
22	.10	.43	.09			.18	.06					.09		22
23	.04		.48	.07	.56	-	.19			.09				23
24	.11	.06					.23		.06					24
25			.08	.20	.03				.03	.38	.05			25
26	.13	.15	.09						.17	.28				26
27	.30	.01	.10				.53			.33				27
28	.84		.42				.02					.02		28
29	.01	.12					.60			.09	.24	.17		29
30	.13	✕					.17			.50	.01	.07		30
31	.12	✕	.37	✕		✕	.02		✕	.45	✕	.01		31
TOTAL	5.03	2.72	2.31	~~2.75~~ (2.12)	~~1.19~~ (.65)	~~2.02~~ 2.15	4.3~~1~~6 ·18	~~.64~~ .46	2.91	2.20	3.11	~~2.89~~ (.50) (3.39)	Year's Total ~~32.08~~	31.41
* Days with .01 in. or more.	21	15	14	7	3	~~10~~ 11	24	~~7~~ 7	15	11	15	~~20~~ 21	~~162~~	164
* Days with .04 in. or more.	17	12	11	7	2	~~10~~ 11	16 16	~~4~~ 3	11	7	11	~~13~~ 14	~~121~~	122

† Spare column, no entries required.

(*Signed*) John K[illegible] [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 664/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Laverstoke, Whitchurch.

in the County of Hampshire.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ....ft. ....in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.42	.01	–	–	–	–	–	–	.09	–	.60	.57		1
2	.17	.44	–	.15	–	–	–	–	.11	–	–	.32		2
3	.05	.34	–	–	–	–	–	–	–	–	–	–		3
4	.13	.59	–	–	–	–	–	–	–	–	–	✗		4
5	.22	.02	.13	–	–	–	.14	.02	–	–	–	.30		5
6	.12	✗	✗	.05	.10	–	.16	–	–	.09	✓	–		6
7	–	.75 ✗	.68 ✗	.16	.03	–	–	–	.03	.02	– .03	.25		7
8	–	.03	–	–	–	–	–	–	–	–	.04	.58		8
9	–	–	–	.16	.29 ✗	.03	.08	–	.22	–	–	–		9
10	✓ .02	–	.65	✗	.01	.25	–	.29	–	–	–	.44		10
11	–	–	.07	✓ .75	✗	.14	.20 ✗	–	–	–	–	–		11
12	.29	.33	.15	.07	✗	✗	.03	.47	.11	–	–	✗ .26		12
13	.17	✓	✗	.11		.35 ✓	–	.11	.09	–	–	.20		13
14	.01	.06 ✓	✗ .92	–	.50	–	–	✗	–	–	–	.02		14
15	.23	.19	–	.21		–	.45	.14	.10	–	–	.13		15
16	–	.07	.53	.31	✗	.22	–	.25	.79	–	–	–		16
17	.59 ✗	.02	.18	–		–	✓	–	.61	–	.04	–		17
18	.30	.10	–	–	–	–	.02	–	–	–	.15	✗		18
19	.15	.13	.03	.16	–	✗	–	–	.09 ✗	–	–	.11		19
20	.71	✗	✗	.20	.23	.16 ✗	–	–	–	–	–	–		20
21	.53	✗ .50	✓ .11	.08	–	–	.07	–	–	–	–	.03		21
22	.44	.05	.10	–	✗	✗ .07	.11	–	–	1.11	.31	.10		22
23	✗	.10	–	–	.84 ✗	–	.02	–	–	✗	.20	–		23
24	✗ .85	.46	.03	–	.02	–	–	–	.13	✗ .81	–	.04		24
25	.45	.41	✗	–	1.95	–	–	–	✗	.32	–	–		25
26	–	.46	✓	–	.06	–	–	–	.07	.09	–	–		26
27	.06	✗	.25	.17	–	–	–	–	–	.79	–	–		27
28	–	✗ .19		–	–	–	–	–	–	.03	✓ .02	.02		28
29	.01	X		–	–	–	–	–	–	.09	.14	.02		29
30	✗	X	–	–	–	.08	–	.04	–	✗	.33	–		30
31	✗ .58	X	–	X	–	X	–	–	X	✓ .04	X	–	d	31
TOTAL	~~6.45~~ 6.03	5.25	3.83	2.58	4.03	1.22	1.28	1.32	2.45	3.43	1.39	3.90	Year's Total ~~37.13~~	36.71
* Days with .01 in. or more.	~~26~~ 23	25 ✓	~~20~~ 17	14 ✓	~~18~~ 13	10 ✓	~~12~~ 10	~~8~~ 7	~~14~~ 12	12 ✓	~~18~~ 10	~~19~~ 16	~~190~~	(169)
* Days with .04 in. or more.	~~22~~ 20	19 ✓	~~18~~ 13	~~14~~ 13	~~18~~ 10	~~9~~ 8	~~8~~ 7	~~7~~ 6	~~12~~ 11	~~9~~ 8	8 ✓	~~15~~ 12	~~157~~	(135)

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 664/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Laverstoke Whitchurch

in the County of Hampshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 10 in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	}·04	·01	–	}·04	–	·11	·04	–	–	}·60	·03	·11		1
2		–	–		–	–	}·02	–	–		–	·09		2
3	–	–	–		·18	–		–	–	·52	·05	}·14		3
4	·06	–	–	–	–	–	·01	·04	–	·07	–			4
5	–	–	–	–	–	–	·10	·02	–	·05	}·02	–		5
6	·03	–	–	–	–	–	·05	}1·04	·09	·52		–		6
7	·07	–	–	–	–	·03	·56		·31	·24	·02	·07		7
8	}·30	–	–	–	–	·02	·19	·12	·02	}·22	–	·01		8
9		·06	–	–	–	·07	}·04	·10	–		–	1·03		9
10	·11	–	–	–	–	–		·02	–	·02	–	}·38		10
11	·22	–	–	–	–	–	–	–	–	–	·20			11
12	·37	·04	–	–	·07	–	–	·21	–	·33	}·34	·17		12
13	·19	–	–	–	–	–	–	–	–	·12		·30		13
14	·30	–	–	–	}·05	–	·10	–	·01	–	–	Tr		14
15	}·45	–	–	–		–	·71	–	–	}·41	·01	·30		15
16		–	–	–	–	–	}·02	·10	–		·04	·02		16
17	–	·09	–	–	–	–		–	}·07	·20	–	–		17
18	·08	–	–	–	–	–	–	–		·01	·47	–		18
19	·04	–	–	–	–	–	–	·08	·17	–	–	–		19
20	–	–	–	–	–	–	–	}·03	·07	–	–	·02		20
21	–	–	–	–	–	–	–		·10	–	1·24	·38		21
22	–	–	–	Tr	–	·05	–	·13	–	–	·24	·23		22
23	–	–	–	}Tr	–	Tr	–	–	–	–	·15	–		23
24	–	–	·18		–	–	–	–	}·11	–	·12	}·40		24
25	·09	·05	–	·02	–	–	·01	Tr		·04	1·28			25
26	·11	}·31	}·07	–	–	–	–	}~~·64~~ ·64	·10	·15	}·36			26
27	·13			–	·15	·28	·35		·20	·03				27
28	·06	·06	–	–	}·55	·08	–		·06	–	–	·09		28
29	}·28	✕	–	–		–	–	·05	·36	}·05	·15	·08		29
30		✕	–	·02	·05	·08	–	–	·08		·26	–		30
31	·27	✕	–	✕	·15	✕	–	–	✕	·20	✕	·33		31
TOTAL	3·10	·62	·25	·08	1·20	·72	2·20	2·58	1·75	3·78	4·98	4·15	Year's Total 25·41	
* Days with .01 in. or more.	22	8	2	3	9	8	14	15	15	21	17	20	(154)	
* Days with .04 in. or more.	21	6	2	1	8	6	8	10	12	16	13	17	(120)	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) John Kiggs

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 664/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Laverstoke, Whitchurch.

in the County of Hampshire.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 10 in.

,, Ground ,, Sea Level ...... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·33	–	·09	·33	·11	–	Tr	·20	·10	–	Tr	·05		1
2	·09	–	·01		–	–		·45	·40	·01	·01	·26		2
3	·54	–	–	·23	–	–	–	·14		–	·19			3
4	·08	–	·32	·18	·03	–	·33	·40	Tr	·55	·48	·04		4
5	–	–		·24	·37	–	·06		–	·18		·14		5
6	·34	–	·02		·10	–	·54	·12	–	–	·73	·02		6
7	·09	·20	–			–	·02		–	·36	·39	·27		7
8		·17	·19	·05	–	–	·07	·09	–		·37	·25		8
9	·01	·05	Tr		–	–		·08	·02	·12	·16	·18		9
10	·38	–	·02		–	–	–	·42		·15	·02			10
11	–	·02	·22	–	–	·09	–	Tr	–	·22	·03	·01		11
12	Tr			–	Tr	·08	–	–	–	–		–		12
13	–	–	·01	·02	·05	·02	·26	–	·15	1·14	·02	·01		13
14	·67	–	–	·08		·03	·18	–	Tr	·68	·35	·02		14
15		–	–	·02	·48	·55	·88	–	·03		·24	·01		15
16	·37	–	·04		·05	·46		–	–	–	·44	·01		16
17	·33	·04	·01	·04	·22	·06	·08	–	–	·44	·12			17
18	·32	–	·04	–	–		·47	–	Tr	·01	·42	–		18
19	·20	–		–	–	Tr	·22	–	–	·07		Tr		19
20	·27	Tr	Tr	–	–	–	·70	–	–	·01	Tr	·01		20
21	·30	·25	·05	–	–	·29	·45	·48	·05	–	–	–		21
22		·36	·02	·20	–	·20	·28	Tr	–	–	·12			22
23	·05	Tr	·01		–	–		·01	–	·01	·90			23
24	·33	–	·02	·02	–	·16	·05	–	–	·09	–	·04		24
25	·89	·26	·03	–	–		·21	–	–	·02	·55			25
26	·10			·01	–	–	Tr	·06	–	·11				26
27	Tr	·11	·11	·05	–	–	·02		–	·02	·16	–		27
28	–	·19	·06	·04	–	·03	·55	–	–	·09	·16	·18		28
29	–	×	–	·42	–	–	·57	–	–		·12	–		29
30	–		–		–	·02		–	–	·04	·10	–		30
31	–		–		–		·21	–		·07		–	35·8	31
TOTAL	5·69	1·65	1·27	2·48	1·41	1·99	6·15	2·45	0·75	4·39	6·08	1·50	Year's Total ~~34·81~~	“d”
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ......

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 664/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Laverstoke, Whitchurch

in the County of Hampshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 10 in.

,, Ground ,, Sea Level 250 ft.

Acc. - Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	-	Tr	·02	-	Tr	-	-	-	·15	Tr		1
2	-	·08	-	·04	-	-	·06	-	-	·03	1·89 x	-		2
3	-	·29 x	-	·03	-	-	·05	-	-	·17	x	·13		3
4	·01	- x	-	·06	-	-	·01	-	-	·29	·03	·01		4
5	-	·05	-	-	-	-	Tr	-	-	·48 x	·71	·15		5
6	·34 x	·25	-	-	·01	-	·52 x	-	-	x	·01	Tr		6
7	- x	·26	-	-	·02	-	- x	-	·05	Tr	Tr	·25		7
8	Tr	-	-	-	-	·20	·01	-	x	·28	·03	x		8
9	-	-	-	-	-	x	Tr	·02	-	·14	·42 x	·13		9
10	-	Tr	-	-	-	Tr	1·35	Tr	·03	·10	x	·03		10
11	-	-	-	·03	-	-	·10	-	·18	Tr	·78	·05		11
12	-	Tr	·24	Tr	-	-	·28	-	-	Tr	·18	Tr		12
13	-	·04	·67	·06	-	-	·13	Tr	·11	-	1·21	-		13
14	-	Tr	·11	x	-	-	x	Tr	·07	·23	-	·39 x		14
15	-	-	-	·04	·01	·01 ✓	·60	-	x	·07	·53	✓		15
16	·02	·76	·62 x	·17	-	-	·02	-	·30	·37	·91 x	Tr		16
17	-	·48	x	·01	-	-	Tr	Tr	·03	-		-		17
18	·01	x	·36	·35	-	-	·03	-	Tr	·26	·11	·15		18
19	-	·10	·08	·11	-	-	·11	-	·65	·23	·16	Tr		19
20	·01	-	·05	·01 ✓	-	-	·05 ✓	·12	·05	x	·13	-		20
21	✓	-	-	-	·02	-	✓	·01	·24 x	·03	·49	-		21
22	Tr	-	x	-	·07	·37 x	Tr	-	-	Tr	-	-		22
23	-	·04	·36 x	-	Tr	x	·01	-	-	-	·01 ✓	-		23
24	-	-	-	-	-	Tr	·13	-	-	-	-	-		24
25	·02	-	x	-	·04	·01	·02	-	-	-	-	-		25
26	·72	·25	·20	-	x	Tr	·09	-	-	-	Tr	-		26
27	1·20 x	·32	·03	·25 ✓	Tr	-	·14 x	-	-	-	-	-		27
28	x	-	-	x	·14	-	✓	-	Tr	-	-	·37		28
29	·34	·13	·14	·09	·17	Tr	Tr	-	-	Tr	-	x		29
30	·02	✕	-	·04	-	-	Tr	-	-	·30	Tr			30
31	·02	✕	-	✕	-	✕	-	-	✕	·52	✕	·05		31
													Year's Total	
TOTAL	2·71	3·06	2·86	1·29	0·50	0·59	3·71	0·15	1·71	3·50	7·75	1·71	29·54	
* Days with .01 in. or more.	13	15	14	15	9	5	22	3	11	16	20	12	155	
* Days with .04 in. or more.	6	14	13	10	4	3	13	1	8	14	16	9	111	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ....

[P.T.O.

X Overton (Berry COPY

664/7

OVERTON
(BERRYDOWN COURT)
1936 - 1940

48014

Section **A** for the entry of Daily Obse ation No. 664/7
AIR MINISTRY.—METEO L ORGANIZATION

FORM 1090

REGISTER

6

516689/36

Kept at Berrydown Court, O
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft.
,, Ground ,, Sea Level 30

THE MORNING MEASUREMENT SH DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	·09	·02	·3~~8~~1	—	·44	·25	·04	—	—	·04	·09		1
2	·01	·11	—	Trace ~~·31~~	—	·15	·11	·16	—	—	·04	Trace		2
3	—	—	—	·58	—	·05	·04	Trace	·54	—	·25	·01		3
4	—	—	·20	Trace	—	·09	—	—	·25	—	·03	·05		4
5	·51	—	·06	—	·05	Trace	—	·05	·02	—	·01	·02		5
6	·94	—	Trace	—	—	·03	—	·04	·18	—	·30	—		6
7	·08	—	·07	—	—	·01	—	—	·05	—	·31	·05		7
8	·38	—	·14	—	—	—	·26	—	—	Trace	·09	·12		8
9	·63	—	·10	—	—	—	·31	—	·30	·03	—	·01		9
10	Trace	—	Trace	—	—	—	·08	·26	·01	—	—	[illegible]		10
11	·01	·04	—	·07	—	—	Trace	·01	·13	—	·87	·01		11
12	—	—	—	·01	—	·42	·34	—	·72	—	·41	·10		12
13	—	—	—	·01	—	·12	·01	Trace	Trace	·02	·26	·59		13
14	—	·06	—	—	—	·03	·54	Trace	·02	·01	·03	·64		14
15	—	·05	—	—	—	·03	·04	Trace	·10	Trace	·05	·21		15
16	—	·25	—	—	—	—	·03	Trace	·02	—	·28	·10		16
17	·31	·84	—	—	Trace	·07	·08	—	—	·01	·18	·36		17
18	·16	·26	—	—	—	·36	·23	—	—	·04	Trace	·29		18
19	·37	·07	·01	·09	—	·28	·21	·16	—	—	—	—		19
20	·07	·20	·16	·53	—	·11	·03	—	·47	Trace	—	·01		20
21	—	·01	—	·43	—	·38	·03	—	·04	—	—	—		21
22	—	·36	·06	—	·46	Trace	·22	—	Trace	—	—	·12		22
23	·12	—	·45	·10	·03	—	·23	—	—	·09	—	Trace		23
24	·11	·07	—	—	—	—	·01	—	·10	·33	—	Trace		24
25	·07	—	·10	·22	—	—	·34	—	·07	·15	·06	Trace		25
26	·10	·15	·08	—	—	Trace	·09	—	·01	·19	·01	·01		26
27	·24	·01	·12	—	—	—	·02	—	·19	·30	—	—		27
28	·86	—	·36	—	—	—	·51	—	Trace	—	—	·19		28
29	—	·08	·08	—	·01	—	·16	—	—	·09	·27	·07		29
30	·14	✗	·01	—	·03	·15	·04	—	—	·59	·01	—		30
31	·15	✗	·35	✗	Trace	✗	·21	—	✗	·39	✗	·48		31
TOTAL	5·45	2·65	2·37	2·35	·58	2·72	4·42	·72	3·22	2·24	3·50	3·53	Year's Total 33·75	
* Days with .01 in. or more.	20	16	17	10	5	16	26	7	18	13	19	21	188	
* Days with .04 in. or more.	18	14	14	8	2	12	20	6	13	9	14	15	145	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) T.C. Mann [P.T.O.

X T.C. MANN. Esq X/N

X Overton (Berry

COPY

Section **A** for the entry of Daily Observations

Station No. 664/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

516689/36

Kept at Berrydown Court, Overton
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
,, Ground ,, Sea Level 300 ft. — approx.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	·09	·02	·31	—	·44	·25	·04	—	—	·04	·09		1
2	·01	·11	—	Trace ~~·31~~	—	·15	·11	·16	—	—	·04	Trace		2
3	—	—	—	·58	—	·05	·04	Trace	·54	—	·25	·01		3
4	—	—	·20	Trace	—	·09	—	—	·25	—	·03	·05		4
5	·51	—	·06	—	·05	Trace	—	·05	·02	—	·01	·02		5
6	·94	—	Trace	—	—	·03	—	·04	·18	—	·30	—		6
7	·08	—	·07	—	—	·01	—	—	·05	—	·31	·05		7
8	·38	—	·14	—	—	—	·26	—	—	Trace	·09	·12		8
9	·63	—	·10	—	—	—	·31	—	·30	·03	—	·01		9
10	Trace	—	Trace	—	—	—	·08	·26	·01	—	—	[illegible]		10
11	·01	·04	—	·07	—	—	Trace	·01	·13	—	·87	·01		11
12	—	—	—	·01	—	·42	·34	—	·72	—	·41	·10		12
13	—	—	—	·01	—	·12	·01	Trace	Trace	·02	·26	·59		13
14	—	·06	—	—	—	·03	·54	Trace	·02	·01	·03	·64		14
15	—	·05	—	—	—	·03	·04	Trace	·10	Trace	·05	·21		15
16	—	·25	—	—	—	—	·03	Trace	·02	—	·28	·10		16
17	·31	·84	—	—	Trace	·07	·08	—	—	·01	·18	·36		17
18	·16	·26	—	—	—	·36	·23	—	—	·04	Trace	·29		18
19	·37	·07	·01	·09	—	·28	·21	·16	—	—	—	—		19
20	·07	·20	·16	·53	—	·11	·03	—	·47	Trace	—	·01		20
21	—	·01	—	·43	—	·38	·03	—	·04	—	—	—		21
22	—	·36	·06	—	·46	Trace	·22	—	Trace	—	—	·12		22
23	·12	—	·45	·10	·03	—	·23	—	—	·09	—	Trace		23
24	·11	·07	—	—	—	—	·01	—	·10	·33	—	Trace		24
25	·07	—	·10	·22	—	—	·34	—	·07	·15	·06	Trace		25
26	·10	·15	·08	—	—	Trace	·09	—	·01	·19	·01	·01		26
27	·24	·01	·12	—	—	—	·02	—	·19	·30	—	—		27
28	·86	—	·36	—	—	—	·51	—	Trace	—	—	·19		28
29	—	·08	·08	—	·01	—	·16	—	—	·09	·27	·07		29
30	·14	✕	·01	—	·03	·15	·04	—	—	·59	·01	—		30
31	·15	✕	·35	✕	Trace	✕	·21	—	✕	·39	✕	·48		31
TOTAL	5·45	2·65	2·37	2·35	·58	2·72	4·42	·72	3·22	2·24	3·50	3·53	Year's Total 33·75	
* Days with .01 in. or more.	20	16	17	10	5	16	26	7	18	13	19	21	188	
* Days with .04 in. or more.	18	14	14	8	2	12	20	6	13	9	14	15	145	

print

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) T.C. Mann [P.T.O.

T.C. MANN. Esq X N

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 664/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Berrydown Court, Overton

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 380 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	—	—	—	—	—	—	—	·08	—	·55	·67		1
2	·06	·48	—	·20	—	—	—	—	·10	—	·01	·28		2
3	·02	·36	·06	—	—	—	—	—	—	—	—	·03		3
4	·11	·63	—	—	—	—	—	—	—	—	·02	·29		4
5	·22	·02	·11	·02	—	—	·12	—	—	—	—	—		5
6	·15	·18	·55	·10	·11	—	·13	—	—	·08	·03	—		6
7	—	·52	—	·13	·03	—	—	—	·03	·01	—	·17		7
8	Tr.	·02	—	—	·13	—	—	—	—	—	—	·61		8
9	—	—	—	·21	·11	·01	·08	·02	·22	—	—	·05		9
10	·01	—	·77	·58	·02	·32	Tr.	·19	—	—	—	·42		10
11	Tr.	—	·06	—	·13	·09	·16	—	—	—	—	·02		11
12	·32	·33	·20	·09	·44	·31	·01	·15	·10	—	—	·34		12
13	·19	·04	·51	·08	·02	·01	—	·08	·15	—	—	·16		13
14	—	·02	·41	Tr.	—	—	—	·21	·05	—	—	·12		14
15	·26	·20	—	·21	—	—	·46	·01	·11	—	—	·10		15
16	—	·07	·56	·41	—	·03	—	·22	·64	—	—	—		16
17	·81	·02	·16	·01	—	—	·02	—	·17	—	—	—		17
18	·30	·12	—	—	—	—	—	—	—	—	·14	·10		18
19	·14	·11	·05	·15	—	·18	Tr.	—	·03	—	—	·01		19
20	·74	—	·07	·21	·28	·04	—	—	—	—	—	·02		20
21	·60	·57	·08	·07	·23	—	·05	—	—	·02	—	·04		21
22	·54	·03	·13	—	·01	·17	·10	—	—	·95	·38	·12		22
23	·35	·09	·04	—	·37	—	·01	—	—	·25	·14	·01		23
24	·47	·49	·01	—	—	—	—	—	·16	·65	—	·03		24
25	·49	·52	·23	—	1·36	—	—	—	·05	·16	—	·01		25
26	—	·35	·01	—	·03	—	—	—	—	·19	·01	—		26
27	·07	·09	—	·16	—	—	—	—	—	·71	—	—		27
28	·03	·12	—	—	—	—	—	—	—	·05	—	·03		28
29	·01	✕	—	—	—	—	—	—	—	·09	·13	·01		29
30	·40	✕	—	—	—	·09	—	·13	—	·03	·36	—		30
31	·31	✕	—	✕	—	✕	—	—	✕	·53	✕	·01		31
TOTAL	6·72	5·38	4·01	2·63	3·27	1·25	1·14	1·01	1·89	3·72	1·77	3·65	Year's Total 36·44	✓
* Days with .01 in. or more.	24	23	18	15	14	10	10	8	13	13	10	24	182	✓
* Days with .04 in. or more.	20	18	16	13	9	6	7	6	11	10	6	14	136	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) T.C.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 664/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Berrydown Court

in the County of Hampshire Overton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 380 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·01	—	—	—	·15	—	—	—	·09	·02	·07		1
2	·04	—	—	—	·01	—	·03	—	Trace	·51	—	·09		2
3	—	—	—	—	·18	—	—	—	·06	·59	·07	—		3
4	·07	—	—	—	—	·05	·01	·04	·04	·09	·01	·18		4
5	—	—	—	—	—	—	·14	·08	·03	·45	·01	—		5
6	·04	—	—	—	—	—	·05	—	—	·05	·03	—		6
7	·10	—	—	—	—	·03	·80	·66	—	·27	·02	·12		7
8	·16	—	—	—	—	·01	·18	·56	—	·29	—	·03		8
9	·12	·05	—	—	—	·07	·01	·02	—	Trace	—	1·03		9
10	·12	Trace	—	—	—	—	·03	·02	—	·03	—	·18		10
11	·23	—	—	—	—	—	—	—	—	Trace	·17	·21		11
12	·40	·03	—	—	·07	—	—	·06	—	·41	·01	·11		12
13	·20	·01	—	—	—	—	·09	—	—	·12	·27	·28		13
14	·27	Trace	—	—	·05	—	—	—	—	—	·01	·01		14
15	·08	—	—	—	·01	—	·50	—	—	·31	·01	·34		15
16	·46	—	·01	—	Trace	—	—	·08	—	·09	·05	·03		16
17	—	·06	Trace	—	—	—	—	—	·05	·23	·01	—		17
18	·09	—	—	—	·01	—	·01	—	·04	·01	·52	—		18
19	·03	—	—	—	—	—	Trace	·10	·17	—	·67	—		19
20	—	—	—	—	—	—	—	·03	·07	—	·48	·55		20
21	·03	—	—	·03	—	—	—	·01	Trace	—	·05	·11		21
22	Trace	—	—	—	—	·02	—	·11	·01	—	·25	·13		22
23	Trace	—	—	—	—	—	—	—	·09	—	·16	—		23
24	—	—	·16	—	—	—	—	Trace	·07	—	·12	·12		24
25	·08	·06	·09	·03	·15	—	—	—	—	·04	1·38	·01		25
26	·13	·36	·08	—	·07	—	—	—	·07	·15	·39	·38		26
27	·14	·03	—	—	·15	·30	·34	·01	·05	·02	—	·02		27
28	·10	·07	—	—	·25	·11	—	·54	·06	—	—	·09		28
29	·15	X	—	—	·26	—	—	·04	·08	·02	·21	·11		29
30	·13	✕	—	Trace	·04	·10	—	·02	·17	Trace	·19	—		30
31	·29	✕	—	✕	·18	✕	—	—	✕	·21	✕	·34		31
TOTAL	3·46	·68	·34	·06	1·43	·84	2·19	2·38	1·06	3·98	5·11	4·54	Year's Total 26·07	✓
* Days with .01 in. or more.	23	9	4	2	13	9	12	16	15	20	24	23	170	✓
* Days with .04 in. or more.	21	5	3	—	10	6	7	10	12	16	15	18	123	✓

† Spare column, no entries required.

(*Signed*) T.C. [illegible]

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 664/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Berrydown Court, Overton

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 380 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	·14	·21	·14	—	—	·24	·08	—	·01	·06		1
2	·11	—	·01	·04	Trace	—	—	·52	·44	—	·02	·02		2
3	·58	—	—	·27	—	—	—	·22	—	—	—	·31		3
4	·09	—	·36	·24	·11	—	·32	·22	—	·72	·21	·04		4
5	—	—	·01	·18	·45	—	·09	·14	—	·42	·43	·16		5
6	·33	—	·06	·02	·26	—	·62	Trace	—	·04	·62	Trace		6
7	·03	·18	—	—	·02	—	·02	·04	—	—	·44	·32		7
8	·09	·22	·24	—	—	—	·08	·08	—	·38	·48	·24		8
9	·02	·06	—	—	—	—	Trace	·45	—	·42	·15	·28		9
10	·32	Trace	·16	—	—	·08	—	·02	—	·13	·01	—		10
11	·07	·02	·25	—	—	·02	—	—	—	·25	·02	·02		11
12	—	—	—	·02	—	·14	—	—	—	·02	·04	Trace		12
13	Trace	—	—	·02	—	—	·24	—	·06	1·26	·02	·01		13
14	·56	—	—	·06	·03	·02	·18	—	—	·16	·36	Trace		14
15	·21	—	—	·08	·61	·14	·44	—	·02	·68	·34	·03		15
16	·37	—	·16	·04	·05	·42	·11	—	—	·02	·32	—		16
17	·35	·03	—	·08	·26	·72	·17	—	—	·42	·21	Trace		17
18	·34	—	·18	—	Trace	·12	·51	—	—	·14	·42	—		18
19	·23	—	—	—	—	·02	·22	—	—	·06	·02	·01		19
20	·35	—	—	—	—	—	·53	—	—	—	—	—		20
21	·11	·28	—	—	—	·61	·24	·14	·07	—	—	·02		21
22	·28	·39	—	—	—	·14	·25	—	—	—	—	·01		22
23	·03	—	·21	—	—	·02	·08	·02	—	Trace	1·14	—		23
24	·08	—	—	·22	—	·12	·06	—	—	·07	—	·03		24
25	·68	·29	—	Trace	—	—	·28	—	—	·04	·38	—		25
26	·12	—	—	—	—	—	—	·04	—	·12	·31	·04		26
27	Trace	·14	·21	·11	—	—	·12	—	—	—	·16	—		27
28	Trace	·23	·08	·14	—	·01	·72	—	—	—	·17	·18		28
29	Trace	✕	·11	·16	—	—	·52	—	—	·16	·16	—		29
30	—	✕	—	·86	—	·02	—	Trace	—	·06	·12	—		30
31	—	✕	—	✕	—	✕	·24	—	✕	·04	✕	—		31
TOTAL	5·37	1·84	2·18	2·75	1·93	2·60	6·04	2·13	·67	5·61	6·56	1·78	Year's Total 39·46	/
* Days with .01 in. or more.	23	10	14	17	9	15	22	12	5	21	25	17	190	/
* Days with .04 in. or more.	19	8	12	14	7	9	21	10	4	19	19	9	151	/

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) T.C. Lea

P.T.O.

COPY FOR OFFICIAL USE

Station No. ~~644/7~~ 664/7

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Berrydown Court, Overton

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 380 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.04	—	.02	.06	—	—	—	—	—	.24	—		1
2	—	.08	—	.06	.02	—	—	—	—	.04	.76	Trace		2
3	—	.18	—	.08	—	—	—	—	—	.22	1.32	.14		3
4	—	.12	—	.02	—	—	.08	—	—	.32	.06	—		4
5	.01	.14	—	—	—	—	—	—	—	.12	.68	.12		5
6	.22	.28	—	—	Trace	—	.34	—	—	.42	.01	—		6
7	.18	.32	—	Trace	.02	—	.08	—	—	.01	—	—		7
8	Trace	—	—	Trace	—	—	.02	—	.15	.28	.08	.26		8
9	—	—	—	—	—	.38	.01	.04	.06	.01	.38	.11		9
10	—	—	.01	—	—	.01	1.54	.03	.01	.16	.09	.12		10
11	—	.02	—	.04	—	—	.09	—	—	.01	.84	.01		11
12	—	.06	.22	—	—	—	.12	—	.16	Trace	.11	—		12
13	—	.04	.72	—	Trace	—	.09	—	.23	—	1.42	—		13
14	—	.12	.44	—	—	—	.18	.02	.06	.32	.01	.38		14
15	—	—	Trace	.06	.01	—	.62	—	.06	.18	.76	.02		15
16	—	.04	.11	.02	—	.01	.04	—	.28	.44	.74	.01		16
17	—	.54	.48	.02	—	—	.01	—	.05	—	.12	—		17
18	.08	.56	.37	.56	—	—	.06	Trace	Trace	.34	.11	.14		18
19	—	.14	.12	.24	—	—	.08	—	.84	—	.18	—		19
20	—	.04	.41	.02	—	—	Trace	.14	.08	.18	.19	—		20
21	.06	Trace	.02	—	.16	—	Trace	.09	.04	.01	.61	—		21
22	—	.02	Trace	—	.06	.36	.01	—	.24	.28	.01	—		22
23	—	.06	.01	—	—	.08	—	—	.01	.01	.02	—		23
24	—	—	.11	—	—	—	.16	—	Trace	—	.01	—		24
25	—	.01	.31	—	.01	.01	.03	—	—	—	—	—		25
26	.75	.24	.16	—	.06	.01	.16	—	.04	—	—	.01		26
27	.48	.48	.06	.09	Trace	—	.11	—	—	—	—	—		27
28	.67	.06	.01	.32	.28	—	.01	—	—	—	—	—		28
29	.44	.14	.16	.13	.04	—	—	—	—	Trace	—	.39		29
30	.12	✗	Trace	.03	.01	—	—	—	—	.31	—	—		30
31	.06	✗	.12	✗	—	✗	—	—	✗	.63	✗	—		31
TOTAL	3.07	3.73	3.84	1.71	.73	.86	3.84	.32	2.31	4.29	8.75	1.71	Year's Total 35.16	
* Days with .01 in. or more.	11	23	18	15	11	7	21	5	15	20	23	12	181	
* Days with .04 in. or more.	10	20	14	9	6	3	15	3	13	15	18	8	134	

† Spare column, no entries required.

(*Signed*) T.C. [illegible]

* See Instruction 3 (f) on other side.

[P.T.O.

665

Section **A** for the ent
AIR MIN

FORM 1090.

REC

—

665

BOURNSIDE - ST. MARYBOURNE

1931 - 1940

78 01 14

COPY FOR OFFICIAL USE.
NFALL ORGANIZATION.

931 .

D when received.
~~ted~~ "Station numbers"
wd. be better for them to be
n it is despatched and not
C. V. B.

Kept at St Mary
in the County of

Diameter of Funnel of Gauge
Height of top of Gauge above
,, Ground ,,

THE MORNING MI **DAY.**

An observer who does not confo *f the following*
year in the space on the right

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·05		·10		·24	·01		·14	·02			1
2	·15	·06		·69					·58	·04		·19	2
3	·05		·11	·14	·06			·05	·91		·40	·17	3
4			·05		·01		·21		·04	·03	·18		4
5		·03		·08	·02	·58	·01		·02		·06	13	5
6		·13		·31		·05		·01	·01	·27	·16		6
7					·26	·09		·94		·14	·25	·06	7
8	·01	·13		·05		·28		·07			·12		8
9		·18	·02	·04		·01	·02				·44	·01	9
10	·03	·03				·06	·05	·09		·01	·37		10
11	·08	·37				·02	·18		·02		·22		11
12		·01					·17	·05	·29				12
13			·02			·01	·35	·05					13
14		·14			·04	·14	1·23	·31	·01		·03		14
15		·12		·07	·14		·17	·09				·03	15
16	·01	·06		·15	·11	·18		·16	·12				16
17		·14		·16			·36	·03	·07		·01		17
18	·05	·02	·12	·17		·21	·03	1·05			·41		18
19	·06			·38		·07	·10	·02					19
20		·09	·10	·10			·01	·29			·01		20
21	·07				·29								21
22	·27												22
23	·35			·20	·38	·12					·22	·02	23
24	·01			·43	·18	·13	·19	·02			·02	·01	24
25	·16	·02		·31	·01		·13				·15		25
26		·02		·05			·56				·23		26
27	·19	·47			·87						·07		27
28	·04	·08	·04	·05						·02		·03	28
29	·11	×			·27		·11			·04	·04	·03	29
30	·10	×						·31	·01				30
31	·23	×		×	·12	×			×		×	·01	31
TOTAL	1·97	2·15	0·46	3·48	2·76	2·24	3·89	3·54	2·22	0·57	3·39	0·69	YEAR'S TOTAL 27·36
*Days with ·01 in. or more.	18	19	7	18	14	15	18	16	12	8	19	11	171
*Days with ·04 in. or more.	14	13	5	18	11	12	13	12	7	4	15	4	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C. V. Boys

[P.T.O.

Section **A** for the entry

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at St Marybourne

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

" Ground " Sea Level 300 ft.

Envelope destroyed when received.
If it is important that "Station numbers"
should be recorded it wd. be better for them to be
written on the form when it is despatched and not
on the envelope. C.V.B.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·05		·10		·24	·01		·14	·02			1
2	·15	·06		·69					·58	·04		·19	2
3	·05		·11	·14	·06			·05	·91		·40	·17	3
4			·05		·01		·21		·04	·03	·18		4
5		·03		·08	·02	·58	·01		·02		·06	13	5
6		·13		·31		·05		·01	·01	·27	·16		6
7					·26	·09		·94		·14	·25	·06	7
8	·01	·13		·05		·28		·07			·12		8
9		·18	·02	·04		·01	·02				·44	·01	9
10	·03	·03				·06	·05	·09		·01	·37		10
11	·08	·37				·02	·18		·02		·22		11
12		·01					·17	·05	·29				12
13			·02			·01	·35	·05					13
14		·14			·04	·14	1·23	·31	·01		·03		14
15		·12		·07	·14		·17	·09				·03	15
16	·01	·06		·15	·11	·18		·16	·12				16
17		·14		·16			·36	·03	·07		·01		17
18	·05	·02	·12	·17		·21	·03	1·05			·41		18
19	·06			·38		·07	·10	·02					19
20		·09	·10	·10			·01	·29			·01		20
21	·07				·29								21
22	·27												22
23	·35			·20	·38	·12					·22	·02	23
24	·01			·43	·18	·13	·19	·02			·02	·01	24
25	·16	·02		·31	·01		·13				·15		25
26		·02		·05			·56				·23		26
27	·19	·47			·87						·07		27
28	·04	·08	·04	·05						·02		·03	28
29	·11	×			·27		·11			·04	·04	·03	29
30	·10	×						·31	·01				30
31	·23	×		×	·12	×			×		×	·01	31
TOTAL	1·97	2·15	0·46	3·48	2·76	2·24	3·89	3·54	2·22	0·57	3·39	0·69	YEAR'S TOTAL 27·36
*Days with ·01 in. or more.	18	19	7	18	14	15	18	16	12	8	19	11	171
*Days with ·04 in. or more.	14	13	5	18	11	12	13	12	7	4	15	4	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C. V. Boys

[P.T.O.

665

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 665

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at St Marybourne

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 0·20

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17	·02		·05	1·14		·03	·22	·04	·04	·04		1
2	·62			·21	·14			·05	·36	·01		·24	2
3	~~·0~~			·18	·11	·01			·22	·01		·02	3
4	·03					·07	·02				·08		4
5	·27		·01				·06		·19				5
6	·33		·03	·41			·05		·20				6
7			·04		·14				·17	·27			7
8		·02	·27		·23				·87	·13			8
9	·37			·13	·10				·24		·01		9
10	·40			·32	·07	·04			·04	·14	·06		10
11				·06	·01				·02		·03	·04	11
12	·35				·16				·11	·21	·01		12
13	·06			·16	·04		·69	·01	·01	·58	·02	·07	13
14	·24			·14	·02			·04		·02	·01		14
15	·02			·05	1·40		·08			·09	·11	·01	15
16	·45			·15	·01								16
17	·01			·02			·02			·05	·01		17
18	·01				·02		·01		·50		·18		18
19									·05	·16			19
20				·10	·24			·44	·01	·62	·09	·01	20
21	·01		·05	·15	·88			·02	~~·76~~	·16	~~[illegible]~~ ·01	·08	21 c.v.B.
22	·01		·19	·02	·04		·28		·29	·19	·41		22
23		·02			·61		·07		·01	·74		·18	23
24		·11					·50		·11	·06	·07		24
25							·29		·04	·28	·03	·01	25
26			·12	·04	·01		·19			·12	·03		26
27			·54	·27	·09	·02	·14			·07			27
28			·02	·04	·16	·14	·28			·12	~~·77~~	~~·08~~	28 cvB
29			·45	·15	·07	·14		·13	·24	·34	·17	·08	29
30		×	·04	·20		1·42	·03	·01	·49		·47	·37	30
31		×	·28	×		×	·01		×		×	·15	31
TOTAL	2·75	0·17	2·04	2·85	5·69	1·84	2·75	0·92	4·21	4·41	1·84	1·26	YEAR'S TOTAL 30·73
*Days with ·01 in. or more.	16	4	12	20	22	7	17	8	21	22	19	12	180
*Days with .04 in. or more.	9	1	9	18	17	5	11	5	17	3	10	8	113

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) C. V. Boys

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 665

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at St Maryborne

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" Ground " Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·20	·26	·07		·07									1
2	·40		·54		·21						·01			2
3	·01	·17	·28											3
4	·16	·01			·26									4
5	·03	·02	·41		·07									5
6		·23	·03		·14					·36	·08			6
7	·05	·10	·02		·03					·04	·01	·01		7
8		·01			·01		·43			·06				8
9		·08			·02		·33			·13	·04			9
10	·01	·06			·03		·12			·26	·14			10
11	·22				·09	·16	·33	·06	·07					11
12				·07	·04	·08	·10		·60					12
13	·05				·05		·30		·03	·02	·10			13
14							·11	·04		·19	·38	·01		14
15	·60		·14				·34	·07		·01				15
16		·02	·76			·15	·18		·01	·01				16
17		·06	·50			·09			·10		·04			17
18	·15	·02	·23			·31					·02			18
19		·02	·14			·02			·69		·10	·02		19
20		·06	·65	·12		·35		·03	·06					20
21						·46		·07	·06					21
22					·03	·94		·09	·05	·14				22
23		·03		·31		·15			·20	·45				23
24		1·53		·14		·22			·02		·02			24
25		1·03		·17		·26			·02		·02	·09		25
26		·91		·21	·28	1·01			·42	·06		·01		26
27		·01		·01	·27	·01	·06		·01	·33		·14		27
28				·13	·01		·08			·03		·04		28
29	·09	×	·01	·31						·04		·03		29
30	·12	×	·14	·11			·03		·19	·01		·09		30
31	·27	×		×		×		·01	×		×			31
TOTAL	2·36	4·63	3·32	1·58	1·61	4·21	2·41	·37	2·53	2·14	·96	·44	Year's Total 26·56	
*Days with ·01 in. or more:	14	19	14	10	16	14	12	7	15	16	12	9	158	
*Days with ·04 in. or more.	11	11	11	9	10	12	11	5	10	11	7	4	112	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) C. V. Boys

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 665

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at St Marybourne

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ~~about~~ in.

,, Ground ,, Sea Level 300 ft.

Lat. 51° 15′ 39″ N.

Long. 5m 35^{s}.3 W.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 0

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02							·30			·08	·65		1
2	·18		·07	·08	·11				·72	·12	·01	·34		2
3	·03	·02						·04		·30		·13		3
4	·05		·11	·24	·16					·09		·41		4
5			·03		·04			·20			·07	·52		5
6	·04		·36	·02	·25			·05		·24	·04	·73		6
7	·12					·02		·21		·06		·57		7
8					·30			·02	·06		·41	·12		8
9	·02		·06								·86	·38		9
10	·08		·27	·21				·09			·14	·25		10
11	·60		·56	·37			·17	·16				·21		11
12			·02				·10	·18				·33		12
13	·31		·03	·13			·42	·04		·02	·12	·37		13
14	·16		·47	·02		·01					·10	·39		14
15	·03		·16		·07					·15	·09	·33		15
16	·10		·35								·03	·03		16
17	·09	·01		·04	·06				·12	·01	·01	·21		17
18	·20		·10	·19					·14			·26		18
19			·38					·01	·05			·17		19
20			·05	·05			·17	·05		·01				20
21				·08		·07	·04	·63		·10				21
22							·22		·28			·10		22
23		·03		·27		·59			·10		·01	·01		23
24		·04	·10	·02		·04	·25		·11					24
25	·21		·01	·17						·12		·66		25
26	·03		·01	·19		·08			·10			·24		26
27				·02		·26				·02		·41		27
28						·04	·06	·60			·02	·43		28
29									·22		·01	·01		29
30	·06	×					·01		·12		·01	·37		30
31	·01	×		×		×	·01		×	·04	×	·13		31
TOTAL	2·34	·10	3·14	2·10	·99	1·11	1·45	2·58	2·02	1·28	2·01	8·76	Year's Total 27·88	✓
*Days with ·01 in. or more.	19	4	18	16	7	8	10	14	11	13	16	28	164	
*Days with ·04 in. or more.	13	1	13	12	7	6.	8	12	11	9	9	25	126	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) C. V. Boys.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 665

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at St Marybourne Andover

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. in.

„ Ground „ Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·13

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					·07	·07	·97		·03	·03	·15			1
2	·02		·11		~~·12~~	·12			·09	·15				2
3		·01	·04	·01	~~·37~~	·37		·03	·36	·65	·24			3
4		·07		·19	~~·17~~	·17			·16	·33	·15			4
5		·48	·12	·10	~~·03~~	·03			·37	·08		·04		5
6		·02		·33	~~·94~~	·94					·03	·02		6
7				·56	~~·01~~	·01				·12	·20			7
8				·49	~~·02~~	·02			·05	·18	·27			8
9	·07			·58		·93			·10	·63	·77			9
10	·06		·08	·02		·02					·12	·10		10
11	·37			·05		·20	·36				·38			11
12	·04	·05				·30			·02		·17			12
13	·08	·18		·10	·05	·14					·02			13
14				·09	·03	·01					·35			14
15		·14		·47	·01	·24			·15		·33	·26		15
16		·05	·06	·11					·68	·03	·77			16
17				·29	·08	·12	·03		·10		·20			17
18		·03		·28	·01	·17		·06	·45	·03				18
19				·03	·41	·07	·17		·09	·03	·21	·02		19
20		·34		·03	·17	·02	·15				·60			20
21		·44		·02					·13		·01			21
22		·08	·10	·02				·19	·03					22
23		·02	·10					·17	·19	·61		·03		23
24	·05	·48							·30	·04		·27		24
25	·03	·84		·17	·15	·57						·28		25
26		·38				·01		·36	·16			·60		26
27		·24							·06	·01	·10	·47		27
28		·22							·46			·18		28
29		✕							·22	·03	·02	·54		29
30	·04	✕		·19	·02			·61		·18	·92	·62		30
31		✕		✕		✕			✕	·87	✕	·25		31
TOTAL	0·76	4·07	0·61	4·13	1·00	~~3·58~~ 4·63	1·68	2·42	4·20	4·00	5·91	3·68	Year's Total 37·09	
* Days with .01 in. or more.	9	18	7	21	10	21	5	6 ~~7~~	21	17	21	14	171	
* Days with .04 in. or more.	7	14	7	15	6	14	4	5 ~~6~~	18	11	17	11	129	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. V. Bryp.

[P.T.O.

Copy by B.R.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 665

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at St. Mary Bourne

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft....in.

" Ground " Sea Level 300 ft.

observer supplied his original figures to be copied by M.O. requiring [illegible] ways, but values in bracket suggested by nearby station

Copied from observer's record.

f 61764/37

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·13	·10	·02	·31		·32	·20	·09			·06	·11		1
2	·03	(·15)				·26	·38	·07			·04	·01		2
3				(·35)		·26	·06		·41		·19			3
4			·24			·11			·29		·02	·05		4
5	·49		·03		·03							·02		5
6	·40					·03		·03	·12		·27			6
7	·07		·07				·05	·05	·03		·40	·06		7
8	·47		·27				·39				·10	·11		8
9	·62		·05				·26		·28	·03		·01		9
10			·01				·08	·13	·03					10
11	·02	·10							·48		·80	·02		11
12					·14	·35	·32	·03	(·25)		·63			12
13						·15					·15	·73		13
14		·03					·58		·16	·03	·03	·68		14
15		·12				·07	·03		·02	·03		·20		15
16	·15	·18					·04				·25	·11		16
17	·19	·79				·04	·08				·14	·31		17
18	·10	·11				·24	·25			·02	·02	·22		18
19	·36	·06		(·20)		·10	·23	·18						19
20	·07	·16	·15	·57			·02		·56			·03		20
21		·01		·54		·23			·02					21
22		·43	(·10)		·59		(·30)					·09		22
23	·05		·53	·07			·16			·07				23
24	·13				·01				·04	·30				24
25	·08	·07	·05	·27	·04		·20		·03	·13	·03			25
26	·06	·18	·11			·09	·19							26
27	·24						·09		·08	·22		·02		27
28	·98		·43				·49			·31		·17		28
29		·11	·10				·37			·11	·23	·07		29
30	·12	✕			·02	·10	·04			·40				30
31	·13	✕	·40	✕		✕	(·15)		✕	·58	✕	·56		31
TOTAL	4·89	2·~~45~~ 60	2·~~46~~ 5	(2·31) ~~1·16~~	·83	2·35	(4·~~31~~ 96)	·58	2·~~65~~ 80	2·23	3·36	3·58	Year's Total 33·05 ~~31·55~~	
* Days with .01 in. or more.	21	15 ~~14~~	15 ~~14~~	7 ~~8~~	6	14	24 ~~22~~	7	15 ~~14~~	12	16	20	172 ~~165~~	
* Days with .04 in. or more.	19	13 ~~12~~	12 ~~11~~	7 ~~8~~	3	13	22 ~~20~~	5	10 ~~9~~	8	12	14	138 ~~131~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Sir Charles V. Boys [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 665

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Missing values estimated from surrounding stations

Ae Totals

Kept at St Marybourne

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·14			·01					·07	·04	·45	·54		1
2	·04	·55		·16					·12			·21		2
3	·03	·33	·03									·14		3
4	·11	·70		·02										4
5	·26	·02	·65	·03			·17							5
6	(·10)			·10	·08		·27			·06				6
7		·70		·11								·21		7
8		·03										·59		8
9				·17	·44	·02	·10		·22					9
10			·78	·30	·11	·26		·26				·39		10
11			·04		(·25)	·15	·14							11
12	·34	·37	·61	(·10)	·11	·33		·41	·11			·26		12
13		·07		(·12)					·08			·21		13
14	·01	·03	·30					·24	·06			·06		14
15	·23	·17		·24			·43		·02			·29		15
16		·10	·54	·37		·07		(·25)	·37			·03		16
17	·41	·03	·29				·02		(·45)			·17		17
18	(·30)	·16									·10	·15		18
19	·15	·11	·06	·17		·17			·06					19
20	·50		·14	·24	·09	·04						·03		20
21	·48	·53	·06	·10			·08					·04		21
22	·47	·04	·08		·24	·42	·12			·03	·43	·07		22
23	·44	·13			·44					1·00				23
24	(·40)	·64	·03		·02				·10	·28				24
25	(·37)	·42	·06		1·50					·97		·03		25
26	·01	·35	·02		·04					·25				26
27	·02	·19		·16						·13				27
28										~~1·54~~ ·74				28
29										·21	·18			29
30	·48					·12				·04	·48			30
31	·27									·37		·02		31
TOTAL	~~4·39~~ 5·56	5·67	3·69	~~2·18~~ 2·40	~~3·07~~ 3·42	1·58	1·33	~~·91~~ 1·16	~~1·21~~ 1·64	~~3·52~~ 4·12	1·64	3·44	Year's Total ~~32·63~~	35·65
* Days with .01 in. or more.	~~18~~ 22	~~21~~ 22	17 15	~~14~~ 16	~~10~~ 12	9	8	~~3~~ 4	~~10~~ 11	12	5	~~18~~ 19	~~147~~	157
* Days with .04 in. or more.	~~14~~ 18	~~17~~ 18	~~12~~ 14	~~11~~ 13	~~9~~ 11	8	7	~~3~~ 4	~~9~~ 10	11	5	~~14~~ 15	~~124~~	134

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. V. Boys [P.T.O.

7 6 7

5 6

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 665

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at St Mary bourne Andover

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 300 ft.

Afc

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·02

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·01				·01	·10				·03	·07		1
2				·03		·07				·63		·10		2
3					·19			·03		·58	·05			3
4	·04									·07	·02	·16		4
5							·12			·53	·03			5
6	·04						·15		·06	·04	·03			6
7	·12						·47	2·20			·01			7
8	·30×							·11	·04	·21		·02		8
9		·06				·11		·04				1·00		9
10	·09											·25		10
11	·24									·01				11
12	·37				·07			·35		·40		·01		12
13	·17	·02								·12	·35	·40		13
14					·08		·07				·02	·01		14
15	·76						·54	·08		·25		·40		15
16		·02						·03			·03	·02		16
17		·07	·01						·05					17
18	·10							·03	·05		·40			18
19									·20		·70			19
20											·84		✓	20
21	·03							·04	·07		~~·01~~ ·01		4	21
22						·03		·14			·23		4	22
23											·15	77		23
24			·15						·12		·10			24
25	·07	·06	·03		·07					·04	·87		4	25
26	·14	·35	·05		·06				·08	·16			4 ✓	26
27					·12	·29	·32		·18	·05	·36			27
28	·05				·20	·07		·64	·11			·07		28
29	·20				·20				·08	·03		·06		29
30		✕			·06	·10					·20			30
31	·24	✕		✕	·12	✕			✕	·19	✕	·31		31 "d"
TOTAL	2·96	·59	·24	·03	1·17	·68	1·77	3·69	1·04	3·31	4·43	3·65	Year's Total 23·56	
* Days with .01 in. or more.	1~~6~~8	7	4	1	10	7	7	11	11	15	19	19 ~~15~~?	~~123~~	129
* Days with .04 in. or more.	1~~5~~7	4	2	0	10	5	7	8	11	13	11	14 ~~11~~?	97	102

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. V. Boys

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 665

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at St Mary bourne

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 300 ft.

adk

Tot Ck ER.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02		.06	.25	.09			.14	.36			.06		1
2	x			.04				.53	1.11		.01	.03		2
3	.54 x			.28				.41			.20	.02		3
4			.30	.29	.12		.57	.20		.68		.32		4
5	.06		.01	.31	.47		.08	.02		.25	.62	.12		5
6	.41		.03	.07			.48	.01			.58			6
7		.27					.03	.01			.44	.84		7
8	.06	.19	.24				.08	.07		.52	.25	.29		8
9	.04	.03					.14	.09		.09	.07	.15		9
10	.49		.06			.02		.26		.36	.02			10
11						.03								11
12			.18			.04								12
13			.01	.01		.04	.21		.10	1.63	.03			13
14	.58			.01	.03	.03	.21		.06	x .78	.27			14
15	.19				.37	.75	x			x	.31	.02		15
16	.31		.04		.03	.17	.71 x			.30	.35			16
17	.35	.06				.05	.11			.36	.08			17
18	.19		.03			.20	x			.07	.42			18
19	.18						.83 x				.01	.03		19
20	.31	.16				.10	.90							20
21	.03	.24	.08			.39	.05	.06	.06					21
22	.24	.24	.02				.25							22
23	.04			.29			.10				.14			23
24	x					.17	.06			.09	.84			24
25	1.12 x	.30					.50			.03	.29	.03		25
26	.13		.03				.03	.06		.08	.28			26
27			.13	.03			.50			.03	.16			27
28		.12	.04	.24			.49			.09	.17			28
29				.13						.09	.13	.16		29
30		✕		.83			.10			.07	.12			30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	5.29	1.61	1.26	2.78	1.11	1.99	6.43	1.86	1.69	4.90	5.79	1.57	~~35.78~~	36.28
* Days with .01 in. or more.	19 22?	9	15	13	6	12	23 21?	12	5	18 17?	23	12	169	
* Days with .04 in. or more.	17 19	8	9	10	4	9	21 19?	9	5	16 15?	19	7	136	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. V. Boys

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 665

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Sir Charles Boys's house St Marybourne

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 300 ft.

Boys

Query sent 27/1/41

Observer agrees

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·10									·09			1
2				·04						·03	·83			2
3				·01			·08			·16	1·12			3
4	·02	·26		·04			·01				·03			4
5		·11					·17			·12	·55			5
6	·21	·34					·21			·24	·01	·18		6
7	·15	·29					·01			·16	·09			7
8	·01						·03		·05	·24	·34	·27		8
9							·17	·15		·27		·15		9
10				·02		·24	1·12	·02		·03	·03			10
11					·02		·04		·35		·90			11
12			·16				·19		·01		·09	·34		12
13			·60				·02		·02	·27	1·43			13
14		·04	·13	·05			·07			·03				14
15			·33	·04	·10		·53			·41	·62	·43		15
16		·61	·33	·05			·02		·24		(·83)			16
17		·53	·33	·04			·01		·03		·06			17
18		·12	·33	·32			·13		·65		·07	·13		18
19		·01	·06	·10					·03	·17				19
20		·01	·02				·18	·08	·01	·27	(·80)			20
21			·03											21
22			·13		·03	·17								22
23		·03	·08		·01	·03			·24					23
24														24
25		·03					·02							25
26	·75	·25	·13		·07	·02	·01							26
27	·62	·32	·14		·01	·02								27
28	·62	·01		·12	·32									28
29	·92	·17	·16	·05	·18							·36		29
30		✕		·03						·81		·01		30
31		✕		✕		✕			✕	·37	✕	·03		31
TOTAL	3·30	3·23	2·96	·91	·74	·48	3·02	·25	1·63	3·08	~~6·26~~ 7·89	1·90	Year's Total ~~27·76~~	29·39 (~~27·76~~)
* Days with .01 in. or more.	8	17	15	13	8	5	19	3	10	15	15	9	~~95~~ 137	
* Days with .04 in. or more.	6	12	13	9	4	2	11	2	5	12	12	7	95	

† Spare column, no entries required.

(*Signed*) C. V. Boys

[P.T.O.

* See Instruction 3 (f) on other side.

666

Section **A** for the entry of Daily Observatio … OR OFFICIAL USE.

AIR MINISTRY.—METEOROLOG … ANIZATION.

FORM 1090.

REGISTER OF

666 —

ST. MARY'S BOURNE
SPRING HILL
1931 - 1939

780114

Kept at St mary Bourne

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4

,, Ground ,, Sea Level 300

THE MORNING MEASUREMENT IS CR

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·06		·11		·24			·13	·02			1
2	·17	·05		·73					·58			·19	2
3	·05		·12	·11	·08			·05	·70	·03	·36	·14	3
4			·04		·01		·21		·20	·02	·16		4
5		·02		·08	...	·59	...	...			·06	·11	5
6		·12		·31		·08			·02	·28	·17		6
7					·27	·07		·80		·15	·24	·06	7
8		·08		·04		·29		·07			·15	...	8
9		·17		·03		·02					·43	...	9
10		·02				·04	·05	·09			·41		10
11	·09	·37				·01	·19		·02		·23		11
12							·18	·05	·30				12
13			·01			...	·33	·02					13
14		·14			·04	·16	1·28	·34	...				14
15		·13		·07	·12		·18	·09		...		·03	15
16		·03		·14	·11	·17		·18	·12				16
17		·17		·17	...	·02	·37	·03	·08		·03		17
18	·04		·11	·19		·23	·03	1·02		...	·42		18
19	·05	·01		·35		·10	·10	...					19
20		·08	·09	·10			...	·29					20
21	·06				·29								21
22	·28												22
23	·27			·20	·40	·32					·21	·03	23
24				·50	·23		·20	·03			·02		24
25	·16				·01		·14						25
26				·05			·55				·23		26
27	·18	·40			·88						·05		27
28	·03	·08	·04	·06	·01							·03	28
29	·11				·25		·12			·04	·03	·04	29
30	·10	×						·33	...				30 'd'
31	·15	×		×	·11	×			×		×	...	31
TOTAL	1·84	1·93	·41	3·24	2·81	2·34	3·93	3·39	2·15	·54	3·20	·63	YEAR'S TOTAL 26·41
*Days with ·01 in. or more.	14	16	6	17	14	14	14	14	9	6	16	8	138
*Days with ·04 in. or more.	13	12	6	16	11	11	13	11	7	3	13	5	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) S. C. Boys [P.T.O.

666

Section **A** for the entry of Daily Observatio OR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at St Mary Bourne
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·06		·11		·24			·13	·02			1
2	·17	·05		·73					·58			·19	2
3	·05		·12	·11	·08			·05	·70	·03	·36	·14	3
4			·04		·01		·21		·20	·02	·16		4
5		·02		·08	...	·59	...	...			·06	·11	5
6		·12		·31		·08			·02	·28	·17		6
7					·27	·07		·80		·15	·24	·06	7
8		·08		·04		·29		·07			·15	...	8
9		·17		·03		·02					·43	...	9
10		·02				·04	·05	·09			·41		10
11	·09	·37				·01	·19		·02		·23		11
12							·18	·05	·30				12
13			·01			...	·33	·02					13
14		·14			·04	·16	1·28	·34	...				14
15		·13		·07	·12		·18	·09		...		·03	15
16		·03		·14	·11	·17		·18	·12				16
17		·17		·17	...	·02	·37	·03	·08		·03		17
18	·04		·11	·19		·23	·03	1·02		...	·42		18
19	·05	·01		·35		·10	·10	...					19
20		·05	·09	·10			...	·29					20
21	·06				·29								21
22	·28												22
23	·27			·20	·40	·32					·21	·03	23
24				·50	·23		·20	·03			·02		24
25	·16				·01		·14						25
26				·05			·55				·23		26
27	·18	·40			·88						·05		27
28	·03	·08	·04	·06	·01							·03	28
29	·11				·25		·12			·04	·03	·04	29
30	·10	×						·33	...				30
31	·15	×		×	·11	×			×		×	...	31
TOTAL	1·84	1·93	·41	3·24	2·81	2·34	3·93	3·39	2·15	·54	3·20	·63	YEAR'S TOTAL 26·41
*Days with ·01 in. or more.	14	16	6	17	14	14	14	14	9	6	16	8	138
*Days with ·04 in. or more.	13	12	6	16	11	11	13	11	7	3	13	5	120

'd'

40-9999

(Signed) S. C. Boys [P.T.O.

*See Instruction 2 (*f*) on other side.

666

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 666

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Spring Hill, S. Mary Bourne

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 300 ft.

Circ D2 sent 24/5/33.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	·02		·04	1·10		·03	·24	·05	·03	·03		1
2	...			·21	·14			·05	·34			·23	2
3				·18	·12	...	...		·28	·01		·01	3
4	·02					·08	·01			[illegible]	·07		4
5	·26								·20				5
6	·34		·01	·44			·11		·20				6
7			·10		·16				·19	·29			7
8			·25		·25				·84	·06			8
9	·32			·15	1·58				·20		...		9
10	·40			·33	·08	·04			·03	·15	·07		10
11				·05	...				·02		·02		11
12	·30				·16				·11	·24	...	·06	12
13	·06			·17	·03		·72			·58		·06	13
14	·25			·14	·01			·06		·02		...	14
15	...			·05	1·45		·08			·09	·13		15
16	·41			·15								...	16
17	...			·01			·02			·04			17
18	·01				·02		...		·56		·18		18
19									·04	·16			19
20				·12	·25		...	·47		·63	·10		20
21			·09	·16	·43			·02		·16	·01	·08	21
22	·01		·18	·01	·03	...	·30		·31	·18	·40		22
23		·04			·70		·07		...	·74		·18	23
24		·11					·50		·12	·05	·06		24
25							·34		·02	·29	·02	·01	25
26			·13	·04	·01		·19			·13	·01		26
27			·53	·25	·10	·02	·14			·05		·01	27
28			·02	·03	·16	·17	·32			·12			28
29			·45	·15	·08	·15			·25	·34	·15	·08	29
30		×	·04	·20		1·38	·03		·50		·44	·39	30
31		×	·28	×		×	·02		×		×	·14	31
TOTAL	2·51	·17	2·~~1~~03	2·88	7·31	1·84	2·8~~1~~8	·84	4·2~~1~~6	4·36	1·69	1·2~~4~~5	YEAR'S TOTAL 32·87 ~~32·07~~ ~~32·17~~
*Days with ·01 in. or more.	~~12~~	~~3~~	~~11~~	~~20~~	~~20~~	~~6~~	~~15~~	~~5~~	~~18~~	~~21~~	~~4~~	~~11~~	~~166~~
*Days with .04 in. or more.	9	2	9	17	16	5	11	4	16	18	9	8	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) S. C. Boys

P.T.O.

666

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~666~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Spring Hill, S. Mary Bourne
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
,, Ground ,, Sea Level 300 ft.

cir D.2/M.O.7 sent 20/1/34 J.W.V.
J.W.V. 7/1/34
B.A.
observer concurs 25/1/34 B

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·20	·26	·06		·08									1
2	·30	·17	·50		·21									2
3			·25											3
4	·17				·27									4
5	·03	·01	·38		·08						·01			5
6		·23	"		·15					·37	·09			6
7	·04	·09			·02					·03				7
8			·05				·45			·06				8
9		·09			·02		·33			·13	·04			9
10					·03		·12			·26	·15			10
11	·23				·09	·17	·32	·07	·06					11
12		·06		·09	·03	·09	·09		·72					12
13					·06		·27		·03	·04	·08			13
14	·01						·13				·41	·03		14
15	·60		·15				·37	·12		·18				15
16		·02	·71			·15	·19							16
17			·50			·09			·10		·04			17
18	·15		·23			·33					·01			18
19			·16			·02			·70		·10	·02		19
20		·19		·13		·33		·03	·06					20
21						·39		·08	·05					21
22			·05		·04	·91		·09	·05	·14				22
23				·31		·16			·20	·45				23
24		1·17		·13		·20			·01		·02			24
25		·99		·28		·28			·02		·02	·08		25
26		·87		·21	·34	1·08			·40	·09				26
27					·13		·06		·01	·23		·13		27
28				·14			·07			·07		·04		28
29	·11			·41						·04		·03		29
30	·07	×	·17	·12			·03		·20			·10		30
31	·33	×		×		×			×	·01	×			31
TOTAL	2·24 ✓	~~4·13~~ 4·15 ✓	3·21 ✓	1·82 ✓	1·55 ✓	4·20 ✓	2·43 ✓	·39 ✓	2·61 ✓	~~2·11~~ 2.10 ✓	·97 ✓	·43 ✓	Year's Total ~~26·00~~	26.10
*Days with ·01 in. or more.	~~13~~ 12	12 ✓	12 ✓	9 ✓	14 ✓	13 ✓	12 ✓	5 ✓	14 ✓	14 ✓	11 ✓	7 ✓	~~136~~	135
*Days with ·04 in. or more.	~~11~~ 10	10 ✓	12 ✓	9 ✓	10 ✓	12 ✓	11 ✓	4 ✓	10 ✓	12 ✓	7 ✓	4 ✓	~~112~~	111

40-9999
*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) S. C. Boys

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 666

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Spring Hill, S. Mary Bourne

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 300 ft.

B.A

ay

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01							·32			·14	·67		1
2	·17		·05	·08	·11				·67	·12		·81		2
3	·01	·03						·04		·26		·13		3
4	·04		·13	·25	·16					·09		·40		4
5			·02		·03			·22			·09	·51		5
6	·01		·37	·02	·25			·05		·25	·03	·71		6
7	·11							·21		·06		·54		7
8					·31			·02	·08		·43	·13		8
9	·02		·06								·85	·38		9
10	·11		·26	·22				·09				·27		10
11	·52		·58	·38			·17	·17				·20		11
12			·01				·10	·19				·38		12
13	·36		·02	·13			·44	·04		·02	·12	·36		13
14	·17		·45								·10	·40		14
15	·02		·17	·01	·07					·20	·10	·32		15
16	·09		·35								·01	·02		16
17	·08			·04					·13	·01	·01	·20		17
18	·22		·10	·18					·15			·27		18
19			·38					·01	·05			·19		19
20			·05	·10			·17			·01				20
21				·08		·08	·03	·03		·09				21
22							·23	·63	·28			·10		22
23		·02		·27		·59			·11					23
24		·04	·11			·03	·25		·09					24
25	·22			·20						·11		·62		25
26	·02			·19		·08			·09			·26		26
27				·01		·27				·01		·49		27
28						·04	·05	·62			·02	·41		28
29									·22					29
30	·06	×							·11			·37		30
31	·01	×		×		×			×		×	·14		31
TOTAL	2.25	·09	3.11	2.16	·93	1.09	1.44	2.64	1.98	1.23	1.90	~~8.78~~ 9.29	Year's Total ~~27.60~~	28.11
*Days with ·01 in. or more.	~~15~~ 19	3	15	13	6	6	7	13	11	9	9	26	~~138~~	137
*Days with .04 in. or more.	12	1	13	12	5	5	6	11	11	8	7	25	116	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) S. C. Boys

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations.

Station No. 666

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Spring Hill St Mary Bourne

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 300 ft.

BRA

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01		·13		·08		·95		·02		·15			1
2						·09			·09	·18	·01	··		2
3			·03			·12		·03	·36	·65	·25			3
4		·08		·24		·40			·16	·35	·16			4
5		·53	·14	·11		·17			·40	·39	·01	·01		5
6				·44		·06					·02	·04		6
7				·58		·89				·15	·21	·09		7
8				·50						·17	·28	··		8
9	·07			·53		·97			·16	·63	·78			9
10	·36		·07	·01		·02					·14			10
11	·33			·05		·22	·36				·38			11
12	·11	·04				·34			·02		·19			12
13	·08	·18		·10	·08	·14					·01			13
14				·07	·05	·01			·01	··	·35	·20		14
15		·14		·46		·25			·16		·34	·08		15
16		·05	·07	·13		·01			·57		·79			16
17				·30	·09	·14			·10		·26			17
18		·02		·28		·27		·01	·45	·04				18
19				·02	·44	·07	·22	·03	·09	·04	·23			19
20		·33		·02	·19	·04	·15				·60			20
21		·42		·02					·14	·02				21
22		·05	·11	·02				·31	·03					22
23			·10						·22	·62		·03		23
24	·06	·55			·06			·89	·30			·27		24
25	·03	·85		·20	·11	·56						·35		25
26		·35				·01		·36	·15	·04		·57		26
27		·25							·05		·09	·48		27
28		·23							·50			·19		28
29									·21		·02	·52		29
30	·03	✕		·21	·01			·63		·20	·99	·60		30
31		✕		✕		✕			✕	·88	✕	·22		31
TOTAL	·78 ✓	4·07 ~~4·10~~ ✓	·65 ✓	4·29 ✓	1·11 ✓	4·78 ✓	1·68 ✓	2·26 ✓	4·19 ✓	4·06 ✓	6·23 ~~6·77~~ ✓	3·65 ✓	Year's Total 37·75 ✓	
* Days with .01 in. or more.	9	15	7	20	9	20	4	7	21	14	22	14	162	
* Days with .04 in. or more.	6	14	6	15	8	16	4	4	17	13	17	12	132	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) S. C. Boys

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 666

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Spring Hill St Mary Bourne
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
,, Ground ,, Sea Level 800 ft.

not BAK

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·09	·02	·29		·32	·21				·07	·11		1
2	·03	·15				·29	·49				·03			2
3				·40		·26	·06	·13	·40		·30	·01		3
4			·24		·02	·11			·27		·02	·08		4
5	·49		·03					·03	·02					5
6	·43					·03			·10		·27			6
7	·07		·06				·05		·03		·43	·04		7
8	·48		·29				·26				·10	·15		8
9	·57		·04				·40		·29	·12		··		9
10							·09	·18	·03					10
11	··							·01	·50	··	·80	·01		11
12					·16	·39	·33		·25		·60	·01		12
13						·16				·03	·16	·62		13
14		·13				·05	·51		·17		·02	·57		14
15		·04		·03		·01	·03		·01		·02	·16		15
16	·21	·26					·04				·25	·12		16
17	·19	·73			·02	·05	·08			·04	·14	·26		17
18		·11				·23	·25			··		·19		18
19	·45		·01	·18		·10	·22	·20						19
20	·06	·21	·15	·57			·01		·58			·03		20
21		·02		·31		·23								21
22		·43	·10		·59		·32			·01		·10		22
23	·17		·51	·08			·14			·07				23
24	·12	·08			·02				·07	·30				24
25	·08		·06	·27	·04		·26		·02	·14	·05			25
26	·11	·19	·11			·09	·05			·20				26
27	·25		·07				·10			·33		··		27
28	·97		·43				·47					·17		28
29	··	·12	·08		·02		·44			·11	·23	·08		29
30	·11	✕			·01	·11	·06			·45				30
31	·13	✕	·41	✕	··	✕	·14		✕	·62	✕	·51		31
TOTAL	5·05	2·56	2·61	2·13	·88	2·43	5·01	·56	2·74	2·42	3·49	3·22	Year's Total 33·09	
* Days with .01 in. or more.	19	13	16	8	8	15	24	5	14	12	16	18	168	
* Days with .04 in. or more.	18	12	13	7	3	13	22	3	9	10	12	~~15~~ 14	~~137~~	136

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) S. C. Boys

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 666

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Springhill, S. Mary Bourne

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 300 ft.

B.A

Circ D sent 10.2.38 R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15			··					·09	·02	·46	·58		1
2	·03	·47		·16					·13		··	·25		2
3	·02	·32										·01		3
4	·11	·66		·01				·01				·31		4
5	·30	·01	·13	·03			·19							5
6	·11	·04	·42	·15	·08		·26			·07	·01			6
7		·64		·11					·03	··		·19		7
8		·03			·81						·01	·60		8
9				·19	·15				·23			·12		9
10	·02		·78	·32	·11	·02		·27				·38		10
11	··		·04		·24	·27	·28							11
12	·30	·35	·09	·10	·12	·16	··	·47	·11			·28		12
13	·15	·06	·51	·12		·85		·02	·08			·15		13
14	··	·02	·39					·27	·06			·09		14
15	·24	·17		·25			·46		·04			·28		15
16	·01	·11	·50	·36		·08		·25	·35			·04		16
17	·42	·02	·29				·02		·44			·13		17
18	·29	·16									·10			18
19	·17	·10	·07	·17		·18								19
20	·48			·23	·10	·04						·01		20
21	·44	·55	·09	·10	·02		·08			·03		·03		21
22	·47	·05	·10		·23	·48	·13			·96	·45	·05		22
23	·43	·14	··		·46					·28	·09	··		23
24	·42	·64	·02		·01				·18	·98		·02		24
25	·37	·46	·23		1·48				·02	·22		·02		25
26		·33	·02		·04					·13				26
27	·02	·10		·17						·79				27
28		·10								·09				28
29										·21	·20			29
30	·49	✕				·08				·05	·47			30
31	·25	✕		✕		✕			✕	·37	✕			31
TOTAL	5·~~70~~69	5·53	3·68	2·45	3·35	1·66	1·42	1·29	1·76	4·20	1·79	3·54	Year's Total ~~37·37~~ 36·36	✓ ✓
* Days with .01 in. or more.	23	22	15	15	13	9	7	6	12	13	8	19	162	✓ ✓
* Days with .04 in. or more.	18	18	13	13	11	8	6	4	10	11	6	15	133	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) S. C. Boys

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 666

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Spring Hill St Mary Bourne

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 300 ft.

B A w.J.T.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·06	·12			·14	·03	·07		1
2	··			·05	·01	·01	·09			·55		·09		2
3					·19		·01			·50	·03			3
4	·07						··	·14		·05		·11		4
5							·15	·01		·52				5
6	·05						·06		·06	·03	·01			6
7	·12					··	·50	2·17	·01	·19		·06		7
8	·17						·12	·10	·03	·16				8
9	·16	·08				·12	·01	·04		·03		·90		9
10	·09					·04	·02			··		·22		10
11	·24									·01	·15	·18		11
12	·36				·07			·38		·37				12
13	·19							··		·10	·30	·49		13
14	·30		··		·08		·08			··	·01			14
15	·10	·04					·56	·08		·26	··	·41		15
16	·26							·02		·10	·03	·01		16
17		·04							·04	·10	··			17
18	·08							·02	·04	·02	·89			18
19	·06							·08	·20		·72			19
20	·03										·88	·02		20
21								·03	·06		·01	·36		21
22						·02		·14			·23	·26		22
23											·15			23
24			·15						·12	·03	·12			24
25	·08	·11	·03		·09						·84	·09		25
26	·14	·34	·06		·06				·09	·15		·29		26
27	·11	·01	··		·13	·28	·32	·03	·19	·05	·34			27
28	·05	·04			·20	·04		·62	·10			·14		28
29	·18				·20				·14	·03	·17			29
30	·13	✕		·01	·07	·10			·08	·14	·20			30
31		✕		✕	·10	✕			✕	·17	✕	·30		31
TOTAL	~~3·21~~ 2·97	·66	·24	·06	1·20	·67	2·04	3·86	1·16	~~3·60~~ 3·70	~~4·61~~ 5·11	3·96	Year's Total ~~25·27~~	25·63 ✓
* Days with .01 in. or more.	21	7	3	2	11	8	12	14	13	22	18	17	148	✓
* Days with .04 in. or more.	20	6	2	1	10	6	9	9	11	16	12	15	117	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 666

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Spring Hill, St Mary Bourne

in the County of Hampshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. 8 in.

,, Ground ,, Sea Level about 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·05	·26	·08			·14	·35			·01		1
2	·13			·01				·53	1·09		·01			2
3	·40			·29				·43			·21	·35		3
4	·08		·30	·31			·55	·24		·65	·14	·05		4
5				·33	·17		·09	·16		·25	·48	·13		5
6	·40		·01		·44		·43	·01			·53			6
7		·27		·08			·01				·43	·33		7
8	·09	·12	·26				·08	·08		·52	·26	·29		8
9	·08	·01						·08		·10	·07	·12		9
10	·48							·26	·01	·29	·02			10
11						·06				·15				11
12			·18			·02					·04			12
13			·01			·03	·21		·11	1·10				13
14	·50					·05	·20			·30	·24			14
15	·18				·04	·02	·35		·04	·50	·31			15
16	·32				·39	·72	·35				·37			16
17	·34				·04	·17	·11			·39	·05			17
18	·17				·11		·13				·40			18
19	·18					·26	·14			·02	·01			19
20	·31		·13				·91							20
21	·01	·25				·12	·05	·06	·07					21
22	·21	·17				·41	·27				·13			22
23	·04		·01	·30		·08	·11				·83			23
24	·38						·06			·10				24
25	·87	·31	·01			·14	·51			·04	·27			25
26	·10		·14					·04		·09	·26	·10		26
27		·12	·01				·02	·01		·03	·19			27
28		·13		·26			·50				·17			28
29				·17		·01	·49			·10	·10	·18		29
30		✕		·83		·01				·02	·08			30
31		✕		✕		✕	·12		✕	·08	✕			31
TOTAL	5·27 ✓	1·98 ✓	1·11 ✓	2·84 ✓	1·27 ✓	2·10 ✓	5·69 ✓	2·04 ✓	1·67 ✓	4·73 ✓	5·60 ✓	1·56 ✓	Year's Total 35·26	✓
* Days with .01 in. or more.	20 ✓	8 ✓	11 ✓	10 ✓	7 ✓	14 ✓	22 ✓	12 ✓	6 ✓	18 ✓	24 ✓	9 ✓	161	✓
* Days with .04 in. or more.	19 ✓	7 ✓	6 ✓	9 ✓	7 ✓	9 ✓	20 ✓	10 ✓	~~4~~ 5	15 ✓	21 ✓	8	13~~5~~6	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) S. C. Boys

[P.T.O.

Section **A** for the entry o

AIR MINISTR

FORM 1090.

667

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

REGIS N 1931..

~~66T~~

MANYDOWN PARK

BASINGSTOKE

1931 - 1940

78 01 14

Kept at MANYDOWN PAR

in the County of HAMPS

Diameter of Funnel of Gauge No

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS VIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.04	-	.11	-	.06	-	-	.07	.02	-	-	1
2	.19	.04	-	.79	-	-	.02	-	.48	.04	.01	.14	2
3	.05	.01	.14	.23	.23	-	-	.12	.63	-	.31	.17	3
4	-	S .03	.02	-	.03	-	.32	.01	.10	.06	.17	-	4
5	F.01	-	-	.17	.14	.44	.05	-	.02	.01	.11	.13	5
6	F.01	.14	-	.26	-	.01	.02	-	.01	.46	.15	-	6
7	-	-	-	-	.31	.14	.01	.49	-	.12	.27	.06	7
8	-	.08	-	.02	-	.34	-	.16	-	.01	.09	-	8
9	&.02	.20	.01	.05	-	.02	-	-	-	D.01	.55	-	9
10	-	.06	.06	-	-	-	.02	.10	-	D.01	.54	-	10
11	.09	.34	-	-	-	.05	.11	-	.04	-	.13	-	11
12	-	.03	-	-	-	-	.09	.13	.38	-	-	-	12
13	-	-	.01	-	-	-	.25	-	-	-	-	-	13
14	-	.13	-	-	.01	.17	1.63	.98	-	-	-	-	14
15	.02	.04	-	.05	.10	-	.02	.75	-	-	-	.06	15
16	-	.05	-	.14	.18	.16	-	.23	.07	-	-	-	16
17	.03	S .12	-	.24	.02	.01	.42	.01	.10	-	-	-	17
18	.04	.02	.02	7 .03	-	.27	.05	1.66	-	-	.36	-	18
19	.01	-	-	.56	-	.72	.94	.02	-	-	-	-	19
20	-	.12	.03	.11	-	-	-	.25	-	-	-	-	20
21	.03	-	.02	-	.42	-	-	-	-	-	-	-	21
22	.32	-	-	-	-	-	-	-	-	-	-	-	22
23	.38	-	-	.13	.37	.09	-	-	.01	-	.21	.03	23
24	-	-	-	.56	.17	.30	.11	.07	-	-	.01	-	24
25	.08	.01	-	.47	.07	-	.19	-	-	-	.03	-	25
26	-	.05	-	.10	-	-	.44	-	-	-	.30	-	26
27	.14	.40	-	-	1.10	-	.02	-	-	-	.01	-	27
28	.02	S .35	-	.05	.11	-	-	-	-	.04	%.01	S .01	28
29	.09	X	-	-	.26	-	.15	-	-	.12	.04	-	29
30	S.09	X	-	-	-	-	-	.27	.01	-	-	-	30
31	.21	X	-	X	.06	X	-	-	X	-	X	.02	31
TOTAL	1.83	2.26	0.31	4.11	3.58	2.78	4.86	5.25	1.92	0.90	3.30	0.62	YEAR'S TOTAL 31·72
*Days with ·01 in. or more.	19	20	8	18	16	14	19	15	12	11	18	8	178
*Days with ·04 in. or more.	11	15	2	17	13	11	13	12	8	6	13	5	126

40-9999 F=Frost. D=Dew. S=Snow. &= Snow & frost.

%= Wet fog.

*See Instruction 2 (*f*) on other side.

(*Signed*) Arthur Bates

Colonel

P.T.O.

667

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931..

Kept at MANYDOWN PARK. BASINGSTOKE

in the County of HAMPSHIRE.

Diameter of Funnel of Gauge No change

Height of top of Gauge above Ground 4 ft ...... in.

,, Ground ,, Sea Level 415 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.04	-	.11	-	.06	-	-	.07	.02	-	-	1
2	.19	.04	-	.79	-	-	.02	-	.48	.04	.01	.14	2
3	.05	.01	.14	.23	.23	-	-	.12	.63	-	.31	.17	3
4	-	S .03	.02	-	.03	-	.32	.01	.10	.06	.17	-	4
5	F.01	-	-	.17	.14	.44	.05	-	.02	.01	.11	.13	5
6	F.01	.14	-	.26	-	.01	.02	-	.01	.46	.15	-	6
7	-	-	-	-	.31	.14	.01	.49	-	.12	.27	.06	7
8	-	.08	-	.02	-	.34	-	.16	-	.01	.09	-	8
9	&.02	.20	.01	.05	-	.02	-	-	-	D.01	.55	-	9
10	-	.06	.06	-	-	-	.02	.10	-	D.01	.54	-	10
11	.09	.34	-	-	-	.05	.11	-	.04	-	.13	-	11
12	-	.03	-	-	-	-	.09	.13	.38	-	-	-	12
13	-	-	.01	-	-	-	.25	-	-	-	-	-	13
14	-	.13	-	-	.01	.17	1.63	.98	-	-	-	-	14
15	.02	.04	-	.05	.10	-	.02	.75	-	-	-	.06	15
16	-	.05	-	.14	.18	.16	-	.23	.07	-	-	-	16
17	.03	S .12	-	.24	.02	.01	.42	.01	.10	-	-	-	17
18	.04	.02	.02	.07	-	.27	.05	1.66	-	-	.36	-	18
19	.01	-	-	.56	-	.72	.94	.02	-	-	-	-	19
20	-	.12	.03	.11	-	-	-	.25	-	-	-	-	20
21	.03	-	.02	-	.42	-	-	-	-	-	-	-	21
22	.32	-	-	-	-	-	-	-	-	-	-	-	22
23	.38	-	-	.13	.37	.09	-	-	.01	-	.21	.03	23
24	-	-	-	.56	.17	.30	.11	.07	-	-	.01	-	24
25	.08	.01	-	.47	.07	-	.19	-	-	-	.03	-	25
26	-	.05	-	.10	-	-	.44	-	-	-	.30	-	26
27	.14	.40	-	-	1.10	-	.02	-	-	-	.01	-	27
28	.02	S .35	-	.05	.11	-	-	-	-	.04	%.01	S .01	28
29	.09	X	-	-	.26	-	.15	-	-	.12	.04	-	29
30	S.09	X	-	-	-	-	-	.27	.01	-	-	-	30
31	.21	X	-	X	.06	X	-	-	X	-	X	.02	31
TOTAL	1.83 ✓	2.26 ✓	0.31 ✓	4.11 ✓	3.58 ✓	2.78 ✓	4.86 ✓	5.25 ✓	1.92 ✓	0.90 ✓	3.30 ✓	0.62 ✓	YEAR'S TOTAL 31·72
*Days with ·01 in. or more.	19	20	8	18	16	14	19	15	12	11	18	8	178
*Days with ·04 in. or more.	11	15	2	17	13	11	13	12	8	6	13	5	126

40-9999 F=Frost. D=Dew. S=Snow. &= Snow & frost. %= Wet fog.

*See Instruction 2 (*f*) on other side.

(*Signed*) ......

Colonel

P.T.O.

667
667

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 667

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at MANYDOWN PARK BASINGSTOKE

in the County of HANTS

Diameter of Funnel of Gauge ...... in.
Height of top of Gauge above Ground ...... ft. ...... in.
,, Ground ,, Sea Level ...... ft.

No change

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·02	-	·07	1·16	-	-	·20	·03	·06	·02	-	1
2	-	-	-	·33	·18	-	-	·06	-	-	.	·23	2
3	-	-	-	·24	·16	·02	-	-	·72	-	-	-	3
4	-	-	-	-	-	·21	-	-	-	-	·06	-	4
5	·31	-	·01	-	-	·03	·11	-	·12	-	-	·01 F	5
6	·41	-	·03	·51	-	-	·01	-	·21	-	-	-	6
7	-	-	·08	·02	·11	-	·03	-	·15	·18	-	·01 F	7
8	-	-	·24	-	·25	-	-	-	·39	·09	-	-	8
9	·61	-	-	·22	·25	-	-	-	-	-	-	-	9
10	·52	-	·02	·34	·07	·18	-	-	·06	-	·12	.	10
11	·02	-	-	·02	·02	-	·07		-	·22	·04	·04	11
12	·29	-	-	-	·09	-	-	Trace	·13	·10	·01		12
13	·14	-	-	·24	·05	-	·64	-	-	·69	·03	·06	13
14	·34	-	-	·07	·02	-	.	·11	-	·07	·05	-	14
15	·01	-	-	·04	·15	-	·05	.	-	·13	·02	-	15
16	·38	-	-	·24	·01	-	·44	-	.	-	.	-	16
17	-	-	-	·04	-	-	·02	-	-	·06	·02	-	17
18	-	-	-	-	·01	-	·07	.	·49	-	·17	-	18
19	-	-	-	·01	-	-	.	-	·04	·21	·01	-	19
20	-	-	-	·22	·42	-	.	1·15	·01	·77	·17	-	20
21	-	-	·04	·20	1·36	-	-	·02	-	·20	-	·17	21
22	-	-	·24	-	·06	-	·02	.	·34	·02	·46	-	22
23	-	·01	.	·05	·50	.	·05	-	·06	1·06	-	·20	23
24	-	·19	-	.	-	.	·42	.	·18	·08	·06	·02	24
25	-	-	-	-	-	·03	·46	-	·03	·32	-	-	25
26	-	-	·16	·06	-	~~·01~~	·46	.	-	·05	·03	-	26
27	-	-	·37	·22	·08	·01	·11	-	-	·09	-	·05	27
28	-	-	·07	·02	·01	·29	·40	-	-	·12	-	.	28
29	^	-	·59	·14	·07	·09	-	·09	·20	·39	·18	·02	29
30	^	×	·15	·22	·13	1·23	·04	-	·35	-	·64	·29	30
31	-	×	·17	×	-	×	·10		×		×	·13	31
TOTAL	3·06	0·22	2·17	3·52	5·16	2·09	3·50	1·63	3·51	4·85	2·09	1·23	YEAR'S TOTAL 33·03
*Days with ·01 in. or more.	11	3	13	22	22	9	18	6	17	20	17	12	170
*Days with .04 in. or more.	8	1	10	18	17	5	14	5	15	18	10	8	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Colonel

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~667~~ 667

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

File No.895723/29

Kept at MANYDOWN PARK, BASINGSTOKE

in the County of HAMPSHIRE.

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft in.

,, Ground ,, Sea Level 415 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	~~in.~~	in.	in.	in.	†	
1	0.46	0.30	0.06	-	0.11	-	-	-	-	-	-	-		1
2	0.29	-	0.47	-	0.47	-	-	-	-	-	0.01	-		2
3	-	0.14	0.27	-	-	-	-	-	-	-	-	-		3
4	0.42	0.03	-	-	0.31	-	-	-	-	-	-	-		4
5	0.05	0.01	0.46	-	-	-	-	-	-	-	-	-		5
6	-	0.21	0.03	-	0.17	-	-	-	-	0.38	0.06	-		6
7	-	0.05	0.02	-	0.04	-	-	-	-	0.09	-	0.01		7
8	0.04	-	0.02	-	-	-	0.33	-	-	0.02	-	Trace		8
9	-	0.09	-	-	0.04	-	0.26	-	-	0.23	0.03	-		9
10	-	0.06	-	-	0.01	-	0.12	Trace	-	0.32	0.02	-		10
11	30 0.~~3~~6	-	-	-	0.01	0.11	0.34	0.07	-	0.01	-	-		11
12	-	-	-	0.09	0.02	0.07	0.09	-	0.78	-	-	-		12
13	0.08	-	-	-	0.06	-	0.26	-	0.04	0.02	0.02	-		13
14	Nil	-	-	-	Trace	-	0.03	0.01	-	0.19	0.23	-		14
15	0.46	-	0.15	-	-	0.03	0.06	0.13	-	0.01	-	-		15
16	0.05	-	0.79	-	-	0.15	0.09	-	0.02	0.02	-	-		16
17	-	-	0.47	-	-	0.10	-	0.01	0.08	-	0.03	-		17
18	0.14	-	0.38	-	-	0.34	-	-	-	-	0.01	-		18
19	-	0.07	0.06	-	-	0.05	-	-	0.63	-	Trace	0.08		19
20	-	0.18	0.03	0.03	-	0.16	-	0.02	-	-	-	-		20
21	-	0.07	-	-	Trace	0.28	-	0.02	0.07	Trace	-	-		21
22	-	-	-	-	-	0.13	-	0.13	0.04	0.20	-	-		22
23	-	-	-	0.30	-	0.12	-	-	0.20	0.19	-	-		23
24	-	1.59	-	0.11	-	0.15	-	-	0.04	0.01	0.01	-		24
25	-	1.23	-	0.25	-	0.13	-	-	0.14	-	-	0.06		25
26	-	1.02	-	0.23	-	0.29	-	-	1.05	0.06	-	-		26
27	-	-	-	-	0.44	-	-	-	0.01	0.30	-	0.12		27
28	-	0.01	-	0.06	0.03	-	0.09	-	-	0.10	Trace	0.10		28
29	0.04	X	0.01	0.27	-	-	0.03	-	-	0.03	-	0.01		29
30	0.14	X	0.07	-	0.12	-	0.01	-	0.16	-	-	0.09		30
31	0.35	X	Trace	X	-	X	-	0.02	X	Trace	X	-		31
TOTAL	2.82	5.06	3.29	1.34	1.83	2.11	1.71	0.41	3.26	2.18	0.42	0.47	Year's Total 24.90	
*Days with ·01 in. or more.	13	15	15	8	13	14	12	8	13	17	9	7	144	
*Days with .04 in. or more.	13	12	10	7	9	13	9	3	11	10	2	5	104	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Colonel.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 6607

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

File No.895723/29

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at MANYDOWN PARK, BASINGSTOKE

in the County of SOUTHAMPTON

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. in.

,, Ground ,, Sea Level 415 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	-	-	-	-	-	-	.38	-	trace	.05	.53		1
2	.07	-	.06	.08	.13	-	-	-	.63	0.21	.01	.29		2
3	.02	.02	-	.03	-	-	-	.07	-	.41	-	.18		3
4	.07	-	.09	.40	.15	-	-	-	-	.19	.03	.42		4
5	-	-	.02	-	.03	-	-	.11	-	-	.03	.54		5
6	.05	-	.35	trace	.27	.11	-	.16	-	.17	.04	.85		6
7	.10	trace	-	-	-	.01	-	.20	-	.09	-	.49		7
8	-	-	-	-	.18	-	-	.02	.11	-	.41	.09		8
9	trace	-	.04	-	-	-	-	-	-	-	1.00	.55		9
10	.01	-	.30	.18	-	-	-	.05	-	trace	.34	.11		10
11	.79	-	.56	.34	-	-	.13	.12	-	-	-	.21		11
12	-	-	trace	-	-	-	.12	.32	-	-	-	.39		12
13	.48	-	-	.13	-	-	.32	.06	-	.01	.02	.68		13
14	.11	-	.50	.02	-	-	-	-	-	-	.09	.52		14
15	.05	-	.10	-	.06	-	-	-	.05	.10	.16	.56		15
16	.14	-	.30	-	-	-	-	-	.02	-	-	.01		16
17	.08	.01	trace	-	-	-	-	-	.08	.07	-	.23		17
18	.25	-	.05	.16	-	-	-	-	.12	-	-	.18		18
19	-	-	.33	-	-	.01	-	.03	.04	trace	-	.14		19
20	-	-	.06	.02	-	.01	.37	-	-	.01	-	-		20
21	-	-	-	.16	-	.06	.05	.03	-	.13	-	-		21
22	-	-	-	-	-	-	.30	.76	.31	-	-	.06		22
23	-	.01	-	.26	-	.58	-	-	.02	-	-	.02		23
24	-	.04	.10	.03	-	.01	.45	-	.10	-	-	-		24
25	.22	-	-	.22	.03	-	-	-	-	.13	-	.54		25
26	.02	-	-	.08	-	.12	-	-	.11	-	-	.55		26
27	-	-	-	.01	-	.31	-	-	-	.01	-	.36		27
28	-	-	-	-	-	-	.01	.72	-	-	.02	.30		28
29	-	X	-	-	-	.14	.05	.05	.14	-	-	trace		29
30	.05	X	-	-	-	-	-	.06	.12	-	trace	.39		30
31	.03	X	-	X	-	X	trace	.03	X	.02	X	.24		31
TOTAL	2.57	0.08	2.86	2.12	0.85	1.36	1.80	3.17	1.85	1.55	2.20	9.43	Year's Total. 29.84	
* Days with .01 in. or more.	18	4	14	15	7	10	9	17	13	13	12	27	159	
* Days with .04 in. or more.	13	1	13	10	5	6	8	13	11	9	7	25	121	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

Colonel.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 667

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

File No.895723/29

Kept at MANYDOWN PARK, BASINGSTOKE

in the County of SOUTHAMPTON

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. in.

" Ground " Sea Level 415 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	–	.12	Tr	.05	.04	.34	–	.02	.06	.22	–		1
2	–	–	–	–	–	Tr	–	–	Tr	.25	.02	–		2
3	–	–	.01	.03	–	.24	–	–	.30	.76	.16	.01		3
4	–	.02	–	.26	–	.26	–	–	.05	.24	.18	–		4
5	–	.40	.16	.07	–	.02	–	–	.46	.04	.01	.02		5
6	–	–	–	.31	–	.94	–	–	–	Tr	.02	.01		6
7	–	–	–	.56	–	.02	–	–	–	.16	.47	.09		7
8	–	–	–	.44	–	Tr	–	–	–	.23	.35	.01		8
9	Tr	–	–	.46	–	.80	–	–	.07	.80	.48	Tr		9
10	.04	–	.12s	.04	–	Tr	–	–	–	–	.26	.01		10
11	.33	–	–	.06	–	.20	.04	–	–	Tr	.41	–		11
12	–	.07	–	–	–	.17	–	.05	.04	–	.24	–		12
13	.06	.18	–	.04	.08	.09	–	–	–	Tr	.02	–		13
14	–	–	–	.13	.06	.04	–	–	Tr	–	.32	.14		14
15	–	.17	–	.51	.01	.47	–	–	.16	–	.48	.14		15
16	–	.04	.03	.11	–	.01	–	–	.47	.02	.77	.02		16
17	–	–	–	.17	–	.15	.02	Tr	.11	–	.17	–		17
18	–	.02	–	.25	.01	.09	.02	.03	.48	.02	Tr	–		18
19	–	.01	–	.08	.38	.03	.16	–	.06	.10	.24	.02		19
20	–	.29	–	.01	.18	.02	.22	–	–	–	.38	–		20
21	–	.36	–	.08	–	–	–	–	.12	.04	–	–		21
22	–	.04	.08	.07	–	–	–	.06	.06	–	–	–		22
23	–	.07	.12	–	–	–	–	.37	.17	.47	–	.08		23
24	.07	.67	–	–	.07	–	–	1.12	.31	.01	–	.16		24
25	.12	.79	–	.26	.10	.38	–	–	–	–	–	.23		25
26	Tr	.36	–	–	–	.04	–	.32	.10	Tr	–	.48		26
27	–	.29	–	–	–	–	–	–	.14	–	.11	.40		27
28	–	.18	–	–	–	–	–	.05	.51	.01	Tr	.15		28
29	–	XX	–	–	–	–	–	.11	.28	.01	.02	.56		29
30	.05	X	–	.12	–	–	–	.81	.02	.37	.87	.65		30
31	–	X	–	X	–	X	–	Tr	X	1.04	X	.32		31
TOTAL	0.69	3.96	0.64	4.06	0.94	4.01	6.80	2.92	3.93	4.63	6.20	3.50	Year's Total 36.28	
* Days with .01 in. or more.	7	17	7	21	9	19	6	9	20	18	22	19	174	
* Days with .04 in. or more.	5	14	5	19	7	14	4	8	18	13	17	12	136	

40-9999.

s = snow

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Arthur [illegible] Colonel.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 667

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at MANYDOWN PARK, BASINGSTOKE

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 415 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.22	.09	.04	.26	-	.42	.25	-	-	-	.07	.09		1
2	.01	.04	-	Tr	-	.12	.19	.07	Tr	-	.02	-		2
3	-	-	-	.39	-	.01	.01	.12	.51	-	.25	-		3
4	-	-	.18	-	-	.05	-	-	.23	-	.02	.05		4
5	.37	-	.14	-	.02	-	-	.03	Tr	-	-	.01		5
6	.84	-	Tr	-	-	.06	Tr	.02	.14	-	.35	-		6
7	.12	-	.05	-	-	.01	Tr	-	.03	-	.33	.09		7
8	.37	-	.13	-	-	-	.28	-	-	Tr	.12	.09		8
9	.63	-	.09	-	-	-	.28	-	.27	Tr	-	-		9
10	-	-	-	-	-	-	-	.83	-	-	-	-		10
11	-	.01	-	.08	-	-	.01	-	.36	-	.70	-		11
12	-	-	-	.01	Tr	.33	.31	-	.75	-	.35	.13		12
13	-	-	-	-	-	.08	Tr	-	-	.02	.22	.61		13
14	-	.09	-	-	-	.02	.52	-	.05	.02	.01	.56		14
15	-	.05	-	-	-	.01	-	-	.04	-	.04	.18		15
16	.05	.21	-	.01	-	-	.04	-	.01	-	.27	.11		16
17	.30	.80	-	-	.03	.24	.05	-	-	-	.16	.33		17
18	.18	.17	-	-	-	.30	.23	-	-	Tr	Tr	.23		18
19	.31	.03	.01	.14	-	.49	.21	.15	-	-	-	-		19
20	.07	.13	.17	.43	-	.23	.01	-	.61	-	-	.01		20
21	-	.01	-	.42	-	.29	-	-	-	-	-	-		21
22	.10	.35	.05	-	.23	-	.28	-	-	-	-	.15		22
23	.02	-	.29	.09	.01	-	.20	-	-	.04	-	-		23
24	.10	.08	-	-	-	-	-	-	.11	.34	-	-		24
25	.08	-	.11	.20	-	-	.31	-	.12	.16	.05	-		25
26	.10	.15	.12	-	-	-	.04	-	-	.34	-	Tr		26
27	.24	-	.14	-	-	-	.02	-	.16	.19	-	-		27
28	.79	-	.27	-	-	-	.65	-	Tr	-	-	.16		28
29	.01	.10	.06	-	Tr	.10	.26	-	-	.03	.28	.05		29
30	.18	X	Tr	-	.29	.15	.05	-	-	.66	-	-		30
31	.15	X	.33	X	-	X	.22	-	X	.42	X	.43 ~~.53~~		31
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Year's Total	
TOTAL	5.24	2.31	2.18	2.03	0.58	2.91	4.42	1.22	3.39	2.22	3.24	3.28	33.02	✓
* Days with .01 in. or more.	22	15	16	10	5	17	22	6	14	10	16	16	169	✓
* Days with .04 in. or more.	17	12	15	8	2	13	18	4	12	7	13	15	136	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(*Signed*) .... [P.T.O.

Colonel.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 667

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at MANYDOWN PARK, BASINGSTOKE

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 415 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.15	Tr.	-	-	-	-	-	-	0.06	0.13	0.54	0.66		1
2	0.02	0.46	-	0.20	-	-	-	-	0.13	-	-	0.28		2
3	0.01	0.36	0.03	-	-	-	-	-	Tr.	-	-	0.02		3
4	0.10	0.60	-	Tr.	-	-	-	-	-	-	-	0.27		4
5	0.24	0.06	0.17	0.02	-	-	0.11	0.02	-	-	-	-		5
6	0.08	0.09	0.91S	0.09	0.12	-	0.08	-	-	0.12	0.03	-		6
7	-	0.61	-	0.12	0.03	-	-	-	0.03	Tr.	-	0.07		7
8	-	0.02	-	Tr.	0.46	-	-	-	-	-	0.04	0.79		8
9	-	Tr.	-	0.27	0.05	0.01	0.10	Tr.	0.23	-	-	0.07		9
10	0.01	-	0.64	0.54	0.08	0.31	-	0.17	-	-	-	0.43		10
11	-	-	0.11	Tr.	0.36	0.11	0.11	-	-	-	-	-		11
12	0.32	0.27	0.23	0.05	0.12	0.33	-	0.15	0.08	-	-	0.30		12
13	0.19	0.04	0.48	0.08	-	-	-	0.04	0.22	-	-	0.21		13
14	Tr.	0.01	0.40	-	-	-	-	0.32	0.05	-	-	0.08		14
15	0.27	0.19	-	0.18	-	-	0.61	-	0.20	-	-	0.06		15
16	Tr.	0.13	0.50	0.33	-	0.08	-	0.22	0.86	-	-	-		16
17	0.73	0.02	0.15	0.02	-	Tr.	0.03	-	0.11	-	Tr.	-		17
18	0.41	0.09	Tr.	Tr.	-	Tr.	-	-	-	-	0.18	0.12		18
19	0.14	0.11	0.02	0.13	-	0.23	-	-	0.03	-	Tr.	-		19
20	0.70	Tr.	0.12	0.21	0.30	0.11	-	-	-	-	-	0.01		20
21	0.58	0.55	0.10	0.06	0.05	-	0.03	Tr.	-	0.02	-	0.02		21
22	0.56	0.02	0.22	-	0.26	0.26	0.08	-	-	0.77	0.30	0.11		22
23	0.23	0.04	0.03	-	0.27	-	-	-	-	0.28	0.16	-		23
24	0.50	0.56	-	-	0.01	-	-	-	0.14	0.57	-	-		24
25	0.46	0.54	0.29	-	0.96	-	-	-	0.06	0.33	-	0.03		25
26	Tr.	0.36	0.01	-	-	-	-	-	-	0.14	-	-		26
27	0.05	0.11	-	0.12	-	-	-	-	-	0.94	-	-		27
28	S0.02	0.14S	-	Tr.	-	-	-	-	-	0.03	-	0.02		28
29	Tr.	XXXX	-	-	-	Tr.	-	-	-	0.09	0.09	0.01		29
30	0.46		-	-	-	0.07	-	0.08	-	0.09	0.32	-		30
31	0.37		-		-		-	-		0.12		0.02		31
TOTAL	6.60	5.38	4.41	2.42	3.07	1.51	1.15	1.00	2.20	3.63	1.66	3.58	Year's Total 36.61	√
* Days with .01 in. or more.	23	23	17	15	13	9	8	7	13	13	8	20	169	√
* Days with .04 in. or more.	19	19	14	13	11	8	6	6	11	11	8	13	139	√

† Spare column, no entries required.

(Signed) Colonel [P.T.O.

* See Instruction 3 (f) on other side.

S or S signifies Snow.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 667

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at MANYDOWN PARK, BASINGSTOKE

in the County of SOUTHAMPTON

Diameter of Funnel of Gauge..............in.

Height of top of Gauge above Ground.......ft.......in. No change

,, Ground ,, Sea Level.................ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-		-	-	Tr	·23	·10	-	-	·10	·02	·10		1
2	·02		-	·04	·03	-	Tr	-	-	·37	-	·07		2
3	-		-	-	-	-	-	-	-	·57	·06	-		3
4	·02	-	-	-	-	-	-	·14	-	·10	-	·16		4
5	-	-	-	-	-	-	·15	-	-	·48	·01	-		5
6	·03	-	-	-	-	-	·05	-	·05	·08	·01	-		6
7	·12	-	-	-	-	·03	·73	·24	·02	·21	·02	·10		7
8	·13	-	-	-	-	Tr	·25	·03	·09	·35	-	·07		8
9	·09	·03	-	-	-	·04	Tr	·04	-	Tr	-	1·06		9
10	·09	Tr	-	-	-	·01	·03	-	-	Tr	-	·14		10
11	·25	-	-	-	-	-	-	-	-	Tr	·05	·15		11
12	·39	·01	-	-	·07	-	Tr	·06	-	·45	Tr	Tr		12
13	·19	Tr	-	-	-	-	-	-	-	·13	·33	·27		13
14	·30	·01	-	-	·06	-	·09	-	Tr	-	-	-		14
15	·15	·01	-	-	·01	-	·36	·02	-	·30	·02	·29		15
16	·40	Tr	Tr	-	-	-	-	·05	-	·13	·01	·01		16
17	-	·08	Tr	-	-	-	·01	-	·07	·17	-	-		17
18	·07	-	-	-	·02	·01	-	·01	·02	·04	·43	-		18
19	·01	-	-	-	-	-	-	·12	·14	-	·67	-		19
20	-	-	-	-	-	-	-	-	Tr	-	·50	·48		20
21	·02	-	-	-	-	-	-	·02	·10	-	·03	·27		21
22	-	-	-	Tr	-	·01	-	·11	-	-	·22	·10		22
23	Tr.	-	-	Tr	-	-	-	-	-	-	·12	-		23
24	-	-	·16	-	Tr	-	-	-	·10	-	·11	-		24
25	·10	·05	·04	·02	·13	-	-	·02	-	·06	1·53	·21		25
26	·13	·29	·06	-	·01	-	-	-	·03	·16	-	·11		26
27	·14	·02	-	-	·27	·29	·35	·01	-	·02	·40	-		27
28	·05	·06	-	Tr.	·25	·10	-	·60	·07	-	-	·08		28
29	·14	×	-	-	·22		-	·04	·02	·01	·18	·16		29
30	·10		-	·01	·02	·05	-	-	·15	·02	·17	-		30
31	·24		-		·18		-	-		·19		·30		31
TOTAL	3·18	0·56	0·26	0·07	1·27	0·77	2·12	1·51	0·86	3·94	4·89	4·13	Year's Total 23·56 ✓	
* Days with .01 in. or more.	23	9	3	3	12	9	10	15	12	20	20	19	155 ✓	
* Days with .04 in. or more.	18	4	3	1	7	5	8	9	8	17	13	18	111 ✓	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) .... Colonel

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 667

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at MANYDOWN PARK, BASINGSTOKE

in the County of SOUTHAMPTON

Diameter of Funnel of Gauge No change in.

Height of top of Gauge above Ground ....ft........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	.12	.23	.15	-	-	.17	.05	-	-	.02		1
2	.11	-	-	.02	-	-	-	.43	.52	-	-	Tr.		2
3	.71	-	-	.21	-	-	-	.11	-	-	.25	.23		3
4	.10	-	.29	.35	.02	-	.43	.16	-	.49	.08	.03		4
5	-	-	.01	.23	.27	-	.11	.22	-	.14	.43	.23		5
6	.29	-	.03	-	-	-	.52	.06	-	-	.47	-		6
7	.01	.14	-	-	-	-	.01	.02	-	-	.42	.25		7
8	.06	.26	.30	-	-	-	.09	.09	-	.37	.42	.24		8
9	.02	.06	-	-	-	-	-	.12	.01	.08	.09	.19		9
10	.32	-	.01	-	-	.08	-	.38	.01	.11	Tr.	-		10
11	-	.01	.23	-	-	.01	-	-	-	.12	.06	.02		11
12	-	.01	-	-	-	.08	-	-	-	-	-	-		12
13	-	-	-	.03	-	T	.24	-	.11	1.44	.01	.01		13
14	.55	-	-	.03	.03	.06	.06	-	-	.34	.34	-		14
15	.18	-	-	.01	.64	.62	.16	-	.05	.86	.35	-		15
16	.39	-	.13	Tr	.08	.14	.26	-	-	-	.28	-		16
17	.33	.04	-	Tr	.14	Tr	.28	-	-	.50	.05	-		17
18	.43	-	.04	-	-	.09	.62	-	-	.04	.42	-		18
19	.19	-	-	-	-	-	.08	-	-	.06	.01	.03		19
20	.26	-	-	-	-	-	.48	-	-	-	-	.02		20
21	.07	.20	.08	-	-	.20	.23	-	.06	-	-	-		21
22	.27	.42	.01	-	-	.11	.21	-	.01	-	.16	-		22
23	.04	-	-	.21	-	.02	.06	.02	-	-	1.12	-		23
24	.37	-	.02	-	-	.09	.03	-	-	.14	-	-		24
25	.87	.26	.03	Tr.	-	Tr	.15	-	-	.01	.32	-		25
26	.12	-	.01	.01	-	.03	-	.09	-	.09	.32	.02		26
27	-	.10	.16	.01	-	-	-	-	-	-	.12	-		27
28	-	.23	.06	.09	-	-	.53	-	-	.03	.12	.17		28
29	-	XXXX	-	.19	-	-	.31	-	-	.10	.18	-		29
30	-	X	-	1.07	-	.07	-	-	-	.04	.12	.01		30
31	-	X	-	X	-	X	.21	.08	X	.05	X	-		31
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Year's Total	
TOTAL	5.69	1.73	1.53	2.69	1.33	1.60	5.07	1.95	0.82	5.01	6.14	1.47	35.03	✓ /
* Days with .01 in. or more.	21	11	16	14	7	13	21	13	8	19	23	14	180	✓ /
* Days with .04 in. or more.	19	9	9	8	5	10	19	11	5	1[illegible]	21	6	139	✓ ✓

† Spare column, no entries required.

(*Signed*) Colonel

P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 667

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at MANYDOWN PARK, BASINGSTOKE

in the County of Southampton

Diameter of Funnel of Gauge .... in. as before

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

	Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*	
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
	1	-	-	-	-	·06	-	-	-	-	-	·13	-		**1**	
	2	-	·10	-	·05	-	-	·07	-	-	·09	·95	T		**2**	
	3	-	·20	-	·02	-	-	-	-	-	·23	1·25 ✓	·09		**3**	
	4	-	·11	-	T	-	-	-	-	-	·27	·06	·04		**4**	
	5	-	·05	-	-	-	-	·02	-	-	·14	·64	·15		**5**	
	6	·20	·24	-	-	·01	-	·27	-	-	·39	-	-		**6**	
	7	·15	·23	-	-	·02	-	·04	-	·10	-	-	·03		**7**	
	8	-	-	-	-	-	-	T	-	-	·24	·02	·21		**8**	
	9	-	-	-	-	-	·37	-	·02	·04	·24	·27	·17		**9**	
	10	-	-	-	-	-	-	1·54	·02	·04	·09	·08	·02		**10**	
	11	-	·02	-	·05	-	-	·10	-	-	-	1·09 ✓	-		**11**	
	12	-	-	·20	-	-	-	·18	-	·36	-	·01	-		**12**	
	13	-	·02	·70	-	-	-	T	-	·10	-	1·38	-		**13**	
	14	-	·01	·15	·06	-	-	·15	-	·02	·25	-	·32		**14**	
	15	-	-	·01	·02	-		·61	-	·10	·03	·84	·01		**15**	
	16	-	·48	·24	·16	-	·09	·02	-	·17	·48	·80	·01		**16**	
	17	-	-	·39	-	-	·02	·04	-	·04	-	·14	-		**17**	
	18	-	·38	·37	·35	-	-	·08	·04	-	·36	·09	·14		**18**	
	19	-	·11	·08	·16	-	-	·08	-	·77	-	·23	-		**19**	
	20	-	-	T	·01	-	-	·02	·06	·06	·23	·10	-		**20**	
	21	-	-	·03	-	·22	-	·02	-	-	T	·61	-		**21**	
	22	·04	-	·02	·01	·05	·44	-	-	·15	-	-	-		**22**	
	23	-	·06	·10	-	-	·14	-	-	-	-	·01	-		**23**	
	24	-	-	-	-	-	·01	·17	-	-	-	-	-		**24**	
	25	-	-	·43	-	T	-	·02	-	-	-	-	-		**25**	
	26	·77	·25	·27	-	·08	·01	·05	-	-	-	T	-		**26**	
	27	·60	·48	·01	·02	-	-	·09	-	-	-	-	-		**27**	
250	**28**	-	-	-	·51	·10	-	-	-	-	-	-	-		**28**	
	29	1·08	·12	·15	·14	·03	·01	-	-	-	T	-	·34		**29**	
	30	·03	✕	-	·02	-	-	T	-	-	·25	-	T		**30**	
	31	·02	✕	T	✕	-	✕	-	-	✕	·59	✕	·04		**31**	
	TOTAL	2·89	2·86	3·15	1·58	0·57	1·09	3·57	0·14	1·95	3·88	8·70	1·57	Year's Total 31·95		✓
	* Days with .01 in. or more.	8	16	15	14	8	8	19	4	12	15	19	13	151		✓
	* Days with .04 in. or more.	6	13	11	8	5	4	14	2	11	14	16	9	113		✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

FORM 1090. **B** Monthly Summary.

668
HURSTBOURNE
(THE ROOKERY)
1931 - 1940
480114

E ROOKERY, 668
HURSTBOURNE TARRANT,
ANDOVER

***** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1931

At Hurstbourne Tarrant The Rookery

In the County of Hampshire

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* ..... *in.*
- *Height of Ground above Sea Level* 331 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·16	·35	23	18	14
FEB.	2·39	·54	27	20	13
MAR.	·47	·15	18	7	4
APRIL	3·30	·57	2	19	17
MAY	3·07	·94	27	14	12
JUNE	2·38	·48	5	14	12
JULY	4·24	1·25	14	18	12
AUG.	3·83	1·15	18	16	12
SEPT.	2·27	·73	3	13	8
OCT.	·81	·29	6	9	5
NOV.	3·69	·54	10	20	15
DEC.	·82	·19	5th	×	
Total	29·13				

Signature R S C Burder

o greatest fall in July the rainfall was not taken on 13th. 1·65 fell on 13th & 14th, but mostly on 14th

* See Instruction 2 (*f*) below.

1·25 has therefore been entered to 14th, & balance to 13th.

and also the space for

register should be sent:—

Andovere. Hants.

in Summer 9 AM.

4 m Direction from gauge SE

Nearest Parish Church at ..... Distance 400 Direction from gauge SE

Nature of objects nearest to gauge	House	Farm Buildings		
Heights of objects	45 ft	15 ft.		
Distances	25 yds	12 yds		
Directions from gauge	SE	NE		

If gauge has been moved during the year state—

Date of move ..... Distance ..... Direction .....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Daily Record Incomplete after Dec 23rd
·69 ins fell up to that date with 8 days of ·01, and 5 days ·04
after Dec 23rd ·13 fell.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

M.O. 3
15 JAN 1932

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

Form 1090. **B** Monthly Summary.

C Particulars of Station.

E Rookery, Hurstbourne Tarrant, Andover

668

***** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1931

At Hurstbourne Tarrant The Rookery,

In the County of Hampshire.

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* *in.*
Height of Ground above Sea Level 331 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
Jan.	2·16	·35	23	18	14
Feb.	2·39	·54	27	20	13
Mar.	·47	·15	18	7	4
April	3·30	·57	2	19	17
May	3·07	·94	27	14	12
June	2·38	·48	5	14	12
July	4·24	o 1·25	14	18	12
Aug.	3·53	1·15	18	16	12
Sept.	2·27	·73	3	13	8
Oct.	·81	·29	6	9	5
Nov.	3·69	·54	10	20	15
Dec.	·82	·19	5th	×	
Total	29·13			—	

Signature R E C Burder

o greatest fall in July: the rainfall was not taken on 13th: 1·65 fell on 13th & 14th, but mostly on 14th

*See Instruction 2 (*f*) below.

1·25 has therefore been entered to 14th; & balance to 13th.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
R. E. C. Burder Esq.
The Rookery, Hurstbourne Tarrant, Andover. Hants.

Hour of observation by the clock—in Winter 9 AM in Summer 9 AM.

Nearest Railway Station Hurstbourne Distance 4 m Direction from gauge S.E.

Nearest Parish Church at Hurstbourne Tarrant Distance 400 Direction from gauge S.E

Nature of objects nearest to gauge	House	Farm Buildings.		
Heights of objects	45 ft	15 ft.		
Distances	25 yds	12 yds.		
Directions from gauge	SE	NE		

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Daily Record Incomplete after Dec 23rd
·69 ins fell up to that date with 8 days of ·01, and 5 days ·04
after Dec 23rd ·13 fell.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02, *or* 0·3.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O.
15 JAN 193

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

Station Number 668

668

THE ROOKERY,
HURSTBOURNE TARRANT,

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At HURSTBOURNE TARRANT

In the County of HAMPSHIRE.

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* — *in.*
Height of Ground above Sea Level 331 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2·78	·41	9 & 12	11	10
FEB.	·17	·09	24	7	1
MAR.	2·17	·54	27	12	10
APRIL	3·55	·55	6	22	19
MAY	7·21	2·20	15	19	18
JUNE	1·94	1·45	30	8	6
JULY	3·12	·72	13	18	15
AUG.	1·13	·60	20	7	7
SEPT.	3·96	·70	30	21	14
OCT.	5·11	·78	23	23	19
NOV.	2·03	·44	22 & 30	22	12
DEC.	1·45			×	
Total	34·62				

Signature R E C Burder

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
R. E. C. BURDER.
The Rookery, Hurstbourne Tarrant, Andover. Hants

Hour of observation by the clock—in Winter 9 AM in Summer 9 AM

Nearest Railway Station Hurstbourne Distance 4 m Direction from gauge SE

Nearest Parish Church at Hurstbourne Tarrant Distance 400 yds Direction from gauge SE

Nature of objects nearest to gauge	House.	Farm Buildgs		
Heights of objects	45 ft.	15 ft.		
Distances ..	25 yds	12 yds		
Directions from gauge ..	SE	NE		

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

× Daily Record incomplete after Dec 23rd ·79 fell up to that date with 12 days of ·01 and 5 days with ·04. Highest fall during that period ·30 on 2nd

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. **If the** observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 }·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110

668

FORM 1090. **B** **Monthly Summary.**

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Hurstbourne Tarrant The Rookery

In the County of Hampshire

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* — *in.*
- *Height of Ground above Sea Level* 331 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2·74	·57	2nd	15	12
FEB.	4·50	1·36	24th	18	13
MAR.	3·29	·78	16th	14	13
APRIL	2·00	·57	29th	9	9
MAY	1·74	·41	27th	17	12
JUNE	3·76	1·14	26th	13	13
JULY	2·46	·49	11th	12	10
AUG.	·41	·12	15th	8	3
SEPT.	2·46	·61	12th	15	11
OCT.	2·46	·42	11th	18	12
NOV.	·89	·46	14th	9	6
DEC.	·45			(7)	(5)
Total	27·16 ✓			(155)	(119)

Signature R E C Burder

*See Instruction 2 (*f*) below.

Est ~~Rep~~ Decr.

C **Particulars of Station.**

THE ROOKERY,
No 668
ANDOVER.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

R. E. C. BURDER
The Rookery, Hurstbourne Tarrant, Andover, Hants

Hour of observation by the clock—in Winter 9 AM in Summer 9 AM

Nearest Railway Station Hurstbourne Distance 4 m Direction from gauge SE

Nearest Parish Church at Hurstbourne Tarrant Distance 400 yds Direction from gauge SE

Nature of objects nearest to gauge	House	Farm Building		
Heights of objects	45 ft.	15 ft.		—
Distances ..	25 yds	12 yds.		
Directions from gauge ..	SE	NE		

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

× Daily Record incomplete after Dec 22nd
·03 fell up to that date with 3 days of ·01
·32 fell between 23rd & 29th
·09 on Dec 30th, & ·01 on Dec 31st Total ·45

D **INSTRUCTIONS.**

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

D

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At HURSTBOURNE TARRANT (THE ROOKERY)

In the County of Hampshire.

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* — *in.*
- *Height of Ground above Sea Level* 331 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·90	·61	11th	19	14
FEB.	·14	·08	24th	6	1
MAR.	3·21	·55	11th	15	13
APRIL	2·06	·38	11th	14	11
MAY	1·10	·31	8th	8	6
JUNE	1·13	·50	25th	9	6
JULY	1·97	1·13	22nd	8	7
AUG.	2·69	·57	28th	16	13
SEPT.	2·55	·86	2nd	10	10
OCT.	1·42	·28	6th	15	11
NOV.	2·15	1·06	9th	13	7
DEC.	8·76				×
Total	30·08				

Signature R. E. C Burder

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

R. E. C BURDER
The Rookery, Hurstbourne Tarrant, Andover, Hants.

Hour of observation by the clock—in Winter 9 AM in Summer 9 AM

Nearest Railway Station Hurstbourne Distance 4 M Direction from gauge SE

Nearest Parish Church Hurstbourne Tarrant Distance 400 yds Direction from gauge SE

Nature of objects nearest to gauge	HOUSE	Farm Buildings		
Heights of objects	45 ft	15 ft		
Distances ..	25 yds	12 yds		
Directions from gauge ..	SE	NE.		

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

× Daily Record incomplete after Dec 23rd
6·71 fell up to that date with 21 days with ·01 or more
1·65 fell between 24th & 28th; ·01 on 29th ·28 on 30th
& ·11 on 31st

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O. 16 JAN 1935

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

Station Number 668

THE ROOKERY, 668
HURSTBOURNE TARRANT,
ANDOVER.

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At HURSTBOURNE TARRANT
THE ROOKERY.
In the County of HAMPSHIRE

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* *in.*
Height of Ground above Sea Level 331 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	·85	·42	11th	9	7
FEB.	3·88	·56	25th	18	15
MAR.	·68	·15	1st	8	6
APRIL	4·82	·64	7th	19	17
MAY	1·03	·42	19th	10	6
JUNE	5·82	1·44	25th	22	18
JULY	1·42	·81	1st	5	4
AUG.	2·55	1·01	24th	9	6
SEPT.	4·95	·72	3rd	22	19
OCT.	4·15	·96	21st	21	13
NOV.	6·89	1·19	9th	24	19
DEC.	4·04				×
TOTAL	41·08				

Signature R. E. C. Burder

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
R. E. C. BURDER
The Rookery, Hurstbourne Tarrant, Andover, Hants.

Hour of observation by the clock—in Winter 9 A.M. in Summer 9 A.M.

Nearest Railway Station Hurstbourne Distance 4 miles Direction from gauge SE

Nearest Parish Church at Hurstbourne Tarrant Distance 400 Direction from gauge SE

Nature of objects nearest to gauge	House	Farm Buildings		
Height of objects	45 ft	15 ft		
Distances ...	25 yds	12 yds.		
Directions from gauge ...	SE	NE		

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

× Daily Record incomplete after Dec 23rd
·70 in fell up to that date with 8 days of ·01 in or more; 1·91 in fell between 24th & 28th; ·56 on 29th, ·66 on 30th, & ·21 on 31st

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

FORM 1090.

B Monthly Summary.

Station Number 668

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.*

RAINFALL IN 1936

At HURSTBOURNE TARRANT THE ROOKERY

In the County of HAMPSHIRE

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* — *in.*
Height of Ground above Sea Level 331 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·20	·85	28	22	21
FEB.	2·90	·84	17	15	14
MAR.	2·64	·42	28	17	13
APRIL	2·50	·61	20	11	8
MAY	·85	·54	22	7	3
JUNE	2·39	·58	26	15	12
JULY	4·83	·56	12 & 14	25	19
AUG.	·77	·29	19	7	5
SEPT.	3·12	·60	11	18	13
OCT.	2·53	·50	31	15	10
NOV.	3·36	·89	11	17	14
DEC.	4·19	·94	14	×	
TOTAL	35·28				

Signature R. E. C. Burder

* See Instruction 3 *(f)* below.

C Particulars of Station.

THE ROOKERY, HURSTBOURNE TARRANT, ANDOVER.

668

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

R. E. C. BURDER
The Rookery, Hurstbourne Tarrant, Andover, Hants

Hour of observation by the clock—in Winter 9 AM in Summer 9 AM

Nearest Railway Station Hurstbourne Distance 4 miles Direction from gauge S.E.

Nearest Parish Church at Hurstbourne Tarrant Distance 400 yds Direction from gauge SE

Nature of objects nearest to gauge	House	Farm Building		
Height of objects	45 ft	15 ft		
Distances ...	25 yds	12 yds		
Directions from gauge ...	SE	NE		

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O.
25 JAN 1937

× daily record not complete after Dec 23rd

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 668

THE RECTORY,
HURSTBOURNE TARRANT,
ANDOVER.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at HURSTBOURNE TARRANT

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 331 ft.

Acc. Ky

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	–	–	·02	–	–	–	–	·06	·02	·47	·38		1
2	·04	·80	–	·12	–	–	–	–	·25	–	–	·19		2
3	·01	·35	–	–	–	–	·02	–	–	–	·02	–		3
4	·13	·97	–	·05	–	–	–	–	–	–	–	·37		4
5	·36	–	·07	·02	–	–	·23	·02	–	–	–	–		5
6	·07	·05	·59	·11	·09	–	·33	–	–	·07	–	–		6
7	–	1·08	–	·15	–	–	–	–	·03	·01	–	·25		7
8	·02	·04	–	–	·29	–	–	–	–	–	·02	·23		8
9	–	–	–	·22	·21	·05	·20	–	·25	–	–	·03		9
10	·02	–	·82	·29	·01	·27	–	·33	–	–	–	·37		10
11	·37	–	·06	–	·35	·35	·18	–	–	–	–	–		11
12	·26	·40	·14	·04	·06	·28	·01	·29	× 14 ×	–	–	·28		12
13	·15	·08	·50	·18	–	·05	–	·05	·25 ×	–	–	·15		13
14	–	·04	·37	–	–	–	–	·15	·08	–	–	·04		14
15	·24	·21	–	·25	–	–	·43	–	·14	–	–	·50		15
16	–	·20	·71	·35	–	·06	–	·25	·32	–	–	–		16
17	·55	·05	·43	–	–	–	·62	–	·84	–	·01	–		17
18	·33	·24	·08	–	–	–	–	–	·02	–	·12	·17		18
19	·17	·15	·09	·20	–	·15	–	–	·06	–	·01	–		19
20	·57	·01	·16	·28	·05	·02	–	–	–	–	–	·03		20
21	·65	·59	·05	·14	·14	–	·11	–	–	·03	–	·07		21
22	·49	·04	·09	–	·26	·72	·17	–	–	·86	·48	·09		22
23	·47	·22	–	–	·27	–	–	–	–	·50	·11	·01		23
24	·40	·78	·03	–	–	–	–	–	·11	·60	–			24
25	·35	·44	·24	–	1·19	–	–	–	·05	·44	–	✓		25
26	·01	·32	·02	–	·05	–	–	–	–	·21	–	·08*		26
27	·02	·15	–	·18	–	–	–	–	–	·67	–			27
28	·04	·02	–	–	–	–	–	–	–	·14	–			28
29	–	✕	–	–	–	·01	–	–	–	·21	·22			29
30	·48	✕	–	–	–	·08	–	–	–	·03	·53	–		30
31	·23	✕	–	✕	–	✕	–	–	✕	·36	✕	–		31
TOTAL	6·45	7·25	4·45	2·60	2·97	2·04	1·70	1·09	2·46	4·14	1·99	3·24	Year's Total 4036	✓
* Days with .01 in. or more.	26	23	17	16	12	11	10	6	14	14	10	18	177	✓
* Days with .04 in. or more.	21	21	15	14	11	9	7	5	~~11~~ 12	10	6	14	145	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R. S. C. Burder

[P.T.O.

× Sept. Rain both days

* Dec From 24th to 29th ·08

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — **Station No.** 668

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

THE ROOKERY,
HURSTBOURNE TARRANT,
ANDOVER.

Kept at Hurstbourne Tarrant The Rookery
in the County of Hampshire
Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 331 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·02	-	-	-	·09	·26	-	-	·19	·06	·07		1
2	·05	-	-	·06	-	-	·15	-	-	·57	·01	·10		2
3	-	·01	-	-	·21	-	·04	-	-	·74	·08	-		3
4	·10	-	-	-	-	-	·01	·01	-	·10	·02	·19		4
5	-	-	-	-	-	-	·09	·05	-	·74	·01	·01		5
6	·05	-	-	-	-	-	·09	-	·04	·09	·02	·01		6
7	·08	-	-	-	-	·03	·63	·97	·01	·29	-	·08		7
8	·18	-	-	-	-	-	·68	·08	·06	·29	-	·01		8
9	·14	·11	-	-	-	·10	-	·15	-	·02	-	1·27		9
10		-	-	-	-	·03	·05	-	-	·03	-	·35		10
11	·89	-	-	-	-	-	-	-	-	·01	·16	·18		11
12		-	-	-	·13	-	-	·26	-	·49	·01	·01		12
13	·10	·02	-	-	-	-	-	-	-	·10	·23	·68		13
14	·46	-	·01	-	·07	-	·09	-	·03	-	·02	·01		14
15	·12	-	-	-	·04	-	·42	-	-	·24	-	·64		15
16	·44	-	·02	-	-	-	-	·11	-	·13	·03	·11		16
17	-	·09	·01	-	-	-	-	-	·09	·10	·02	-		17
18	·15	-	-	-	·01	·01	-	·04	·24	·04	·36	-		18
19	·04	-	-	-	-	-	-	·14	·16	-	·60	-		19
20	-	-	-	-	-	-	-	-	·02	-	·85	·01		20
21	·03	-	·01	-	-	-	-	-	·05	-	·03	·13		21
22	·01	-	-	-	-	·03	-	·16	-	-	·28	·19		22
23	-	-	-	-	-	-	-	-	-	-	·29	-		23
24	·01	-	·17	-	-	-	-	-	·13	-	·08	-		24
25	·07	·11	·04	-	·11	-	·02	·03	-	·05	·89	·14		25
26	·13	·41	·05	-	·05	-	-	-	·12	·13	-	·27		26
27	·18	·03	-	-	·10	·37	·36	·03	·08	·03	·39	-		27
28	-	·06	-	-	·23	·10	-	·59	-	-	·06	-		28
29	·20	×	-	-	·32	-	-	-	·18	·05	·17	·14		29
30	·15	×	-	·01	·08	·04	-	-	·16	·08	·32	·01		30
31	·27	×	-	×	·14	×	-	-	×	·15	×	·36		31
TOTAL	3·85	·85	·31	·07	1·49	·80	2·79	2·62	1·36	4·66	4·99	4·97	Year's Total 28·76	✓
* Days with .01 in. or more.	24	9	7	2	12	9	13	13	14	23	24	23	173	✓
* Days with .04 in. or more.	20	5	3	1	11	5	11	10	11	19	15	16	127	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R. G. Burder

[P.T.O.

COPY FOR OFFICIAL USE

THE ROOKERY,
HURSTBOURNE TARRANT,
ANDOVER.

Section **A** for the entry of Daily Observations

Station No. 668

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at HURSTBOURNE TARRANT THE ROOKERY
in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 331 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	-	·07	·22	·01	-	-	·11	·15	-	-	·05		1
2	·14	-	·01	·06	-	-	·01	·54	·81	-	·04	·02		2
3	·40	-	-	·26	·01	-	-	·23	-	-	·25	·40		3
4	·05	-	·29	·35	·20	-	·48	·38	-	·81	·20	·09		4
5	-	·03	·81	·37	·39	-	·17	·24	-	·38	·48	·15		5
6	·46	-	·04	·03	·07	-	·66	·02	-	-	·50	-		6
7	·02	·31	-	-	-	-	·04	·01	-	-	·55	·49		7
8	·09	·14	·22	-	-	-	·13	·15	-	·53	·21	·34		8
9	-	·04	-	-	-	-	-	·12	-	·13	·11	·21		9
10	·44	·01	·02	-	-	·07	-	·24	·01	·20	·01	-		10
11	-	·02	·19	-	-	-	-	-	-	·04	·01	-		11
12	-	-	·03	-	-	·07	-	-	-	-	·08	-		12
13	-	-	-	·03	-	·05	·34	-	·14	·98	·02	-		13
14	·64	-	-	-	·06	·05	·25	-	-	·18	·34	·04		14
15	·24	-	-	·05	·34	·90	·38	-	·02	·68	·26	-		15
16	·26	-	·03	-	·06	·25	·25	-	-	-	·59	-		16
17	·33	·09	-	·05	·24	-	·11	-	-	·56	·13	-		17
18	·27	-	·03	-	-	·53	·56	-	-	·01	·50	-		18
19	·23	-	-	-	-	-	·26	-	-	-	-	-		19
20	·39	·02	·01	-	-	·03	·78	·07	-	-	·01	·02		20
21	·04	·26	·10	-	-	·38	·24	·17	·07	-	-	-		21
22	·31	·20	-	·02	-	·14	·16	-	·01	-	·21	-		22
23	·06	·01	-	·24	-	-	·08	·01	-	-	·92			23
24	·50	-	-	-	-	·20	·16	-	-	·08	-	·09		24
25	·80	·31	-	-	-	-	·70	-	-	·03	·37			25
26	·14	-	-	-	-	-	-	·05	-	~~·08~~ ·06	·39			26
27	·02	·21	·19	·05	-	-	·01	·01	-	~~·12~~	·15			27
28	·01	·22	·04	·13	-	·05	·28	-	-	-	·21	·18		28
29	-	×	-	·10	-	-	·63	-	-	·12	·16	-		29
30	-	×	-	1·05	-	-	-	-	-	·62	·16	·01		30
31	-	×	-	×	-	×	·03	-	×	·12	×			31
TOTAL	5·87	1·87	1·28	3·01	1·38	2·52	6·70	2·85	1·21	4·91	6·85	2·09	Year's Total 40·04	× Rainfall bracketed 23rd to 27th
* Days with .01 in. or more.	23	14	15	15	9	12	23	15	7	18	26	×13	190	
* Days with .04 in. or more.	19	9	8	12	7	11	20	11	4	16	22	10	148	

† Spare column, no entries required.

(*Signed*) R. R. C. Burder

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 668

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at HURSTBOURNE TARRANT

in the County of HAMPSHIRE THE ROOKERY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 331 ft.

Accs.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·02	-	·02	·01	-	-	-	-	-	·06	-		1
2	-	·12	-	·16	-	-	·12	-	-	·02	1·02	-		2
3	-	·21	-	·02	-	-	·02	-	-	·18	1·31	·15		3
4	-	·12	-	-	-	-	-	-	-	·34	·01	·04		4
5	-	·03	-	-	-	-	-	-	-	·16	·68	·22		5
6	·23	·38	-	-	-	-	·21	-	-	·25	-	-		6
7	·14	·41	-	-	-	-	-	-	·04	-	-	·28		7
8	·01	·01	-	-	-	-	-	·07	·05	·34	·07	·21		8
9	-	-	-	-	-	·56	-	-	·04	·06	·37	·04		9
10	-	-	-	-	-	-	1·12	-	·03	-	·09	·05		10
11	-	-	-	·08	-	-	·09	-	-	-	1·02	-		11
12	-	-	·76	-	-	-	·19	-	·26	-	·18	-		12
13	-	·08	·58	-	-	-	·04	-	·14	-	1·56	-		13
14	-	-	·15	·09	·01	-	·12	-	·02	·34	-	·53		14
15	-	-	·02	·05	·08	·01	·52	-	·12	·24	·61	·01		15
16	-	·40	·29	·14	-	·03	·03	-	·40	·47	·85	-		16
17	-	-	·38	·04	-	-	·07	-	·09	-	·06	-		17
18	·02	·52	·35	·19	-	-	·03	-	-	·25	·06	·19		18
19	-	·14	·07	·16	-	-	·05	-	·37	-	·26	·01		19
20	-	·01	·02	·01	-	-	-	·08	·04	·23	·12	-		20
21	-	-	·15	-	·03	-	-	-	·01	·01	·80	-		21
22	-	-	·05	·01	·61	·23	·61	-	·33	-	-	-		22
23	-	·02	·13	·01	-	·05	-	-	-	-	·04	·01		23
24	-	-	·01	-	-	-	·21	-	-	-	·01	·01		24
25	-	-	} ·34	-	-	·08	-	-	-	-	-	-		25
26	·80	·25		-	·06	·01	·05	-	-	-	·02	-		26
27	·72	·36	-	·04	-	-	-	-	-	-	-	-		27
28	·65	·02	-	-	·27	-	-	-	-	-	-	-		28
29	·14	·20	·19	·14	·19	-	-	-	-	-	-	·44		29
30	·02	✕	-	·04	-	-	-	-	-	·26	-	-		30
31	-	✕	·01	✕	-	✕	-	-	✕	·70	✕	-		31
TOTAL	2·73	3·30	3·50	1·20	·66	·97	2·88	·15	1·94	3·85	9·20	2·19	Year's Total 32·57	
* Days with .01 in. or more.	9	18	17	16	8	7	16	2	14	15	21	14	157	
* Days with .04 in. or more.	6	12	~~12~~ 13	11	4	4	12	2	11	13	18	10	115	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R. G. C. Burders

[P.T.O.

669

Section **A** for the entry of
AIR MINISTRY

OR OFFICIAL USE.
RGANIZATION.

FORM 1090.

REGIST

669

WHITCHURCH – DUNLEY MANOR

1931 – 1940

780114

780114

Kept at Dunley Mano
in the County of Hamps
Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to … *wing*
year in the space on the right of thi

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	.12	–	.15	–	–	.14	.02	–	.02	1
2	.12	.12	–	.71	–	–	–	–	.65	.07	.02	.23	2
3	.08	–	–	.16	–	–	.03	.12	.73	–	.54	.14	3
4	–	–	.15	–	.14	–	.25	–	.09	.04	.09	.01	4
5	–	–	–	.13	–	.61	.03	–	.02	~~31~~	.03	.16	5
6	–	.15	–	–	–	.08	.04	–	–	.31	.15	–	6
7	–	–	–	–	.29	.07	–	1.02	–	.18	.30	.08	7
8	–	.13	–	–	.07	.28	–	.11	–		.10	–	8
9	–	.23	–	.07	–	.02	–	–	–	–	.56	.02	9
10	–	.01	–	–	–	.09	–	.05	–	.02	.46	–	10
11	.11	.30	–	–	–	.02	–	–	.02	–	–	–	11
12	.01	.02	–	–	–	–	.49	.09	.56	–	–	–	12
13	–	–	.02	–	–	.05	.26	–	–	–	–	–	13
14	–	.13	–	.05	.05	–	1.29	–	–	–	.02	–	14
15	–	.05	–	.13	.15	–	.08	.33	–	–	–	.05	15
16	.02	–	–	.12	.13	.22	–	.10	× }	–	–	–	16
17	.03	.22	–	~~.09~~ 14	.02	.02	.38	.02	✓ .25 }	.01	–	–	17
18	.06	–	.09	.30	–	–	.02	1.12	–	–	.46	–	18
19	.05	.02	.05	–	–	.38	.16	.03	–	–	–	–	19
20	–	.13	–	.14	–	–	–	.29	–	–	–	–	20
21	.08	–	–	~~28~~	.28	–	–	–	–	–	.01	–	21
22	.34	–	–	–	–	–	–	–	–	–	–	.03	22
23	.31	–	–	.~~42~~ 20	.42	.24	–	–	–	–	.26	–	23
24	.02	–	–	.~~25~~ 50	.25	.20	.17	.04	–	–	–	–	24
25	.09	–	–	.~~24~~ 21	.04	–	.14	–	–	–	–	–	25
26	–	.06	–	.04	–	–	.69	–	–	–	.38	–	26
27	.20	.48	–	.~~4~~	.76	–	.01	–	–	–	.09	–	27
28	.03	–	.03	.07	.01	–	–	–	–	.03	.01	–	28
29	.13	.21	–	.~~27~~	.22	–	.12	–	–	.09	–	–	29
30	.09	×	–	.11	–	–	–	.28	.02	–	–	–	30
31	.25	×	–	×	.11	×	–	–	×	–	×	.16	31
	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	YEAR'S TOTAL
TOTAL	2.02	2.~~76~~ 26	.34	3.09	2.94	2.43	4.16	3.60	2.4~~6~~ 8	.77	3.47	.90	28.46
*Days with ·01 in. or more.	18	15	5	16	15	14	16	13	10 ~~9~~	9	16	10	157
*Days with ·04 in. or more.	13	3	2	16	13	11	12	11	76	4	11	6	109 ~~90~~

40-9999

M

*See Instruction 2 (*f*) on other side.

(Signed) pp Alfred Herbert

P.T.O.

669

Section **A** for the entry of [redacted] OR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

BA

B0114

Kept at Dunley Manor, Whitchurch,

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 500 (approx) ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	.12	-	.15	-	-	.14	.02	-	.02	1
2	.12	.12	-	.71	-	-	-	-	.65	.07	.02	.23	2
3	.08	-	-	.16	-	-	.03	.12	.73	-	.54	.14	3
4	-	-	.15	-	.14	-	.25	-	.09	.04	.09	.01	4
5	-	-	-	.13	-	.61	.03	-	.02	~~31~~	.03	.16	5
6	-	.15	-	-	-	.08	.04	-	-	.31	.15	-	6
7	-	-	-	-	.29	.07	-	1.02	-	.18	.30	.08	7
8	-	.13	-	-	.07	.28	-	.11	-		.10	-	8
9	-	.23	-	.07	-	.02	-	-	-	-	.56	.02	9
10	-	.01	-	-	-	.09	-	.05	-	.02	.46	-	10
11	.11	.30	-	-	-	.02	-	-	.02	-	-	-	11
12	.01	.02	-	-	-	-	.49	.09	.56	-	-	-	12
13	-	-	.02	-	-	.05	.26	-	-	-	-	-	13
14	-	.13	-	.05	.05	-	1.29	-	-	-	.02	-	14
15	-	.05	-	.13	.15	-	.08	.33	-	-	-	.05	15
16	.02	-	-	.12	.13	.22	-	.10	x	-	-	-	16
17	.03	.22	-	~~.09~~ .14	.02	.02	.38	.02	x .25 }	.01	-	-	17
18	.06	-	.09	.30	-	-	.02	1.12	-	-	.46	-	18
19	.05	.02	.05	-	-	.38	.16	.03	-	-	-	-	19
20	-	.13	-	.14	-	-	-	.29	-	-	-	-	20
21	.08	-	-	~~.28~~	.28	-	-	-	-	-	.01	-	21
22	.34	-	-	-	-	-	-	-	-	-	-	.03	22
23	.31	-	-	.20	.42	.24	-	-	-	-	.26	-	23
24	.02	-	-	.50	.25	.20	.17	.04	-	-	-	-	24
25	.09	-	-	.21	.04	-	.14	-	-	-	-	-	25
26	-	.06	-	.04	-	-	.69	-	-	-	.38	-	26
27	.20	.48	-	~~[illegible]~~	.76	-	.01	-	-	-	.09	-	27
28	.03	-	.03	.07	.01	-	-	-	-	.03	.01	-	28
29	.13	.21	-	~~.22~~	.22	-	.12	-	-	.09	-	-	29
30	.09	✕	-	~~.11~~	-	-	-	.28	.02	-	-	-	30
31	.25	✕	-	✕	.11	✕	-	-	✕	-	✕	.16	31
													YEAR'S TOTAL
TOTAL	2.02	2.26	.34	3.09	2.94	2.43	4.16	3.60	2.4~~6~~ 8	.77	3.47	.90	28.46
*Days with ·01 in. or more.	18	15	5	16	15	14	16	13	10 ~~9~~	9	16	10	157
*Days with ·04 in. or more.	13	3	2	16	13	11	12	11	7 ~~6~~	4	11	6	109 ~~90~~

40-9999

M

*See Instruction 2 (*f*) on other side.

(Signed) pp Alfred Herbert. P.T.O.

669

[illegible]ction **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Dunley Manor, Whitchurch
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 500 (approx) ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.02		.07	1.41	-	.08	.46	.03	.06	.04	-	1
2	T			.26	.16	-	-	-	·42	.01	-	·27	2
3	·03			·17	·16	-	-	·07	·24	·09	.01	-	3
4	·04			-	-	.12	.01	-	-	-	·09	-	4
5	·35		01	-	-	-	.09	-	.21	-	-	-	5
6	.37		03	.46	.02	-	.08	-	.25	-	-	-	6
7	-		07	.02	.10	-	-	-	.18	·32	-	-	7
8	-	.02	.24	-	·16	-	-	-	1.20	·01	-	-	8
9	.46		-	·20	·11	-	-	-	-	-	-	-	9
10	·33		- 02	·28	·09	.05	-	-	.05	·16	.06	-	10
11	·35		- ~~22~~	·05	·11	-	.14	-	·02	-	.03	·05	11
12	-			-	·17	-	-	-	·11	.35	-	·01	12
13	·04			·27	·05	-	.60	-	-	·50	·02	.08	13
14	·21			-	·01	-	-	.05	-	·02	-	-	14
15	·03			·10	1.08	-	.01	-	-	·09	·05	·02	15
16	·44			·20	·02	-	-	-	-	-	-	-	16
17	·01			·05	·02	-	-	-	-	·05	-	-	17
18	·02			-	-	-	.04	-	.42	-	.19	-	18
19				-	-	-	-	-	·05	·22	.08	·01	19
20	-			·11	·29	-	-	.50	·03	·73	·02	-	20
21	.01		.12	·18	·93	-	-	·10	-	.19	-	.10	21
22	·01		·26	·05	·11	-	.20	-	·27	·25	·39	-	22
23	-	·04		-	·74	-	.09	-	·02	·76	-	.17	23
24	-	·10		-	-	-	.59	-	·12	·05	.05	-	24
25	-	·01		-	-	-	·25	-	·04	·26	·02	.01	25
26	-		14	.05	·06	-	·06	-	-	-	·04	-	26
27	-		.54	·27	10	·01	.08	-	-	·06	-	.02	27
28	-		.03	·04	.13	·07	.32	-	-	·16	-	-	28
29	-		·50	·17	·12	.17	-	.13	.22	·34	.16	·12	29
30	-	×	·08	·16	-	1.39	.06	-	·52	-	·52	·39	30
31	·01	×	·22	×	-	×	·04	-	×	×	×	·15	31
TOTAL	2.81	.19	2.23	3.16	6.15	1.81	2.74	1.31	4.40	4.68	1.77	1.40	YEAR'S TOTAL 32.65
*Days with ·01 in. or more.	17	5	13	20	23	6	17	6	19	21	16	13	176
*Days with ·04 in. or more.	10	2	9	19	19	5	15	6	15	18	11	8	137

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) p.p. Alfred Herbert

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 669

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Dunley Manor, Whitchurch
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft ... in.
,, Ground ,, Sea Level 500 (about) ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22	.28	.11	–	.09	–	–	–	–	–	–	–	1
2	.38	–	.57	–	.24	–	–	–	–	–	–	–	2
3	–	.18	–	–	.01		–	–	–	–	.01	–	3
4	.14	.04	–	–	.29	–	–	–	–	–	–	–	4
5	.40	–	.46	–	.05	–	–	–	–	–	.01	–	5
6	–	27	–	–	.21	–	–	–	–	–	.07	–	6
7	.03	.11	–	–	.01	–	–	–	–	.37	–	–	7
8	.01	–	.06	–	.02	–	47	–	–	.07	–	–	8
9	–	.10	–	–	.12	–	.39	–	–	.15	.05	–	9
10	.02	.01	–	–	.01	–	.18	–	–	.26	.11	–	10
11	.27	–	–	–	.10	.02	.42	.06	–	.02	–	–	11
12	.03	–	–	.12	.03	.11	–	–	.63	–	–	–	12
13	.06	–	–	–	.05	–	30	–	.02	.05	.07	–	13
14	.01	–	–	–	–	–	.02	–	–	.15	.36	–	14
15	.62	–	.21	–	–	–	.10	.13	–	–	–	–	15
16	–	–	.72	–	–	.20	.25	–	–	–	–	–	16
17	–	–	.44	–	–	.34	–	.01	.14	–	.04	–	17
18	.19	–	.23	–	–	.33	–	–	–	–	.01	–	18
19	–	.10	.17	–	–	.16	–	–	.77	–	.08	.05	19
20	–	.05	.05	.14	–	.35	–	–	.05	–	–	–	20
21	–	.02	–	–	–	.07	–	–	.07	–	–	–	21
22	–	–	–	–	.14	.32	–	.15	.04	.23	–	–	22
23	–	–	–	.27	–	.26	–	–	.20	.55	–	–	23
24	–	1.28	–	.18	–	.13	–	–	–	–	.03	–	24
25	–	1.13	–	.32	–	.41	–	–	.10	–	.02	.10	25
26	–	.68	–	.26	–	.68	–	–	.58	.21	–	–	26
27	–	–	–	–	.45	–	.06	–	.01	.25	–	.11	27
28	–	–	–	.12	.08	–	.08	–	–	.09	–	.04	28
29	.19		.01	.41	–	–	–	–	–	.05	–	.05	29
30	.11	×	.17	.04	–	–	.03	–	.12	–	–	.09	30
31	.32	×	–	×	–	×	–	.02	×	.02	×	–	31
TOTAL	3.04	4.25	3.20	1.86	1.90	3.38	2.50	.37	2.73	2.47	.86	.44	YEAR'S TOTAL 27.00
*Days with ·01 in. or more.	16	13	12	9	16	13	11	5	12	14	12	6	139
*Days with .04 in. or more.	11	11	11	9	11	12	9	3	10	12	7	6	112

40-9999
*See Instruction 2 (*f*) on other side.

D M

(Signed) R B Alfred Herbert

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 669

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Dunley Manor, Whitchurch.
in the County of Hampshire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
,, Ground ,, Sea Level 500 (approx) ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02							.35	–	–	.09	.77		1
2	·13		·06	·11	·11			·02	·70	.18	·02	·32		2
3	·02	·03		·03				·02	–	·23	–	·2		3
4	·06		·14	·54	·17			–	–	·11	–			4
5	·01		·03		·04			·21	–	–	·08	·91		5
6	·02		·35	·01	·30			·06	–	·24	·03	·75		6
7	·10					·02		·2	–	·08	·02	·60		7
8	–				·23			·02	·05	–	·6	·15		8
9	·04		·05					no rain	–	–	·84	·35		9
10	·21	·01	·29	·20				·12	–	·01		·24		10
11	·45		·64	·40				·19	–	–	·18	·22		11
12	–		·01				·18	–	–	–	–	·72		12
13	·36		·04	·16			·06	·14	–	·01	·06	·35		13
14	·14		·46	·02			·33	–	–	·19	·1	·48		14
15	·06		·18		·11			–	–	–	·16	·31		15
16	·11	·01	·34		·04			–	–	–	–			16
17	·09			·02				–	·15	·02	·02	·23		17
18	·21		·16	·26				–	·13	–	–	·33		18
19	–		·29					·01	·06	·01	–	·2		19
20	–		·05	·12			·22	–	–	·02	–			20
21	–		·01	·04		·10		·04	·01	·10	–			21
22	–				·02		·42	·67	·34	–	·01	·12		22
23	–	·02	·13	·28		·85	·01	–	·10	–	–	·02		23
24	–	·06		·09		·03	·26	·02	·18	–	–	–		24
25	·25			·21				–	·11	·15	–	·59		25
26	·03			·16		·08		–	–	–	–	·22		26
27	·07					·32		–	–	·04	–	·45		27
28	–					·06	·04	·7	–	–	–	·38		28
29	–						·03	·05	·24	·02	·03	·01		29
30	·05	×					·04	·16	·13	·01	–	·34		30
31	·02	×		×		×		–	×	·06	×	·17		31
TOTAL	2·45	·13	3·23	2·65	1·02	1·46	1·59	2·98	2·2	1·48	2·24	9·43	Year's Total 30·86	
*Days with ·01 in. or more.	21	5	17	16	8	7	10	17	12	17	14	27	171	
*Days with .04 in. or more.	15	1	14	12	7	5	8	12	11	10	8	25	128	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) pp. Alfred Herbert.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 669

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Dunley Manor, Whitchurch

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 500 (approx) ft.

Totals year

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02		.11	.01	.07	.12	.84		–	.10	.15	–		1
2	–					.04	–		.16	.15	.02	–		2
3	–	.03	.04			.85	–		.45	.73	.21	.01		3
4	–	.03		.30		.15	–		.17	.2	.10	.06		4
5	–	.41	.14	.13		.07	–		.34	.04	.01	.02		5
6	–	.12		.30		.97	–		–	–	.02	–		6
7	–			.56		.03	–		–	.21	.3	.1		7
8	–			.41			–		.09	.15	.26	–		8
9	.07			.55		.72	–		.08	.55	.96	–		9
10	.08		.06	.12		.02	–		–	–	.05	–		10
11	.32					.23	.31		–	–	.39	–		11
12	.04	.06				.38	–	.02	04	–	.19	–		12
13	.07	.18		.11	.07	.15	–	–	–	.01	.02	–		13
14	–			.13	.04	.02	–	–	.02	.01	.41	.2		14
15	–	.16		.44	.02	.31	–	–	.17	–	.34	.08		15
16	–	.07	.05	.12		.04	–	–	.67	.02	.8	.04		16
17	–			.23	.07	.15	–	.01	.2	–	.12	–		17
18	–	.03		.33	.10	.10	–	.05	.44	.05	.01	–		18
19	–			.02	.40	.07	.21	–	.08	.05	.22	.03		19
20	–	.35		.03	.21	.05	–	–	–	–	.49	–		20
21	–	.39	.01	.02			.11	–	.07	.03	–	–		21
22	–	.06	.14	.01			–	.19	.04	–	–	–		22
23	.01	.46	.09				–	.35	.23	.53	.01	.08		23
24	.05				.08		–	.98	.41	.02	–	.22		24
25	.03	1.32		.27	.13	2.63	–	–	–	–	–	.3		25
26	–	.30				.02	–	.34	.17	.01	–	.54		26
27	–	.20					–	–	.06	–	.09	.41		27
28	–	.23			.02		–	–	.46		–	.09		28
29	.04		.01				–	.02	.29	.03	.04	.57		29
30	–	×		.21			–	.64	.01	.14	.83	.64		30
31	–	×		×		×			×	.9	×	.21		31
TOTAL	.73	4.40	.65 4	4.30	1.21	7.12	1.47	2.60	4.65	3.93	6.04	3.60	Year's Total. 40.7	4070
* Days with .01 in. or more.	10	17	9	20	11	21	4	9	22	20	24	17	184	
* Days with .04 in. or more.	7	14	7	15	9	17	4	6	20	12	18	14	143	

40-9999

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required

(*Signed*) pp. Alfred Herbert [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 669

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Whitchurch Durley Manor

in the County of Hants

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·10		32		·28	·27	·03	·	—	·05	·10		1
2	·02	·18				·23	·17	·15	·	—	·11	—		2
3				·39		·29	·05		·42	—	·22			3
4			·22			·27			·30	—	·02	·08		4
5	·48		·06		·04	·07		·05	·02	—	-	·01		5
6	·48							·24	·10	—	·25	—		6
7	·06		·06				·04		·04	—	·51	·07		7
8	·49		·31				·29		·	·02	·11	·12		8
9	·65		·04				·24		·35	·05	·01	—		9
10		·05					·07	·05	·04	·01	-	—		10
11				·02				·02	·43	—	·79	—		11
12					·01	·35	·40		·27	—	·62	·03		12
13				·10		·21	·02		·	·04	·18	·55		13
14		·01				·11	·57		·05	—	·02	·54		14
15		·02		·03		·03	·03		·	—	·03	·15		15
16	x	·26					·04		·01	·01	·29	·17		16
17	x	·77				·01	·07		·	·02	·11	·28		17
18	x	·09				·29	·23		·	—	/	·12		18
19	x ·70	·13		·10			·30	·25	·	—	·02	—		19
20	·06	·15	·07	·48		·31	·05		·46	—	-	·03		20
21		·10		·40	·55	·11			·02	—	-	—		21
22	·07	·31	·10		·04		·31		·	·02	-	·11		22
23	·10		·54	·07			·16		·	·06	/	—		23
24	·15	·09			·01				·08	·33	-	—		24
25	·10		·10	·25			·27		·07	·23	·02	—		25
26	·10	·20							·	·22	·02	—		26
27	·24		·13				·09		·12	·24	-	·01		27
28	·93		·41				·58		·	·07	-	·16		28
29	·15	·13	·02				·20		·	—	·25	·09		29
30		✕			·07	·26	·04		·	·78	-	—		30
31	·18	✕	·36	✕	·03	✕	·18		✕	·28	✕	·59		31
TOTAL	5·14	2·59	2·42	2·16	·75	2·82	4·67	·79	2·78	2·38	3·63	3·21	Year's Total 33·34	
* Days with .01 in. or more.	21	16	13	10	7	14	24	7	16	15	19	18	179	
* Days with .04 in. or more.	20	13	12	8	4	12	22	5	13	10	12	14	145	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 669

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Whitchurch, Dunley Manor

in the County of Hampshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	–	–		–	–	–	–	·67	–	·36	·62		1
2	·02	·56	·02	·16	–	–	–	–	·16	·01	–	·20		2
3	–	·32	–		–	–	·02	–	–	–	–	·02		3
4	·17	·74	–	·07	–	–	–	–	–	–	–	·29		4
5	·31	·01	·16	·04	–	–	·19	·02	–	–	–	–		5
6	·09	·13	·07 }	·13	·13	–	·23	–	–	·11	·02	–		6
7	–	·60	}	·10	–	–	–	–	·01	–	–	–		7
8	–	·04	–		·22	–	–	–	–	–	·02	–		8
9	–	–	–	·15	·14	–	·15	·01	·26	–	–	–		9
10	·03	–	·76	·65	·13	·26	–	·40	–	–	–	1·12		10
11	·01	–	·05		·40	·13	·20	–	–	–	–	·13		11
12	·32	·37	·09	·07	·07	·37	–	·20	·12	–	–	·24		12
13	·17	·05	·82 }	·08	–	–	–	–	·13	–	–	·09		13
14	–	·02	x }		–	–	–	–	·08	–	–	–		14
15	·21	·17	–	·25	–	–	·46	·17	·06	–	–	–		15
16	–	·10	·45	·41	–	·06	–	·23	·53	–	–	·14		16
17	·48	·05	·28	·01	–	–	·04	–	·73	–	–	–		17
18	·23	·16	–		–	–	–	–	·04	–	·12	–		18
19	·13	·09	·07	·17	–	·18	–	–	·03	–	–	·11		19
20	·53	·60	·09	·25	·18	·04	–	–	–	–	–	–		20
21	·54	–	·08	·07	·05	–	·08	–	–	·02	·01	–		21
22	·55	·09	·13		·25	·60	·15	–	–	·90	·23	·07		22
23	·34	·10	–		·60	–	–	–	–	·27	·32	–		23
24	·35	·62	–		·02	–	–	–	·14	·98	–	–		24
25	·42	·50	·29		1·23	–	–	–	–	·24	–	–		25
26	–	·28	·01		·10	–	–	–	·03	·33	·02	–		26
27	·05	–	–	·17	–	–	–	–	–	·62	–	–		27
28	–	·14 }	–		–	–	–	–	–	·09	–	–		28
29	–	x }	–		–	–	–	–	–	·20	·22	–		29
30	·44	✕	–		–	·06	–	·07	–	·04	·50	–		30
31	·26	✕	·	✕	–	✕	–	–	✕	·49	✕	·09		31
TOTAL	5·74	5·74	3·37	2·78	3·52	1·70	1·52	1·10	2·39	4·30	1·82	3·12	Year's Total 37·10	
* Days with .01 in. or more.	22	23	16	16	13	8	9	7	14	13	10	12	163	
* Days with .04 in. or more.	19	20	14	15	12	8	8	5	121	11	6	11	140	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 669

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Whitchurch, Dunley Manor.
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 500 ft.

Copy by B.R.O.

Query sent re snow entries 31/1/39 R.

Observer agrees

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–				·09	·21	–	–	–	·05	–		1
2	·02	·02		·03			–	–	–	·51	–	·15		2
3	–	–			·25		–	–	–	·61	·06	–		3
4	·07	–					–	·01	–	·10	–	·09		4
5	–	–					·11	·05	–	–	–	–		5
6	·08	–					·06	–	–	–	·02	·04		6
7	·06	–					·37	1·37	·08	·26	–	–		7
8	–	–				·04	·35	·13	–	–	–	–		8
9	·32	·05				·10	–	–	–	·25	–	·87		9
10	·04	–					·03	–	–	–	–	–		10
11	·25	–					–	–	–	–	·24	·48		11
12	·33	–					–	·76	–	·30	–	–		12
13	·14	·01			·17		–	–	–	·31	–	–		13
14	·29	–					–	–	·10	–	·34	–		14
15	·14	–	·01		·08		·69	–	–	–	–	·47		15
16	·22	–					–	·10	·26	·39	·04	–		16
17	–	–					–	–	–	·10	–	–		17
18	·07	–					–	–	·05	·30	·35	–		18
19	–	–					–	·12	–	–	–	–		19
20	·01	–					–	–	–	–	·93	·24		20
21	·02	–					–	·09	–	–	–	–		21
22	–	–		·01		·02	–	·11	–	–	·24	·20		22
23	–	–					–	–	–	–	·22	·03		23
24	–	–	✓				–	–	–	–	·18	–		24
25	·07	·06	·17 ✓		·12		–	–	·39	·05	–	·55		25
26	·15	·36			·09		–	=	·29	·15	·77	·25	✓	26
27	·11	·02	·07		·15	·33	·33	–	–	–	·35	–		27
28	·05	·03			·14	·06	–	·80	·09	–	–	–		28
29	·11	✗			·23		–	–	–	–	·07	·07		29
30	·12	✗			·09	·22	–	–	–	·09	·30	–		30
31	·17	✗		✗	·10	✗	–	–	✗	·30	✗	·35		31
TOTAL	2·84	·55	·25	·04 4	1·42	·86	2·15	3·54	1·26	3·72	4·16	3·29 ~~2·44~~	Year's Total ~~23·23~~	24·08 ✓
* Days with .01 in. or more.	~~22~~	~~7~~	~~34~~	~~32~~	~~10~~	~~7~~	~~8~~	~~10~~	~~7~~	~~14~~	~~15~~	~~13 9~~	~~115 9~~	✓
* Days with .04 in. or more.	19	3	23	0	10	6	7	9	7	134	14	~~8~~ 12	100 4	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) p.p. Alfred Herbert [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 669

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Whitchurch, Dunley Manor

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 500 ft.

Values in Jan. Feb & Dec. interpolated.

Copy by ~~B.R.O.~~

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·09	·22	—	—	—	·13	—	—	—	—		1
2	— (·50)	—	—	·25	—	—	—	·44	—	·52	·03	·10		2
3	—	—	—	—	—	—	—	·17	—	—	·27	·39		3
4	·17	—	—	·23	—	—	·41	·24	—	·27	·14	·06		4
5	—	—	·26	·44	·83	—	·18	·20	—	—	·11	—		5
6	·50	—	—	—	—	—	·54	—	·40	—	·83	·13		6
7	—	·26	·02	—	—	—	—	—	—	—	·43	(·20)		7
8	·05	·14	·22	—	—	—	·12	·09	—	·36	·18	·37		8
9	·04	·04	—	—	—	—	—		—	·31	·22	—		9
10	·38	—	—	—	—	·04	—	·35	—	·19	·02	·15		10
11	—	—	—	—	—	·07	—	—	—	·18	—	—		11
12	—	—	·25	—	—	·16	—	—	—	—	·02	—		12
13	—	—	—	—	—	—	·09	—	—	1·07	—	—		13
14	·54	—	—	—	—	·05	·54	—	·50	·26	·32	—		14
15	·19	—	—	—	·36	·71	·39	—	—	·74	·29	—		15
16	·28	—	—	—	·14	—	·08	—	—	—	·32	—		16
17	·38	—	—	·13	·10	·17	·09	—	—	·42	·13	—		17
18	·25	—	—	—	—	—	·69	—	—	—	·45	—		18
19	·22	—	—	—	—	·05	·07	—	—	—	—	—		19
20	·29	—	—	—	—	—	·60	—	·04	—	—	—		20
21	·26	—	·20	—	—	·09	·23	·10	—		—	—		21
22	—	·35	·06	—	—	·20	—	—	—		·30	—		22
23	—	—	—	·26	—	·02	·22	—	—		·94	—		23
24	(1·50) —	—	—	—	—	·17	—	—	—		·25	—		24
25	—	(·30) —	—	—	—	—	·42	—	—	·12	—	—		25
26	—	—	—	—	—	—	—	—	—	·13	·26	·05		26
27	—	·23	·18	—	—	—	·02	—	—	—	·16	—		27
28	—	—	—	·17	—	·03	·41	—	—	—	·17	(·15)		28
29	—	·14	—	·43	—	—	·53	—	—	·13	·13	—		29
30	—	✗	—	·83	—	—	—	—	—	·04	·10	—		30
31	—	✗	—	✗	—	✗	—	—	✗	—	✗	—		31
TOTAL	(5·55) ~~3·55~~	(1·46) ~~1·16~~	1·28	2·96	1·43	1·76	5·63	1·72	·94	4·74	6·07 ~~(6·07)~~	(1·60) ~~1·25~~	Year's Total 35·14	
* Days with .01 in. or more.	21 ~~13~~	67	8	9	4	12	18	9	3	14	23	9 ~~87~~	..	
* Days with .04 in. or more.	19 ~~13~~	67	7	9	4	9	17	9	3	14	20	9 7	127	

"d"

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 669 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Whitchurch (Dunley Manor)
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 500 ft.

Jan adj for snow.

Reminder sent for Oct [illegible] values today
[illegible].30/12

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	-	-	.06	-		1
2	-	-	-	-	-	-	-	-	-	-	1.03	-		2
3	-	.38	-	.14	-	-	.12	-	-	-	1.02	.14		3
4	-	-	-	-	-	-	-	-	-	.26	-	-		4
5	-	.03	-	-	-	-	-	-	-	.24	.53	.09		5
6	-	38	-	-	-	-	32	-	.04	.49	-	-		6
7	.37	-	-	-	-	-	-	-	.13	-	-	-		7
8	.18	.34	-	-	-	-	-	-	-	.31	.04	.27		8
9	-	-	-	-	-	.39	-	-	.21	.11	.26	.19		9
10	-	-	-	-	-	-	1.41	-	-	-	-	-		10
11	-	-	-	.04	-	-	.14	-	-	-	1.02	-		11
12	-	-	.14	-	-	-	.16	-	.45	-	-	-		12
13	-	-	.19	-	-	-	-	-	-	-	1.23	.37		13
14	-	-	.49	-	-	-	-	-	-	.25	.82	.29		14
15	-	-	-	-	-	-	66	-	-	.50	-	-		15
16	-	-	.32	-	-	-	.17	-	45	-	-	-		16
17	-	-	.29	.19	-	-	-	-	.02	-	-	-		17
18	-	.39	.37	.43	-	-	-	-	-	-	.07	.18		18
19	-	.35	-	-	-	-	-	-	-	-	.24	-		19
20	-	-	.05	-	-	-	-	-	.65	.51	.07	-		20
21	-	-	.03	-	-	-	01	-	-	-	.58	-		21
22	-	-	-	-	.12	.25	-	-	.33	-	-	-		22
23	-	.04	.13	-	-	.09	-	-	-	-	-	-		23
24	-	-	-	-	-	-	.16	-	-	-	-	-		24
25	-	-	.39	-	-	.06	-	-	-	-	-	-		25
26	.49	.24	-	-	-	-	-	-	-	-	-	-		26
22·2 27	.64	.25	-	-	-	-	-	-	-	-	-	-		27
22 28	+ 1.00 .09	-	-	.09	.37	-	-	-	-	-	-	-		28
29	-	.20	.20	.03	.27	-	-	-	-	-	.03	.38		29
30	-	X	-	-	-	-	-	-	-	.35	-	-		30
31	-	X	-	X	-	X	-	-	X	.64	X	-		31
TOTAL	2·77 ~~1·77~~	2·60	2·60	·92	·76	·79	3·15	-	2·28	3·66	7·00	1·91	Year's Total 28·44	
* Days with .01 in. or more.	5	10	11	6	3	4	9	-	8	10	14	8	88	
* Days with .04 in. or more.	5 ✓	9 ✓	10 ✓	5 ✓	3 ✓	4 ✓	8	-	7	10	13	8	82	

† Spare column, no entries required.

(*Signed*) p.p. Alfred Herbert

* See Instruction 3 (f) on other side.

[P.T.O.

670

VERNHAM DEAN
ROWE HOUSE
1931 – 1932
780114

670

Section **A** for the entry of D

AIR MINISTRY.

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1090.

REGIST N 1931.

Kept at Rowe House

in the County of Hant

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea L

780114

THE MORNING MEASUREMENT VIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.11		.08		.11			.21	.01			1
2	.14	.07		.52				.01	.79	.06	.05	.22	2
3	.05		.14	.10	.02		.05	.11	36		.87	.24	3
4		.01	.06	.01			.26	.12		.02	.27	.04	4
5		.06		.12		.53			.04		.05	.03	5
6		.14		.31	.03	.12	.05		01	.31	.28		6
7					.25	.14	.04	.39		.30	.48	01	7
8		.06		.05		.25		.19		01	.22		8
9		.20				.02	.08				.57	01	9
10	.04	.01				.17	.08	.7			.43		10
11	.09	.34			.01	.03		.01	.02		.11		11
12		.01					.21	.08	52				12
13		~~.11~~	.02				.15	03		03			13
14		.11			.03	.05	1.33	.41	.02		.03		14
15	.05	.06		.10	25		.16	.23				.11	15
16	.03	.12		.13		.40		.24	.12	.01			16
17		.10		.16		.03	.38	.05	.10				17
18	.06		.14	.17		.11	.04	.95			.51		18
19	.05			.35		.10	.18	05					19
20		.14	.10	.02				.25					20
21	.12		.02		.30							.01	21
22	.37												22
23	.49			.16	.57	.06			06		.38	.05	23
24			.04	.63	.25	29	.18	.02	.01		.04		24
25	09			.12	.10		.16				.24		25
26		.05		.05			.62				.27		26
27	.23	.48			.75		.02				.09	.05	27
28		.11	.03	.11	.04					02		.03	28
29	.17	×			.19		.12			07	.03	.07	29
30	.05	×						05					30
31	.29	×		×	.13	×			×		×	.01	31
TOTAL	2.32	2.18	.55	3.19	2.92	2.41	4.~~03~~ 11	3.26	2.26	.84	4.92	.88	YEAR'S TOTAL 29.76
*Days with ·01 in. or more.	16	17	8	18	14	15	18	18	12	10	18	12	170
*Days with ·04 in. or more.	15	14	5	16	10	12	17	14	8	4	16	8	139

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

670

Section **A** for the entry of D

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Rowe House. Vernham Dean

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 620 ft.

780114

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.11		.08		.11			.21	.01			1
2	.14	.07		.52				.01	.79	.06	.05	.22	2
3	.05		14	.10	.02		.05	.11	36		.87	24	3
4		.01	.06	.01			.26	.12		.02	.27	.04	4
5		.06		.12		.53			.04		.05	·03	5
6		.14		.31	.03	.12	.05		01	.31	.28		6
7					.25	.14	.04	.39		.30	.48	01	7
8		·06		.05		.25		.19		01	.22		8
9		.20				.02	.08				.57	01	9
10	.04	.01				.17	.08	.7			.43		10
11	.09	.34			.01	.03		.01	.02		.11		11
12		.01					.21	08	52				12
13		~~.11~~	.02				.15	03		03			13
14		·11			.03	.05	1·33	.41	.02		.03		14
15	.05	.06		.10	25		.16	.23				.11	15
16	.03	.12		.13		.40		.24	.12	.01			16
17		.10		.16		.03	.38	.05	.10				17
18	.06		.14	.17		.11	.04	.95			.51		18
19	.05			.35		.10	.18	05					19
20		.14	.10	.02				.25					20
21	.12		.02		.30							.01	21
22	.37												22
23	.49			.16	.57	.06			06		.38	.05	23
24			.04	.63	.25	29	·18	.02	.01		.04		24
25	09			.12	.10		.16				.24		25
26		.05		.05			.62				.27		26
27	.23	.48			.75		.02				.09	.05	27
28		.11	.03	.11	.04					02		.03	28
29	.17	×			.19		.12			07	.03	.07	29
30	.05	×						05					30
31	.29	×		×	.13	×			×		×	.01	31
TOTAL	2·32	2·18	·55	3·19	2·92	2·41	4·~~03~~ 11	3·26	2·26	·84	4·92	·88	YEAR'S TOTAL 29.76
*Days with ·01 in. or more.	16	17	8	18	14	15	18	18	12	10	18	12	176
*Days with ·04 in. or more.	15	14	5	16	10	12	17	14	8	4	16	8	139

40-9999

(*Signed*) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

670

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 670

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Rowe House - Verham Dean

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 12 in.

„ Ground „ Sea Level 620 ft.

gauge leaking see Enc. 4 A f 83588/31.
Return not published but values obtained for 10 yr sheet by proportionation with back years of neighbouring stations. Observer informed 22/5/33. J Sturch.

Revised values to be ~~[illegible]~~ inserted in 10 yr blss ~~and~~ not [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24			09	1.75		04	27	06	14	06		1
2	·04			20	32			06	30			37	2
3				15	10		02		34	05			3
4	·07					06					15		4
5	54		02				04		20				5
6	40		02	61					37				6
7			08	04					09	37			7
8	41	03	27	01	15				39				8
9	33			18	22				25				9
10		04		32	10	01			06	18	03		10
11	48			04	02				02		05		11
12	31				25				06	50	01		12
13	04			30	05		91		11	50	02	21	13
14	25			28	02			06				02	14
15	02			05	1.99		12			12		04	15
16	30			24	05						20	02	16
17	02			07			03		36	04	02		17
18	03				07		01		37		21		18
19									06	28			19
20				25	58			52		79	09		20
21	01		11	10	77			30		26		09	21
22	01		14	03	30	01	39	07	31	36	50		22
23		06	03		37		12		02	66			23
24		05					58		12	11			24
25							22		11	28	08		25
26			14	07			22			19	07		26
27			70	35	19	04	11			12		08	27
28			10	08	04	24	23			04		04	28
29			55	43	13	15	03	11	27	52	25	12	29
30	01	×	07	20		1.72	03		49	01	53	44	30
31		×	11	×		×	08	03	×		×	19	31 (34.37)
Total	(2.43)	(.18)	(2.08)	(3.79)	(6.76)	(1.86)	(3.27)	(1.38)	(3.80)	(5.27)	(1.96)	(1.59)	Year's Total
	~~3.51~~	~~.18~~	~~2.32~~	~~4.09~~	~~7.47~~	~~2.23~~	~~3.18~~	~~1.42~~	~~4.36~~	~~6.52~~	~~2.27~~	~~1.62~~	~~38.19~~
*Days with ·01 in. or more.	~~18~~	~~4~~	~~13~~	~~22~~	~~20~~	~~7~~	~~17~~	~~8~~	~~21~~	~~20~~	~~15~~	~~11~~	~~176.~~
*Days with ·04 in. or more.	~~12~~	~~3~~	~~10~~	~~20~~	~~18~~	~~6~~	~~12~~	~~7~~	~~19~~	~~19~~	~~11~~	~~9~~	~~145~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Charlotte M. Gamble

P.T.O.

671

Section **A** for the entry of Daily Obs

AIR MINISTRY.—METEO

Y FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTER C

~~671~~

LINKENHOLT

1931 - 1940

780114

Kept at Linkenholt

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft.

,, Ground ,, Sea Level 70

THE MORNING MEASUREMENT

An observer who does not conform to this rule shou ... reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·12	-	·10	-	·64	-	-	·11	-	-	-	1
2	·15	·06	-	·57	·	·	-	·01	·62	·06	·03	·15	2
3	·07	-	·14	·22	·03	·	-	·11	·41	·	·52	·19	3
4	-	·	·04	-	·	·	·30	·23	·16	·02	·19	·03	4
5	-	·04	·	·13	·06	·50	-	·	·03	-	·06	·15	5
6	-	·14	·	·30	·	·07	·06	-	·	·25	·26	-	6
7	·	·	-	·04	·26	·09	·04	·56	-	·30	·40	·08	7
8	·03	·11	-	·	·	·22	-	·16	-	·	·19	-	8
9	·	·24	-	·	·	·01	·09	-	-	·	·40	·03	9
10	-	·02	·	·	·	·13	·08	·09	-	·	·41	·	10
11	·08	·31	-	·	·	·	·	-	-	-	·14	·	11
12	-	·	-	·	-	·	·14	·20	·34	·	-	-	12
13	-	·	-	·	-	-	·15	·	·	·03	-	-	13
14	-	·11	·	·	·03	·08	1·30	·49	·02	·	·02	-	14
15	-	·04	-	·10	·20	-	·19	·16	·	·	-	·09	15
16	·04	·11	·	·15	·14	·28	·34	·24	·09	·	-	-	16
17	·	·22	-	·19	·03	·02	-	·05	·16	·03	·02	-	17
18	·07	·02	·08	·18	-	·09	·05	·91	-	·	·43	-	18
19	·04	-	·	·37	-	·10	·17	·05	-	·	-	·	19
20	-	·09	·09	·03	-	·	·	·19	-	·	·02	·	20
21	·09	-	·	-	·30	-	-	-	-	·	-	·	21
22	·32	-	-	-	·	-	-	-	·	·		·	22
23	·40	-	·	·15	·52	·05	·	-	·03	-	·27	·06	23
24	-	·01	·03	·32	·31	·26	·16	·01	·	·	·02	·	24
25	·10	·01	·	·32	·05	·	·15	-	-	·	·20	·03	25
26	-	-	·	·05	·	-	·58	-	-	·	·22	·	26
27	·13	·04	·	·	·64	-	·03	-	-	·	·09	·	27
28	·03	·47	·04	·12	·08	-	·	·	·	·03	·	·09	28
29	·13	·08	·	·	·19	·	·10	·	-	·08	·03		29
30	·13	×	·	·	·	-	·01	·07	-	·	-	·	30
31	·22	×	-	×	·17	×	-	·01	×	·	×	-	31
TOTAL	2·03	2·24	·42	3·34	3·02	2·54	3·94	3·54	1·97	·80	3·92	·90	YEAR'S TOTAL 27·86
*Days with ·01 in. or more.	16	19	6	17	15	14	18 17	10	8	20		10	170
*Days with ·04 in. or more.	14	15	4	16	12	12	16 14	7	4	4		7	131

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R Dudley

[P.T.O.

671

Section **A** for the entry of Daily Obs COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Linkenholt

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft in.

,, Ground ,, Sea Level 700 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·12	-	·10	-	·64	-	-	·11	-	-	-	1
2	·15	·06	-	·57	·	·	·	·01	·62	·06	·03	·15	2
3	·07	-	·14	·22	·03	·	·	·11	·41	·	·52	·19	3
4	-	·	·04	-	·	·	·30	·23	·16	·02	·19	·03	4
5	-	·04	·	·13	·06	·50	-	·	·03	-	·06	·15	5
6	-	·14	·	·30	·	·07	·06	-	·	·25	·26	-	6
7	·	·	-	·04	·26	·09	·04	·56	-	·30	·40	·08	7
8	·03	·11	-	·	·	·22	-	·16	·	·	·19	-	8
9	·	·24	-	·	·	·01	·09	·	-	·	·40	·03	9
10	-	·02	·	·	·	·13	·08	·09	-	·	·41	·	10
11	·08	·31	-	·	·	·	·	·	-	-	·14	·	11
12	-	·	-	·	-	·	·14	·20	·34	·	-	-	12
13	-	·	-	·	-	-	·15	·	·	·03	-	-	13
14	-	·11	·	·	·03	·08	1·30	·49	·02	·	·02	-	14
15	-	·04	-	·10	·20	·-	·19	·16	·	·	-	·09	15
16	·04	·11	-	·15	·14	·28	·34	·24	·09	·	-	-	16
17	·	·22	-	·19	·03	·02	-	·05	·16	·03	·02	-	17
18	·07	·02	·08	·18	-	·09	·05	·91	-	-	·43	-	18
19	·04	-	·	·37	-	·10	·17	·05	-	·	-	·	19
20	-	·09	·09	·03	-	·	·	·19	-	·	·02	·	20
21	·09	-	·	-	·30	-	-	-	-	·	-	·	21
22	·32	-	-	-	·	-	·	-	·	·		·	22
23	·40	-	·	·15	·52	·05	·	-	·03	·	·27	·06	23
24	-	·01	·03	·32	·31	·26	·16	·01	·	·	·02	-	24
25	·10	·01	·	·32	·05	·	·15	-	-	·	·20	·03	25
26	·	-	·	·05	·	-	·58	-	-	·	·22	·	26
27	·13	·04	·	·	·64	-	·03	-	-	·	·09	·	27
28	·03	·47	·04	·12	·08	-	·	·	·	·03	·	·09	28
29	·13	·08	·	·	·19	·	·10	·	-	·08	·03		29
30	·13	×	·	·	·	-	·01	·07	-	·	-	·	30
31	·22	×	·	×	·17	×	-	·01	×	·	×	-	31
TOTAL	2·03	2·24	·42	3·34	3·02	2·54	3·94	3·54	1·97	·80	3·92	·90	YEAR'S TOTAL 27·76 6
*Days with ·01 in. or more.	16	19	6	17	15	14	18 17	10	8	20		10	170
*Days with ·04 in. or more.	14	15	4	16	12	12	16 14	7	4	14		7	131

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 671

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~6~~.

2

Kept at LINKENHOLT

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft 0 in.

,, Ground ,, Sea Level 700 ft.

33 98

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24			·08	1·23		·08	·25	·05	·15	·04		1
2				·18	·31			·05	·43		·01	·33	2
3	·03			·15	·14				·26	·13			3
4	·03					·10					·14		4
5	·35		·02				·10		·15				5
6	·31			·52					·26				6
7				·05	·06					·25			7
8			·30	·02	·07				·57	·04			8
9	·24			·13	·23				·15				9
10	·29			·35	·09				·05	·22	·02		10
11				·08	·02			·01	·02				11
12	·30			·25	·19				·12	·41			12
13	·03			·14	·03		·65			·50		·16	13
14	·20				·02						·08	·02	14
15	·01			·04	1·55		·46			·12	·17	·02	15
16	·14			·27	·10								16
17				·05			·15						17
18	·10				·15		·03		·31		·20		18
19									·07	·22			19
20				·14	·35			·55	·02	·77	·18		20
21			·10	·16	·85			·32		·18		·08	21
22			·24	[illegible]	·23		·10		·29	·25	·37		22
23			·02		·50		·06			·67		·14	23
24	·03	·17		·03			·55		·12	·08	·06		24
25							·35		·05	·24	·04		25
26			·15	·04			·15			·20			26
27			·41	·33	·17	·03	·09			·12	·04	·08	27
28			·15	·10	·05	·16	·14			·06			28
29			·42	·28	·05	·17	·02		·26	·37	·14	·12	29
30		×	·05	·19		1·30	·03	·13	·34		·46	·43	30
31		×	·11	×		×	·08		×		×	·18	31
TOTAL	2·30	·17	1·97	3·58	6·39	1·76	3·09	1·31	3·57	4·98	1·85	1·50	YEAR'S TOTAL 32·47
*Days with ·01 in. or more.	14	1	11	22	21	5	16	6	18	19	14	10	157
*Days with .04 in. or more.	9	1	9	20	18	4	13	5	16	19	12	8	134

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R. Dudley per RCW

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 671

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~4~~ 3

J.W.O. 23/1/34

Days

Kept at UNKENHOLT

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 5 ft 3 in.

,, Ground ,, Sea Level 700 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·32	·21	·10	—	·12	—	—	—	—	—	—	—		1
2	·38	—	·50	—	·20	—	—	—	—	—	—	—		2
3	·02	·15	·22	—	—	—	—	—	—	—	—	—		3
4	·18	·02	·02	—	·14	—	—	—	—	—	—	—		4
5	·04	·06	·29	—	·20	—	—	—	—	—	—	—		5
6	—	·27	·03	—	·15	—	—	—	—	·31	—	—		6
7	·04	·02	·01	—	—	—	—	—	—	·05	—	—		7
8	—	—	·02	—	·04	—	·32	—	—	·10	—	—		8
9	—	·12	—	—	·06	—	·33	—	—	·14	—	—		9
10	—	·10	—	—	—	—	·10	—	—	·31	·31	—		10
11	·32	—	—	—	·06	·04	·22	·17	—	·01	—	—		11
12	—	—	—	—	—	·09	·04	—	·57	—	—	—		12
13	·10	—	—	—	·09	—	·44	—	·10	·03	·10	—		13
14	—	—	—	—	—	—	·04	—	—	·15	·39	—		14
15	·58	—	·18	—	—	—	·31	·13	—	·02	·01	—		15
16	—	—	·72	—	—	·12	·28	—	—	·03	·02	—		16
17	—	—	·42	—	—	·30	—	—	·09	—	·04	—		17
18	—	—	·23	—	~~·50~~	·36	—	—	—	—	—	—		18
19	—	—	·19	—	~~[illegible]~~	·16	—	—	·30	—	·12	—		19
20	—	·04	·05	—	—	·28	—	—	·29	—	—	—		20
21	—	—	—	—	—	·14	—	·04	·11	—	—	—		21
22	—	—	—	—	—	·20	—	·12	·08	·16	·02	—		22
23	—	—	—	·23	—	·11	—	—	·17	·45	—	—		23
24	—	1·25	—	·14	—	·45	—	—	·15	—	—	—		24
25	—	·82	—	·32	—	·35	—	—	·06	—	—	·09		25
26	—	·85	—	·15	—	·85	—	—	·37	—	—	—		26
27	—	·02	—	—	·32	—	·05	—	·01	·49	—	·19		27
28	—	—	—	·18	—	—	·02	—	—	·07	—	·03		28
29	·19	—	—	·55	—	—	·01	—	—	·06	—	—		29
30	·32	×	·16	—	—	—	·08	—	·15	—	—	·12		30
31	·23	×	·07	×	—	×	—	—	×	·02	×	—		31
TOTAL	2·72	3·93	3·21	1·57	1·38	3·45	2·24	·46	2·45	2·40	1·01	·43	Year's Total 25·25 ✓	
*Days with ·01 in. or more.	12	13	16	6	10	13	13	4	13	16	8	4	~~20~~	128
*Days with .04 in. or more.	11	10	12	6	10	13	11	4	12.	11	5	3	108	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Rowley

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 671

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at LINKENHOLT

in the County of HAMPSHIRE.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 5 ft 3 in.

,, Ground ,, Sea Level 700 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	—	—	·38	·01	TRACE	·08	·80		1
2	·20	—	·04	—	·06	—	—	·04	·85	·05	·02	·30		2
3	·03	·04	—	—	—	—	—	·06	—	·31	—	·15		3
4	·06	—	·16	17	·18	—	—	·02	·01	·22	TRACE	·49		4
5	—	—	·05	—	·06	—	—	·30	—	·01	·15	·54		5
6	·03	—	·32	—	·35	—	—	·01	—	·24	—	·73		6
7	·12	—	—	—	—	—	—	·22	—	·05	—	·50		7
8	—	—	—	—	·24	—	—	·03	·06	—	·50	·13		8
9	—	—	·09	—	—	—	—	—	—	—	1·04	·55		9
10	·13	—	·30	23	—	—	—	·04	—	·04	·28	·10		10
11	·54	—	·46	·42	—	—	·16	·21	—	—	TRACE	·27		11
12	·06	—	·04	·03	—	—	·06	·51	—	—	—	·18		12
13	·37	—	·05	·09	—	—	·35	·04	—	—	16	·61		13
14	·11	—	·45	·02	—	—	—	—	—	—	·07	·52		14
15	·04	—	·16	—	·15	—	—	—	—	·21	·17	·25		15
16	·12	—	33	—	—	—	—	—	—	—	·02	·02		16
17	·09	—	—	·06	—	—	—	—	·19	·03	·03	·30		17
18	·16	—	·07	·15	—	—	—	—	·04	—	—	·09		18
19	—	—	·34	—	—	—	—	—	·06	—	—	·21		19
20	—	—	·63	—	—	—	·15	·01	TRACE	·03	—	—		20
21	—	—	·02	·05	—	1·5	—	·09	—	·05	—	—		21
22	—	—	—	·04	—	—	·15	—	·27	—	—	·09		22
23	—	—	—	·27	—	·47	—	·20	—	—	—	·05		23
24	—	·12	·08	·15	—	·17	·41	—	·50	~~·11~~	—	—		24
25	·48	—	—	·20	—	·03	—	—	—	·01	—	·67		25
26	·10	—	·02	·11	—	·03	—	—	·07	·01	—	·15		26
27	·02	—	—	—	—	·23	—	—	—	·06	—	·50		27
28	—	—	—	—	—	·11	·04	·44	—	TRACE	—	·45		28
29	—	—	—	—	—	—	·10	·01	·31	—	—	·01		29
30	·08	×	—	—	—	—	—	·08	·12	—	—	·17		30
31	—	×	—	×	—	×	·02	·05	×	·08	×	·11		31
TOTAL	2·74	·16	3·06	1·49	1·09	1·19	1·44	2·79	2·49	1·60	2·52	8·99	Year's Total 30·11	
*Days with ·01 in. or more.	18	2	18	14	6	7	9	19	12	15	11	28	159	
*Days with ·04 in. or more.	15	2	15	12	6	5	8	14	10	11	8	26	132	

† Spare column, no entries required.

(*Signed*) R. DUDLEY Secretary

G.R.C. Sykes

40-9999

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 671

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

H07

WITH
RECEIVED 4 JAN 1936
21
9 30
INITIALS
RELEVANT FILE
FILE NO.
TO

Kept at Linkenholt Manor
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 5 ft 0 in.
,, Ground ,, Sea Level 700 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
ON

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	–	·13	–	·10	·07	·65	–	·03	·16	·16	–		1
2	–	–	–	–	–	·11	~~·65~~	–	·30	·18	·04	·02		2
3	–	·05	·05	–	–	·13	–	–	·70	·54	·24	–		3
4	–	·05	–	·32	–	·10	–	–	·12	·33	·25	–		4
5	–	–	·14	·09	–	·10	–	–	·34	·05	·02	·05		5
6	–	·59	·02	·39	–	·78	–	–	–	TRACE	·05	·03		6
7	–	–	–	·42	–	·11	–	–	–	·21	·26	·10		7
8	–	–	–	·44	–	–	–	–	–	·11	·52	·02		8
9	·10	–	–	·47	–	·76	–	–	·08	·52	·88	–		9
10	–	–	–	·12	–	·03	–	–	–	–	·09	·01		10
11	·28	–	·03	·01	–	·16	·06	–	–	·01	·27	–		11
12	·10	·06	–	–	–	·35	–	·03	·08	–	·19	–		12
13	–	·17	–	·18	·08	·11	–	–	–	TRACE	·07	–		13
14	·10	–	–	·10	·05	·07	–	–	–	·01	·55	·20		14
15	–	·11	–	·54	·02	·57	–	–	·32	–	·34	·08		15
16	–	·10	·04	·14	–	·18	–	–	·44	Trace	·74	–		16
17	–	–	–	·28	·05	·19	–	–	·31	·03	·27	–		17
18	–	·03	–	·39	TRACE	·19	–	·05	·37	·05	TRACE	–		18
19	–	·02	–	·01	·36	·03	·19	–	·04	·07	·22	·11		19
20	–	·24	–	·05	·40	·05	·15	–	–	–	·57	–		20
21	–	·50	–	·22	–	–	–	–	·03	–	TRACE	–		21
22	–	·07	·23	·16	–	–	–	·17	·09	·04	·01	–		22
23	–	–	·14	–	–	–	–	·17	·26	·77	–	–		23
24	·06	·44	–	–	–	–	–	1·99	·52	·05	–	·15		24
25	·06	·58	–	·30	·21	1·90		–	–	–	–	·75		25
26	–	·18	–	–	–	·01		·38	·08	Trace	–	·55		26
27	–	·28	–	–	–	–	–	·10	·10	·02	·09	·65		27
28	–	·08	–	–	·02	–	–	·02	·42	–	·03	·11		28
29	–	–	–	–	–	–	–	·01	·27	·05	TRACE	·35		29
30	·11	✕	–	·15	–	–	–	·76	·05	·22	·74	·47		30
31	–	✕	–	✕	–	✕	–	–	✕	·83	✕	·22		31
TOTAL	·82	3·55	·78	4·76	1·29	6·00	1·05	3·68	4·95	4·25	6·60	3·77	Year's Total. 41·50	
* Days with .01 in. or more.	8	17	8	20	9	21	4	10	21	20	23	178	178	
* Days with .04 in. or more.	7	15	6	18	7	18	4	7	19	16	20	150	150	

† Spare column, no entries required.

(*Signed*) [P.T.O.

40-9999

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 671

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at LINKENHOLT MANOR
in the County of HAMPSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 0 in.
,, Ground ,, Sea Level 750 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·25	·19	·04	·27	—	·18	·22	·06	—	—	·04	·11		1
2	·12	·18	·05	·01	—	·13	·13	·18	—	—	·07	—		2
3	—	—	—	·37	—	·01	·01	—	·62	—	·26	—		3
4	—	—	·18	—	—	·13	—	—	·31	—	·06	·14		4
5	·48	—	·04	—	·10	—	—	·03	·03	—	·01	·04		5
6	·28	—	—	—	—	·05	—	·10	·15	—	·18	—		6
7	·10	—	·10	—	—	·03	·09	—	·13	—	·62	·05		7
8	·29	—	·29	—	—	—	·18	—	—	—	·16	·09		8
9	·38	—	·11	—	—	—	·41	—	·27	·02	·01	—		9
10	TRACE	—	—	—	—	—	·21	·06	·04	—	—	—		10
11	TRACE	·06	—	·07	—	·04	·08	·09	·39	—	·95	—		11
12	—	—	—	SNOW ·02	·03	·35	·38	—	·14	—	·16	·12		12
13	—	—	—	·06	—	·28	TRACE	·02	—	·03	·15	·42		13
14	—	·04	—	—	—	·06	·59	—	·02	·04	·02	·59		14
15	—	·04	—	·03	·04	·01	—	—	—	—	·02	·13		15
16	SNOW ·14	·25	—	—	—	—	·02	—	·06	—	·34	·14		16
17	·14	·65	—	—	—	—	·07	—	—	—	·14	·18		17
18	—	·08	—	—	—	·13	·31	—	—	—	·02	·13		18
19	·47	·10	TRACE	·12	—	·16	·41	·30	—	·04	—	—		19
20	·12	·17	·16	·36	—	—	·06	—	·59	—	—	·03		20
21	—	—	—	SNOW ·48	—	·18	—	—	—	—	—	—		21
22	SNOW ·14	·45	·11	—	·37	—	·28	—	—	TRACE	—	·04		22
23	·06	·02	·72	·11	—	—	·14	—	—	·09	—	—		23
24	·13	·09	—	—	·05	—	·10	—	·07	·36	—	—		24
25	·06	—	·07	·16	·01	—	·14	—	·05	·15	·08	—		25
26	·07	·17	·14	·02	—	·04	·05	—	—	·31	—	—		26
27	·23	—	·08	—	—	—	·05	—	·02	·16	—	·03		27
28	·72	—	·40	—	—	—	·40	—	—	—	—	·16		28
29	TRACE	·16	·07	—	—	—	·02	—	—	·06	·23	·06		29
30	·13	✕	·05	—	—	·10	·03	—	—	·88	—	·01		30
31	·26	✕	·35	✕	·08	✕	·17	—	✕	·30	✕	·60		31
TOTAL	4·57	2·65	2·96	2·08	·68	1·88	4·55	·84	2·89	2·44	3·52	3·07	Year's Total 32·13	✓
* Days with .01 in. or more.	20	15	17	13	7	16	25	8	15	12	19	19	186	✓
* Days with .04 in. or more.	20	14	17	9	5	13	21	6	12	10	14	16	157	✓

40-9999.

* See Instruction 2 (f) on other side.

1·88

† Spare column, no entries required.

(*Signed*) E. G. GRIFFIN [P.T.O.

X R Dudley Esq X

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 671

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

File No. 936247/29.

Kept at LINKENHOLT MANOR, ANDOVER

in the County of HANTS

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1' ft. 5" in.

,, Ground ,, Sea Level ....ft.

see env 16A -

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	TRACE	–	·01	–	–	–	–	05	–	·43	·36		1
2	·03	·54	–	·12	–	–	7	–	·20	–	–	·31		2
3	–	·18	–	–	–	–	·01	–	–	–	–	·02		3
4	·12	·57	–	·11	–	–	–	–	–	–	–	·28		4
5	·28	·01	SNOW ·05	·02	–	–	·10	·03	–	–	–	–		5
6	·10	·14	SNOW ·30	·10	·09	–	·32	–	–	·14	·03	–		6
7	–	·83	–	·10	–	–	–	–	–	–	–	–		7
8	–	·02	–	–	·19	–	–	–	–	–	·02	SNOW.		8
9	–	–	TRACE	·30	·22	·04	·13	·02	·25	–	–	SNOW. ·15		9
10	·01	–	·74	·40	TRACE	·20	·01	·13	–	–	–	·52		10
11	TRACE	–	·08	–	·47	·30	·18	–	–	–	–	–		11
12	·35	·30	·11	·04	·09	·28	TRACE	·12	·11	–	–	·33		12
13	·16	·04	·63	·12	–	–	–	·01	·12	–	–	·07		13
14	·01	·03	SNOW. ·49	·01	–	·01	–	07	·08	–	–	–		14
15	·22	·14	–	·20	–	–	·64	–	·27	–	–	SNOW		15
16	–	·19	·76	·41	–	·08	–	26	·35	–	–	–		16
17	·43	·03	·44	–	–	–	·02	–	–	–	·01	–		17
18	·37	·12	TRACE	–	–	–	–	–	·61	–	·11	·40		18
19	·08	·10	·11	·17	–	·15	–	–	–	–	·01	–		19
20	·46	–	·20	·30	·06	·02	–	–	·19	–		·06		20
21	·39	·60	·03	·06	·05	–	·05	–	–	·05	–	–		21
22	·32	·06	·04	–	·19	TRACE	·11	–	–	·79	·41	·10		22
23	·40	·13	SNOW. ·10	–	·24	–	–	–	–	·60	·11	·05		23
24	·32	·54	·02	–	·09	–	–	–	·12	·56	–	–		24
25	·34	·38	·24	–	1·23	–	–	–	·04	·52	–	–		25
26	TRACE	·36	·01	–	·05	–	–	–	–	·12	–	–		26
27	·02	·06	–	·22	–	·03	–	–	–	·95	–	–		27
28	–	·05	–	–	–	–	–	–	–	·15	·14	–		28
29	·43	SNOW.	–	–	–	·03	–	–	–	·22	·43	–		29
30	·18	✕	–	–	–	–	–	·17	–	·05	–	·01		30
31		✕	–	✕	–	✕	–	–	✕	·30	✕	·01		31
TOTAL	5·11	5·42	43·5	2·69	2·97	1·14	1·59	·81	2·39	44·5	1·70	2·68	Year's Total 35·29	
* Days with .01 in. or more.	22	23	17	17	12	10	10	8	12	12	10	14	167	
* Days with .04 in. or more.	18	19	14	14	12	6	6	5	12	12	6	11	135	

do not print

[illegible]

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) p.p. R. Dudley — a H Riddl [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 671

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Hants 4

Kept at ~~Linkenholt Manor,~~
in the County of ~~Hampshire,~~
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 700 ft.

1937 [illegible]
f 936207/29
corr for Dec 19-26 snow.
notified W.G.T.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	—	—	—	—	—	—	—		1
2	—	—	—	·03	·05	·09	·18	—	—	·21	·06	·07		2
3	—	—	—	—	·33	—	·01	—	—	·40	·01	·10		3
4	—	—	—	—	—	—	·03	·06	—	·88	·05	—		4
5	·09	—	—	—	—	—	·08	·05	—	·23	·01	·19		5
6	·07	—	—	—	—	—	·17	—	·03	·65	·02	·03		6
7	·06	—	—	—	—	—	·07	·45	·02	·15	·01	·12		7
8	·14	—	—	—	—	·06	·65	·10	·05	·19	—	·10		8
9	—	·12	—	—	—	·01	·35	·03	—	·37	—	1·30		9
10	·05	—	—	—	—	·02	·01	—	—	·01	—	·30		10
11	·46	—	—	—	—	—	—	—	—	—	·20	·20		11
12	·37	—	—	—	·20	—	—	·06	—	·40	·01	·04		12
13	·10	—	—	—	—	—	—	—	·06	·09	·33	·66		13
14	·52	—	—	—	·07	—	·11	—	—	—	—	—		14
15	·25	—	—	—	·05	—	·41	·10	—	·22	—	·44		15
16	·45	—	—	—	—	—	—	—	—	·18	·08	·06		16
17	—	—	—	—	—	—	—	—	·12	·09	·01	—		17
18	·10	—	—	—	—	—	—	·07	·14	·06	·48	—		18
19	—	—	—	—	—	—	—	·14	·18	—	·40	—		19
20	—	—	—	—	—	—	—	·08	·08	—	1·09	— 4		20
21	—	—	—	—	—	—	—	·01	·05	—	·03	— 4		21
22	—	—	—	·01	—	—	—	·13	—	—	·32	— 4 (·71)		22
23	—	—	—	·01	—	—	—	—	—	—	·10	MELTED		23
24	—	—	·15	—	—	—	—	—	·12	—	·08	SNOW		24
25	—	·25	·06	TRACE	·09	—	—	·04	—	·05	1·06	— 4		25
26	·14	·46	·03	—	·06	—	—	—	·12	·14	—	~~·10~~ 4		26
27	·24	·04	—	—	·08	·40	·40	·02	·03	·04	·43	~~·31~~		27
28	—	—	—	—	·20	·05	—	·62	·04	—	·01	·06		28
29	·20		—	·01	·36	—	—	—	·09	·07	·22	·09		29
30	·15		—		·08	·08	—	—	·16	·05	·18	·02		30
31	·25		—		·23		—			·24		·39		31 17/3/39
TOTAL	3·64	·87	·24	·06	1·80	·71	2·47	1·96	1·29	4·72	5·19	(4·88) ~~4·58~~	Year's Total ~~27·53~~	27·83
* Days with .01 in. or more.	~~8~~ 17	~~8~~ 4	~~1~~ 3	4	~~8~~ 12	~~2~~7	~~8~~ 12	~~8~~ 15	~~8~~ 15	~~1~~ 21	8 23	22	~~27~~	155
* Days with .04 in. or more.	17	4	2	0	12	5	9	12	12	20	15	~~17~~ 19	~~[illegible]~~	127 ~~[illegible]~~

R. DUDLEY ESQ

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) RDudley

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 671

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Linkenholt manor

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 700 ft.

T. [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	·16	·15	—	—	·12	·05	—	—	·04		1
2	·15	—	·11	·06	—	—	·01	·43	·65	—	·16	—		2
3	·38	—	—	·26	—	—	—	·29	—	—	·23	·40		3
4	·07	—	·36	·32	·15	—	·44	·30	—	·62	·19	·08		4
5	—	—	—	·34	·43	—	·24	·18	—	·33	·50	·14		5
6	·40	—	TRACE	—	·04	—	·72	·02	—	·03	·50	—		6
7	·02	·26	—	—	—	—	·02	—	—	—	·53	·52		7
8	·09	·30	·27	—	—	—	·11	·30	—	·45	·31	·36		8
9	·04	·05	—	—	—	—	—	·11	—	·15	·01	·19		9
10	—	—	·01	—	—	·05	—	·18	—	—	—	·01		10
11	—	·03	·24	—	—	—	—	—	—	·07	—	—		11
12	—	—	—	—	—	·35	—	—	—	·03	·12	—		12
13	—	—	—	·04	—	·04	·35	—	·24	·94	—	—		13
14	·67	—	—	·06	·05	·10	·25	—	—	·27	·39	·03		14
15	·24	—	—	·01	·30	·90	·52	—	·04	·65	·36	—		15
16	·29	—	·04	·03	·09	·28	·10	—	—	—	·44	—		16
17	·35	·08	—	·04	·26	·01	·17	—	—	·50	·11	—		17
18	·34	·01	·04	—	—	·17	·70	—	—	—	·42	—		18
19	·30	—	—	—	—	—	·95	—	—	—	·02	—		19
20	·48	—	TRACE	—	—	—	·48	·12	—	—	—	·03		20
21	·04	·30	·14	—	—	·18	·27	·07	—	—	—	—		21
22	·25	·29	·01	—	—	·04	·07	—	·08	—	·20	—		22
23	·06	—	·02	·31	—	TRACE	·09	TRACE	—	—	1·02	—		23
24	—	—	·01	—	—	·22	·17	TRACE	—	·17	—	—		24
* MELTED SNOW 25	*·46	·32	·02	—	—	—	·59	—	—	—	·33	—		25
26	—	·01	—	·03	—	—	—	—	—	·11	·45	—		26
27	—	·22	·15	·03	—	—	·01	—	—	·02	·15	—		27
28	—	·18	·08	·11	—	·05	·24	—	—	·03	·25	× ·28	MELTED SNOW ×	28
29	·05	—	—	·24	—	—	·47	—	—	·17	·15	—		29
30	—	✕	—	1·11	—	—	—	—	—	·02	·08	—		30
31	—	✕	—	✕	—	✕	·06	·04	✕	·10	✕	—		31
TOTAL	4·68	2·05	1·50	3·15	1·47	2·39	7·03	2·16	1·06	4·66	6·92	2·08	Year's Total 39·15	
* Days with .01 in. or more.	19	12	14	16	8	12	23	12	5	18	23	11	173	
* Days with .04 in. or more.	18	9	9	12	8	11	21	11	5	13	21	8	146	

† Spare column, no entries required

(*Signed*) ……………

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 671

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Linkenholt Manor

in the County of Hants.

Diameter of Funnel of Gauge ~~5·0~~ in. 5"

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 700 ft.

Totals ✓

Query sent 24/1/41 observer agrees

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·03							·09			1
2		·14		·16			·12				·88			2
3		·28		·07						·04	1·21✓	·10		3
4		·08		·05			·01			·27	·07	·06		4
5										·36	·65	·21		5
6	·21	·41					·19			·40				6
7	·10	·49					·15		·03					7
8										·37	·05	·23		8
9						·03	·01		·09	·09	·33	·19		9
10							·94			·04	·08	·06		10
11				·05			·11				(1·19)			11
12							·28		·95		1·21			12
13			·30						·02		·15			13
14			·51	·13			·9			·37	~~·24~~	·59		14
15		SNOW	·12		·06		·48		·15	·65	·54	·03		15
16		·48	·41	·13			·04		·33	·48	·77	·02		16
17		·50	·20				·03		·04		·05			17
18			·40	·45			·05		·33	·25	·08	·15		18
19			·04	·23			·07				·33	·01		19
20			·02					·09		·28	·08			20
21					·03						·65			21
22			·18			·26			·27					22
23			·12	·01		·10					·03			23
24							·24							24
25			·28			·04								25
26		·29	·07		·09		·26				·02			26
27	·90	·38		·06										27
28	·61						·05			·04				28
29	·51	·14	·25	·13	·43						(~~·40~~)	·40		29
30	·10	✕		·04						·36				30
31	·03	✕	·01	✕		✕			✕	·71	✕	·03		31
TOTAL	2·46	3·19	2·91	1·54	·61	·43	3·12	·09	2·21	4·71	8·38 ~~7·78~~	2·08	Year's Total ~~31·13~~	31·73✓
* Days with .01 in. or more.	7	10	14	13	4	4	17	1	9	16	21	13	129	✓
* Days with .04 in. or more.	6	10	12	11	3	3	14	1	7	15	19	9	110	✓

SNOW WATER

MELTED SNOW →

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

672

Section **A** for the entry of Daily
AIR MINISTRY.—MET

COPY FOR OFFICIAL USE.
LL ORGANIZATION.

FORM 1090.

REGISTER

672

ALVERSTOKE
MONCKTON HSE
1931 - 1940

78 01 14

Kept at Monckton House, A
in the County of Hampshi

Diameter of Funnel of Gauge 5 i
Height of top of Gauge above Ground 1
,, Ground ,, Sea Level

THE MORNING MEASUREMEN Y.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·02		·29		·01		·03	·20				1
2	·24	·05		·53	·12			·26	·48			·04	2
3	·06		·59	·06	·10				·60			·17	3
4		·01	·06				·14	·23	·06	·04	·08		4
5		·06		·18		·47	·06	·01	·03	·01	·01	·16	5
6		·09		·20	·31	·11			·01	·39	·12	·03	6
7					·25	·17		·29		·03	·30		7
8		·12		·02	·11	·27	·04	·07		·01	·16	·08	8
9		·14		·01		·06	·03				·75	·01	9
10	·03	·06				·12	·02	·02			·83		10
11	·15	·37							·06	·01	·25		11
12	·01	·01					·02		·17				12
13	—						·02						13
14	·03	·18			·02	·05	·76	·07	·02		·01		14
15	·01	·03			·08		·37	·23	·02			·01	15
16		·01		·09	·24	·05	·01	·08	·19				16
17		·08		·15			·21		·08				17
18	·03	·01	·03	·03		·09	·15	·79	·01		·31		18
19	·09			·10		·04		·06					19
20		·08	·03	·16				·35			·04		20
21	·03	·01	·01		·29						·04		21
22	·47		·36	·18	·01			·01					22
23	·31	·01		·04	·26						·31	·01	23
24	·01			·60	·13	·14	·18	·45					24
25	·08	·01		·26	·08		·08				·04		25
26		·03		·09			·36				·53	·01	26
27	·14	·28		·01	1·26		·31				·07		27
28	·10	·12		·08	·01			·03				·10	28
29	·10				·28		·09	·02		·01			29
30		×									·03		30
31	·34	×		×	·04	×	·02	·01	×		×	·02	31
TOTAL	2·24	1·78	1·08	3·08	3·29	1·58	2·87	3·01	1·93	·50	3·88	·64	YEAR'S TOTAL 25·88
*Days with ·01 in. or more.	19	22	6	19	17	12	18	18	13	7	17	11	179
*Days with ·04 in. or more.	11	12	3	15	13	11	12	11	8	2	14	5	117

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Jack Blake

P.T.O.

672

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Monckton House, Alverstoke

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	
1	·01	·02		·29		·01		·03	·20				1
2	·24	·05		·53	·12			·26	·48			·04	2
3	·06		·59	·06	·10				·60			·17	3
4		·01	·06				·14	·23	·06	·04	·08		4
5		·06		·18		·47	·06	·01	·03	·01	·01	·16	5
6		·09		·20	·01	·11			·01	·39	·12	·03	6
7					·25	·17		·29		·03	·30		7
8		·12		·02	·11	·27	·04	·07		·01	·16	·08	8
9		·14		·01		·06	·03				·75	·01	9
10	·03	·06				·12	·02	·02			·83		10
11	·15	·37							·06	·01	·25		11
12	·01	·01					·02		·17				12
13	—						·02						13
14	·03	·18			·02	·05	·76	·07	·02		·01		14
15	·01	·03			·08		·37	·23	·02			·01	15
16		·01		·09	·24	·05	·01	·08	·19				16
17		·08		·15			·21		·08				17
18	·03	·01	·03	·03		·09	·15	·79	·01		·31		18
19	·09			·10		·04		·06					19
20		·08	·03	·16				·35			·04		20
21	·03	·01	·01		·29						·04		21
22	·47		·36	·18	·01			·01					22
23	·31	·01		·04	·26						·31	·01	23
24	·01			·60	·13	·14	·18	·45					24
25	·08	·01		·26	·08		·08				·04		25
26		·03		·09			·36				·53	·01	26
27	·14	·28		·01	1·26		·31				·07		27
28	·10	·12		·08	·01			·03				·10	28
29	·10				·28		·09	·02		·01			29
30		×									·03		30
31	·34	×		×	·04	×	·02	·01	×		×	·02	31
TOTAL	2·24	1·78	1·08	3·08	3·29	1·58	2·87	3·01	1·93	·50	3·88	·64	YEAR'S TOTAL 25·88
*Days with ·01 in. or more.	19	22	6	19	17	12	18	18	13	7	17	11	179
*Days with ·04 in. or more.	11	12	3	15	13	11	12	11	8	2	14	5	117

40-9999

(Signed) Jack Blake

P.T.O.

*See Instruction 2 (*f*) on other side.

672

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No** 672

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Monckton House, Alverstoke

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
[·09] ~~1~~	·09			·13	·78			·01				·01	1
2	·01			·32	·05			·01			·01	·27	2
3				·24	·01	·33			·11	·04		·05	3
4	·01					·15	·04		·38		·01		4
5	·36						·04						5
6	·51			·10					·10				6
7	·02			·01					·07	·23			7
8			·30	·01	·19				·02	·29			8
9	·18			·12	·05				·17		·01		9
10	·55	·10		·30	·11	·06				·12			10
11	·44			·05	·01				·01	·06			11
12	·47			·06			·30		·02	·66			12
13	·02			·15	·08				·10	·83		·02	13
14	·30				·06		~~·05~~	·12			·18		14
15	·03			·01	·76		·05			·08	·13		15
16	·10			·12			·01 ~~·04~~					·01	16
17				·07			·02			·05			17
18	·03				·04		·01				·09		18
19	·01			·01					·01	·27		·01	19
20			·02	·07	·03		·01	·60	·06	1·17	·22	·01	20
21			·01	·03	1·32					·53		·07	21
22	·02		·20		·07	·01	·06	·25		·20	·41		22
23	·01	·01		·01	·56		·20		·73	·78	·01	·15	23
24		·01					·68		·24	·04			24
25							·58		·07	·40	·06	·01	25
26			·13	·10			·09		·03	·07	·01		26
27			·26	·27	·12	·03				·52			27
28			·02	·03	·03		·12			·02		·02	28
29			·26	·11	·11	·16		·05	·50	·33		·09	29
30		×	·10	·23		·83	·06		·47		·64	·24	30
31		×	·02	×		×	·18		×		×	·17	31
TOTAL	3·16	·12	1·32	2·55	4·38	1·57	2·45	1·04	3·09	6·69	1·78	1·13	YEAR'S TOTAL 29·28
*Days with ·01 in. or more.	18	3	10	23	18	7	16	6	17	20	12	14	164
*Days with .04 in. or more.	9	1	6	16	14	5	12	4	12	19	7	7	112

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Jack Blake

P.T.O.

672

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 672

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Alverstoke

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·56	·10								·02			1
2	·24		·59		·45									2
3		·13	·21								·01			3
4	·22	·03			·30									4
5	·10		·43											5
6		·22	·01		·21					·04	·05			6
7	·16	·01	·02		·18					·18				7
8	·06				·03		·20			·01				8
9					·02		·31			·02	·06			9
10	·01	·18			·05		·03			·28	·02			10
11	·22					·10		·08		·01				11
12					·03		·04		1·65			·02		12
13	·02				·03		·27	·06	·03	·04	·03			13
14										·32	·32	·01		14
15	·48		·21			·01	·03	·21		·15				15
16			·60			·11			·03					16
17		·02	·32			·01		·05	·07					17
18	·48		·11			·26								18
19		·01	·47	·04					·27		·06	·02		19
20		·04	·03	·07		·14			·48					20
21								·17	·03	·04				21
22						·03		·10	·15	·21	·01			22
23		·02		·33	·01	·16			·30	·40				23
24		·65		·19					·04					24
25		1·00		·34	·01				·09			·14		25
26		·67		·08	·07	·04			·15	·01		·01		26
27					·44				·01	·20		·31		27
28				·01		·01	·39			·03		·03		28
29	·11		·01	·10	·21		·06		·01			·05		29
30	·10	✕	·03				·07		·15	·01		·06		30
31	·14	✕		✕		✕			✕		✕			31
TOTAL	2·43	3·54	3·14	1·16	2·04	·87	1·40	·67	3·46	1·95	·58	·65	Year's Total 21·89	
*Days with ·01 in. or more.	14	13	14	8	14	10	9	6	15	16	9	9	137	
*Days with .04 in. or more.	12	8	9	7	8	6	7	6	10	10	4	4	91	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Jack Blake

[P.T.O.

672

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 672

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Monckton House, Alverstoke

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01					·08		·21		·17	·01	·61		1
2	·21		·08	·08	·29				·71	·21	·02	·38		2
3	·08	·01		·01				·01		·30		·23		3
4	·11		·08	·33	·12				·04	·11	·01	·28		4
5	·01		Trace					·15		·13	·01	·51		5
6	·01		·42	·08	·17	·02		·08		·30	·21	·70		6
7	·03							·26		·18		·23		7
8					·26			·02	·35		·87	·03		8
9	·01		·14								1·24	·54		9
10	·01	·01	·22	·18				·05			·98	·03		10
11	·68		·41	·18			·20	·46				·40		11
12	·04	·01	·02				·07	·28			·06	·07		12
13	·33		·14	·06			·22	·02			·07	·03		13
14	·19		·43	·01						·05	·10	·82		14
15					·15				·02	·16	·10	·68		15
16	·16		·40		Tr.				·04		Tr.	·14		16
17	·11		·02	Tr.					·03	·04		·34		17
18	·15		·20	·34		Tr.			·01			·28		18
19			·37						·23		·01	·16		19
20			·03	·04	Tr.	·13	·18							20
21				·30				Tr.	Tr.	·07		Tr.		21
22								·06	·33	·08		·21		22
23				·28		·36		·06	·04			·06		23
24		·01	·08	·06			·14	·01	·08					24
25	·17	Tr.	·01	·15		·03			·01	·19		·62		25
26	·01			·17		·17			·07	Tr.		·04		26
27				·04						·01		·38		27
28	·01					·09		·60				·32		28
29								·23	·12			·02		29
30	·04	×						·01	·04			·36		30
31		×		×		×		·05	×	Tr.	×	·10		31
TOTAL	2·37	·04	3·05	2·31	·99	·88	·81	2·56	2·12	2·00	3·69	8·57	Year's Total. 29·39	
* Days with .01 in. or more.	20	4	16	16	5	7	5	17	15	14	13	28	160	
* Days with .04 in. or more.	12	Nil	12	14	5	5	5	12	11	13	8	24	121	

40-9999

† Spare column, no entries required.

(*Signed*) [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 672

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at MONCKTON HOUSE, ALVERSTOKE

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" Ground " Sea Level 15 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	·21	—	·02	·07	1·95	—	·02	·11	·18	·01		1
2	—	—	—	—	—	·02	—	—	·01	·50	·01	·02		2
3	—	—	·06	·01	—	·01	—	—	·38	1·40	·07	—		3
4	—	·17	—	·09	—	·11	—	—	·23	·15	·18	·14		4
5	—	·51	·17	·09	—	·02	—	—	·46	·25	·02	·02		5
6	—	·01	·05	·22	—	·60	—	—	—	·02	·48	—		6
7	—	—	—	·31	·02	·01	—	—	—	·10	1·35	·10		7
8	·01	—	·01	·23	—	—	Trace	—	·03	·37	·59	—		8
9	·11	—	—	·33	—	·58	—	—	·30	·72	·04	—		9
10	·18	—	·24	—	—	·03	—	—	—	·06	·31	·01		10
11	·19	·01	·03	—	—	·07	—	—	—	·02	·49	—		11
12	·03	·03	—	—	—	·26	—	·18	·05	—	·77	—		12
13	·05	·12	—	·16	·04	·07	—	—	Trace	—	·10	—		13
14	—	—	—	·05	·06	·05	—	—	·06	Trace	·02	·18		14
15	—	·11	—	·58	·01	·05	—	—	·19	·01	·27	·04		15
16	—	·12	·02	·08	—	·08	—	—	·25	—	1·12	—		16
17	—	—	·01	·02	—	·27	·06	·02	·03	—	·23	—		17
18	—	—	—	·33	·07	·10	·04	—	·44	·02	·03	—		18
19	—	·01	—	·07	·26	·03	·19	—	·09	·05	·24	—		19
20	—	·39	—	·04		·01	·01	—	·01	—	·66	—		20
21	—	·47	—	·02	—	Trace	·02	—	—	·07	·01	—		21
22	—	·08	·02	·01	—	—	—	·03	·22	—	·01	—		22
23	—	·01	·02	—	·02	—	—	·57	·01	·44	—	·36		23
24	·02	·73	—	—	·11	—	—	1·05	·47	·02	—	·31		24
25	·02	·05	—	·26	·01	·01	—	·01	—	—	·02	·21		25
26	·01	·41	—	—	—	—	—	·14	·04	·01	—	·43		26
27	—	·69	—	—	—	—	—	·23	·06	Trace	·07	·42		27
28	—	·09	—	—	·14	—	—	—	·17	—	·02	·14		28
29	—	X	—	—	—	—	—	·20	·38	—	·01	·41		29
30	·05	✕	—	·06	·01	—	—	1·05	·16	·10	·33	·52		30
31	—	✕	—	✕	—	✕	—	·01	✕	·28	✕	·24		31
													Year's Total	
TOTAL	·69	4·01	·84	2·96	·77	2·45	2·27	3·49	4·06	4·70	7·63	3·56	37·43	
* Days with .01 in. or more.	11	18	11	19	12	20	6	11	23	20	27	17	195	
* Days with .04 in. or more.	5	13	5	15	6	12	4	7	17	14	18	13	129	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Jack Blake

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 672

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Monckton House, Alverstoke

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·22		·18		·17	·27				·15	·03		1
2		·02		·01		·04	·02	·07	·01		·02			2
3				·26			·02		·10		·61			3
4			·11		·01	·11	·02		·21		·19	·07		4
5	·45		Tr.					·02	·10		·09	·03		5
6	·48					·04		TR.	·18		·83			6
7	·18		·07				·02				·38	·09		7
8	·32		·18				·08				·66	·11		8
9	·30		·06				·41		·26					9
10						·02	·32							10
11	·21	·49		·09			·16	·01	·42		1·65			11
12				·06		·22	·21		·47		·33	·10		12
13							·02			·03	·06	·48		13
14		·11				·11	·63			·02	·01	·46		14
15		·03							·03		·07	·33		15
16	·17	·32			·06		·05		·08		·07	·06		16
17		·69				·42	·02	·04	·11	·02	·10	·59		17
18	·16	·11				·85	·19					·09		18
19	·29	·01	·09	·04		·43		·05		·01				19
20	·18	·06	·12	·21		·05			1·13	·01				20
21		·09		·64	·05	·06	·06							21
22	·12	·46	·24				·15					·07		22
23			·15	·09			·15			·06				23
24	·16		·01		·02		·01		·01	·25		·01		24
25	·06		·24	·32					·02	·08				25
26	·09	·11	·01	·02		·01			·07	·04				26
27	·35		·01				·02		·05	·10				27
28	·91		·25				·40					·07		28
29	·01	·04	·03			·10	·02			·08	·16	·04		29
30	·10	✕			TR.	·43				·03		TR.		30
31	·09	✕	·30	✕		✕	·25		✕	·02	✕	·27		31
													Year's Total	
TOTAL	4·81	2·76	1·87	1·92	·14	3·06	3·50	·19	3·25	·75	5·38	2·90	30·53	✓
* Days with ,01 in. or more.	20	14	15	11	4	15	23	5	16	13	16	17	169	✓
* Days with .04 in. or more.	19	11	11	9	2	13	14	3	12	6	14	14	128	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Jack Blake

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. 672

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at MONCKTON HOUSE, ALVERSTOKE

in the County of HANTS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·89	·01		·14					Trace		·91	·30		1
2	·02	·57		·11					·01	Trace		·25		2
3	·03	·14												3
4	·11	·86										·23		4
5	·13	~~·22~~ 03	·07	·02			·35							5
6	·17	·22	·86	·09	·06		·03			·01		·06		6
7		·51		·08	·13				·01	·09		2·45		7
8		·01	·02		·25							·03		8
9				·27	·04	·07	·06		·55					9
10		·02	·61	·16	·11	·24						·70		10
11	·02		·04	·01	·10	·01	·24					·03		11
12	·33	·30	·10	·06	·26	·40		·49	·24			·26		12
13	·37	·05	·78	·08	·02	·01		·07	·04			·68		13
14	·03	·01	·06	·18	·01			·20	·13			·04		14
15	·36	·15		·27			·59		·37			·30		15
16		·12	·35	·15		·17		·44	·39					16
17	·56	·04	·07						·10		·14			17
18	·29	12	·03						·10		·17	·13		18
19	·22	·08	·03	·12		·09			·01		·01	Trace		19
20	·34		·15	·21		·01						·05		20
21	·39	·26	·05	·03	·08		Trace				·01	·04		21
22	·53	·05	·17		·09		·22			·80	·25	·10		22
23	·18	·15	·01		·06		·04		·01	·28	·31	·01		23
24	·32	·43			·01				·02	·52		·01		24
25	·18	·32	·44		·60				·05	·18		·03		25
26		·31								·17				26
27	·01	·12		·08						·22				27
28	·12	·06								·05				28
29	·03									·02	·01			29
30	·39	✕								·14	·10			30
31	·37	✕		✕		✕			✕	·22	✕	·01		31
TOTAL	6·39	4·94	3·84	2·06	1·82	1·00	1·53	1·20	2·03	2·70	1·91	5·71	Year's Total 35·13	
* Days with .01 in. or more.	25	25	17	17	14	8	7	4	14	12	9	20	172	
* Days with .04 in. or more.	19	20	13	14	11	5	6	4	9	10	6	14	131	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Jack Blake [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 672

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Monckton House, Alverstoke

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					·30	·07	·03		·24	·03		·01		1
2				·02	~~·30~~					·68		·03		2
3					·04					·77	·11			3
4							·26	·09		·13		·14		4
5			·01				·14			·34	·01			5
6	·11					·01	·03		·14	·04	·04	·01		6
7	·01						·33	·36	·06	·24	Tr.	·02		7
8	·14	TR.					·07	·01		·23	·01	·14		8
9	·15	·02								·02		·64		9
10	·08					·03	·05				Tr.	·15		10
11	·23	TR.									·09	·15		11
12	·49				·02			·01		·07	·03	TR		12
13	·41				·01					·12	·35	·19		13
14	·41	·01	TR.		·12		·06							14
15	·12	·07					·28			·36	·02	·39		15
16	·44	·01	·03					·04		·01		·02		16
17		·13	·02		·03		·02		·18	·39	·05			17
18	·11				·01	·03			·20	·12	·42			18
19	TR							·04	·17		·65	·02		19
20								·10	·02		·48	·02		20
21	·03								·13		·04	·21		21
22	·02			TR.		·01		·25			·26	·13		22
23									·03		·06			23
24			·21						·18		·33			24
25	·13	·02	·12		·11		·01			·03	·75	·05		25
26	·40	·20	·01						·03	·13		·25		26
27	·18	·01			·17	·23	·29		·01		·28			27
28	·08	·09			·15	·14		·41	·07			·05		28
29	·02				·28				·02	·01	·19	·02		29
30	·02	✕			·05				·05	·03	·31			30
31	·17	✕		✕	·17	✕			✕	·23	✕	·23		31
TOTAL	3·75	·56	·40	·02	1·46	·52	1·57	1·31	1·53	3·98	4·48	2·87	Year's Total 22·45 # ✓	
* Days with .01 in. or more.	21	9	6	1	13	7	12	9	15	20	20	21	154 # ✓	
* Days with .04 in. or more.	16	4	2	0	9	3	8	7	10	14	16	13	102 # ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Jack Blake

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 672

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Monckton House. Alverstoke.
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04		·03	·28	·07		·04	·01	·13		·06	·03		1
2	·01			·07				·39	·28		·11	·01		2
3	·28			·54			·02	·20			·42	·52		3
4	·02		·45	·07	·05		·30	·18		·78	·17	·01		4
5			·04	·28	·12		·04	·04		·29	·54	·13		5
6	·34		·11	·01			·37	·03		·01	·17			6
7		·12	·02			tr	·02	·08			·09	·36		7
8		·10	·13							·65	47	·20		8
9	·03							·22		·25	·25	·20		9
10	·19					·11		·15	·19	·15	·09			10
11			·17							·64	·01			11
12	·02					tr				·05	·01			12
13				·06		·02	·30		·01	1·30	·01	·02		13
14	·64			·04	·03	·02	·04			·35	·61	·09		14
15	·55			·01	·57	·43	·08		·03	·27	·27	·02		15
16	·40		·02	·09	·03	·07	·17		·02	·40	·28			16
17	·14	·02			·14		·01			·72	·05			17
18	·19				·03	·04	·60				·54	·02		18
19	·25						·24			·01		·05		19
20	·55					·08	·01							20
21	·05	·13	·07			·10	·06		·01					21
22	·32	·38	·02			·11	·02				·07			22
23			·02	·18			·16			·02	·73			23
24	·48	·01	·02	·08		·10	·02							24
25	·54	·20	·03	·04			·04			·07	·27			25
26								·01		·09	·29	·01		26
27		·11	·05			·06				·01	·10			27
28		·32	·02			·02	tr				·18	·17		28
29				·03		·04	·08			·16	·01			29
30		✕		·57						·13	·06	·07		30
31		✕		✕		✕	·01	·03	✕	·68	✕			31
													Year's Total	
TOTAL	5·04	1·39	1·20	2·35	1·04	1·20	2·63	1·34	·67	7·03	5·86	1·91	31·66	✓
* Days with .01 in. or more.	19	9	15	15	8	13	21	11	7	21	26	16	181	✓
* Days with .04 in. or more.	15	7	7	12	5	10	14	7	3	17	22	9	128	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Jack Blake

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 672

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Monckton House, Alverstoke

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

„ Ground „ Sea Level 15 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1											·12			1
2		·02		·08	·01		·01				·32	·02		2
3	·01	·13					·02			·15	·97	·32		3
4		·38					·06			·30		·04		4
5		·14					·16				·52	·23		5
6	·36	·01			·01		·07			·46	·11	·05		6
7	·10	·33		·01	Trace		·01							7
8		·29								·35	·02	·22		8
9		Trace					·25	·01	·01	·22	·33	·33		9
10									·04	·19	·06	·01		10
11		·03									1·22	·02		11
12			·12				·32		·30		·01	Trace		12
13		·02	·55				·03		·26		1·51			13
14			·17	·06			·35		·06	·29		4 ·34		14
15			Trace		·03		·74		·10	·01	·57	–		15
16	Tr.	·71	·40	·07		·02			·12	·74	1·04	·03		16
17	~~Tr.~~		·46				·05				·29	Trace		17
18	·02	·36	·17	·25			·02		·04	·24	·04	·09		18
19		·08	·01	·07			·23		·44		·28			19
20			·01	·08					·04	·36	·05	·01		20
21	Tr.				·01				·01	Trace	·32			21
22			·03	·06		·18			·11	·01				22
23		·05	·12	·01	·05						·04			23
24							·29							24
25	·01		·55		·03		·03				·01			25
26	·96	·20	·25	·05	·32	·01	·06							26
27	·53	·55		·08	Trace		·20							27
28	·46	·02		·01	·12									28
29	·32	·42	·18	·33	·06					·01		·19		29
30	·03	×		·08						·22		·04		30
31	·03	×		×		×			×	·73	×	·20		31
TOTAL	2·83	3·74	3·02	1·24	·64	·21	2·90	·01	1·53	4·28	7·83	2·14	Year's Total 30·37	
* Days with .01 in. or more.	11	17	13	14	9	3	18	1	12	15	20	16	149	
* Days with .04 in. or more.	6	12	10	11	4	1	12	Nil.	10	12	17	11	106	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Jack Blake

[P.T.O.

673

Section **A** for the entry of Daily Obs

AIR MINISTRY.—METEO

FORM 1090.

REGISTER

Kept at Alverstoke

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

,, Ground ,, Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule shou

year in the space on the right of this paragraph.

673

ALVERSTOKE

1931 - 1940

780114

PY FOR OFFICIAL USE.

ORGANIZATION.

ovember

Separate Sheets

following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·22		·02		·04	·14				1
2		·05		·46				·26	·52			·00	2
3	·24		·50	·05	·12		·01	·02	·67		~~·06~~	·15	3
4	·03	·01	·03		·16		·13	·22	·07	·05	·04		4
5		·04		·18		·49	·05	·01	·03	·02	·03	·16	5
6		·08		·20	·25	·08	·02		·02	·39	·13	·04	6
7					·13	·21		·26		·04	·24	·08	7
8		·11		·03		·27	·05	·06		·02	·14		8
9		·17		·01		·05	·04				~~·75~~	·01	9
10	·04	·01				·13	·03	·03			·75		10
11	·15	·33				·01			·06		·25		11
12	·02	·01					·03		·18				12
13													13
14	·03	·17				·05	·75	·08	·02				14
15	·01	·03			·11		·40	·21	·03			·01	15
16				·10	·24	·06		·09	·17				16
17		·09		·19	·01		·22		·11				17
18	·03	·01	·03	·04		·10	·13	·79			·32		18
19	·10			·12		·05		·07					19
20		·07	·04	·16				·33			·06		20
21	·03	·01	·01		·29						·05		21
22	·46		·36	·19				·01					22
23	·39	·01		·05	·27				·04		·30	·02	23
24	·01			·48	·12	·14	·18	·47			·01		24
25	·08			·35	·09		·06				·05		25
26	·01	·03		·10			·39				·53		26
27	·13	·07		·01	1·28		·33			·01	·05		27
28	·10	·12		·09	·03						·01	·11	28
29	·11				·27		·09	·03		·01	·01		29
30		×			·06			·02			·03		30
31	·32	×		×		×	·03	·01	×	·	×	·03	31
TOTAL	2·29	1·65	·97	3·03	3·37	1·66	2·94	3·01	1·96	·54	3·07	·68	YEAR'S TOTAL 25·17
*Days with ·01 in. or more.	19	20	6	19	15	13	18	19	13	7	19	10 68	178
*Days with ·04 in. or more.	11	11	3	16	13	11	13	12	9	3	14	6	122

40-9999

(Signed) J. G. Thomas [P.T.O.

*See Instruction 2 (*f*) on other side.

673.

Section **A** for the entry of Daily Obs[redacted]Y FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~1~~2.

Kept at Alverstoke

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 20 ft.

Rainfall for November & December on Separate Sheet

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·22		·02		·04	·14				1
2		·05		·46				·26	·52			·00	2
3	·24		·50	·05	·12		·01	·02	·67		~~·06~~	·15	3
4	·03	·01	·03		·10		·13	·22	·07	·05	·04		4
5		·04		·18		·49	·05	·01	·03	·02	·03	·16	5
6		·08		·20	·25	·08	·02		·02	·39	·13	·04	6
7					·13	·21		·26		·04	·24	·08	7
8		·11		·03		·27	·05	·06		·02	·14		8
9		·17		·01		·05	·04				~~·75~~	·01	9
10	·04	·01				·13	·03	·03			·75		10
11	·15	·33				·01			·06		·25		11
12	·02	·01					·03		·18				12
13													13
14	·03	·17				·05	·75	·08	·02				14
15	·01	·03			·11		·40	·21	·03			·01	15
16				·10	·24	·06		·09	·17				16
17		·09		·19	·01		·22		·11				17
18	·03	·01	·03	·04		·10	·13	·79			·32		18
19	·10			·12		·05		·07					19
20		·07	·04	·16				·33			·05		20
21	·03	·01	·01		·29						·05		21
22	·46		·36	·19				·01					22
23	·39	·01		·05	·27				·04		·30	·02	23
24	·01			·48	·12	·14	·18	·47			·01		24
25	·08			·35	·09		·06				·05		25
26	·01	·03		·10			·39				·55		26
27	·13	·07		·01	1·28		·33			·01	·05		27
28	·10	·12		·09	·03						·01	·11	28
29	·11				·27		·09	·03		·01	·01		29
30		×			·06			·02			·03		30
31	·32	×		×		×	·03	·01	×	·	×	·03	31
TOTAL	2·29	1·65	·97	3·03	3·37	1·66	2·94	3·01	1·96	·54	3·07	·6[illegible]	YEAR'S TOTAL 25·17
*Days with ·01 in. or more.	19	20	6	19	15	13	18	19	13	7	19	10 68	178
*Days with ·04 in. or more.	11	11	3	16	13	11	13	12	9	3	14	6	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. G. Thomas [P.T.O.

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.**

Station No. 673

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

28.93 in

Kept at Alverstoke

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 20 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09			·13	·80			·03			·01	·01	1
2	·01			·30	·05			·01	·07			·26	2
3				·25	·03	·29			·40	·05		·05	3
4	·01					·21			·10		·01	·01	4
5	·32					·01	·08						5
6	·46			·10					·07				6
7	·03			·02					·03	·25			7
8	·02		·31	·01	·19				·20	·28			8
9	·18		·01	·13	·06				·02		·01		9
10	·58	·13		·28	·10	·06			·07	·13			10
11	·42			·05	·02				·02	·07			11
12	·47			·05					·10	·63			12
13	·04			·15	·09		·30			·82		·03	13
14	·29				·05			·12		·01			14
15	·04			·01	·76		·05			·07	·14		15
16	·09			·11	·01		·01						16
17	·02			·07			·03			·06			17
18	·03				·05		·01		·01	·26	·10	·01	18
19	·01			·01					·06			·01	19
20			·03	·07	·03		·01	·56		1·11	·23		20
21			·20	·03	1·28					·48	·01	·07	21
22	·02				·07		·05	·28	·68	·18	·36		22
23				·01	·54		·26		·25	·75	·01	·15	23
24		·03		·01			·68		·05	·04			24
25							·55		·06	·40	·05	·01	25
26			·18	·10			·10			·07		·01	26
27			·25	·23	·14	·03				·53			27
28			·02	·03	·04		·13			·05		·03	28
29			·26	·10	·12	·09		·05	·57	·31		·09	29
30		×	·12	·21	·01	·92	·05		·49		·63	·25	30
31		×	·03	×		×	·11		×		×	·18	28·94 31
TOTAL	3·13	·16	1·36	2·46	4·44	1·61	2·32	1·05	3·13	6·55	1·56	1·17	YEAR'S TOTAL 2[illegible]
*Days with ·01 in. or more.	19	2	10	24	20	7	15	6	18	21	11	15	168
*Days with .04 in. or more.	11	1	6	16	15	5	10	4	13	21	6	6	114

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J. G. Thomas

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 673

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Alverstoke

in the County of Southampton Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 20 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·54	·11	~~·01~~	·01								1
2	·23		·53	~~·46~~	·46						·01		2
3	·01	·12	·21								·01		3
4	·22	·04	·01	~~·30~~	·30						·01		4
5	·10		·42								·05		5
6	·01	·23	·02	~~·22~~	·22					·04			6
7	·15		·03	~~·17~~	·17					·18		·02	7
8	·06			~~·04~~	·04		·21						8
9	·01			~~·01~~	·01		·30			·03	·05		9
10		·20		~~·06~~	·06		·04			·28	·02		10
11	·22					·09		·09					11
12				~~·04~~	·04		·03		1·60				12
13	·03				·03		·28	·06	·06	·05	·03		13
14										·32	·33		14
15	·48		·22			·01	·03	·22		·15			15
16			·55			·10			·03				16
17			·33			·03		·05	·08				17
18	·48	·02	·11			·24					·01		18
19			·43	·04					·28		·07	·01	19
20		·05	·05	·08		·13			·48				20
21								·18	·04	·03			21
22						·04		·12	·14	·21			22
23		·04		·32		·16			·23	·40			23
24		·45		·17	·01				·04				24
25		·93		·35					·07			·14	25
26		·40		·09		·05			·19	·03		·01	26
27					·47				·01	·20		·25	27
28		·01				·01	·39			·03		·02	28
29	·10			·09	·21		·06		·01			·05	29
30	·10	×	·05				·07		·14			·07	30
31	·12	×		×		×			×		×		31
TOTAL	2·41	3·09	3·07	1·14	2·03	·86	1·41	·72	3·40	1·95	·69	·57	YEAR'S TOTAL 21·24
*Days with ·01 in. or more.	16	12	14	7	13	10	9	6	15	13	10	8	133
*Days with ·04 in. or more.	12	10	12	7	9	7	7	6	12	9	4	4	94

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J. G. Thomas

P.T.O.

1934

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 673

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at Alverstoke Gosport

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 15 in in.

,, Ground ,, Sea Level 20 ft.

[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02					·08		·19		·18	·01	·55		1
2	·25		·10	·08	·31				·69	·22	·03	·35		2
3	·03			·02				·01		·21		·27		3
4	·12		·08	·34	·13				·04	·18	·01	·30		4
5	·01							·14		·15	·02	·47		5
6			·43	·08	·18	·02		·03		·27	·22	·71		6
7	·63							·30		·17		·23		7
8	·01				·27			·03	·34		·90	·04		8
9			·09								1·25	·54		9
10	·03		·23	·15				·05			·95	·04		10
11	·68		·40	·20			·20	·46			·01	·34		11
12	·04		·02	·01			·08	·29			·07	·08		12
13	·32		·13	·06			·22	·03			·08	·04		13
14	·18		·43							·05	·12	·85		14
15			·06		·15				·02	·18	·11	·60		15
16	·15		·42						·05		·01	·14		16
17		·01	·03						·04			·33		17
18	·14		·20	·34					·01	·05		·31		18
19			·33						·23			·14		19
20			·03	·05			·18				·01	·01		20
21				·30	~~·12~~	·12				·05				21
22								·06	·29	·08		·19		22
23				·28	·	·37		·08	·04			·07		23
24		·01	·08	·07		·01	·15	·02	·08			·55		24
25	·19			·15		·04			·01	·19		·04		25
26	·01			·20		·17			·06			·38		26
27	·01			·05						·01		·32		27
28						·10		·59				·		28
29								·24	·12			·35		29
30	·05	×						·03	·04			·		30
31		×		×		×		·04	×		×	·10		31
TOTAL	2·27	·02	3·00	2·38	1·04	·91	·83	2·59	2·06	1·96	3·79	8·34	Year's Total.	
* Days with .01 in. or more.	18	2	16	16	5	8	5	17	15	14	15	28	29·19	159
* Days with .04 in. or more.	10	0	13	14	5	6	5	11	12	13	8	27		124

40-9999

† Spare column, no entries required.

(*Signed*) J. G. Thomas

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 673

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Alverstoke Gosport

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 8 in.

,, Ground ,, Sea Level 20 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·18	·20		·08	·07	1·90		·04	·14	·17	·01		1
2		·55				·03			·36	·50	·02	·03		2
3		·03	·07	·01		·01			·25	·40	·08			3
4				·10		·10			·46	·15	·18	·13		4
5			·15	·10		·03				·27	·05	·03		5
6			·08	·21		·58				·03	·45			6
7				·30	·02	·03				·10	1·37	·10		7
8			·01	·22		[illegible]				·37	·55	·01		8
9	·10			·30		·54			·33	·70	·05			9
10	·17		·18	·01		·04				·06	·33	·01		10
11	·18	·01	·04			·05				·03	·50			11
12	·03	·04				·28		·19	·04		·78			12
13	·06			·15	·03	·08					·08			13
14		·10		·05	·07	·05			·06		·03	·16		14
15				·48		·06			·21		·26	·06		15
16		·14	·02	·08		·10			·24		·90			16
17				·03	·01	·26	·07	·02	·04		·25			17
18				·30	·08	·10	·05		·40	·03	·02			18
19				·07	·24	·04	·12		·10	·05	·20			19
20		·36		·05	·03		·06		·01		·65			20
21		·50		·03			·03			·08	·01			21
22		·10	·03	·02				·03	·23		·01			22
23			·02		·03			·50		·39		·25		23
24	·02	·71			·12			1·06	·45	·02		·26		24
25	·04	·05		·25	·02			·01			·02	·15		25
26		·29						·14	·04	·01		·39		26
27		·72						·25	·06		·07	·39		27
28		·10			·14				·20		·03	·15		28
29					·03			·18	·35		·01	·43		29
30	·05	×		·05				1·05	·15	·10	·33	·53		30
31		×		×		×		·61	×	·28	×	·25		31
TOTAL	·68	3.88	·80	2·81	·90	2·50	2·23	3·44	4·03	4·71	7·40	3·33	Year's Total. [illegible]·70	
* Days with .01 in. or more.	10	15	10	20	13	18	6	11	20	19	27	18		187
* Days with .04 in. or more.	7	13	6	15	7	14	5	8	19	14	20	13	36·7	141

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 673

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

~~Total~~

Kept at Alverstoke Gosport

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 20 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·19	·23	·01	·19		·16	·27	·07			·15	·04		1
2		·03		·01		·06	·03				·02			2
3				·25			·02		·10		·61			3
4			·12			·11	·03		·21		·19	·07		4
5	·43		·01		·01			·03	·10		·09	·04		5
6	·49								·13		·75			6
7	·17		·05				·02				·42	·09		7
8	·30	Snow	·19				·03				·68	·12		8
9	·30		·07				·46		·21		~~[illegible]~~			9
10		·33				·01	·33				·01			10
11	·21			·10			·17		·40		1·50	·01		11
12		SNOW		·08		·21	·22		·49		·32	·07		12
13						·03	·03			·03	·06	·50		13
14		·13				·10	·62			·03	·01	·46		14
15		·03					·01		·05		·08	·32		15
16	·20	·23			·05		·04		·10		·08			16
17		·48				·35		·04	·12	·02	·10	·57		17
18	·16	·10				·90	·20					·09		18
19	·25	·01	·08	·01		·43		·05						19
20	·19	·04	·14	·24		·05			1·11	·02				20
21		·08	·01	·44	·05	·08	·08		·02					21
22	·11	·38	·25				·17					·05		22
23			·15	·09			·13			·07				23
24	·10		·02		·03		·02		·02	·24		·06		24
25	·05		·20	·30						·08				25
26	·08	·10	·01	·03		·01			·11	·05				26
27	·36		·02						·05	·02				27
28	·86		·25			·08	·39							28
29		·05	·04			·44	·03			·15	·17	·03		29
30	·11	×	·30							·03				30
31	·10	×		×		×	·27		×	·03	×	·25		31
TOTAL	4·66	2.22	1.92	1·74	·14	3.02	3.67	·19	3.22	·82	5·24	2·77	Year's Total. 29.61	
* Days with .01 in. or more.	19	14 ~~18~~	18	11	4	15	22	4	15	12	17	16	167	
* Days with .04 in. or more.	19	11	12	8	2	12	14	3	13	6	15	14	129	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 673

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Alverstoke Gosport

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 20 ft.

Days + Totals ✓ ✓ KJ

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.70	.02		.08							.86	.30		1
2	.02	.50	.02	.12								.25		2
3	.03	~~.15~~										.23		3
4	.11	.85		.02										4
5	.74	.81	.07				.36							5
6	.18	.04	.83	.10	.07		.03							6
7		~~.46~~		.04	.14					.10		2.31		7
8		.46		.28	.18	[illegible]						.10		8
9					.04	.08	.05		.33					9
10		.02	.02	.18	.11	.20						.70		10
11	.01		.55	.02	.10	.03	.21					.05		11
12	.13	.32	.04	.05	.29	.40		.46	.23			.28		12
13	.40	.04	.11	.08	.03	.02	.03	.08 08	.04			.65		13
14	.03	.01	.53	.20	.01				.13			.07		14
15	.35	.12	.07	.28			.57	.18	.29			.30		15
16	~~.56~~	.11	.30			.18		.40	.41			.02		16
17	.56	.04	.08	.16					.10		.12			17
18	.20	.11	.04						.07		.17	.14		18
19	.20	.07	.04	.12		.10								19
20	.34		.06	.20		.02						.04		20
21	.40	.26	.06	.04							.02	.04		21
22	.50	.05	.03		.15		.14			.51	.25	.09		22
23	.17	.14	.06		.08		.12			.22	.29	.01		23
24	.30	.35	.03		.02		—		.01	.46		.01		24
25	.20	.32	.08		.60				.05	.17		.03		25
26	.01	.33	~~.02~~							.15				26
27		.10	.09	.09						.22	.02			27
28	.17	.07								.06				28
29	.05									.03	.02			29
30	.40	✗								.15	.10			30
31	.33	✗		✗	F	✗			✗	.23	✗			31
TOTAL	6.08	4.66	3.46	2.06	1.62	1.02	1.51	1.12	1.66	2.30	1.85	5.62	Year's Total 3296	✓
* Days with .01 in. or more.	25	23	20	17	13	8	8	4	10	11	9	19	167	✓
* Days with .04 in. or more.	20	20	16	15	10	5	6	4	9	10	6	15	136	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 673

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Alverstoke

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 15 ft. in.

,, Ground ,, Sea Level 20 ft.

Totals: Days: A

notified 2/2/39 W.J.H.

corr. for Dec 19-26 snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·19	0	·19	·05	·02		·24	·04				1
2										·67				2
3			·02		·02					·68	·03			3
4							·21			·14		·15		4
5							·10	·04		·33				5
6	·10						·03		·15	·04	·06	·03		6
7							·21	·12	·06	·20		·15		7
8	·13						·09			·22		·60		8
9	·15	·01								·03				9
10	·09					·02	·05					·15		10
11	·22										·09	·17		11
12	·43		~~·02~~		·02					·07	·04			12
13	·42		~~·01~~		·07					·10	·33	·19		13
14	·40				·12		·07		·01					14
15	·30	·05			·02		·22			·35	·03	·41		15
16	·35		·04					·01		·01				16
17		·14	·02			·03			·17	·35	·06			17
18	·11								·23	·13	·40			18
19									·14		·20	✓		19
20								·03	·03		·46	✓		20
21	·03							·06	·14		·65	4		21
22	·02							·04	·01		·25	4		22
23									·04			(·70)		23
24			·20						·19		·31			24
25	·13	·02	·11		·10						·64	4		25
26	·40	·20			~~[illegible]~~				·06	·17		4		26
27	·17	·01			·14	·16	·25		·01		·25			27
28	·10	·09			·24	·12		·40	·07					28
29	·03				·25						·16	·50		29
30	·03	✕			·05				·07		·28			30
31	·18	✕		✕	·17	✕			✕	·25	✕	·21		31
TOTAL	3·63	·52	·37	0	1·26	·38	1·25	·70	~~1·16~~ 1·82	3·86	4·03	~~2·[illegible]~~ (2·27)	Year's Total ~~21·89~~	20.89
* Days with .01 in. or more.	20	7	6	—	12	5	10	7	16	17	17	16	133	
* Days with .04 in. or more.	16	4	4	—	8	3	8	5	12	15	15	13	103	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

FORM 1090.

673

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939

At Alverstoke Gosport

In the County of Southampton

Rain Gauge
- Diameter of Funnel 5 in in.
- *Height of Top above Ground* 15 *ft.* .... *in.*
- *Height of Ground above Sea Level* 20 ft *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4.59				
FEB.	1.37				
MAR.	1.22				
APRIL	2.36				
MAY	1.05				
JUNE	1.22				
JULY	2.54				
AUG.	1.35				
SEPT.	·68				
OCT.	6.70				
NOV.	5.58				
DEC.	1.61				
TOTAL	30·27 ~~30.17~~				

Corrected for arith: JMS.

Signature ....

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
J. G. Thomas 2 Ellachie Rd
– Alverstoke, Gosport

Hour of observation by the clock—in Winter ~~9~~ 10 a.m. in Summer 9 a.m.

Nearest Railway Station Gosport Distance 1¼ m Direction from gauge ....

Nearest Parish Church at Alverstoke Distance ¼ m Direction from gauge ....

Nature of objects nearest to gauge	House	Greenhouse	Wall	Wall
Height of objects	40 ft	15 ft	6 ft	?
Distances ...	~~50 ft~~ W	E	N	S
Directions from gauge ...	50 ft	12 ft	12½ ft	12½ ft

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
MAR 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 643

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Alverstoke Gosport

in the County of Hampshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 30' ft.

Jan 28th estd.
Jan 29th–31st & Feb 1st apportioned

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.18	(.40)									.10			1
2	.47	.11			.01						.35			2
3		.39		.05						.18	.96	.33		3
4				.01			.02			.30				4
5							.05				.42			5
6		.33								.41	.12	.06		6
7		.29		.02			.20							7
8	.10						.01			.28		.19		8
9										.24	.30	.32		9
10							.22		.03	.14	.05	.02		10
11									.03		1.00			11
12			.11				.32		.29		1.50			12
13			.55				.04		.08			.35		13
14			.18	.05			.38		.12	.24				14
15					.02	.01	.70		.10		.54			15
16			.50	.08					.05	.60	.99	.03		16
17			.30				.05		.23		.28			17
18		.80	.17	.15						.23	.03			18
19		.23	.02	.88			.12				.24			19
20			.01	.10			.10		.64	.39				20
21			.30						.10	.07	.30			21
22			.04	.04		.20								22
23			.12	.01	.05						.04			23
24				.02			.30							24
25	.02				.03		.02							25
26	.80	.21	.60	.04	.33		.05							26
27	.63	.70	.22				.20							27
28	(.40)	.02		.10	.12									28
29	(.40)	.43	.18	.35	.05							.18		29
30		✕	.02	.05						.30		.30		30
31		✕		✕		✕		Nil	✕	.60	✕			31
TOTAL	3.00 ~~2.20~~	3.51 3.91	3.32	1.95	.61	.21	2.78	Nil	1.64	3.99	4.25	1.78	Year's Total ~~29.64~~	30.07
* Days with .01 in. or more.	~~6~~ 8	~~11~~ 10	15	15	7	2	16	–	10	13	16	9	121	
* Days with .04 in. or more.	57	~~10~~ 9	12	11	4	1	13	–	8	12	15	7	9 98	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. G. Thomas [P.T.O.

X SOUTHSEA (ST. EDWARD'S ROAD)

673/5

SOUTHSEA

ST. EDWARD'S RD.

1935 - 1938

780114

Section **A** for the entry of Daily Obse

AIR MINISTRY.—METEO

ation No. 673/5

ORGANIZATION.

FORM 1090.

REGISTER

Kept at ~~30 St Edward's Road, S~~

in the County of Hampshire

43/35

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft

,, Ground almost Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										0.08	0.13	trace		1
2										0.35	—	—		2
3										1.51	0.08	—		3
4										0.18	0.10	0.17		4
5										0.16	—	0.01		5
6										0.01	0.34	—		6
7										0.05	1.20	0.09		7
8										0.28	0.55	—		8
9										0.58	0.04	—		9
10										0.05	0.50	—		10
11										—	0.48	—		11
12										—	0.87	—		12
13										—	0.05	—		13
14										trace	.005	0.16		14
15										trace	0.20	0.05		15
16										trace	1.09	—		16
17										—	0.21	—		17
18										trace	—	—		18
19										0.05	0.26	—		19
20										—	0.61	—		20
21										0.04	—	—		21
22										—	—	—		22
23										0.46	—	0.34		23
24										0.02	—	0.27		24
25										—	trace	0.20		25
26									0.02	—	—	0.34		26
27									0.05	—	0.07	0.34		27
28									0.15	—	—	0.20		28
29									0.23	trace	—	0.38		29
30		✕							0.10	trace	0.28	0.51		30
31		✕		✕		✕			✕	0.26	✕	0.21		31
TOTAL									imp	4.08	7.07	3.27	Year's Total. imp	
* Days with .01 in. or more.													-	
* Days with .04 in. or more.													-	

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(Signed) X MRS. B.H. KEY X

[P.T.O.

X SOUTHSEA (ST. EDWARD'S ROAD)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 673/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ~~30 St Edward's Road~~, Southsea

in the County of Hampshire

44643/35

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground almost Sea Level 10 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										0.08	0.13	trace		1
2										0.35	—	—		2
3										1.51	0.08	—		3
4										0.18	0.10	0.17		4
5										0.16	—	0.01		5
6										0.01	0.34	—		6
7										0.05	1.20	0.09		7
8										0.28	0.55	—		8
9										0.58	0.04	—		9
10										0.05	0.50	—		10
11										—	0.48	—		11
12										—	0.87	—		12
13										—	0.05	—		13
14										trace	·005	0.16		14
15										trace	0.20	0.05		15
16										trace	1.09	—		16
17										—	0.21	—		17
18										trace	—	—		18
19										0.05	0.26	—		19
20										—	0.61	—		20
21										0.04	—	—		21
22										—	—	—		22
23										0.46	—	0.34		23
24										0.02	—	0.27		24
25										—	trace	0.20		25
26									0.02	—	—	0.34		26
27									0.05	—	0.07	0.34		27
28									0.15	—	—	0.20		28
29									0.23	trace	—	0.38		29
30		×							0.10	trace	0.28	0.51		30
31		×		×		×			×	0.26	×	0.21		31
TOTAL									imp	4.08	7.07	3.27	Year's Total. imp	
* Days with .01 in. or more.													-	
* Days with .04 in. or more.													-	

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) X MRS. B. H. KEY X

[P.T.O.

Hants 5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 673/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at 38 St Edwards Road Southsea

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Just Sea Level 10 ft.

L X 44643/35 Cuirt 1935

Totals ✓

Days ✓ Days adj. by Surr. Stns.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.26	0.23	—	0.14		0.10		—			0.14	·003		1
2	—	0.02	—			0.07	0.26	·004						2
3	—		—	0.22		trace	·003		0.07		0.60			3
4	·01 ~~·005~~		0.11		0.04	0.10	(·02) ✓		0.18		0.20	·005		4
5	0.26								0.07		0.06			5
6	0.51								0.17		0.68			6
7	0.17		0.06				(·01) ✓				0.44	0.11		7
8	0.27		0.22				(·03) ✓ ~~0.06~~				0.65	0.10		8
9	0.28		0.06				0.52		0.19					9
10	—					·004	0.25				·003			10
11	0.19	0.53		0.06			0.16	✓	0.25		1.66			11
12	~~·005~~			·002		0.23	0.19	·004 ✓	0.48		0.26	0.08		12
13	—					~~·001~~	—		·001	·003 ✓	·004	0.46		13
14	—	0.13				0.08	0.69			✓	·005	0.28		14
15	—	trace					—		0.08		0.07	0.30		15
16	0.18	0.33			·002		·003		0.14		0.07	·005		16
17	~~0.15~~	0.64				0.79	—	·003	0.13	·001	0.08	0.46		17
18	0.30	0.17				0.45	0.16					0.06		18
19	0.15	trace	0.08	trace		0.35		·003						19
20	0.20	0.04	0.07	0.22		0.10			0.80					20
21		0.07	trace	0.62		0.08	·004							21
22	×	0.36	0.18		·004		0.12					·005		22
23	—		0.11	×			0.19			0.08				23
24	0.25				trace		·004			0.20				24
25	×		0.21	0.30 ×					·001	0.09				25
26	0.15	0.10					✓		·005	·002				26
27	0.28								0.20	0.11				27
28	0.82		0.23				0.44					0.06		28
29		·004	·002			0.08	✓			0.09	0.16			29
30	0.10	×	—		·005					·002				30
31	0.09	×	0.27	×		×	0.22		×	·003	×	0.20		31
TOTAL	4·47	2·66	1·62	1·58	·15	2·48	3·40	·14	2·83	·68	5·19	2·29	Year's Total 27·49	
*Days with ·01 in. or more.	(20)	12	12	(9)	4	13	(20)	(5)	15	(11)	16	14	(151)	
*Days with .04 in. or more.	(19)	11	11	(8)	3	12	(13)	(1)	13	(5)	15	13	(124)	

Print

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

~~Mrs~~ (Signed) Edith C. Key

X MRS. B. H. KEY X

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 673/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at 30 St Edward's Road Southsea

in the County of Hants

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Same as before

Totals ✓

Days ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.80			0.13							0.84	0.27		1
2	0.01	0.44		0.10								0.18		2
3	0.05	0.13												3
4	0.12	0.90										0.24		4
5		0.03	0.07				0.32							5
6	0.20	0.21	0.59	0.09	0.05		0.04			Trace		0.05		6
7		0.54		0.07	0.07					0.07		1.92		7
8			0.03		0.28		Trace					0.96		8
9				0.27	0.08	0.05	0.06		0.56					9
10		0.02	0.57	0.14	0.07	0.30						0.64		10
11	0.02		0.05		0.08	0.01	0.23							11
12	0.32	0.34	0.11	0.07	0.20	0.37		0.30	0.18			0.36		12
13	0.36	0.05	0.84	0.07	0.05			0.03	0.04			0.58		13
14	0.04		0.07	0.16				0.16	0.06					14
15	0.34	0.11		0.25			0.47		0.55			0.38		15
16		0.11	0.38	0.12		0.23	Trace	0.42	0.46					16
17	0.58	0.03	0.06						0.12		0.11			17
18	0.30	0.11	0.01						0.09		0.18	0.15		18
19	0.20	0.06	0.03	0.09		0.10			0.02					19
20	0.35		0.16	0.20		Trace			Trace			0.05		20
21	0.38	0.24	0.05	0.02			Trace				0.04	0.03		21
22	0.47	0.03	0.18		0.15		0.19			0.77	0.27	0.08		22
23	0.21	0.14			0.05		0.05			0.32	0.28	0.09		23
24	0.29	0.43			0.03				0.01	0.44				24
25	0.15	0.34	0.41		0.34				0.04	0.09				25
26		0.27								0.16				26
27		0.10		0.07						0.15				27
28	0.10	0.11								0.20				28
29										0.04	0.04			29
30	0.48	✕								0.14	0.06			30
31	0.37	✕		✕		✕			✕	0.24	✕	0.03		31
													Year's Total	
TOTAL	6·14	4·74	3·61	1·85	1·45	1·06	1·36	·91	2·13	2·62	1·82	6·01	33·70	✓
* Days with .01 in. or more.	22	22	16	15	12	6	7	4	11	11	8	16	150	✓
* Days with .04 in. or more.	20	18	13	14	11	5	7	3	8	11	8	14	132	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Edith C. Key [P.T.O.

Mrs Key

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 673/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at 30 Edward's Road Southsea
in the County of Hants
Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground........ft.........in.
,, Ground ,, Sea Level..........ft.

Totals O.K. W.E.R.

0·13 ins on Oct. 7th agrees with surr. stns. Value was suggested by observer.
W.E.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					0.35	0.12			0.24	0.02				1
2										0.55		0.04		2
3					0.05					0.72				3
4	0.005						0.24	0.08		0.13	0.07	0.09		4
5							0.15			0.30				5
6	0.09						0.02			0.01	0.05			6
7							0.34	1.77	0.13	0.22		0.03		7
8		Trace					0.05	0.01		0.05				8
9	0.22	0.01					0.04			0.15		0.12		9
10						0.04						✓		10
11	0.26										0.08	0.92		11
12	0.42				0.03					0.05	0.04			12
13	0.40				Trace						0.29	0.14		13
14	0.40	Trace of snow			0.10		0.05			0.07				14
15	0.11	0.06					0.10			0.35				15
16	0.34	0.01	0.03					0.03			0.02			16
17		0.11	0.02		Trace					0.30	0.04	0.20		17
18	0.11				0.03	0.05			0.41	0.15	0.40			18
19								0.03	0.21		0.74			19
20								0.13			0.58	0.13		20
21	·025								0.12		0.05			21
22	·01			Trace				0.21			0.25			22
23											0.05	0.17		23
24			0.20				0.01		0.03	0.07	0.30			24
25	0.11	0.02	0.14		0.12				0.21		0.57			25
26	0.41	0.19				Trace				0.20	0.05	0.20		26
27	0.16				0.20	0.20	0.31		0.03		0.22			27
28	0.12	0.09		Trace	0.18	0.12		0.40				0.07		28
29	0.04				0.29				0.04		0.21			29
30	0.03	✕			0.03				0.07	0.03	0.18	0.03		30
31	0.18	✕		✕	0.13	✕		~~0.24~~	✕	0.18	✕	0.15		31 "d"
													Year's Total	
TOTAL	3.50	0.49	0.39	0.00	1.51	0.53	1.31	2.66	1.49	3.55	4.19	2.31	21.93	
* Days with .01 in. or more.	19	7	4	—	11	5	10	8	10 ~~9~~	18	19	14	125 ~~124~~	
* Days with .04 in. or more.	16	4	2	—	8	5	8	5	8 ~~7~~	15	18	12	101 ~~100~~	

† Spare column, no entries required.

(Signed) ....[P.T.O.

* See Instruction 3 (f) on other side.

673/7
600468/37

673/T

STH HAYLING
(LORIDGE)
1937 – 1940

780114

FORM 1090. **B** Monthly Summary

*** The following register of monthly total &c., is NOT required if daily or week values are given on the other side.

RAINFALL IN 1937

SOUTH HAYLING (LORIDGE)

At Loridge. South Rd – Hayling Isd

In the County of Hants

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground ft. 10 in.
Height of Ground above Sea Level abt 10 ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
2" low JAN.	4·98	0·73	1	24	20
FEB.	4·51	0·83	4	19	17
MAR.	3·53	0·89	13	15	12
APRIL	1·90	0·36	9	13	13
MAY	1·80	0·45	7	14	11
JUNE	0·74	0·36	10	6	4
JULY	1·39	0·49	15	8	5
AUG.	1·11	0·53	16	4	4
SEPT.	1·78	0·52	9	11	8
½" low OCT.	2·20	0·79	22	11	11
NOV.	1·78	0·91	1	9	7
½" low DEC.	5·00	1·78	7	17	14
TOTAL	30·72	low of extreme rr		151	126

Signature Douglas S. Bird

D. S. Bird, Esq.

*See Instruction 2 (*f*) below.

...n and also the space for ...s register should be sent:—

...D. HAYLING ISLAND HANTS

...in Summer 9.0

...e. ¾ mile Direction from gauge W.

Nearest Parish Church at ~~¾ m~~ Hayling Isd Distance ¾ mile Direction from gauge NNE

Nature of objects nearest to gauge	Outbuildings	House		
Height of objects	10 ft	30 ft		
Distances ...	15 ft	50 ft		
Directions from gauge ...	S	W		

If gauge has been moved during the year state—

Date of move March 1st Distance ¼ mile Direction S.W.

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Note
The rainfall for Jan: Feb was taken at
BOSTAN, CHURCH ROAD

Letter sent 31/3/38

N No reply

See 677

M.O. 7
3 JAN. 1938

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

673/7

600468/37

Form 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

SOUTH HAYLING (LORIDGE)

At Loridge. South Rd - Hayling Isd

In the County of Hants

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* ft. 10 *in.*
- *Height of Ground above Sea Level* abt 10 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·98	0·73	1	24	20
FEB.	4·51	0·83	4	19	17
MAR.	3·53	0·89	13	15	12
APRIL	1·90	0·36	9	13	13
MAY	1·80	0·45	7	14	11
JUNE	0·74	0·36	10	6	4
JULY	1·39	0·49	15	8	5
AUG.	1·11	0·53	16	4	4
SEPT.	1·78	0·52	9	11	8
OCT.	2·20	0·79	22	11	11
NOV.	1·78	0·91	1	9	7
DEC.	5·00	1·78	7	17	14
TOTAL	30·72	low ?		151	126

2" low

1/2" low

1/2" low

extra reply

Signature Douglas S. Bird

D S Bird, Esq.

*See Instruction 2 *(f)* below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

(Mr) D. S. BIRD

LORIDGE, SOUTH ROAD. HAYLING ISLAND HANTS

Hour of observation by the clock—in Winter 9.0 AM in Summer 9.0

Nearest Railway Station Hayling Island S.R. Distance 3/4 mile Direction from gauge W.

Nearest Parish Church at South Hayling Isd Distance 3/4 mile Direction from gauge NNE

Nature of objects nearest to gauge	Outbuildings	House		
Height of objects	10 ft	30 ft		
Distances ...	15 ft	50 ft		
Directions from gauge ...	S	W		

If gauge has been moved during the year state—

Date of move March 1st Distance 1/4 mile Direction S.W.

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Note
The rainfall for Jan: Feb was Taken at BOSTAN, CHURCH ROAD

Letter sent 31/3/38.

N Noreply

ue677

M.O. 7
3 JAN. 1938

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

SOUTH HAYLING (LORIDGE)

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 673/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at LORIDGE. SOUTH RD HAYLING ISLAND

in the County of HANTS /5

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ......ft. ......in.

,, Ground ,, Sea Level ......ft.

Totals
1937 ~~ ~~
f. 600468/37

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	·27	·07	tr	tr	·23	·04	—	·01		1
2	—	—	—	—	—	—	—	—	—	·46	—	·01		2
3	—	—	—	—	·03	—	—	—	—	·62	·08	—		3
4	—	—	—	—	—	—	·24	tr	—	·25	—	·10		4
5	·01	—	—	—	—	—	·09	·01	—	·28	·01	—		5
6	·13	—	—	—	—	·01	·04	—	·06	—	·03	—		6
7	—	—	—	—	—	—	·36	·04	—	·20	—	·05		7
8	·15	—	—	—	—	—	·04	·02	—	·22	—	·23		8
9	·13	·02	—	—	—	—	—	—	—	·02	—	·53		9
10	·07	—	—	—	—	·05	·05	—	—	—	—	·10		10
11	·22	—	—	—	—	—	—	—	—	—	·07	·12		11
12	·33	—	—	—	·02	—	—	—	—	·03	—	—		12
13	·41	—	—	—	·01	—	—	—	—	·09	·25	·10		13
14	·31	—	—	—	·10	—	·04	—	—	—	—	—		14
15	·09	·09	—	—	—	—	·05	—	—	·30	·01	·29		15
16	·36	·03	·03	—	—	—	—	·02	—	—	·01	·05		16
17	—	·07	·01	—	·01	—	—	—	·14	·34	·01	—		17
18	·12	—	—	—	·02	·02	—	—	·17	·10	·45	—		18
19	·01	—	—	—	—	—	—	·02	·13	—	·90	·03 sn		19
20	—	—	—	—	—	—	—	·03	·04	—	·79	—		20
21	·01	—	—	—	—	—	—	—	—	—	·04	·15 sn		21
22	·02	—	—	—	—	·01	—	·46	—	—	·26	—		22
23	·01	—	—	—	—	—	—	—	—	—	·04	—		23
24	—	—	·18	—	—	—	—	—	·28	—	·32	·16 sn		24
25	·07	·03	·10	—	·16	—	·01	—	—	·03	·63	—		25
26	·40	·17	·03	—	—	—	—	—	·02	·16	—	·36 sn		26
27	·18	·07	—	—	·15	·18	·39	—	·04	—	·25	—		27
28	·14	—	—	—	·24	·13	—	·50	·05	—	—	·11		28
29	·04	✕	—	—	·27	—	—	—	·01	·02	·16	·02		29
30	·02	✕	—	—	·16	—	—	—	—	·01	·16	—		30
31	·17	✕	—	✕	·11	✕	—	—	✕	·20	✕	·22		31
TOTAL	3·40	·48	·35	·00	1·55	·47	1·31	1·10	1·17	3·37	4·47	2·64	Year's Total 20·31 #	
* Days with .01 in. or more.	23	7	5	0	13	7	10	8	11	18	19	18	139 #	
* Days with .04 in. or more.	17	4	2	0	8	4	9	3	9	13	14	14	97 #	

print
CB
17/2/39

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Douglas S. Bird [P.T.O.

D. S. BIRD ESQ.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 673/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at LORIDGE, SOUTH RD, HAYLING ISLAND

in the County of HANTS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ......ft. ......in.

,, Ground ,, Sea Level ......ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	·01	·02	·26	·10	—	·02	—	·10	—	·01	·02		1
2	·03	—	—	·06	—	—	—	·48	·35	—	·09	·01		2
3	·22	—	—	·67	—	—	—	·22	·02	—	·37	·50		3
4	·02	—	·43	·06	·01	—	·25	·35	—	·35	·26	—		4
5	—	—	·03	·13	·12	—	·06	·02	—	·28	·55	·13		5
6	·35	—	·12	—	—	—	·25	·05	—	—	·18	—		6
7	—	·07	—	—	—	—	—	·10	—	—	·05	·27		7
8	—	·11	·13	—	—	—	—	—	—	·66	·29	·18		8
9	·03	—	—	—	—	—	—	·06	—	·38	·36	·19		9
10	·11	—	—	—	—	·07	—	—	·16	·14	·09	—		10
11	—	—	·15	—	—	—	—	·12	—	·94	·01	—		11
12	·05	—	—	—	—	—	—	—	—	—	—	—		12
13	—	—	—	·10	—	·11	·17	—	·01	1·16	—	—		13
14	·53	—	—	·04	—	·01	—	—	—	·36	·52	·17		14
15	·75	—	—	—	·40	·31	·07	—	·04	·15	·34	·02		15
16	·36	—	·04	·12	·14	·15	·29	—	·15	·11	·26	—		16
17	15	—	·04	—	·32	—	—	—	—	·08	·05	—		17
18	·07	—	—	—	—	·04	·44	—	—	—	·55	·01		18
19	·26	—	—	—	—	—	·27	—	—	·03	—	·01		19
20	·52	—	—	—	—	·01	—	·01	—	—	—	—		20
21	·02	·20	·07	—	—	·07	·10	—	—	—	—	—		21
22	36	·17	—	—	—	·09	·01	—	—	—	·06	—		22
23	·08	—	·01	·20	—	·02	·08	—	—	·04	·60	—		23
24	·48	—	—	·06	—	·03	·07	—	—	—	·01	—		24
25	·64	·22	—	·08	—	—	—	—	—	·03	·28	—		25
26	—	—	—	—	—	—	—	—	—	·04	·28	—		26
27	—	·09	·04	·04	—	·02	—	—	—	—	·12	—		27
28	—	·32	·02	—	—	·04	—	—	—	—	·21	Snow ·11		28
29	—	×	—	·02	—	—	·06	—	—	·04	tr.	—		29
30	—	×	—	·52	—	—	—	—	—	·12	·02	·10		30
31	—	×	—	×	—	×	·tr	·02	×	·16	×	—		31
TOTAL	5·07	1·19	1·10	2·36	1·09	·97	2·14	1·43	·83	5·07	5·56	1·72	Year's Total 28·53	✓
* Days with .01 in. or more.	20	8	12	14	6	13	14	10	7	18	24	13	159	✓
* Days with .04 in. or more.	16	7	8	13	5	8	12	7	5	16	20	8	125	✓

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 673/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at LORIDGE - SOUTH ROAD
in the County of HAYLING ISLAND HANTS
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ....ft........in.
,, Ground ,, Sea Level ....ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·11	—	—	—	—	—			—	·14	—		1
2	—	·28	—	·07	—	—	—			—	·34	·02		2
3	·02	·44	—	—	—	—	—			·13	1·13	·27		3
4	—	·14	—	—	—	—	·02			·35	·02	·04		4
5	—	·02	—	—	—	—	·01			·01	·37	·21		5
6	·42	·26	—	—	—	—	·19			·40	·02	·06		6
7	·13	·32	—	—	—	—				—	—	—		7
8	—	—	—	—	—	—	·25			·28	·02	·25		8
9	—	—	—	—	—	—				·28	·26	·36		9
10	—	—	—	—	—	—	·17		·01	·23	·07	—		10
11	·05	—	—	—	—	—	—		—	—	1·05	·06		11
12	—	—	·09	—	—	—	·13		·22	—	·02	—		12
13	—	—	·58	—	—	—	·03		·41	—	1·90	—		13
14	—	—	·15	—	—	—	·29		·03	·22	—	·34		14
15	—	—	—	·03	·01	—	·79		·08	—	·81	—		15
16	—	·63	·36	—	—	·02	—		·13	·72	1·62	·06		16
17	—	—	·45	—	—	—	·06		—	—	·50	·10		17
18	—	·42	·18	·23	—	—	·01		·05	·30	·01	—		18
19	—	·10	—	·07	—	—	·03		·55	—	·20	—		19
20	—	—	·01	·04	—	—	·07		·04	·14	·04	—		20
21	—	—	—	—	—	—	—		·01	·01	·28	—		21
22	—	—	·05	—	—	·11	—		·08	—	—	—		22
23	—	·08	·12	—	—	—	—		—	—	·07	—		23
24	—	—	—	—	—	—	·29		—	—	—	·01		24
25	—	—	·51	—	—	—	·02		—	—	—	—		25
26	1·02	·12	·19	·08	19	—	·04		—	—	—	—		26
27	·49	·39	—	—	·05	—	·36		—	—	—	—		27
28	·42	·01	—	—	·15	—	—		—	—	—	—		28
29	·40	·35	·17	·25	·13	—	—		—	—	—	·19		29
30	—	✕	—	·10	—	—	—		—	·16	—	·04		30
31	—	✕	—	✕	—	✕	—		✕	·65	✕	·18		31
TOTAL	2·95	3·67	2·86	0·87	0·53	0·13	2·76	0·00	1·61	3·88	8·87	2·19	Year's Total 30·32	
* Days with .01 in. or more.	8	15	12	8	5	2	17	0	11	14	20	15	127	
* Days with .04 in. or more.	7	13	11	7	4	1	11	0	8	12	15	13	102	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Douglas S. Bird

P.T.O.

674

Section **A** for the entry of Daily Observ

AIR MINISTRY.—METEORO

FOR OFFICIAL USE.

RGANIZATION.

FORM 1090.

REGISTER O

674

GOSPORT

A.C. STATION

1931 - 1940

780114

Kept at GOSPORT AIR COMPRESSI

in the County of HANTS

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground ft.

,, Ground ,, Sea Level 30

THE MORNING MEASUREMENT IS

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·110	·030	·	·320	·	·	·	·030	·115	·	·	·	1
2	·	·050	·	·580	·	·	·	·280	·435	·	·	·050	2
3	·310	·	·560	·050	·110	·	·	·020	·640	·	·	·180	3
4	·	·	·600	·180	·050	·	·090	·105	·070	·070	·130	·	4
5	·	·080	·	·230	·	·400	·030	·050	·020	·020	·	·145	5
6	·	·090	·	·	·010	·010	·070	·	·	·460	·120	·020	6
7	·	·	·	·	·240	·260	·	·320	·	·100	·300	·	7
8	·	·140	·	·	·080	·250	·040	·050	·	·	·220	·085	8
9	·	·140	·	·	·	·060	·040	·	·	·	·730	·010	9
10	·	·080	·	·	·	·140	·020	·	·	·	·820	·	10
11	·170	·360	·	·	·	·	·	·	·080	·	·410	·	11
12	·	·	·	·	·	·	·020	·	·165	·	·	·	12
13	·	·	·	·	·	·	·	·	·	·	·	·	13
14	·	·190	·	·	·015	·050	·800	·140	·015	·	·	·	14
15	·040	·020	·	·	·110	·	·385	·180	·170	·	·	·	15
16	·	·	·	·090	·230	·050	·015	·070	·	·	·	·	16
17	·	·090	·	·160	·	·	·215	·	·100	·	·	·	17
18	·030	·015	·	·020	·	·080	·120	·900	·	·	·360	·	18
19	·090	·	·	·090	·	·030	·270	·040	·	·	·	·	19
20	·	·085	·	·150	·	·	·	360	·	·	·115	·	20
21	·030	·	·100	·	·270	·	·	·	·	·	·050	·	21
22	·400	·	·370	·110	·	·	·	·	·	·	·	·	22
23	·330	·	·	·045	·280	·	·	·	·	·	·300	·	23
24	·010	·	·	·485	·110	·170	·180	·440	·	·	·	·	24
25	·020	·	·	·470	·010	·	·050	·	·	·	·010	·	25
26	·	·030	·	·120	·	·	·450	·	·	·	·950	·	26
27	·160	·310	·	·070	1·360	·	·490	·	·	·	·090	·	27
28	·120	·110	·	·	·020	·	·	·	·	·	·	·060	28
29	·085	·	·	·	·260	·	·010	·	·	·020	·	·	29
30	·	×	·	·	·	·	·	·	·	·	·040	·	30
31	·350	×	·	×	·085	×	·030	·045	×	·	×	·040	31
TOTAL	2·255	1·820	1·630	3·170	3·230	1·500	3·325	3·030	1·810	·670	4·645	·590	YEAR'S TOTAL 27·675
*Days with ·01 in. or more.	15	15	4	16	15	11	19	15	10	5	15	8	148
*Days with ·04 in. or more.	11	12	4	15	12	9	13	13	8	3	14	6	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A Barlow.

[P.T.O.

674

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at GOSPORT AIR COMPRESSING STATION

in the County of HANTS

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground ft. 9" in.

,, Ground ,, Sea Level 30 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·110	·030	·	·320	·	·	·	·030	·115	·	·	·	1
2	·	·050	·	·580	·	·	·	·280	·435	·	·	·050	2
3	·310	·	·560	·050	·110	·	·	·020	·640	·	·	·180	3
4	·	·	·600	·180	·050	·	·090	·105	·070	·070	·130	·	4
5	·	·080	·	·230	·	·400	·030	·050	·020	·020	·	·145	5
6	·	·090	·	·	·010	·010	·070	·	·	·460	·120	·020	6
7	·	·	·	·	·240	·260	·	·320	·	·100	·300	·	7
8	·	·140	·	·	·080	·250	·040	·050	·	·	·220	·085	8
9	·	·140	·	·	·	·060	·040	·	·	·	·730	·010	9
10	·	·080	·	·	·	·140	·020	·	·	·	·820	·	10
11	·170	·360	·	·	·	·	·	·	·080	·	·410	·	11
12	·	·	·	·	·	·	·020	·	·165	·	·	·	12
13	·	·	·	·	·	·	·	·	·	·	·	·	13
14	·	·190	·	·	·015	·050	·800	·140	·015	·	·	·	14
15	·040	·020	·	·	·110	·	·385	·180	·170	·	·	·	15
16	·	·	·	·090	·230	·050	·015	·070	·	·	·	·	16
17	·	·090	·	·160	·	·	·215	·	·100	·	·	·	17
18	·030	·015	·	·020	·	·080	·120	·900	·	·	·360	·	18
19	·090	·	·	·090	·	·030	·270	·040	·	·	·	·	19
20	·	·085	·	·150	·	·	·	·360	·	·	·115	·	20
21	·030	·	·100	·	·270	·	·	·	·	·	·050	·	21
22	·400	·	·370	·110	·	·	·	·	·	·	·	·	22
23	·330	·	·	·045	·280	·	·	·	·	·	·300	·	23
24	·010	·	·	·485	·110	·170	·180	·440	·	·	·	·	24
25	·020	·	·	·470	·010	·	·050	·	·	·	·010	·	25
26	·	·030	·	·120	·	·	·450	·	·	·	·950	·	26
27	·160	·310	·	·070	1·350	·	·490	·	·	·	·090	·	27
28	·120	·110	·	·	·020	·	·	·	·	·	·	·060	28
29	·085	·	·	·	·260	·	·010	·	·	·020	·	·	29
30	·	×	·	·	·	·	·	·	·	·	·040	·	30
31	·350	×	·	×	·085	×	·030	·045	×	·	×	·040	31
TOTAL	2·255	1·820	1·630	3·170	3·230	1·500	3·325	3·030	1·810	·670	4·645	·590	YEAR'S TOTAL 27·675
*Days with ·01 in. or more.	15	15	4	16	15	11	19	15	10	5	15	8	148
*Days with ·04 in. or more.	11	12	4	15	12	9	13	13	8	3	14	6	120

40-9999

(Signed) A Barlow. [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 674

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at A.C. STATION. GOSPORT

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground ft 9" in.

,, Ground ,, Sea Level 28-30 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·100	·	·	·140	·810	·	·	·	·	·	·	·	1
2	·	·	·	·280	·040	·	·	·	·110	·	·	·210	2
3	·	·	·	·240	·015	·	·	·	·320	·020	·	·090	3
4	·	·	·	·	·	·400	·	·	·	·	·	·	4
5	·350	·	·	·	·	·	·085	·	·150	·	·	·	5
6	·570	·	·	·120	·	·	·	·	·070	·	·	·	6
7	·	·	·	·	·	·	·	·	·015	·245	·	·	7
8	·	·	·300	·	·180	·	·	·	·190	·310	·	·	8
9	·200	·	·	·155	·050	·	·	·	·065	·	·015	·	9
10	·810	·100	·	·265	·105	·050	·	·	·	·110	·	·	10
11	·330	·	·	·045	·010	·	·	·	·	·050	·	·	11
12	·550	·	·	·035	·	·	·	·	·120	·340	·	·010	12
13	·060	·	·	·140	·015	·	·340	·	·	·820	·	·020	13
14	·280	·	·	·000	·050	·	·	·155	·	·010	·160	·	14
15	·040	·	·	·020	·800	·	·070	·	·	·055	·120	·	15
16	·015	·	·	·010	·	·	·	·	·	·	·	·	16
17	·010	·	·	·	·	·	·060	·	·010	·060	·	·	17
18	·030	·	·	·	·050	·	·	·	·030	·	·090	·	18
19	·	·	·	·	·	·	·	·	·050	·265	·	·	19
20	·	·	·	·	·030	·	·020	·600	·	1·130	·190	·	20
21	·	·	·020	·210	1·280	·	·	·	·	·535	·	·070	21
22	·030	·	·195	·	·060	·	·030	·240	·710	·210	·360	·	22
23	·	·	·	·050	·540	·	·150	·	·260	·700	·010	·140	23
24	·	·050	·	·	·	·	·760	·	·020	·040	·	·	24
25	·	·	·	·	·	·	·720	·	·060	·400	·050	·	25
26	·	·	·110	·070	·	·	·110	·	·	·060	·010	·	26
27	·	·	·290	·270	·120	·040	·	·	·	·480	·	·	27
28	·	·	·090	·030	·	·	·165	·	·	·025	·	·030	28
29	·	·	·210	·100	·140	·070	·	·115	·520	·370	·	·080	29
30	·	×	·060	·230	·	1·030	·	·	·480	·	·630	·230	30
31	·	×	·	×	·	×	·300	·	×	·	×	·150	31
TOTAL	3·375	·150	1·275	2·410	4·295	1·590	2·810	1·110	3·180	6·235	1·635	1·030	YEAR'S TOTAL 29·095
*Days with ·01 in. or more.	14	2	8	18	14	5	12.	4	17	21	10	10	148
*Days with .04 in. or more.	10	1	7	14	13	5	10	4	13	18	7	7	109

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Barlow

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 674

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at GOSPORT. AIR COMPRESSING STATION

in the County of HANTS

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft 9" in.

,, Ground ,, Sea Level 28–30 ft. approx

Days ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·080	·560	·010	·	·	·	·	·	·	·	·020	·		1
2	·230	·	·630	·	·480	·	·	·	·	·	·	·		2
3	·	·135	·220	·	·	·	·	·	·	·	·	·		3
4	·220	·010	·	·	·300	·	·	·	·	·	·	·		4
5	·100	·230	·430	·	·	·	·	·	·	·040	·	·		5
6	·	·	·020	·	·200	·	·	·	·	·	·050	·		6
7	·135	·	·060	·	·110	·	·	·	·	·165	·	·020		7
8	·050	·	·	·	·010	·	·200	·	·	·	·	·		8
9	·	·	·	·	·010	·015	·280	·	·	·015	·060	·		9
10	·	·	·	·	·050	·	·040	·	·	·275	·	·		10
11	·205	·050	·	·	·	·040	·	·060	·	·	·	·		11
12	·	·	·	·	·020	·	·020	·	1·700	·	·	·		12
13	·020	·	·	·	·040	·	·280	·095	·050	·040	·050	·		13
14	·	·	·	·	·020	·	·	·	·	·380	·320	·		14
15	·400	·	·210	·	·	·	·030	·180	·	·400	·	·		15
16	·	·	·615	·	·	·100	·	·	·030	·	·	·		16
17	·	·020	·290	·	·	·020	·	·050	·150	·	·	·		17
18	·430	·	·070	·	·	·220	·	·	·	·	·	·		18
19	·	·	·240	·040	·	·	·	·	·230	·	·080	·		19
20	·	·045	·030	·060	·	·250	·	·	·365	·	·	·		20
21	·	·	·	·	·	·	·	·175	·020	·035	·	·		21
22	·	·	·	·	·	·040	·	·095	·100	·210	·	·		22
23	·	·020	·	·335	·	·140	·	·	·280	·390	·	·		23
24	·	·785	·	·295	·	·	·	·	·020	·	·	·		24
25	·	1·050	·	·320	·	·	·	·	·015	·	·	·190		25
26	·	·640	·	·075	·	·045	·	·	·310	·	·	·010		26
27	·	·	·	·	·470	·	·	·	·	·180	·020	·320		27
28	·	·	·	·	·	·	·410	·	·	·020	·	·030		28
29	·110	×	·010	·075	·210	·	·010	·	·	·	·	·040		29
30	·100	×	·040	·	·	·	·060	·	·150	·	·	·070		30
31	·120	×	·	×	·	×	·	·	×	·	×	·		31
TOTAL	2·200	3·545	2·875	1·200	1·920	·870	1·330	·655	3·420	2·150	·600	·680	Year's Total 21·445"	
*Days with ·01 in. or more.	13	11	14	7	12	9	9	6	13	12	7	7		120
*Days with .04 in. or more.	12	8	10	7	8	7	6	6	9	9	5	4	80	91

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. Barlow

Borough Engineer

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 674

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at A.C. Station: Gosport

in the County of Hants

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground ft 9" in.

,, Ground ,, Sea Level 25-30 ft. approx.

~~Days~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·	·	·	·	·	·035	·	·220	·	·155	·020	·590		1
2	·220	·	·080	·110	·310	·	·	·	·	·220	·	·390		2
3	·060	·010	·	·010	·	·	·	·100	·805	·230	·	·210		3
4	·115	·	·070	·350	·110	·	·	·	·	·120	·020	·280		4
5	·	·	·	·	·	·	·	·150	·020	·040	·010	·490		5
6	·	·	·400	·070	·180	·	·	·	·	·260	·210	·665		6
7	·	·	·	·	·	·	·	·340	·	·200	·	·235		7
8	·040	·	·	·	·270	·	·	·	·290	·	·840	·010		8
9	·	·	·120	·	·	·	·	·	·	·	1·170	·590		9
10	·	·	·	·170	·	·	·	·	·	·	1·040	·010		10
11	·140	·	·190	·190	·	·	·200	·	·	·	·	·410		11
12	·570	·	·390	·	·	·	·060	·420	·	·	·050	·070		12
13	·340	·	·030	·050	·	·	·155	·220	·	·	·040	·040		13
14	·160	·	·060	·	·	·	·	·010	·	·030	·110	·640		14
15	·	·	·420	·	·090	·	·	·	·	·170	·070	·650		15
16	·170	·	·420	·	·030	·	·	·	·040	·	·	·130		16
17	·090	·	·010	·	·	·	·	·	·030	·030	·	·330		17
18	·080	·	·170	·290	·	·	·	·	·020	·	·	·230		18
19	·	·	·370	·	·	·	·	·	·250	·	·	·230		19
20	·	·	·040	·	·	·	·180	·	·	·	·	·		20
21	·	·	·	·300	·	·120	·	·	·	·090	·	·110		21
22	·	·	·	·	·	·	·	·	·290	·	·	·240		22
23	·	·	·	·230	·	·390	·	·110	·030	·	·	·050		23
24	·	·020	·070	·050	·	·	·130	·110	·080	·	·	·		24
25	·170	·	·	·160	·	·030	·	·020	·	·160	·	·660		25
26	·	·	·	·090	·	·180	·	·	·050	·	·	·040		26
27	·	·	·	·040	·	·	·	·	·	·	·	·405		27
28	·	·	·	·	·	·130	·	·	·	·	·	·320		28
29	·	·	·	·	·	·	·	·600	·	·	·	·		29
30	·	×	·	·	·	·	·	·440	·160	·	·	·290		30
31	·060	×	·	×	·	×	·	·020	×	·	×	·090		31
TOTAL	2·215	·030	2·840	2·110	·990	·885	·725	2·760	2·085	1·705	3·580	8·405	Year's Total. 28·330	
* Days with .01 in. or more.	13	2	15	14	6	6	5	13	12	12	11	28	137	
* Days with .04 in. or more.	13	0	13	13	5	4	5	10	9	10	8	26	116	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) A Barlow
BOROUGH ENGINEER.

P.T.O.

COPY FOR OFFICIAL USE. X

Section **A** for the entry of Daily Observations. Station No. 674

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at A.C. Station Gosport

in the County of Hants

Totals

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. 9" in.

,, Ground ,, Sea Level 28-31 ft. approx

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·020	·	·210	·	·080	·070	2·850	·	·020	·110	·180	·		1
2	·	·	·	·	·	·020	·	·	·060	·460	·	·030		2
3	·	·	·	·020	·	·	·	·	·545	1·450	·070	·155		3
4	·	·160	·050	·110	·	·110	·	·	·500	·140	·160	·020		4
5	·	·580	·020	·090	·	·010	·	·	·430	·160	·020	·		5
6	·	·010	·	·220	·	·580	·	·	·	·	·380	·		6
7	·	·	·	·290	·	·030	·	·	·	·060	1·370	·110		7
8	·	·	·	·250	·	·	·	·	·	·360	·640	·		8
9	·110	·	·	·310	·	·610	·	·	·310	·715	·040	·		9
10	·250	·	·270	·	·	·035	·	·	·0	·060	·240	·020		10
11	·150	·	·030	·	·	·020	·	·	·	·020	·530	·		11
12	·020	·030	·	·	·	·275	·	·130	·010	·	·780	·		12
13	·050	·110	·	·150	·030	·040	·	·	·020	·	·040	·		13
14	·	·	·	·030	·060	·050	·	·	·040	·	·	·150		14
15	·	·120	·	·580	·	·100	·	·	·300	·	·300	·030		15
16	·	·150	·	·040	·	·100	·	·	·220	·	1·140	·		16
17	·	·	·	·020	·	·280	·080	·	·110	·	·270	·		17
18	·	·	·	·270	·080	·100	·050	·	·430	·050	·030	·		18
19	·	·	·	·060	·165	·040	·130	·	·080	·	·260	·		19
20	·	·380	·	·050	·	·	·140	·	·030	·060	·690	·		20
21	·	·490	·	·040	·	·	·	·	·	·050	·	·		21
22	·	·060	·	·	·	·	·	·010	·150	·	·	·		22
23	·	·	·	·	·020	·	·	·610	·	·480	·	·345		23
24	·030	·620	·050	·	·130	·	·	1·130	·450	·040	·	·280		24
25	·010	·040	·	·230	·	·	·	·	·600	·	·040	·200		25
26	·040	·450	·	·	·	·	·	·180	·050	·010	·070	·410		26
27	·	·690	·	·	·	·	·	·200	·080	·	·	·430		27
28	·	·130	·	·	·015	·	·	·	·220	·	·	·090		28
29	·		·	·	·	·	·	·130	·310	·	·025	·410		29
30	·050	×	·	·070	·	·	·	1·050	·050	·110	·330	·440		30
31		×	·	×	·	×	·	·	×	·300	×	·200		31 38·53
TOTAL	·730	4·020	·630	2·830	·580	2·470	3·250	3·440	5·015	4·635	7·605	3·320	Year's Total. 38·525"	
* Days with .01 in. or more.	~~4~~ 10	~~2~~ 15	~~2~~ 6	~~3~~ 18	8	~~5~~ 17	5	8	~~4~~ 23	~~2~~ 18	~~3~~ 22	~~3~~ 16	166	
* Days with .04 in. or more.	6	13	4	15	5	12	5	7	19	16	19	13	134	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) A Barlow

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Station No. 674

FORM 1090

REGISTER OF RAINFALL IN 1936

Totals ✓

Kept at A.C. STATION. GOSPORT
in the County of HANTS
Diameter of Funnel of Gauge 8" in.
Height of top of Gauge above Ground ft. 9" in.
,, Ground ,, Sea Level 28-30 ft. (approx)

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·180	·180	·	·170	·	·220	·320	·	·	·	·220	·030		1
2	·	·	·	·	·	·030	·	·050	·	·	·010	·		2
3	·	·	·	·260	·	·	·	·	·080	·	·660	·		3
4	·	·	·120	·	·	·110	·030	·	·290	·	·190	·050		4
5	·430	·	·	·	·	·	·	·	·110	·	·070	·030		5
6	·570	·	·	·	·	·030	·	·020	·180	·	·690	·		6
7	·180	·	·	·	·	·	·010	·	·	·	·380	·090		7
8	·300	·	·200	·	·	·	·010	·	·	·	·650	·110		8
9	·325	·	·080	·	·	·	·460	·	·270	·	·	·010		9
10	·	·	·	·	·	·	·370	·	·	·	·010	·		10
11	·180	·480	·	·110	·	·	·260	·	·485	·	1·470	·		11
12	·	·	·	·100	·	·230	·200	·	·400	·	·340	·		12
13	·	·	·	·	·	·020	·030	·	·	·030	·050	·590		13
14	·	·140	·	·	·	·090	·690	·	·	·	·	·490		14
15	·	·	·	·	·	·	·	·	·	·	·080	·270		15
16	·150	·340	·	·	·040	·	·050	·	·050	·	·080	·040		16
17	·	·690	·	·	·	·350	·	·040	·070	·030	·080	·560		17
18	·130	·130	·	·	·	·850	·180	·	·	·	·	·070		18
19	·280	·	·040	·	·	·540	·	·040	·	·	·	·		19
20	·190	·050	·160	·240	·	·	·	·	1·050	·020	·	·		20
21	·	·095	·	·700	·	·100	·080	·	·	·	·	·		21
22	·110	·420	·250	·	·030	·	·150	·	·	·	·	·060		22
23	·	·	·180	·070	·	·	·150	·	·	·030	·	·		23
24	·160	·	·	·	·020	·	·	·	·	·240	·	·		24
25	·050	·	·250	·220	·	·	·	·	·040	·070	·	·		25
26	·050	·080	·010	·025	·	·	·	·	·090	·060	·	·		26
27	·350	·	·	·	·	·	·	·	·050	·120	·	·		27
28	·890	·	·270	·	·	·	·390	·	·	·	·	·090		28
29	·	·050	·	·	·	·	·020	·	·	·090	·170	·040		29
30	·100	✕	·030	·	·	·460	·	·	·	·020	·	·	·	30
31	·110	✕	·330	✕	·	✕	·220	·	✕	·	✕	·250	α	31
TOTAL	4·735	2·655	1·920	1·895	·090	3·030	3·620	·150	3·165	·710	5·150	2·780	Year's Total =29·900"	✓
* Days with .01 in. or more.	19	11	12	9	3	12	18	4	13	10	16	16	~~143~~	✓
* Days with .04 in. or more.	19	11	10	8	1	9	13	3	13	5	14	13	119	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Barlow [P.T.O.

BOROUGH ENGINEER
GOSPORT

The measurement for 11/2/36 = ·480" is melted Snow & Hail only

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 674

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Totals

Kept at A.C. STATION

in the County of HANTS

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground ... ft. 9" in.

,, Ground ,, Sea Level 25-30 ft (approx)

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·890	·010	·	·160	·	·	·	·	·	·	·850	·390		1
2	·030	·530	·	·150	·	·	·	·	·015	·	·	·180		2
3	·020	·190	·	·	·	·	·	·	·	·	·	·		3
4	·130	·830	·	·	·	·	·	·	·	·	·	·260		4
5	·120	·040	·075	·010	·	·	·400	·	·	·	·	·		5
6	·200	·210	·810	·090	·050	·	·050	·	·	·	·	·		6
7	·	·640	·	·080	·090	·	·	·	·	·180	·	Snow+Rain 2·270		7
8	·	·010	·010	·	·220	·	·	·	·	·	·	·030		8
9	·	·	·	·260	·120	·050	·100	·	·580	·	·	·		9
10	·	·010	·630	·140	·080	·320	·	·	·	·	·	·550		10
11	·020	·	·040	·020	·090	·010	·200	·	·	·	·	·030		11
12	·330	·320	·160	·035	·290	·400	·010	·840	·180	·	·	·280		12
13	·370	·050	·770	·090	·010	·	—	·060	·030	·	·	·750		13
14	·030	·020	·070	·180	·	·	·	·390	·010	·	·	·040		14
15	·350	·150	·	·300	·	·	·600	·	·030	·	·	·290		15
16	·	·070	·340	·130	·	·230	·	·400	·030	·	·	·		16
17	·560	·040	·070	·	·	·	·	·	·110	·	·110	·		17
18	·320	·090	·	·	·	·	·	·	·020	·	·155	·150		18
19	·170	·090	·050	·	·	·090	·	·	·	·	·	·		19
20	·350	·	·140	·120	·	·020	·	·	·	·	·	·050		20
21	·400	·240	·030	·200	·	·	·	·	·	·	·020	·060		21
22	·520	·020	·080	·030	·150	·	·180	·	·	·850	·370	·080		22
23	·200	·160	·070	·	·120	·	·080	·	·	·400	·270	·070		23
24	·320	·420	·	·	·	·	·	·	·030	·540	·	·020		24
25	·280	·330	·450	·	·690	·	·	·	·025	·260	·	·030		25
26	·	·270	·	·	·	·	·	·	·	·280	·	·		26
27	·	·070	·	·080	·	·	·	·	·	·110	·	·		27
28	·	·080	·	·	·	·	·	·	·	·010	·	·		28
29	·260	·	·	·	·	·	·	·	·	·080	·	·		29
30	·370	✕	·	·	·	·	·	·	·	·110	·110	·		30
31	·370	✕	·	✕	·	✕	·	·	✕	·220	✕	·	35·17	31
TOTAL	6·610	4·890	3·795	2·075	1·910	1·120	1·620	1·690	1·060	3·040	1·885	5·470	Year's Total =35·165 ✓ ✓	
* Days with .01 in. or more.	4 23	25	8 16	3 17	11	27	8	40	8 11	11	7	18	158 ✓ ✓	
* Days with .04 in. or more.	19	20	14	14	10	5	7	4	3	10	6	13	125 ✓ ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Barlow

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 674

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at A.C. Station. Westfield Rd. Gosport

in the County of Hampshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. 9" in.

,, Ground ,, Sea Level 28'-30 ft.

Totals Dec a[illegible]

notified 2/2/39

W.J.F.

~~corr for~~ Dec. 19-26 snow.

W.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·	·	·	·	·200	·050	·040	·	·200	·040	·	·		1
2	·	·	·	·020	·200	·	·	·	·	·550	·	·040		2
3	·	·	·	·	·060	·	·	·	·	·650	·090	·		3
4	·010	·	·	·	·06[illegible]	·	·105	·030	·	·120	·	·110		4
5	·	·	·	·	·	·	·220	·070	·	·310	·	·		5
6	·080	·	·	·	·	·	·035	·	·125	·030	·070	·		6
7	·020	·	·	·	·	·	·305	·610	·080	·240	·	·020		7
8	·140	·	·	·	·	·	·065	·015	·	·190	·	·090		8
9	·135	·	·	·	·	·	·	·	·	·020	·	·590		9
10	·070	·020	·	·	·	·020	·050	·	·	·	·	·150		10
11	·210	·	·	·	·	·	·	·	·	·	·085	·150		11
12	·420	·	·	·	·030	·	·010	·	·	·050	·	·		12
13	·410	·	·	·	·	·	·	·	·	·120	·320	·200		13
14	·370	·	·	·	·110	·	·060	·	·	·	·	·410		14
15	·130	·050	·	·	·	·	·200	·	·	·450	·020	·035		15
16	·360	·010	·040	·	~~–~~	·	·	·	·	·	·010	·		16
17	·	·120	·020	·	·060	·	·010	·050	·130	·315	·040	·		17
18	·140	·	·	·	·010	·030	·	·	·180	·095	·520	·		18
19	·	·	·	·	·	·	·	·	·120	·	·530	· ✓		19
20	·	·	·	·	·	·	·	·250	·040	·	·450	· ✓		20
21	·040	·	·	·	·	·	·	·	·130	·	·030	· x		21
22	·020	·	·	·	·	·030	·	·260	·	·	·250	· x		22
23	·010	·	·	·	·	·	·	·	·020	·	·040	· (·70)		23
24	·	·	·260	·	·085	·	·	·	·180	·	·440	·		24
25	·130	·020	·120	·		·	·020	·	·	·030	·630	· x		25
26	·420	·	·010	·	·160	·	·	·	·190	·130	·	~~·290~~ x		26
27	·150	·160	·	·	·	·190	·250	·	·	·	·240	·		27
28	·110	·080	·	·	·190	·090	·	·410	·030	·	·	·050		28
29	·030	✕	·	·	·290	·	·	·	·020	·	·130	·030		29
30	·030	✕	·	·	·050	·	·	·	·060	·230	(·420)	·		30
31	·170	✕	·	✕	·170	✕	·	·	✕	·	✕	·240		31
TOTAL	3·605	·460	·450	·020	1·415	·410	1·370	1·695	1·505	3·570	4·315	~~2·405~~ (2·815)	Year's Total = ~~21·220~~	ins ✓ 21·63
* Days with .01 in. or more.	~~6~~ 23	~~3~~ 7	~~2~~ 5	1	12	~~3~~ 6	~~4~~ 13	~~2~~ 8	~~3~~ 14	~~3~~ 17	18	19 ~~13~~ ~~14~~	~~138~~	✓ 143
* Days with .04 in. or more.	17	4	3	0	10	3	9	6	11	14	15	~~11~~ 15	~~103~~	✓ 107

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Barlow

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 674

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at A.C. STATION, GOSPORT

in the County of HANTS

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ..... ft. 9 in.

" Ground " Sea Level 28'-30' ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·020	·	·020	·270	·110	·	·030	·	·150	·	·050	·020		1
2	·010	·	·	·045	·	·	·	·450	·280	·	·070	·020		2
3	·025	·	·	·520	·	-		·120	·135	·	·450	·420		3
4	·020	·	·400	·105	·030	·	·330	·270	·	·750	·140	·		4
5	·	·	·045	·270	·170	·	·030	·020	·	·190	·560	·170		5
6	·340	·	·110	·	·	·	·340	·	·	·010	·210	·		6
7	·	·140	·010	·	·	·	·020	·030	·	·	·090	·320		7
8	·	·110	·130	·	·	·	·	·010	·	·725	·350	·200		8
9	·020	·	·	·	·	·	·	·170	·	·340	·330	·190		9
10	·200	·	·	·	·	·090	·	·160	·200	·330	·220	·		10
11	·	·	·180	·	·	·	·	·	·	·590	·010	·		11
12	·020	·	·	·	·	·020	·	·	·	·025	·	·		12
13	·	·	·	·050	·	·	·380	·	·010	1·270	·	·		13
14	·020	·	·	·030	·025	·020	·060	·	·	·370	·490	·150		14
15	·420	·	·	·	·575	·460	·070	·	·030	·100	·340	·		15
16	·340	·	·	·100	·045	·120	·100	·	·020	·280	·270	·		16
17	·070	·020	·	·	·125	-	·020	·	·	1·130	·045	·		17
18	·150	·	·020	·	·120	·010	·600	·	·	·	·530	·010		18
19	·260	·	·	·	·	·	·340	·	·010	·015	·	·050		19
20	·520	·	-	·	·	·040	·020	·	·	·	·	·		20
21	·050	·	·050	·	·	·100	·050	·	·010	·	·	·		21
22	·250	·120	·030	·	·	·100	·030	·	·	·	·060	·		22
23	·010	·280	·	·150	·	·	·130	·	·	·020	·690	·		23
24	·450	·	·010	·070	·	·110	·030	·	·	·	·010	·		24
25	·595	·240	·030	·	·	·	·150	·	·	·070	·240	·		25
26	·	·	·	·050	·	·	·	·	·	·080	·310	-		26
27	·	·090	·050	·	·	·070	·	·	-	·120	·110	6		27
28	·	·310	·020	·	·	·020	·	·	·	·	·190	Snow ·190		28
29	·		·	·030	·	·	·100	·	·	·150	·010	·		29
30	·	✕	·	·550	·	·040	·	·	·	·110	·020	·		30
31	·	✕	·	✕	-	✕	·	·	✕	·580	✕	·		31
TOTAL	4·390	1·310	1·~~105~~ 11	2·240	1·200	1·200	2·830	1·230	~~·845~~ 85	7·315	5·795	1·740	Year's Total 31·200″	
* Days with .01 in. or more.	20	8	14	13	8	13	19	8	9	21	25	11	169	
* Days with .04 in. or more.	13	7	7	11	6	9	12	5	4	17	21	8	120	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) .... Boro' Engineer

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 674

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at A.C. STATION GOSPORT
in the County of HANTS
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground ... ft. 9 in.
,, Ground ,, Sea Level 28'-30' ft.

Thrown ·005 s

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·015									·060			1
2		·110		·070			·010				·330			2
3	·080	·410					·010			·190	1·100	·430		3
4		·120					·040			·250	·010	·050		4
5										·020	·570	·200		5
6	·410	·340					·240			·420	·090	·050		6
7	·110	·300												7
8	·010						·015			·370		·220		8
9										·190	·340	·335		9
10							·270		·040	·170	·060	·010		10
11							·060				1·110	·020		11
12			·125				·310		·175		·050	·010		12
13			·550				·200		·575		·770			13
14			·190				·230		·040	·280	·250	·380		14
15				·040	·030		·810		·090	·020	·670			15
16		·820	·400						·140	·740	1·040	·030		16
17			·490				·040		·020		·230			17
18		·360	·150	·300			·130		·050	·210	·030	·090		18
19		·110	·040	·070			·060		·425		·275			19
20		·010		·050			·170		·025	·390	·060			20
21											·300			21
22			·040	·060		·180			·070					22
23		·040	·135	·010	·050		·270				·100			23
24							·020							24
25			·700											25
26	1·110	·200	·130	·030	·310		·050							26
27	·480	·530					·190			·010				27
28	·530	·010			·175									28
29	Snow ·550	Snow ·420	·220	·350	·080					·010		·205		29
30	·030		·020	·070						·235		·040		30
31	·020									·650		·210		31
TOTAL	3·33 3·330	3·79 3·795	3·19 3·190	1·05 1·050	·65 ·645	·18 ·180	3·13 3·125	·000	1·65 1·650	4·15 4·155	8·45 8·445	2·28 2·280	Year's Total ~~31·665~~ inches 31·85 in.	
* Days with .01 in. or more.	10	15	13	10	5	1	19	0	11	16	20	15	135	
* Days with .04 in. or more.	7	12	12	9	4	1	15	0	9	12	18	11	110	

13

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A. Borlon

BOROUGH ENGINEER.

[P.T.O.

675

Section **A** **for the entry of Daily** | **FOR OFFICIAL USE.**

AIR MINISTRY.—ME | ISH RAINFALL ORGANIZATION.

FORM 10

REGISTER | IN 1931 .

216

675

—

PORTSMOUTH

1931 - 40

780114

780114

Kept at Portsmouth

in the County of Hants

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—						—						1
2	·24			·62			—						2
3	·04		·59				tr		·71				3
4	—						·07						4
5	—					·48	·04						5
6	—						—			·37		·18	6
7	—						—						7
8	tr						·09						8
9	—						·03				·74		9
10	—						·02						10
11	·16						—						11
12	tr						·01						12
13	tr						tr						13
14	·02						·81						14
15	·01						·26						15
16	—						tr						16
17	—						·22						17
18	·02						·24	·90					18
19	·10						·02						19
20	—						—						20
21	·02						—						21
22	·52						—						22
23	·24						—						23
24	·02						·18						24
25	·08						·08						25
26	—						·39						26
27	·16	·30			1·50		·58						27
28	·12						—						28
29	·09						·08						29
30	—	×				—	tr						30
31	·31	×		×		×	·01		×		×	·09	31
TOTAL	2·16	1·59	1.13	3.04	3·33	1·53	3.13	2·74	1·86	0.57	3·66	0·61	YEAR'S TOTAL 25·35
*Days with ·01 in. or more.	16	18	6	17	15	12	17	17	13	6	17	9	163
*Days with ·04 in. or more.	11	13	4	15	12	9	12	11	7	3	11	5	113
40-9999	54·8	40·3	28·7	77·1	84·5	38·9	79·6	69·5	47·3	14·6	93·0	15·4	643·7

(Signed) [P.T.O.

*See Instruction 2 (*f*) on other side.

675

216

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10[illegible].

REGISTER OF RAINFALL IN 1931.

Kept at Portsmouth

in the County of Hants

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

780114

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—						—						1
2	·24			·62			—						2
3	·04		·59				tr		·71				3
4	—						·07						4
5	—					·48	·04						5
6	—						—			·37		·18	6
7	—						—						7
8	tr						·09						8
9	—						·03				·74		9
10	—						·02						10
11	·16						—						11
12	tr						·01						12
13	tr						tr						13
14	·02						·81						14
15	·01						·26						15
16	—						tr						16
17	—						·22						17
18	·02						·24	·90					18
19	·10						·02						19
20	—						—						20
21	·02						—						21
22	·52						—						22
23	·24						—						23
24	·02						·18						24
25	·08						·08						25
26	—						·39						26
27	·16	·30			1·50		·58						27
28	·12						—						28
29	·09						·08						29
30	—	×				—	tr						30
31	·31	×		×		×	·01		×		×	·09	31
TOTAL	2·16	1·59	1·13	3·04	3·33	1·53	3·13	2·74	1·86	0·57	3·66	0·61	YEAR'S TOTAL 25·35
*Days with ·01 in. or more.	16	18	6	17	15	12	17	17	13	6	17	9	163
*Days with ·04 in. or more.	11	13	4	15	12	9	12	11	7	3	11	5	113
40-9999	54·8	40·3	28·7	77·1	84·5	38·9	79·6	69·5	47·3	14·6	93·0	15·4	643·7

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

675

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1932.

216

Kept at Portsmouth

in the County of Hants.

Diameter of Funnel of Gauge.......in.

Height of top of Gauge above Ground.......ft.......in.

,, Ground ,, Sea Level.......ft.

MM

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10						—						1
2	tr			·30			—					·23	2
3	—						—						3
4	tr						·02						4
5	·28						·06						5
6	·44						—						6
7	·02						—						7
8	—		·31				—						8
9	·18	·16					—						9
10	·50						—						10
11	·51						—						11
12	·38						—						12
13	·03						·32						13
14	·26						—						14
15	·01						·06						15
16	·07						·01						16
17	·01						—						17
18	·01						·01						18
19	tr						—						19
20	—						tr	·43		1·15			20
21	—				1·23		—						21
22	·01						·14		·65				22
23	tr						·18						23
24	—						·68						24
25	—						·58						25
26	—						·13						26
27	—						tr						27
28	—						·13						28
29	—						tr						29
30	—	×				·88	·04				0·48		30
31	—	×		×		×	·11		×		×	·15	31
TOTAL	2.80	0.18	1·43	2.24	4·17	1.50	2.47	0.93	2.81	6.23	1·36	1.03	YEAR'S TOTAL 27·15
*Days with ·01 in. or more.	15	3	10	22	17	6	14	6	17	21	10	13	154
*Days with ·04 in. or more.	9	1	6	18	13	5	11	4	12	17	6	6	108
40-9999	71·2	4·5	36·3	57·0	105·9	38·2	62·8	23·7	71·3	158·3	34·5	26·1	

(Signed).......

*See Instruction 2 (*f*) on other side.

[P.T.O.

675

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Portsmouth
in the County of Hants

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 15 ft.

24.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07						—						1
2	·17		0·56				—						2
3	tr					—	—						3
4	·24					—	—						4
5	·09					—	—						5
6	—					—	—						6
7	·13						tr						7
8	·03						·19						8
9	—						·28						9
10	—						·04						10
11	·19						—						11
12	—					·26	·03		1·79				12
13	tr						·26						13
14	—						·03				·32		14
15	0·42						·06	·16					15
16	—		0·56				—						16
17	—						—						17
18	·41						—						18
19	—						—						19
20	—						—						20
21	—						—						21
22	—						—						22
23	—						—			·42			23
24	—						—						24
25	—	1·09		0·39.			—						25
26	—						—						26
27	—				·43		tr					·24	27
28	—						·41						28
29	·11						tr						29
30	·09	×				—	·06						30
31	·13	×		×		×	—		×		×	×	31
TOTAL	2·07	3·30	2·87	1·28	1·94	1·18	1·36	0·58	3·38	1·86	0·62	0·61	YEAR'S TOTAL 21·05
*Days with ·01 in. or more.	12	14	12	7	12	9	9	6	13	13	9	8	124
*Days with ·04 in. or more.	11	7	10	7	7	6	7	5	11	10.	5	3	89
40-9999	52·7		72·9	32·6		29·9	34·6				15·7		

(Signed) ....

*See Instruction 2 (*f*) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 675

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Portsmouth

in the County of Hants

24

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02						—							1
2	·26				·53		—		·73					2
3	·06	·01					—							3
4	·11			34			—							4
5	·01						—							5
6	·01						—			·29				6
7	—						—							7
8	—						—							8
9	·02						—				1·35			9
10	·02						—							10
11	·68		·43				·05							11
12	·03						·11							12
13	·33						·11							13
14	·19						—					·92		14
15	tr						—							15
16	·13						—							16
17	·07						—							17
18	·12						tr							18
19	·01						—							19
20	—						·50							20
21	—						—							21
22	—						—							22
23	—					·44	—							23
24	—						·12							24
25	·14	·01					—							25
26	—						tr							26
27	·03						—							27
28	—						—	·60						28
29	—	×					tr							29
30	·04	×				—	—							30
31	·02	×		×		×	tr		×		×	·11		31
TOTAL	2·29	0·02	3·00	2·09	1·20	0·98	0·89	2·83	2·18	1·84	3·73	8·80	Year's Total 29·85	
*Days with ·01 in. or more.	20	2	17	15	7	6	5	17	15	14	14	27	159	
*Days with ·04 in. or more.	11	0	13	13	5	5.	5	14	10	12.	7	27	122	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 675

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

211

Kept at Portsmouth

in the County of Hants

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level 15 ft.

24 T.L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03						1·28							1
2	—						—							2
3	—						—		·78	1·69				3
4	—						—							4
5	—						—							5
6	—						—							6
7	—						—				1·46			7
8	tr						—							8
9	·07					·57	—							9
10	0·19		·22				—							10
11	·18						—							11
12	·01						—							12
13	·05						—							13
14	tr						—							14
15	—			·56			—							15
16	—						—							16
17	—						·05							17
18	—						·05							18
19	—				·26		·13							19
20	—						·03							20
21	—						—							21
22	—						—							22
23	·01						—							23
24	·02	·70					—							24
25	·04						—							25
26	tr						—							26
27	—						—							27
28	—						—							28
29	—						—							29
30	·06	×				—	—	1·02				·51		30
31	—	×		×		×	—		×		×	·22		31
TOTAL	0·65	3.81	0·82	2·93	0·79	2·26	1·54	3·27	4·20	4·86	7·73	3·44	Year's Total 36·30	
*Days with ·01 in. or more.	10	16	11	17	12	19	5	11	22	21	25	17	186	
*Days with .04 in. or more.	4	13	4	14	6	13	4	7	17	14	17	13	126	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 675

216

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Portsmouth

in the County of Hants

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. .... in.

,, Ground ,, Sea Level 15 ft.

mm

TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2								·05						2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11											1·59			11
12														12
13												·44		13
14							·63							14
15														15
16														16
17		·66										·44		17
18						·77								18
19														19
20									·88					20
21				·65										21
22														22
23														23
24										·20				24
25														25
26														26
27														27
28	·85													28
29														29
30		×			·04									30
31		×	·28	×		×			×		×			31
TOTAL	4·61 ✓	2·81	1·85 ✓	1·78	0·12	2·81	3·35	0·14 ✓	3·03 ✓	0·74	5·03	2·54	Year's Total. 28·81	✓
* Days with .01 in. or more.	22	14	13	10	5	14	22	5	16	10	17	17	165	✓
* Days with .04 in. or more.	19	11	12	10	0	11	13	1	13	5	14	14	123	✓
40-9999	117·0	71·3	46·9	45·3	3·0	71·4	85·2	3·6	77·0	18·8	127·7	64·5	731·7	

* See Instruction 2 (f) on other side.

† Spare column; no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 675

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 216

FORM 1091.

REGISTER OF RAINFALL IN 1937.

TL

MWR Gom

Kept at Portsmouth (Victoria Park)
in the County of Hants.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
INS	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	†	
1	·88						—				·87			1
2	·02						—							2
3	·02						—							3
4	·14	0.82					—							4
5	·11						·36							5
6	·18						·03							6
7	—						—					1·96		7
8	—						—							8
9	—			·29			·07							9
10	—						—							10
11	·02						·22							11
12	·32					·40	tr	·54						12
13	·35		·82				—							13
14	·02						—							14
15	·31						·45							15
16	—						tr		·65					16
17	·62						tr							17
18	·20						—							18
19	·18						—							19
20	·33						—							20
21	·37						tr							21
22	~~·52~~ ·53						·24			·74				22
23	·17						·03							23
24	·29						—							24
25	·17				·39		—							25
26	—						—							26
27	—						—							27
28	·19						—							28
29	·04						—							29
30	·36	✕				tr	—							30
31	·38	✕		✕		✕	—		✕		✕	·01		31
	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	Year's Total	
TOTAL	6·20	4·69	3·60	2·01	1·04	1·09	1·41	1·19	2·27	2·69	1·86	4·99	33·04	✓
* Days with 0.2 mm. or more.	24	24	16	17	12	6	7	4	11	11	8	20	160	✓
* Days with 1.0 mm. or more.	20	18	12	14	10	5	5	4	8	10	6	13	125	✓
	157·6	119·0	91·5	51·1	26·4	27·7	35·9	30·2	57·6	68·3	47·3	127·1	839·7	

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. (Signed) .... [P.T.O.

216

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 675

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1938.

Kept at Portsmouth (Victoria Park)
in the County of Hants
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 15 ft.

T. L.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
INS	~~mm.~~	~~mm.~~	~~mm.~~	mm.	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	†	
1	tr				·31		tr		·25					1
2	tr			·02			tr							2
3	—						tr			·65				3
4	tr						·18							4
5	—						·21							5
6	·09						·01							6
7	tr						·29	1·12						7
8	·14						·03							8
9	·12						·02					·62		9
10	·07						·05							10
11	·21						tr							11
12	·42						tr							12
13	·42						—							13
14	·41						·06							14
15	·13						·11							15
16	·31						—							16
17	—						tr							17
18	·11						—							18
19	tr						—							19
20	—						—							20
21	·03						—							21
22	·01						—							22
23	tr						—							23
24	—		·21				—							24
25	·14						·01				·67			25
26	·41	·20					—							26
27	·17					·21	·31							27
28	·14						—							28
29	·05						—							29
30	·02	✕				tr	—							30
31	·15	✕		✕		✕	—		✕		✕	·25		31
TOTAL	3·54 89·9	13·7	11·3	·4	41·2	12·2	1·29 32·5	54·6	40·5	90·8	108·8	69·0	Year's Total 564·9	m.m.
* Days with 0.2 mm. or more.	20	7	5	1	11	6	11	9	14	18	18	19	139	✓
* Days with 1.0 mm. or more.	17	4	2	0	9	5	7	6	11	13	16	14	104	✓

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 3·54 ·54 ·44 1·00 ·02 1·62 ·48 1·28 2·15 (Signed) 1·59 3·57 ·29 2·72 22·24 ✓

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 675

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at Portsmouth (Victoria Park)
in the County of Hants
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 15 ft.

Aug. adjusted to agree with nearby station T.L.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
INS	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~		
1	·02						tr							1
2	·01						tr		·31					2
3	·25						·01					·53		3
4	·02		·41				·22							4
5	—						·03							5
6	·35						·28							6
7	tr						tr							7
8	—						tr							8
9	·02						tr							9
10	·15						—	13						10
11	—						—							11
12	tr						—							12
13	—						·25			1·37				13
14	·61						·07							14
15	·55				·62	·53	·03							15
16	·40						·09							16
17	·16						tr							17
18	·17						·54							18
19	·24						·33							19
20	·53						tr							20
21	·03						·03							21
22	·27						·01							22
23	tr						·11				·63			23
24	·51						·02							24
25	·62						·08							25
26	—						—							26
27	tr						—							27
28	—	35					tr							28
29	—						·05							29
30	—	X		·54		tr	—							30
31	—	X		X		X	—		X		X	—		31
TOTAL	4·89 124·3	36·2	28·4	62·0	28·5	28·4	2·18 55·4	34·5 ~~10·5~~	18·4	159·0	132·6	46·9	Year's Total 754·6 ~~730·6~~	mm's
* Days with 0.2 mm. or more.	18	7	14	12	8	12	16	11 ~~12~~	5	20	20	15	~~[illegible]~~	158
* Days with 1.0 mm. or more.	13	7	6	12	6	8	10	7 ~~7~~	3	15	18	9	~~[illegible]~~	114
	4·89	1·43	1·12	2·44	1·12	1·12	2·18	1·36 ~~·41~~	·72	6·26	5·22	1·85	~~28·76~~ 29·71	ins

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. (Signed) .... [P.T.O.

216

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 645

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 1940

T/L

400

Kept at Portsmouth (Victoria Park)
in the County of Hants
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
INS	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	†	
1	—						—							1
2	—						tr					·35		2
3	·01						tr							3
4	tr						·02							4
5	—						·06							5
6	·37						·21							6
7	·14						—							7
8	—						·02							8
9	—						—							9
10	—						·30							10
11	—						tr							11
12	—						·28							12
13	—						·08				1·85			13
14	tr						·59							14
15	—						·38							15
16	tr	·60					—			·74				16
17	—						·05							17
18	tr			·32			·09							18
19	—						·22		·44					19
20	—						tr							20
21	tr						—							21
22	tr					·16	tr							22
23	—						—							23
24	—						·31							24
25	·02		·68				·02							25
26	·97				·29		·05							26
27	·59						·17							27
28	·42						—							28
29	·41						—							29
30	·04	×				—	—							30
31	·02	×		×		×	—		×		×	·15		31
TOTAL	2·99 76·1	96·7	67·1	33·6	16·0	4·4	2·85 72·3	tr	38·1	94·6	199·8	48·8	Year's Total 747·5	mm's
* Days with 0.2 mm. or more.	10	13	14	11	7	2	16	0	9	13	19	12	126	
* Days with 1.0 mm. or more.	7	13	11	10	4	1	13	0	6	13	16	9	103	

(144w) * See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

(Signed) .... [P.T.O.

3·00 3·81 2·64 1·32 ·63 ·17 2·85 00 1·50 3·72 7·87 1·92 29·43

676

Section **A** for the entry of Daily Observa

AIR MINISTRY.—METEOROL

FOR OFFICIAL USE.

ANIZATION.

FORM 1090.

REGISTER OF

676

HAYLING ISLAND
RICHMOND HOUSE
1931 – 1935

78 01 14

Kept at Richmond House, Hayling

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2

,, Ground ,, Sea Level 16

THE MORNING MEASUREMENT IS

An observer who does not conform to this rule should i

year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.01	Tr	.42		.02		.02	.14	Tr			1
2	.21	.04		.54				.10	.30			.04	2
3	.11	Tr	.54	.03	.18			Tr	.62		Tr	.12	3
4		[illegible]	.03		.14		.11	.06	.03	.05	.06	Tr	4
5		.05		.13		.42	.07	.04		.01	Tr	.14	5
6		.07		.17		.08	.06		.01	.33	.15	.35	6
7		Tr		Tr	.23	.14		.18	.03	.03	.26	Tr	7
8	.02	.09			.01	.24	.06	.05		.02	.12	.06	8
9	.01	.08				.01	.01				.84	Tr	9
10	Tr	.08				Tr	.02	.04		.01	.75		10
11	.11	.33			Tr						.19		11
12	.01						.03		.04		Tr		12
.01 13	.01							.04	.17				13
14	.02	.12	Tr		Tr	.04	.55	.15					14
15	.01	.02		.01	.09		.75	.47	.05			.01	15
16		.01		.11	.28	.02		.06					16
17		.03		.10	Tr		.22		.16				17
18	.04		.05	.03		.10	.08	.70	.04	Tr	.32	Tr	18
19	.11		Tr	.17		.08	.11	.12			Tr		19
20	Tr	.07	.02	.17		Tr	Tr	.22			.03		20
21	.03		.02	Tr	.24						.02		21
22	.37		.41		Tr								22
23	.25		Tr	.01	.31						.27		23
24	.01			.42	.09	.05	.23	.48			Tr	Tr	24
25	.08	.01		.26	.08		.04	Tr			.07		25
26	Tr	.05		.13			.31				.27		26
27	.16	.19		Tr	.39		.24				.04		27
28	.06	.09		.03	.03							.01	28
29	.08				.28		.04	Tr					29
30	Tr	X									.02		30
31	.29	X		X	.18	X			X		X	.01	31
TOTAL	1.99	1.34	1.07	2.73	2.53	1.20	2.93	2.73	1.59	.45	3.41	.74	YEAR'S TOTAL 22.71
*Days with ·01 in. or more.	8	5	3	5	2	3	3	1	3	4	3	3	43 } 156
*Days with ·04 in. or more.	12	12	3	11	12	8	14	14	8	2	12	5	113 }

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. S. McGuelu

P.T.O.

676

Section **A** for the entry of Daily Observa… FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at Richmond House, Hayling Island

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 16 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01	Tr	·42		·02		·02	·14	Tr			1
2	·21	·04		·54				·10	·30			·04	2
3	·11	Tr	·54	·03	·18			Tr	·62		Tr	·12	3
4			·03		·14		·11	·06	·03	·05	·06	Tr	4
5		·05		·13		·42	·07	·04		·01	Tr	·14	5
6		·07		·17		·08	·06		·01	·33	·15	·35	6
7		Tr		Tr	·23	·14		·18	·03	·03	·26	Tr	7
8	·02	·09			·01	·24	·06	·05		·02	·12	·06	8
9	·01	·08				·01	·01				·84	Tr	9
10	Tr	·08				Tr	·02	·04		·01	·75		10
11	·11	·33			Tr						·19		11
12	·01						·03		·04		Tr		12
·01 13	·0[illegible]							·04	·17				13
14	·02	·12	Tr		Tr	·04	·55	·15					14
15	·01	·02		·01	·09		·75	·47	·05			·01	15
16		·01		·11	·28	·02		·06					16
17		·03		·10	Tr		·22		·16				17
18	·04		·05	·03		·10	·08	·70	·04	Tr	·32	Tr	18
19	·11		Tr	·17		·08	·11	·12			Tr		19
20	Tr	·07	·02	·17		Tr	Tr	·22			·03		20
21	·03		·02	Tr	·24						·02		21
22	·37		·41		Tr								22
23	·25		Tr	·01	·31						·27		23
24	·01			·42	·09	·05	·23	·48			Tr	Tr	24
25	·08	·01		·26	·08		·04	Tr			·07		25
26	Tr	·05		·13			·31				·27		26
27	·16	·19		Tr	·39		·24				·04		27
28	·06	·09		·03	·03							·01	28
29	·08				·28		·04	Tr					29
30	Tr	×									·02		30
31	·29	×		×	·18	×			×		×	·01	31
TOTAL	1·99	1·34	1·07	2·73	2·53	1·20	2·93	2·73	1·59	·45	3·41	·74	YEAR'S TOTAL 22·71
*Days with ·01 in. or more.	8	5	3	5	2	3	3	1	3	4	3	3	43 } 156
*Days with ·04 in. or more.	12	12	3	11	12	8	14	14	8	2	12	5	113 }

40-9999

(Signed) E. S. McEwen

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 676

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Richmond House Hayling Island

in the County of Hants

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 16 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08			.09	.62			.02		TR	.04	TR	1
2				.28	.02			.01	.10		TR	.15	2
3				.12	TR	.31			.28			.01	3
4						.10	.04						4
5	.24					TR	.08		.09				5
6	.43		TR	.12					.04			TR	6
7	.05		TR	.04	TR				.01	.12			7
8	.01		.31	TR	.21				.16	.53			8
9	.14	TR	TR	.05	.11			TR		TR			9
10	.37	.14 MS		.29	.16	.04			TR	.12			10
11	.30	.01		.03	TR			.11	.01	.04		TR	11
12	.36							TR	.08	.34	TR		12
13	.05			.12	.06		.38			.86		.02	13
14	.24				.05			.28		TR	.19		14
15	.01			TR	.30		TR			.06	.01	TR	15
16	.07			.11									16
17	TR			.07					TR				17
18	.02				.05		.03		.01		.10		18
19					.03				.07	.17	TR		19
20			.01				TR	.32		1.11	.25		20
21	TR		.01	TR	1.08					.32	TR	.08	21
22	.01	TR	.25		.05		.05	.15	.60	.35	.31		22
23	.01	.02	TR	.09	.55		.20	TR	.25	.74		.18	23
24					TR		.67		.07	.03			24
25							.50		.05	.40	.04	.01	25
26			.14	.06			.02			.01			26
27			.24	.26	.13	.16	.05			.65			27
28			.02	.03	TR		.11		TR	TR			28
29			.24	.14	.14	.12	TR		.35	.33	.01	.08	29
30		×	.05	.26	TR	.76	.03		.16		.56	.18	30
31		×	.01	×		×	.05		×		×	.14	31
TOTAL	2.39	.17	1.28	2.16	3.56	1.49	2.21	.89	2.33	6.18	1.51	.85	YEAR'S TOTAL 25.02
*Days with ·01 in. or more.	16 ~~5~~	2 ~~2~~	10 ~~4~~	17 ~~2~~	~~15~~ ~~2~~	6 -	13 ~~3~~	6 ~~2~~	16 ~~3~~	17 ~~2~~	9 ~~2~~	9 ~~3~~	~~30~~ 137
*Days with ·04 in. or more.	11	1	6	15	13	6	10	4	13	15	7	6	107

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. A. McEwen

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 676

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Richmond House Hayling Island

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 16 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.46	.10	–	–	–	–	–	–	TR	.01	–		1
2	.16	–	.59	–	.69	–	–	–	–	–	–	–		2
3	–	.12	.17	–	–	–	–	–	–	–	TR	–		3
4	.22	.02	–	–	.34	–	–	–	–	–	–	–		4
5	.10	–	.38	–	–	–	–	–	–	–	–			5
6	–	.19	TR	–	.30	–	–	–	–	.03	.08			6
7	.12	.02	.01	–	.11	–	–	–	–	.22	–	TR		7
8	.03	–	–	–	.02	–	.25	–	–	.04	–	–		8
9	–	TR	–	–	.03	–	.23	–	–	TR	.06	–		9
10	TR	.43	–	–	.12	–	.03	–	–	.28	–	–		10
11	.20	–	–	–	.01	.28	–	.03	–	.02	TR	.05		11
12	TR	–	–	–	.02	–	.01	–	1.57	–	–	.07		12
13	.02	–	–	–	–	.02	.25	.01	.06	.04	.02	–		13
14	–	–	–	–	–	–	.04	–	TR	.49	.39	–		14
15	.42	–	.14	–	–	–	.02	.24	–	.15	–	–		15
16	–	–	.63	–	–	–	–		.02	–	–	–		16
17	–	.01	.37	–	–	TR	–	.02	.09	–	–	–		17
18	.26	–	.17	–	–	.29	–	–	–	–	.01	–		18
19	–	TR	.11	.05	–	TR	–	–	.22	–	.02	.02		19
20	–	.03	.04	.04	–	.28	–	–	.23	–	–	TR		20
21	–	.01	–	TR	.01	–	–	.04	.01	.02	TR	–		21
22	–	.01	–	–	–	.02	–	.29	.12	.20	–	–		22
23	–	.01	–	.25	–	.09	–	TR	.27	.37	–	–		23
24	–	.39	–	.19	–	TR	–	–	.06	TR	–	–		24
25	–	.93	–	.38	–	–	–	–	.19	–	–	.18		25
26		.71	–	.08	–	.39	–	–	.56	.01	TR	TR		26
27		TR	–	–	.73	–	TR	–	TR	.19	–	.23		27
28	TR	–	–	–	–	.02	.34	–	–	.03	–	.05		28
29	.11	–	TR	–	.28	–	–	–	–	.01	–	.12		29
30	.09	×	.01	–	–	–	.04	–	.37	TR		.10		30
31	.09	×	–	×	–	×	–	–	×	–	×	–		31
TOTAL	1.85	3.34	2.72	.99	2.66	1.39	1.21	.63	3.77	2.10	.59	.82	Year's Total 22.07	
*Days with .01 in. or more.	13	14	12	6	12	8	9	6	13	15	7	8	123	
*Days with .04 in. or more.	10	7	10	6	7	5	6	3	11	9	3	7	84	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) E. S. McEwen

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~676~~ 676

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Richmond House Hayling Isl Hants

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

" Ground " Sea Level 16 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	·14	—	·16	—	·19	—	·57		1
2	·21	—	·11	·08	·17	·02	—	—	·57	·26	·02	·39		2
3	·05	—	—	·01	—	—		·02	—	·17	—	·23		3
4	·09	—	·05	·09	·09	—	—	—	—	·12	·05	·34		4
5	TR	—	—	—	—	—	—	·15	—	·14	·01	·53		5
6	·01	—	·37	·03	·17	·11		·15	—	·27	·17	·52		6
7	·01	—	—	—	—	—	—	·26	—	·07	TR	·17		7
8	—	—	—	—	·23	—	—	·01	·63	—	·91	·02		8
9	—	—	·10	—	—	—	—	—	TR	—	·73	·26		9
10	—	TR	·15	·15	—	—	—	·10	—	—	·92	·03		10
11	·67	TR	·39	·23	—	—	·18	·92	—	—	TR	·50		11
12	·06	·01	·01	—	—	—	·19	·16	—	—	·06	·06		12
13	·25	—	·10	·03	—	—	·06	·02	—	—	·08	·02		13
14	·18	—	·36	—	—	—	—	—	—	·01	·22	·82		14
15	—	—	·01	—	·11	—	—	—	—	·22	·10	·46		15
16	·14	—	·36	—	TR	—	—	—	—	—	—	·10		16
17	·06	—	·05	—	—	—	—	—	·02	·03	—	·36		17
18	·07	—	·12	·20	—	—	—	—	—	—	—	·30		18
19	—	—	·33	—	—	—	—	TR	·15	—	·01	·17		19
20	—	—	·01	·02	—	—	·46	—	TR	TR	—	—		20
21	—	TR	—	·33	—	·11	—	—	—	·05	—	—		21
22	—	—	—	TR	—	—	—	—	·27	·02	—	·14		22
23	—	TR	—	·27	—	·50	—	·16	·06	—	—	TR		23
24	—	·01	·05	·06	—	·01	·07	—	·06	—	—	—		24
25	·16	—	TR	·08	—	—	—	—	—	·09	—	·62		25
26	·01	—	—	·07	—	·12	—	—	·02	—	—	·04		26
27	·02	—	—	·03	—	—	—	—	—	TR	—	·31		27
28	—	—	—	—	—	·21	—	·74	—	·01	—	·27		28
29	—	—	—	—	—	—	—	·23	·11	—	—	—		29
30	·05	×	—	—	—	—	—	·26	—	—	—	·38		30
31	·06	×	—	×	—	×		·04	×	—	×	·09		31
TOTAL	2·10	·02	2·57	1·68	·77	1·22	·96	3·38	1·83	1·65	3·28	7·70	Year's Total 27·16	
*Days with ·01 in. or more.	17	2	16	15	5	8	5	15	9	14	12	26	144	
*Days with .04 in. or more.	13	0	13	10	5	6	5	12	7	10	9	23	113	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 676

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Hayling Island

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 16 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	—	·24	—	·06	·05	·72	—	·02	·07	·15	TR		1
2	—	—	TR	—	—	·03	—	—	·01	·38	·01	·01		2
3	—	—	·06	—	—		—	—	·20	1·23	·11	—		3
4	—	·16	TR	·58	—	·10	—	—	·33	·35	·07	·35		4
5		·36	·10	·10	—	·07	—	—	·49	·02	·02	·02		5
6		·02	·01	·23	—	·43	—	—	—	TR	·38	·11		6
7		TR	—	·27	—	·02	—	—	—	·07	1·02	—		7
8	·03	—	TR	·22	—	—	—	—	·09	·29	·42	—		8
9	·05	—	—	·20	—	·44	—	—	·24	·58	·02	—		9
10	·08	—	·30	—	—	·03	—	—	—	·01	·34	·01		10
11	·16	TR	·02	—	—	·06	·05	—	—	·05	·43	—		11
12	·01	·02	—	—	—	·24	—	·13	·05	—	1·19	—		12
13	·06	·09	—	·15	·03	·04	—	—	TR	—	·12	—		13
14	·01	TR	—	·04	·02	·04	—	—	·16	TR	·02	·13		14
15	—	·19	—	·52	—	·08	—	—	·23	·01	·65	·14		15
16	—	~~TR~~ ·17	·05	·10	—	·05	—	—	·10	—	1·01	TR		16
17	—	TR	TR	·05	—	·28	—	·02	·13	—	·24	—		17
18	—	—	—	·22	TR	·06	·06	TR	·34	·01	·02	—		18
19	—	TR	—	·07	·29	·08	·05	—	·29	·06	·23	—		19
20	—	·28	—	·05	·07	·02	·01	—	·02	—	·56	—		20
21	—	·36 ~~TR~~	—	—	—	TR	TR	—	—	·08	·01	—		21
22	—	·09	·02	—	—	—	—	·05	·17	—	·01	—		22
23	—	·29	—	—	·02	—	—	·44	·01	·44	—	·31		23
24	·03	·58	—	—	·11	—	—	·94	·44	·02	TR	·28		24
25	·07	·12	—	·31	TR	—	—	—	—	—	·01	·19		25
26	—	·25	—	—	—	—	—	·10	·03	TR	—	·27		26
27	—	·62	—	—	—	—	—	·12	·08	·02	·07	·50		27
28	—	·02	—	—	·22	—	—	—	·17	—	·02	·15		28
29	—	—	—	—	·02	—	—	11	·24	TR	TR	·29		29
30	·07	×	—	·10	—	—	—	·88	·04	·04	·35*	·55		30
31	—	×	—	×	—	×	—	·01	×	·18	×	·27		31
TOTAL	·60	3·21	·80	3·21	·84	2.12	·89	2·80	3.68	3·91	7·48	3.58	Year's Total. 33.12	
* Days with .01 in. or more.	11	15	8	16	9	18	5	10	23	19	26	16	176	
* Days with .04 in. or more.	6	12	5	16	5	14	4	8	18	13	17	13	131	

*·35

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

PORTSMOUTH / EASTN

676/5

Section **A** for the entry of Daily Observ

AIR MINISTRY.—METEORO

FOR OFFICIAL USE.

GANIZATION.

Hants/5

FORM 1090.

REGISTER O

676/5

PORTSMOUTH
EASTNEY
1931-1940

78 01 14

30

Kept at ~~Collecting Tanks, Eastne~~

in the County of Hampshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. –

,, Ground ,, Sea Level 20

THE MORNING MEASUREMENT IS

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02		.23				.01	.08				1
2	.15	.05		.44				.18	.34			.03	2
3	.11		.45	.03	.14				.54		.02	.12	3
4		.01	.01		.12		.05	.15	.02	.06	.04		4
5		.05		.11	.02	.30	.05	.01				.15	5
6		.07		.16		.07	.02			.32	.17	.34	6
7					.21	.15		.16		.05	.27		7
8		.03				.25	.07	.02		Trace	.14	.06	8
9		.05		.01		.02					.77	Trace	9
10		.06				.08	.01	.04			.71		10
11	.12	.24							.04		.31		11
12							.02		.16				12
13								Trace					13
14	.02	.14				.17	.49	.17	.01				14
15	.01	.02			.08		.26	.10				.01	15
16		.01		.09	.28	.01		.12	.07				16
17		X .03		.07			.19		.13				17
18	.01		.04	.03		.09	.07	.67	.02		.19		18
19	.11	Trace		.07		.02	.13	.09					19
20		.06	.02	.14				.24			.03		20
21	.02		.03		.25						.01		21
22	.36		.42										22
23	.22				.31						.17		23
24	.01			.43	.09	.06	.18	.40				.01	24
25	.07	Trace		.24	.08		.03				.03		25
26		.01		.11			.28				.33		26
27	.09	.21			.53		.26				.06		27
28	.15	.03		.04	.02							.02	28
29	.02				.32		.04			.01			29
30		×									.03		30
31	.29	×		×	.08	×		.04	×		×	.02	31
TOTAL	1.76	1.09	.97	2.20	2.53	1.22	2.15	2.40	1.41	.44	3.28	.76	YEAR'S TOTAL 20.21
*Days with ·01 in. or more.	16	17	6	15	14	11	16	15	10	4	16	9	149
*Days with ·04 in. or more.	10	9	3	12	12	8	12	12	7	3	11	4	103

40-9999 X NOTE: Snow water.

*See Instruction 2 (*f*) on other side.

DR.

Q

(*Signed*)

The City Engineer ~~Portsmouth~~.

P.T.O.

PORTSMOUTH (EAST [redacted]

676/5

Section **A** for the entry of Daily Observ[redacted] FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Hants/5

Kept at ~~Collecting Tanks, Eastney.~~

in the County of Hampshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. -- in.

,, Ground ,, Sea Level 20 ft.

low u/o 1930

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02		.23				.01	.08				1
2	.15	.05		.44				.18	.34			.03	2
3	.11		.45	.03	.14				.54		.02	.12	3
4		.01	.01		.12		.05	.15	.02	.06	.04		4
5		.05		.11	.02	.30	.05	.01				.15	5
6		.07		.16		.07	.02			.32	.17	.34	6
7					.21	.15		.16		.05	.27		7
8		.03				.25	.07	.02		Trace	.14	.06	8
9		.05		.01		.02					.77	Trace	9
10		.06				.08	.01	.04			.71		10
11	.12	.24							.04		.31		11
12							.02		.16				12
13								Trace					13
14	.02	.14				.17	.49	.17	.01				14
15	.01	.02			.08		.26	.10				.01	15
16		.01		.09	.28	.01		.12	.07				16
17		X .03		.07			.19		.13				17
18	.01		.04	.03		.09	.07	.67	.02		.19		18
19	.11	Trace		.07		.02	.13	.09					19
20		.06	.02	.14				.24			.03		20
21	.02		.03		.25						.01		21
22	.36		.42										22
23	.22				.31						.17		23
24	.01			.43	.09	.06	.18	.40				.01	24
25	.07	Trace		.24	.08		.03				.03		25
26		.01		.11			.28				.33		26
27	.09	.21			.53		.26				.06		27
28	.15	.03		.04	.02							.02	28
29	.02				.32		.04			.01			29
30		×									.03		30
31	.29	×		×	.08	×		.04	×		×	.02	31
TOTAL	1.76	1.09	.97	2.20	2.53	1.22	2.15	2.40	1.41	.44	3.28	.76	YEAR'S TOTAL 20.21
*Days with ·01 in. or more.	16	17	6	15	14	11	16	15	10	4	16	9	149
*Days with ·04 in. or more.	10	9	3	12	12	8	12	12	7	3	11	4	103

40-9999 X NOTE: Snow water.

*See Instruction 2 (*f*) on other side.

DR.

(*Signed*) ~~THE~~ City Engineer ~~Portsmouth~~.

P.T.O.

PORTSMOUTH (EASTNEY) 517075/28

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 676/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Hants/5

Kept at Collecting Tanks, Eastney,
in the County of Hampshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 20 ft.

Low in 1930 + 1931.

Turf wall erected Dec 10th 1931.
Return now O.K.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			·11	·66			·03			·02		1
2				·30	·04			·01	·05			·15	2
3				·16		·24			·43				3
4	·01					·13							4
5	·26						·09		·09				5
6	·42			·12					·06				6
7	·05		Trace	·04					·01	·10			7
8			·30	Trace	·19				·14	·42			8
9	·07			·09	·05								9
10	·44	× ·01		·30	·15	·02			·01	·12			10
11	·37	× ·02		·01	·01			·03	·02	·05			11
12	·33			·02					·09	·39			12
13	·04			·13	·05		·34			·79			13
14	·24				·03			·22			·16		14
15	·02			·01	·55		·01			·05	·01		15
16	·08			·11								·02	16
17	·01			·08						·04			17
18	·01				·05		·04		·02		·07		18
19				Trace					·06	·20			19
20			·02	·01			·01	·72		1·22	·25	·01	20
21				·02	1·11					·39		·05	21
22	Trace		·23		·05		·01	·19	·55	·16	·32		22
23	·01	·02		·11	·76		·11		·27	·79		·11	23
24		·01					·67		·04	·03			24
25							·67		·05	·41	·04	·01	25
26			·11	·09			·08			·02	·01		26
27			·27	·35	·14					·43			27
28			·05	·03	·01		·13			·01		·01	28
29			·24	·14	·13	·04			·40	·32		·07	29
30		×	·06	·15		·78	·03		·14		·45	·10	30
31		×		×		×	·09		×		×	·09	31
													YEAR'S TOTAL
TOTAL	2·46	·06	1·28	2·38	3·98	1·21	2·28	1·20	2·43	5·94	1·33	·62	25·17
*Days with ·01 in. or more.	16	4	8	21	16	5	13	6	17	19	9	10	144
*Days with .04 in. or more.	11	-	7	15	13	4	9	3	13	16	6	6	103

40-9999

*See Instruction 2 (*f*) on other side

THE CITY ENGINEER

(Signed) ~~Richard J Jackin~~ Part of

~~City Engineer~~, Portsmouth.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 676/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Collecting Tanks, Eastney
in the County of Hampshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·47	·08								·01		1
2	·18		·58		·45								2
3		·12	·15								·01		3
4	·30	·02			·34								4
5	·09		·36										5
6		·18	·03		·21					·02	·06		6
7	·13	·01	·03		·09					·18		·02	7
8	·03		Trace		·01		·28			·01			8
9					·02		·29			·02	·03		9
10		·28			·06		·03			·28	·03		10
11	·19				·01	·17		·06		·01			11
12				Trace	·02		·01		1·46			·02	12
13	·01				·04		·27		·04	·06	·02		13
14								·03		·44	·25		14
15	·25		·12					·23		·10			15
16			·57			·09			·01				16
17		·02	·31			·01		·03	·06				17
18	·32		·10			·26							18
19			·20	·06					·17		Trace	·01	19
20		·03	·02	·03		·12			·22				20
21		Trace			·02			·11	·01	·02			21
22						·03		·19	·07	·22	·01		22
23				·22		·10			·37	·42			23
24		·47		·28					·02				24
25		1·00		·39					·10			·18	25
26		·68		·06		·27			·42				26
27					·62		Trace			·20		·28	27
28						·01	·37			·01			28
29	·09		·01	·02	·15					·01		·10	29
30	·10	×	·03				·06		·13	·01		·10	30
31	·10	×		×		×			×		×		31
TOTAL	1·86	3·28	2·59	1·06	2·04	1·06	1·31	·65	3·08	2·01	0·42	0·71	YEAR'S TOTAL 20·07
*Days with ·01 in. or more.	13	11	14	7	13	9	7	6	13	16	8	7	124
*Days with .04 in. or more.	11	7	9	5	8	6	5	4	10	8	2	4	79

40-9999

*See Instruction 2 (*f*) on other side.

D

(Signed) R J Jenkins
City Engineer, Portsmouth.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 676/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Collecting Tanks, Eastney
in the County of Hampshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft - in.
,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·16		·25		·15		·50		1
2	·21		·12	·05	·38				·48	·24	·02	·38		2
3	·05			·03				·01		·09		·22		3
4	·11		·06	·17	·07				·01	·14	·03	·24		4
5			·01		·01			·14		·17	·01	·50		5
6	·01		·38	·04	·17	·12		·03		·21	·13	·39		6
7	·01							·34		·06		·15		7
8					·25			·01	·49		·73	·02		8
9		Trace	·17						·01		·60	·18		9
10			·16	·17				·03			·83	·01		10
11	·61		·43	·23			·10	·69				·49		11
12	·09		·01				·13	·17			·04	·14		12
13	·30		·10	·04			·07	Trace			·06	·04		13
14	·19		·33							·01	·16	·88		14
15			·01		·08					·23	·08	·48		15
16	·19		·42		·04				·02			·07		16
17	·09		·02							·02		·31		17
18	·09		·36	·32								·24		18
19			·44						·16		·01	·19		19
20			·01	·01			·71				·01			20
21				·27		·10				·04				21
22								·04	·25	·05		·14		22
23				·25		·43		·15	·02			·12		23
24		Trace	·06	·09		·01	·05		·08					24
25	·08			·10						·09		·60		25
26				·07		·13			·03			·02		26
27	·01			·01						·01		·31		27
28						·15		·67				·21		28
29								·17	·13					29
30	·03	×						·09				·33		30
31	·02	×		×		×			×		×	·08		31
TOTAL	2·09	-	3·09	1·85	1·00	1·10	1·06	2·79	1·68	1·51	2·71	7·24	Year's Total. 26·12	
* Days with ·01 in. or more.	16	-	17	15	7	7	5	14	11	14	13	27	146	
* Days with ·04 in. or more.	11	-	12	12	6	6	5	10	6	11	8	24	111	

40-9999

† Spare column, no entries required.

(*Signed*)
City Engineer, Portsmouth.

* See Instruction 2 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 676/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

TO: MO
WITH 1 ENCLOSURES
RECEIVED 1 FEB 1936
21 TIME 10
INITIALS IF ACKNOWLEDGED
RELEVANT FILE & ...
FILE NO.
TO

Kept at Collecting Tanks, Eastney,

in the County of Hants.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft -- in.

,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan: 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03		.18		.08	.04	.80			.10	.12			1
2						.02				.23		.01		2
3			.04						.20	1.57	.06			3
4		.15		.19		.07			.36	.48	.09	.28		4
5		.34	.09	.07		.02			.48	.03	.01	.01		5
6		.01	.03	.19		.40					.30			6
7				.24		.02				.06	1.02	.09		7
8				.23					.03	.22	.58			8
9	.03			.21		.49			.21	.53				9
10	.07		.15			.02				.03	.43	.01		10
11	.16	.01				.03		.11		.05	.28			11
12	.01	.01				.27			.04		1.12			12
13	.03	.09		.16	.03	.04					.16			13
14				.03	.01	.05			.02		.01	.16		14
15		.10		.47		.06			.14	.01	.40	.10		15
16		.12	.03	.07		.05			.09		1.09			16
17				.03	.07	.26			.12		.20			17
18				.22	.01	.05	.05		.32	.01	.01			18
19				.06	.33	.07	.03		.07	.06	.24			19
20		.23		.05	.04	.01	.04		.01		.54			20
21		.30		.01						.06	.01			21
22		.09	.02					.03	.16					22
23					.01			.34		.39		.33		23
24	.02	.61			.11			1.00	.36	.01		.30		24
25	.04	.07		.24							.01	.18		25
26		.31						.11	.02			.33		26
27		.55						.09	.06		.04	.44		27
28		.03			.17				.11		.01	.11		28
29					.01			.13	.18	.01		.24		29
30	.03	×		.09				.86	.02	.04	.26	.41		30
31		×		×		×			×	.14	×	.24		31
TOTAL	.42	3.02	.54	2.56	.87	1.97	.92	2.67	3.00	4.03	6.99	3.24	Year's Total. 30.23	
* Days with .01 in. or more.	9	16	7	17	11	18	4	8	20	19	23	16	168	
* Days with .04 in. or more.	3	12	4	14	6	12	3	7	15	13	17	13	119	

40-9999

† Spare column, no entries required.

(Signed) City Engineer.

* See Instruction 2 (f) on other side.

P.T.O.

File no. 817075/28

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 676/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Eastney Outfall, SOUTHSEA.
in the County of HAMPSHIRE
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.25	0.25	–	0.09	–	0.02	0.28	–	–	–	0.08	0.03		1
2	–	0.03	–	–	–	0.22	0.02	0.04	–	–	0.01	–		2
3	–	–	–	0.24	–	–	0.02	–	0.09	–	0.58	–		3
4	0.01	–	0.08	–	–	0.23	0.01	–	0.27	–	0.29	0.07		4
5	0.18	–	–	–	–	–	–	0.02	0.08	–	–	0.02		5
6	0.55	–	–	–	–	0.04	–	–	0.13	–	0.47	–		6
7	0.27	–	0.07	–	–	–	0.03	–	–	–	0.29	0.07		7
8	0.22	–	0.18	–	–	–	0.01	–	–	–	0.54	0.06		8
9	0.22	–	0.07	–	–	–	0.88	–	0.11	–	–	–		9
10	–	–	–	–	–	–	0.24	–	–	–	–	–		10
11	0.16	0.58	–	0.02	–	–	0.11	0.02	0.28	–	1.63	–		11
12	–	–	–	–	–	0.23	0.17	0.02	0.29	–	0.44	0.04		12
13	–	–	–	–	–	0.03	0.01	–	–	0.01	0.02	0.40		13
14	–	0.13	–	–	–	0.07	0.69	–	0.01	0.02	0.01	0.22		14
15	–	0.01	–	–	–	–	–	–	0.16	–	0.05	0.24		15
16	0.15	0.33	–	–	–	–	0.04	–	0.10	–	0.05	0.03		16
17	–	0.64	–	–	–	0.38	–	0.02	0.20	0.01	0.05	0.39		17
18	0.13	0.04	–	–	–	0.66	0.14	–	–	–	–	0.06		18
19	0.29	–	0.10	0.01	–	0.57	–	0.03	–	–	–	–		19
20	0.16	0.03	0.10	0.18	–	0.04	–	–	1.07	–	–	–		20
21	–	0.04	–	0.58	–	0.08	0.04	–	–	–	–	–		21
22	0.10	0.40	0.11	–	0.06	–	0.08	–	–	–	–	0.04		22
23	–	–	0.11	0.05	0.01	–	0.18	–	–	0.04	–	–		23
24	0.15	–	–	–	–	–	–	–	0.05	0.19	–	–		24
25	0.05	–	0.17	0.20	–	–	0.01	–	–	0.09	–	–		25
26	0.04	0.10	–	0.02	–	0.03	–	–	0.04	0.02	–	–		26
27	0.32	0.13	–	–	–	–	–	–	0.20	0.11	–	–		27
28	0.78	–	0.24	–	–	–	0.30	–	–	–	–	0.04		28
29	–	0.04	0.02	–	–	0.16	0.02	–	–	0.07	0.15	–		29
30	0.11	×	–	–	0.04	0.23	–	–	–	0.04	–	0.02		30
31	0.08	×	0.23	×	–	×	0.21	–	×	0.02	×	0.13		31
TOTAL	4.22	2.75	1.48	1.39	0.11	2.99	3.49	0.15	3.08	0.62	4.66	1.86	Year's Total. 26.80	
* Days with .01 in. or more.	20	14	12	9	3	15	21	6	15	11	15	16	157	
* Days with .04 in. or more.	19	11	11	6	2	12	13	1	14	6	12	12	119	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) City Engineer.

[P.T.O.

676/5

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Eastney Outfall, Southsea
in the County of Hampshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	
1	·69			·10							1·00	·22	1
2		·31		·11					·01			·19	2
3		·12											3
4	·14	·81										·22	4
5	·10	·01	·07				·31						5
6	·14	·16	·51	·07	·04		·05					·01	6
7		·52		·04	·11					·04		1·92	7
8		·01	·01		·23	·01						·04	8
9				·23	·09	·04	·04		·55				9
10			·50	·12	·08	·20						·68	10
11			·06		·11		·18					·05	11
12	·30	·35	·05	·05	·15	·27	·01	·27	·18			·20	12
13	·32	·03	·87	·06	·01	·02		·10	·03			·61	13
14	·02	·01	·04	·14	·01			·07	·03			·11	14
15	·27	·07		·23			·42		·34			·22	15
16		·07	·38	·05		·12		·45	·41				16
17	·51	·03	·08						·45		·06		17
18	·26	·07							·07		·09	·13	18
19	·22	·09	·01	·06		·06					·01		19
20	·31		·17	·16	·01							·05	20
21	·25	·22	·04	·02	·02		·01				·05	·02	21
22	·49	·01	·12		·10		·12			·74	·20	·04	22
23	·14	·13			·05		·14			·36	·21	·01	23
24	·23	·44			·02					·41			24
25	·15	·25	·36		·17				·03	·02			25
26		·23								·11			26
27		·13		·03						·12			27
28	·06	·05								·04			28
29	·03} (SNOW)									·04			29
30	·24	×								·22	·13		30
31	·35	×		×		×			×	·33	×		31
													YEAR'S TOTAL
TOTAL	5·22	4·12	3·27	1·47	1·20	·72	1·28	·89	2·10	2·43	1·75	4·72	29·17
Days with ·01 in. or more.	21	23	15	15	15	7	9	4	10	11	8	17	155
Days with ·04 in. or more.	19	17	13	13	10	5	7	4	6	10	7	14	125

40-9999

(Signed) J. Parker
City Engineer

[P.T.O.

File No. 817075/28. **COPY FOR OFFICIAL USE**

Section **A** for the entry of Daily Observations

Station No. 676/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Eastney Outfall, SOUTHSEA.

in the County of HAMPSHIRE.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	0.32	0.06	0.05	-	0.21	0.02	-	0.01		1
2	-	-	-	0.01	-	-	-	-	-	0.45	-	0.01		2
3	-	-	-	-	0.03	-	-	-	-	0.62	0.04	-		3
4	-	-	-	-	-	-	0.31	-	-	0.12	-	0.05		4
5	-	-	-	-	-	-	0.10	0.09	-	0.30	-	-		5
6	0.09	-	-	-	-	0.01	0.01	-	0.07	0.04	0.02	-		6
7	-	-	-	-	-	-	0.29	0.08	0.09	0.16	-	0.02		7
8	0.07	-	-	-	-	-	0.05	0.02	-	0.13	-	0.20		8
9	0.08	0.01	-	-	-	-	-	-	-	0.01	-	0.57		9
10	0.05	0.03	-	-	-	0.13	0.04	-	-	-	-	0.09		10
11	0.17	-	-	-	-	-	-	-	-	-	0.05	0.12		11
12	0.30	-	-	-	0.01	-	-	-	-	0.03	-	-		12
13	0.39	-	-	-	-	-	-	-	-	0.06	0.21	0.09		13
14	0.29	-	-	-	0.08	-	0.03	-	0.01	-	-	-		14
15	0.08	0.04	-	-	-	-	0.07	-	-	0.32	0.03	0.21		15
16	0.26	0.01	0.02	-	-	-	-	0.03	-	-	-	0.04		16
17	-	0.09	0.01	-	-	-	0.01	-	0.10	0.36	0.02	-		17
18	0.09	-	-	-	0.03	0.04	-	-	0.27	0.14	0.41	-		18
19	-	-	-	-	-	-	-	0.02	0.17	-	0.86	-		19
20	-	-	-	-	-	-	-	0.06	-	-	0.46	-		20
21	0.01	-	-	-	-	-	-	0.02	0.09	-	0.04	0.07		21
22	0.01	-	-	-	-	0.01	-	0.20	-	-	0.21	0.06		22
23	-	-	-	-	-	-	-	-	0.01	-	0.05	-		23
24	-	-	0.17	-	-	-	-	-	0.24	-	0.26	0.02		24
25	0.10	0.02	0.13	-	0.14	-	0.02	-	-	0.03	0.56	-		25
26	0.38	0.16	0.02	-	0.01	-	-	-	0.02	0.15	-	0.26		26
27	0.15	0.01	-	-	0.13	0.19	0.33	-	0.01	-	0.18	-		27
28	0.10	0.08	-	-	0.19	0.11	-	0.41	0.05	-	-	0.06		28
29	0.03	-	-	-	0.24	-	-	-	0.01	0.02	0.12	0.01		29
30	0.01	✕	-	-	0.04	-	-	-	0.03	-	0.21	-		30
31	0.14	✕	-	✕	0.09	✕	-	-	✕	0.16	✕	0.18		31
TOTAL	2.80	0.45	0.35	0.01	1.31	0.55	1.31	0.93	1.38	3.12	3.73	2.07	Year's Total 18.01	✓
* Days with .01 in. or more.	20	9	5	1	12	7	12	9	15	18	17	18	143	* ✓
* Days with .04 in. or more.	16	4	2	0	8	5	8	5	9	13	14	13	97	* ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Joseph Parker City Engineer. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 676/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at Eastney Outfall, Southsea
in the County of Hants.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04		·01	·29	·06		·03		0.09		0.01			1
2	·01			·06				0.34	0.28		0.08	·01		2
3	·20			·63				0.22	0.03		0.35	·34		3
4	·01		·40	·08	·04		·15	0.32		0.47	0.12			4
5			·02	·14	·11		·03	0.02		0.23	0.42	·12		5
6	·25		·11	·01			0.28	0.03			0.18			6
7		·05						0.07			0.04	·24		7
8		·09	·11							0.65	0.16	·16		8
9	·02							0.07		0.20	0.37	·12		9
10	·10					·09		0.11	0.14	0.10	0.05			10
11			·15							1.43				11
12	·01			·07		·01				0.01				12
13						·06	·15		0.01	1.17	0.02			13
14	·48			·02		·01	·01		0.03	0.36	0.46	·11		14
15	·61				·46	·33				0.16	0.25	·01		15
16	·36		·04	·10	·09	·13	·26			0.15	0.24			16
17	·11		·03		·37				0.09	0.15	0.05			17
18	·04					·05	·42				0.52	·01		18
19	·24		·01				·38			0.04		·03		19
20	·49					·02		0.03						20
21	·03	·14	·04			·09	·05							21
22	·25	·23	·01			·09	·01				0.04			22
23	·03			·16			·11			0.03	0.51			23
24	·42		·01	·05		·03	·10				–			24
25	·70	·19	·01	·06			·01			0.03	0.18			25
26								0.04		0.03	0.22			26
27		·07	·03	·02		·02					0.09			27
28		·33	·01			·03					0.15	·03		28
29				·01			·03			0.08	–			29
30		×		·47			·01			0.09	0.04	·04		30
31		×		×		×		0.01	×	0.35	×			31
TOTAL	4·40	1·10	·99	2·17	1·13	·96	2·03	1.26	0.67	5.73	4.55	1·22	Year's Total 26·21	✓
*Days with ·01 in. or more.	20	7	15	15	6	13	16	11	7	19	23	12	164	✓
*Days with .04 in. or more.	14	7	6	11	6	7	9	7	4	15	21	7	114	✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Joseph [illegible]
City Engineer, Portsmouth.

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 19~~7~~40.

676/5 ✓

Jan 28th – 31st allow for snow

CITY ENGINEER'S DEPARTMENT
5 - MAY 1941
PORTSMOUTH

Kept at Eastney Outfall, Southsea.

in the County of Hampshire.

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground one ft in.

" Ground " Sea Level twelve ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.11	Nil	1
2	Nil	0.17	-	0.06	-	-	-	-	-	-	0.26	0.02	2
3	0.02	0.32	-	Nil	-	-	-	-	-	0.14	0.05	0.28	3
4	Nil	0.17	-	-	-	-	0.04	-	-	0.27	Nil	0.03	4
5	-	Nil	-	-	-	-	Nil	-	-	Nil	0.36	0.18	5
6	0.39	0.25	-	-	-	-	0.17	-	-	0.36	0.13	0.04	6
7	0.09	0.23	-	-	-	-	Nil	-	-	Nil	Nil	Nil	7
8	Nil	Nil	-	-	-	-	0.06	-	-	0.35	0.02	0.21	8
9	Nil	-	-	-	-	-	Nil	-	0.02	0.11	0.24	0.34	9
10	-	-	-	-	-	-	0.20	0.01	0.01	0.12	0.05	0.02	10
11	-	-	-	-	-	-	Nil	Nil	Nil	Nil	0.97	Nil	11
12	-	-	0.10	0.01	-	-	0.10	-	0.22	Nil	0.01	-	12
13	-	-	0.52	Nil	-	-	Nil	-	0.40	-	0.50	-	13
14	-	-	0.12	0.04	-	-	0.58	-	Nil	0.19	Nil	0.25	14
15	-	-	Nil	Nil	0.02	-	0.84	-	0.09	Nil	0.64	Nil	15
16	-	0.01	0.31	0.02	Nil	-	Nil	-	0.12	0.62	1.82	0.05	16
17	-	Nil	0.45	Nil	-	0.02	0.06	-	Nil	Nil	0.01	Nil	17
18	-	0.36	0.18	0.25	-	Nil	Nil	-	0.04	0.26	Nil	0.09	18
19	-	0.08	Nil	0.04	-	-	0.05	-	0.45	Nil	0.26	Nil	19
20	-	Nil	-	0.07	-	-	0.07	-	0.03	-	0.02	-	20
21	-	-	-	Nil	-	-	Nil	-	Nil	0.16	0.21	-	21
22	-	-	0.03	0.08	-	-	-	-	0.11	Nil	0.00	-	22
23	-	0.04	0.11	Nil	-	0.14	-	-	Nil	-	0.01	-	23
24	-	Nil	Nil	-	-	Nil	0.29	-	-	-	Nil	-	24
25	0.02	-	0.43	-	0.01	-	0.02	-	-	-	-	-	25
26	0.94	0.19	0.30	0.03	0.18	-	0.03	-	-	-	-	-	26
27	0.54	0.27	Nil	Nil	Nil	-	0.31	-	-	-	-	-	27
28	Nil	Nil	-	-	0.22	-	Nil	-	-	-	-	-	28
29	- (·80)	0.41	0.14	0.22	0.08	-	-	-	-	-	-	0.15	29
30	-	×	0.01	0.08	Nil	-	-	-	-	0.15	-	0.03	30
31	-	×	Nil	×	-	×	-	-	×	0.49	×	0.19	31 27·07
TOTAL	~~2.41~~ 3·21	2.50	2.70	0.90	0.51	0.16	2.82	0.01	1.49	3.22	7.67	1.88	YEAR'S TOTAL ~~26.27~~
*Days with ·01 in. or more.	~~7~~ 10	12	12	11	5	2	14	1	10	12	13	14	~~118~~ 121
*Days with ·04 in. or more.	~~5~~ 8	11	10	8	3	1	12	None	7	12	13	10	~~92~~ 95

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) City Engineer.

[P.T.O.

677

Section **A** for the entry of Daily Observa

AIR MINISTRY.—METEOROI

677

STH HAYLING SCHOOL

1931- 1940

780114

R OFFICIAL USE.

NIZATION.

FORM 1090.

REGISTER OF

Kept at South Hayling School

in the County of Hampshire

y

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft

,, Ground ,, Sea Level 10

THE MORNING MEASUREMENT IS

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·02	·07			·09		·02	·08	·01		·01	1
2	·23	·05		·41				·07	·30		·01	·05	2
3	·10	·02	·48	·36	·18				·69		·04		3
4				·03	·11		·07	·14	·02	·08	·06		4
5		·07			·01	·35	·09	·03		·03	·04	·11	5
6				·11			·07		·04	·35	·14	·31	6
7		·08		·16	·22	·27	·07	·19	·01	·08	·26	·01	7
8	M.S. ·03	·09	·02			·32		·05	·01		·18	·08	8
9		·09				·03	·03	·02			·80	·03	9
10		·07				·10	·04				·70		10
11	·15	·25			·01			·05	·05	·03	·26		11
12	·03						·05		·20		·01		12
13	·02							·02	·07				13
14	·04	·22				·03	·75						14
15	·03	·03		·04	·10		·55	·12				·02	15
16		·03		·15	·26	·02	·03	·50					16
17		·03		·10	·01	·01	·20	·07	·14				17
18	·05		·05	·06		·13	·10	·69	·03	·01	·30		18
19	·14			·24		·07	·13						19
20	·01	·05		·15				·11			·05		20
21	·04			·01	·31			·18					21
22	·34		·47	·01						·01	·03		22
23	·24			·02	·29						·25		23
24				·40 ~~·04~~	·09	·05	·20				·01		24
25	·12			·24	·11		·05	·45			·08		25
26	·02	·05		·16	·36		·35			·01	·33		26
27	·20	·24			·03		·35			·62	·05		27
28	·08			·04									28
29	·09			·01	·24						·01		29
30		×		·01							·02		30
31	·27	×		×	·15	×			×		×	·02	31
TOTAL	2·24	1·39	1·09	2·41	2·48	1·47	3·13	2·71	1·64	·63	3·62	·64	YEAR'S TOTAL 23·75
*Days with ·01 in. or more.	21	16	5	20	16	12	17	16	2	10	21	9	165
*Days with ·04 in. or more.	14	11	4	14	12	8	15	12	8	3	5	4	110

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) H. J. Earney

P.T.O.

677

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at South Hayling School

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 10 ft.

Station number 677

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·02	·07			·09		·02	·08	·01		·01	1
2	·23	·05		·41				·07	·30		·01	·05	2
3	·10	·02	·48	·36	·18				·69		·04		3
4				·03	·11		·07	·14	·02	·08	·06		4
5		·07			·01	·35	·09	·03		·03	·04	·11	5
6				·11			·07		·04	·35	·14	·31	6
7		·08		·16	·22	·27	·07	·19	·01	·08	·26	·01	7
8	M.S. ·03	·29	·02			·32		·05	·01		·18	·08	8
9		·09				·03	·03	·02			·80	·03	9
10		·07				·10	·04				·70		10
11	·15	·25			·01			·05	·05	·03	·26		11
12	·03						·05		·20		·01		12
13	·02							·02	·07				13
14	·04	·22				·03	·75						14
15	·03	·03		·04	·10		·55	·12				·02	15
16		·03		·15	·26	·02	·03	·50					16
17		·03		·10	·01	·01	·20	·07	·14				17
18	·05		·05	·06		·13	·10	·69	·03	·01	·30		18
19	·14			·24		·07	·13						19
20	·01	·05		·15				·11			·05		20
21	·04			·01	·31			·18					21
22	·34		·47	·01						·01	·02		22
23	·24			·02	·29						·25		23
24				~~·04~~ ·40	·09	·05	·20				·01		24
25	·12			·24	·11		·05	·45			·08		25
26	·02	·05		·16	·36		·35			·01	·33		26
27	·20	·24			·03		·35			·62	·05		27
28	·08			·04									28
29	·09			·01	·24						·01		29
30		×		·01							·02		30
31	·27	×		×	·15	×			×		×	·02	31
TOTAL	2·24	1·39	1·09	2·41	2·48	1·47	3·13	2·71	1·64	·63	3·62	·64	YEAR'S TOTAL 23·75
*Days with ·01 in. or more.	21	16	5	20	16	12	17	16	2	10	21	9	165
*Days with ·04 in. or more.	14	11	4	14	12	8	15	12	8	3	5	4	110

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. J. Earney

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 677

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hayling Island School

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 10 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·09	·67			·02	·01		·05	·02	1
2				·27	·03			·01	·08			·15	2
3				·12		·24			·32				3
4	·01					·11						·01	4
5	·22						·14		·11				5
6	·35			·10			·01		·04				6
7	·05		·02	·04	·06				·02	·19			7
8			·30		·19				·15	·44			8
9	·14	M.S ·01	·02	·06	·06								9
10	·35	M.S. ·12	·01	·29	·13				·02	·11		·01	10
11	·33			·03				·31		·06	·01	·01	11
12	·35							·03	·13	·31		·02	12
13	·06		·01	·12	·16		·39			·79			13
14	·18				·50			·26		·02	·14		14
15	·01	·02			·32					·06			15
16	·06			·12			·02						16
17	·01			·07				·01	·01				17
18	·03	·01					·04		·02		·09		18
19	·01						·01		·07	·16			19
20			·02				·02	·27	·01	1·01	·23		20
21			·02		·90					·34	·01		21
22	·02				·06		·06	·21		·24	·28		22
23		·02	·10	·08	·48		·18		·25	·59	·03	·15	23
24	·03	·04	·14		·01		·63		·06	·05			24
25	·02		·21				·56		·03	·40	·03		25
26			·01	·05			·07			·03			26
27			·24	·24	·09	·06				·72			27
28			·06	·03	·02				·01		·01	·02	28
29				·16	·12	·06	·03	·02	·38	·28		·05	29
30		X	·10	·25		·74	·06		·16		·55	·16	30
31	·01	X	·25	X		X			X		X	·13	31
TOTAL	2·32	0·22	1·51	2·12	3·79	1·21	2·22	1·14	1·68	5·80	1·43	0·73	YEAR'S TOTAL 24·37
*Days with ·01 in. or more.	20	6	15	17	16	5	14	9	19	18	11	11	161
*Days with .04 in. or more.	11	2	8	15	13	5	9	4	11	16	6	5	105

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) H. J. Earney

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~677~~ 677

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at SOUTH HAYLING CL. SCHOOL

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 10 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·45	·07	–	–	–	–	–	–	–	·01	–		1
2	·14	·01	·05	–	·59	–	–	–	–	–	–	–		2
3	·01	·12	·15	–	–	–	–	–	–	–	–	–		3
4	·25	·01	·01	–	·34	–	–	–	–	–	·01	–		4
5	·11	–	·34	–	–	–	–	–	–	–	–	–		5
6	–	·18	·03	–	·24	–	–	–	–	·03	·07	–		6
7	·12	·02	·02	–	·15	–	–	–	–	·20	–	·01		7
8	·04	–	–	–	·02	–	·25	–	–	·03	–	–		8
9	–	–	–	–	·03	–	·27	–	–	–	·06	–		9
10	·03	·45	–	–	·10	–	·04	–	–	·27	·01	–		10
11	·19	–	–	–	·02	·25	–	·02	–	·02	–	M.S ·05		11
12	–	·01	–	–	·03	–	–	–	1·35	–	·01	M.S ·06		12
13	·01	–	–	–	–	·03	·26	·05	·04	·04	·03	–		13
14	·01	–	–	–	–	–	·03	–	–	·45	·40	–		14
15	·33	–	·09	–	–	–	·02	·20	–	·12	·01	–		15
16	–	–	·63	–	–	·04	–	–	·03	–	·01	–		16
17	–	–	·36	–	–	·01	–	·05	·07	–	–	–		17
18	·27	·01	·14	–	–	·28	–	–	–	–	·01	–		18
19	·01	·01	·13	·04	–	–	–	–	·20	–	·02	·02		19
20	–	M.S ·04	·05	·04	–	·33	–	–	·24	–	–	·01		20
21	–	M.S ·01	–	–	·02	–	–	·02	·01	·02	–	–		21
22	–	–	–	–	–	·02	–	·28	·08	·18	·01	–		22
23	–	–	–	·20	–	·10	–	–	·34	·32	–	–		23
24	–	·37	–	·14	–	–	–	–	·05	–	–	–		24
25	–	·84	–	·51	–	–	–	–	·17	–	–	·16		25
26	–	·67	–	·09	–	·44	–	–	·50	·03	–	–		26
27	–	–	–	–	·61	–	–	–	–	·18	–	·25		27
28	–	–	–	–	–	·01	·32	–	–	·05	–	·05		28
29	·09	–	–	·01	·24	–	–	–	–	·02	–	·10		29
30	·08	×	·04	–	–	–	·03	–	·32	–	–	·10		30
31	·10	×	–	×	–	×	–	–	×	–	×	–		31
TOTAL	1·84	3·20	2·11	1·06	2·39	1·51	1·22	0·62	3·40	1·96	0·66	0·81	Year's Total 20·78	
*Days with ·01 in. or more.	14	15	14	7	12	10	8	6	13	15	13	10	140	
*Days with .04 in. or more.	12	8	11	6	7	6	5	4	11	9	3	7	89	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H. J. Earney. [P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 677

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at South Hayling C. School

in the County of Hampshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 10 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	–	–	–	–	·10	–	·18	–	·20	–	·53	1
2	·21	–	–	·06	·17	·02	–	–	·50	·25	·04	·34	2
3	·05	·01	–	·01	–	–	–	·01	–		–	·15	3
4	·09	–	·05	·10	·07	–	–	–	–	·18	·08	·30	4
5	–	–	·01	·03	–	–	–	·16	–	·16	–	·48	5
6	·01	–	·35	–	·14	·16	–	·06	–	·28	·15	·47	6
7	·02	–	·01	–	–	–	–	·32	–	·09	–	·17	7
8	·01	–	–	–	·20	–	–	–	·60	–	·93	·03	8
9	·01	–	·09	–	–	–	–	·06	–	–	·65	·27	9
10	–	–	·14	·14	–	–	–	–	–	–	·46	·04	10
11	·58	–	·32	·21	–	–	·23	·75	–	–	–	·45	11
12	·09	–	·01	–	–	–	·18	–	–	–	·06	·06	12
13	·21	–	·07	·03	–	–	·05	–	–	·02	·03	–	13
14	·20	–	·25	–	–	–	–	·02	–	–	·21	·74	14
15	·01	–	·02	–	·04	–	–	–	–	·17	·09	·41	15
16	·15	–	·31	–	·07	–	–	–	–	–	–	·10	16
17	·08	–	·05	–	–	–	–	–	–	·05	–	·31	17
18	·07	–	·08	·22	–	–	–	–	·20	–	–	·20	18
19	–	–	·35	–	–	·02	–	–	–	–	–	·22	19
20	–	–	·02	·03	–	–	·45	–	–	·02	–	·02	20
21	–	–	–	·30	–	–	–	–	·22	·07	–	·02	21
22	–	–	–	–	–	·12	–	–	–	–	–	–	22
23	–	·01	–	·27	–	·40	–	·12	–	·03	–	·16	23
24	–	·01	·05	·09	–	·02	·07	–	·13	–	–	–	24
25	·15	–	·01	·09	–	–	–	–	–	·14	–	·60	25
26	·01	–	–	·05	–	·13	–	–	–	–	–	·01	26
27	·02	–	–	·04	–	–	–	–	–	–	–	·30	27
28	–	–	–	–	–	·41	–	·80	–	–	–	·25	28
29	–	–	–	–	–	–	–	·17	·13	–	·01	·02	29
30	·05	X	–	–	–	–	–	·23	–	–	–	·41	30
31	·05	X	–	X	–	X	–	·03	X	–	X	·06	31
TOTAL	2·08	0·03	2·19	1·64	0·69	1·38	0·98	2·91	1·78	1·66	3·00	7·15	YEAR'S TOTAL 25·52 ✓
*Days with ·01 in. or more.	21	3	18	15	6	9	5	13	6	13	11	28	148
*Days with .04 in. or more.	13	–	12	11	6	6	5	10	6	10	9	23	111

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. J. Kearney

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 677

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at South Hayling C. School

in the County of Hampshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 10 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	–	·25	–	·07	·04	·67	–	·01	–	·17	·02		1
2	–	–	–	–	–	·05	–	–	·01	·10	·01	·01		2
3	–	–	·05	–	–	·02	–	–	·28	·24	·11	–		3
4	–	·12	–	·15	–	·08	–	–	·22	1·02	·10	·34		4
5	·04	·37	·08	·07	–	–	–	–	·46	·14	·01	·02		5
6	–	·01	–	·22	–	–	–	–	–	·02	·40	–		6
7	·06	–	–	·27	–	·02	–	–	–	·06	·90	·20		7
8	–	–	·02	·23	–	·34	–	–	·05	·27	·43	–		8
9	–	–		·23	–	–	–	–	·19	·65	·02	–		9
10	·10	–	·15	–	–	–	–	–	–	·06	·28	–		10
11	·05	–	·02	–	–	·12	·19	–	·02	·04	1·17	–		11
12	·03	·03	–	–	–	·18	–	1·06	·04	–	·12	–		12
13	·15	·10	·01	·16	–	·05	–	–	–	–	·01	–		13
14	–	–	–	·04	·02	·04	–	–	–	–	–	·15		14
15	–	·02	–	·44	–	·10	–	–	·17	·15	·61	·10		15
16	–	·20	·05	·01	–	·07	–	–	·14	–	1·07	–		16
17	–	–	–	·08	–	·25	–	·03	–	–	·22	–		17
18	–	–	–	·25	·05	·03	·04	–	·36	·01	·02	–		18
19	–	·01	–	·08	·28	·08	·04	–	·08	·03	·19	–		19
20	–	·31	–	·05	·07	–	·03	–	·02	·08	·62	–		20
21	–	·34	–	·02	–	–	–	–	·01	·08	·01	–		21
22	–	·06	–	–	–	–	–	·04	·09	–	·01	–		22
23	–	–	–	–	·02	–	–	·45	–	·34	–	·33		23
24	·04	·51	·01	–	·10	–	–	·09	·48	–	–	·28		24
25	–	·07	–	·39	·02	–	–	–	–	–	–	·19		25
26	–	·24	–	–	–	–	–	1·02	·03	–	–	·27		26
27	–	·56	–	–	–	–	–	·05	·08	–	·06	·47		27
28	–	·03	–	–	·21	–	–	–	·14	–	–	·12		28
29	–	–	–	–	–	–	–	·01	·25	·01	·02	·30		29
30	·08	✕	–	·13	–	–	–	–	·05	·04	·27	·52		30
31	–	✕	–	✕	–	✕	–	1·05	✕	–	✕	·32		31
													Year's Total	
TOTAL	·63	2·98	·64	2·82	·84	1·47	·97	3·80	3·18	3·34	6·83	3·64	31·14	
* Days with .01 in. or more.	9	16	9	17	9	15	5	9	22	18	24	16	169	
* Days with .04 in. or more.	7	11	5	15	6	12	4	7	16	14	16	13	126	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. J. Earney [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 677

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at SOUTH HAYLING CL. SCHOOL

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 10 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·47	·22	-	·12		·02	·26	-			12			1
2	·01	·03	·01	·01		·36	·04	-			·01			2
3	-	-	-	·25			·06	·04	·09		·58			3
4	·02	-	·10	-		·09	·02	-	·26		·38			4
5	·21	-	-	-				-	·03		·01	·01		5
6	·57	-	-	-		·04		-	·15			·01		6
7	·24	-	·09	-			·02	·07			·43			7
8	·26	-	·19	-			·03	-			·29	·05		8
9	·23	-	-	-			·82	-	12		·58			9
10	·01	-	·02	-		·01	·22	·02						10
11	·18	·62	·01	·04			·12	06	·08		1·60			11
12	·01	-	·01	-		·25	·18	-	·11			·02		12
13	-	-	·02	-			·04	-	-	01	04	·39		13
14	-	·11	·04	-		·09	·66	-	·03	·01	·02	·22		14
15	-	·01	-	-			·09	-	·10		·08			15
16	·16	·33	-	-				-	·18		·05	·25		16
17	·01	·53	-	-		·31	·01	·04			·09	·45		17
18	·13	·07	-	-		·59	·15	-		·01				18
19	·28	-	·11	·03		·37		·04	·01			·10		19
20	·16	·05	·11	·20		·12	·01	-	1·25			·10		20
21	·02	·06	·01	·55	·01	·13	·08							21
22	·09	·40	·13	-	·02		·10					·05		22
23	·01	-	·09	·06	·03		·20							23
24	·16	-	-	-	·		·04		·10	·03				24
25	·06	-	·15	·20		-	-		·02	·42				25
26	·02	·11	·02	·03		·03	-		·05	·04				26
27	·33	·01	-	-			-		·13					27
28	·73	·01	·27	-			·54			·14		·07		28
29	·01	·04	·02	-		·11	·03				·08	·02		29
30	·11	✕	-	-	·02	·28	-			·04	·01			30
31	·11	✕	·28	✕		✕	·24		✕		✕	·15		31
													Year's Total	
TOTAL	4·60	2·60	1·68	1·49	·08	2·80	3·96	·27	2·71	·70	4·37	1·89	27·15	✓
* Days with .01 in. or more.	27	15	~~8~~19	10	4	15	23	6	16	8	16	14	173	✓
* Days with .04 in. or more.	18	11	11	7	0	12	17	5	12	4	12	10	119	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. J. Earney [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 677

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

F 233814/33. B A

Circ D. sent 10-3-38

Kept at SOUTH HAYLING CL SCHOOL

in the County of HANTS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 10 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·68	·02	—	·12	—	—	—	—	·01	—	·91	·16		1
2	·01	·37	—	·17	—	—	—	—	—	—	—	·37		2
3	·02	·17	—	—	—	—	—	—	—	—	—	—		3
4	·11	·88	—	—	—	—	—	—	—	—	—	·30		4
5	·11	—	·09	—	—	—	·30	—	—	—	—	—		5
6	·12	·17	·69	·07	·06	—	·05	—	—	·03	—	—		6
7	—	·53	—	·04	·52	—	—	—	—	—	—	·17		7
8	—	—	·02	—	·22	—	—	—	—	—	—	·03		8
9	—	—	}	·05	·09	·03	·05	—	·60	—	—	—		9
10	—	—	—	·20	·12	·44	—	—	—	—	—	·80		10
11	—	—	·09	·02	·12	·02	·70	—	—	—	—	·06		11
12	·32	·38	·15	·06	·22	·32	·02	·50	·21	—	—	·27		12
13	·33	·05	·55	·03	·02	·01	—	·01	·03	—	—	·59		13
14	·03	—	·03	·12	·01	—	—	·25	·07	—	—	·07		14
15	·29	·10	—	·18	—	—	·50	—	·40	—	—	·12		15
16	—	—	·32	·04	—	·07	—	·63	·20	—	—	—		16
17	·50	·03	·11	—	—	—	·01	—	·31	—	·09	—		17
18	—	·08	—	—	—	—	—	—	·06	—	·10	·12		18
19	·19	·11	—	·12	—	·03	—	—	·02	—	·10	—		19
20	·30	—	·19	·02	—	—	—	—	—	—	—	·08		20
21	·32	·26	·04	—	·03	—	—	—	—	—	·06	·05		21
22	·51	—	·06	—	·09	·02	·13	—	—	—	·30	·06		22
23	·11	·16	·03	—	—	—	·15	—	—	·48	·10	·01		23
24	·21	·50	—	—	—	—	—	—	·01	·25	—	—		24
25	·17	·20	·36	—	—	—	—	—	·06	·09	—	—		25
26	·01	·09	—	—	—	—	—	—	—	·13	—	—		26
27	—	·09	—	·03	—	—	—	—	—	·12	—	—		27
28	·17	·10	—	—	—	—	—	—	—	·09	—	—		28
29	M:S:·06	—	—	—	—	·03	—	—	—	·04	—	—		29
30	·24	✕	—	—	—	—	—	—	—	·10	·37	—		30
31	·31	✕	—	✕	—	✕	—	—	✕	·28	✕	—		31
TOTAL	·12 5·40	4·29	3 2·71	1·37	50 1·96	7 ·98	1·91 ~~·56~~	1·39	1·98	1·61	2·03	3·26	Year's Total ~~27·65~~	28·16 ✓
* Days with .01 in. or more.	24	19	14	15	13	10	2	4	12	10	8	16	147	✓
* Days with .04 in. or more.	20	17	11	11	10	3	6	3	8	9	8	14	120	✓

† Spare column, no entries required.

(Signed) H. J. Earney [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 677

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at South Hayling Cl. School

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 10 ft.

a/c. Letter sent 28/7/39

~~Totals~~ LB

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	·34	·10	·04	-	·24	-	·01	·01		1
2	-	-	-	-	-	t	-	-	-	·40 ~~·04~~	-	·01		2
3	·02	-	-	·01	·03	-	-	-	-	·47	·08	-		3
4	-	-	-	-	-	-	·34	-	-	·03	-	·09		4
5	-	-	-	-	-	-	·07	·02	-	·18	·01	-		5
6	·11	-	-	-	-	·01	·04	-	·10	·07 ~~·37~~	·04	·01		6
7	·01	-	-	-	-	-	·32	-	-	·12	-	·04		7
8	·10	-	-	-	-	-	·12	·32	-	·22	-	·25		8
9	·09	·03	-	-	-	-	·01	·04	-	·23	-	x ·63		9
10	·08	·02	-	-	-	·05	·05	-	-	-	-	x		10
11	·21	-	-	-	-	-	-	-	-	-	x ·09	·13		11
12	·34	-	-	-	·02	-	-	·03	-	·03	-	·01		12
13	·40	-	-	-	·07	-	-	-	-	·10	·26	·12		13
14	·32	-	-	-	·13	-	·04	-	-	-	·01	-		14
15	·09 ~~·40~~	·05	-	-	·01	-	·07	-	-	·34	·01	·31		15
16	·29	-	·03	-	-	-	-	·03	-	-	-	·09		16
17	·01	·12	·02	-	-	-	·03	-	-	·31	·01	-		17
18	·11	-	-	-	·05	·04	-	-	x ·19	·11	·40 ~~·04~~	-		18
19	-	-	-	-	-	-	-	·03	x	-	x 1·70	-		19
20	-	-	-	-	-	-	-	·06 ~~·26~~	·15	-	x	·04 M.S.		20
21	·02 ~~·20~~	-	-	-	-	-	-	-	·03	-	·04	·08 M.S.		21
22	·02 ~~·20~~	-	-	·01	-	·04	-	·32	·09	-	·28	·14 M.S.		22
23	-	-	·01	-	-	-	-	-	-	-	·05	-		23
24	-	-	·10	-	-	-	-	-	-	-	·32	-		24
25	·14	-	·17	·01	·13	-	·02	-	·30	·06	·67	·12 M.S.		25
26	·40	·10	·05	-	·01	-	-	-	·05	·16	-	·20		26
27	·16	·13	-	-	x	·22	·35	-	·04	·01	·20 ~~·02~~	·01		27
28	·23	·12	-	-	x ·75	·14	-	·56	·07	-	·01	·12		28
29	·09 ~~·40~~	×	-	-	x	-	-	-	·10	·02	·04	·03		29
30	·04	×	-	-	x	-	-	-	-	·01	·26	·20		30
31	·15	×	-	×	·15	×	-	-	×	·19	×	-		31
TOTAL	3·43 ~~5·41~~	·57	·38	·03	1·69	·60	1·50	1·41 ~~1·71~~	1·36	3·06 ~~3·00~~	4·49 ~~3·95~~	2·64	Year's Total ~~20·84~~ (21·16)	
* Days with .01 in. or more.	23	7	6	3	~~11~~ 14	7	13	9	12 ~~11~~	19	21 ~~20~~	22 ~~21~~	156	Amd
* Days with .04 in. or more.	18 ~~20~~	5	3	0	~~9~~ 10	6	10	5	11 ~~10~~	14	15 ~~13~~	16 ~~15~~	113	CB 28/7/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. J. Earnley

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 677

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at South Hayling C.L. School

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 10 ft.

July 14th – 18th, 19th – 23rd est'd from nearby stns

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	·02	·23	·10	–	–	–		–	·01	·01		1
2	·03	–	–	·07	–	–	–	·01	·02	–	·11	·01		2
3	·21	–	–	·58	–	–	·02	–	·39	–	·37	·06		3
4	–	·02	·42	·1	·04	–	·18	·45	·01	·38	·27	·13		4
5	–	–		·16	·12	–	·06	·24	–	·28	·53	·28		5
6	·35	·01	·14	·01	–	–	·29	·40	–	–	·20	–		6
7	·01	·01	–	–	–	–	–	–	–	–	·05	·28		7
8	–	·08	·16	–	–	–	–	·13	–	·60	·13	–		8
9	·02	·12	–	–	–	–	–	·05	–	·30	·48	·18		9
10	·12	·01	–	–	–	·08	–	–	·15	·15	·07	–		10
11	·01	–	·16	–	–	–	–	·52	–	·90	·01	–		11
12	·03	–	–	–	–	·02		·13	–	·01	–	–		12
13	–	–	–	·11	–	·01	·21	–	–	1·45	–	·01		13
14	·53	–	–	·05	·01	·01	–	–	–		·51	·15		14
15	·88	–	–	–	·40	·36	·35	–	·04	·09	·29	·01		15
16	·37	–	·07	·13	·13		·52	–	·16	·12	·29	–		16
17	·13	–	·04	–	·32			–	–	·09	·06	–		17
18	·08	·01	–	–	·03	·23		–	–	·01	·52	·01		18
19	·29	–	–	–	·11	–	+	–	–	·03	–	·01		19
20	·56	–	–	–	–	–	–	–	–	–	–	·01		20
21	–	–	·07	–	–	·09	·45	–	–	–	–	–		21
22	·43	·20	·04	·17	–	·01	✓	–	–	–	·07	–		22
23	·04	·17	·01		–	–		–	–	·05	·66	–		23
24	·40	·01	·02	·06	–	·04	·08	–	–	·01	·01	–		24
25	·73	·22	·03	·09	–	–	–	–	–	·02	·30	·01		25
26	·01	–	–	–	–	–	–	–	–	·03	·30	–		26
27	·02	·01	·04	·01	–	·03	–	–	–	–	·13	–		27
28	–	·35	·01	–	–	·05	–	–	–	–	·25	·14		28
29	–	X	–	·52	–	–	–	–	–	·06	·01	–		29
30	–	✗	–	+	–	–	·05	–	–	·14	·06	·03		30
31	–	✗	–	✗	–	✗	–	·05	✗	·13	✗	–		31
Total	5·27	1·31	1·23	2·30	1·26	·93	(2·21) ~~1·21~~	1·98	·77	4·85	5·69	1·33	Year's Total 29·13 ~~28·33~~	
* Days with .01 in. or more.	22	13	1~~4~~5	1~~4~~5	9	11	~~8~~ 14	9	6	2~~0~~1	25	16	176 ~~168~~	
* Days with .04 in. or more.	14	7	~~9~~10	12	7	6	~~7~~12	8	4	1~~4~~5	21	7	123 ~~117~~	

"d"

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ……………………………………

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 677

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at South Hayling C. School

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 10 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	-	-	-	-	-	-	-	-	·14	-		1
2	-	·25	-	·06	-	-	·02	-	-	·17	·34	·02		2
3	·02	·50	-	-	-	-	-	-	-	-	1·17	·31		3
4	·01	·06	-	-	-	-	·03	-	-	·33	·05	·06		4
5	-	-	-	-	-	-	-	-	-	·01	·36	·20		5
6	·37	·27	-	-	-	-	·21	-	-	·40	·05	·03		6
7	·15	·32	-	·01	·01	-	·01	-	-	·01	-	-		7
8	·01	-	-	-	-	-	·30	-	-	·25	·03	·28		8
9	-	-	-	-	-	-	-	-	·02	·05	·28	·34		9
10	-	-	-	-	-	-	·17	·01	·01	·18	·07	·01		10
11	-	·01ms	-	-	-	-	-	-	-	-	·93	·06		11
12	-	-	·15	-	-	-	·16	-	·29	-	·05	-		12
13	-	-	·60	-	-	-	·12	-	·30	-	1·84	-		13
14	-	-	·15	·05	-	-	·18	-	·03	·20	-	·32		14
15	-	-	-	-	·02	-	·87	-	·11	-	·68	-		15
16	-	·66ms	·34	·04	-	·03	·01	-	·11	·77	1·92	·06		16
17	-	-	·45	-	-	-	·08	-	-	-	·56	-		17
18	-	·45	·20	·22	-	-	·04	-	·07	·31	·02	·10		18
19	-	·11	-	·08	-	-	·04	-	·51	·01	·22	-		19
20	-	·01	·02	·05	-	-	·09	·01	·03	·15	·03	-		20
21	-	-	·01	-	·01	-	-	-	·03	·01	·26	-		21
22	·01ms	-	·01	-	-	·18	-	-	·09	·01	·01	-		22
23	-	·07	·06	-	-	-	-	-	-	·01	·10	-		23
24	-	-	·12	-	-	-	·28	-	-	-	·01	-		24
25	-	-	·50	-	·01	-	·02	-	·01	-	-	-		25
26	1·00	·18	·13	·01	·21	-	·04	-	-	-	-	-		26
27	·66	·41	-	-	·01	-	·23	-	-	-	-	-		27
28	·42	-	-	-	·21	-	-	-	-	-	-	-		28
87 29	·37ms	·40	·18	·15	·12	-	-	-	-	-	-	·21		29
30	·01	✕	-	·13	-	-	-	-	-	·15	-	·02		30
31	·02	✕	-	✕	-	✕	-	-	✕	·61	✕	·18		31
TOTAL	3·05	3·74	2·92	·80	·60	·21	2·90	·02	1·61	3·63	9·12	2·20	Year's Total 30·80	
* Days with .01 in. or more.	12	15	14	10	8	2	19	2	13	18	22	15	150	
* Days with .04 in. or more.	6	13	11	8	3	1	14	-	7	12	16	10	102	

† Spare column, no entries required.

(*Signed*) N. J. Earney [P.T.O.

* See Instruction 3 (f) on other side.

678

Section **A** for the entry of Da

AIR MINISTRY.—

ALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTE

31.

678

EDINBURGH HSE. SCHOOL

LEE-ON-SOLENT

1931 - 1939

78 01 14

Kept at Edinburgh House Sc

in the County of Southampt

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASURE AY.

An observer who does not conform to this *the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	02	T	01		·14	—	04	09	02	T	T	1
2	·28	03	T	·8		T	—	·3	35	—	T	02	2
3	·11	—	·46	05	07	T	T	03	46	—	·05	15	3
4	—	—	·19	T	07	T	·11	07	08	·05	·2	—	4
5	—	08	T	·18	—	·26	·02	T	02	01	·12	09	5
6	—	·1	T	·27	—	05	T	01	01	37	·18		6
7	—	T	T	T	·25	·2	—	29	T	06	·22	07	7
8	—	11	—	·01	·08	·25	04	18	—	—	·12	07	8
9	—	·07	T	·01	—	·03	02	T	—	—	·49	02	9
10	—	·11	—	—	—	·15	02	T	—	—	·84	—	10
11	·12	·3	—	—	—	T	[illegible]	—	04	T	·65	—	11
12	·01	—	—	—	—	T	04	—	16	T	T	T	12
13	—	—	—	—	T	T	—	01	—	—	T	T	13
14	·01	19	—	—	T	T	·91	14	01	—	T	T	14
15	—	—	—	·02	·1	06	·41	11	01	—	T	T	15
16	04	—	—	·07	·05	05	T	02	13	—	T	T	16
17	04	11	—	·1	16	10	·23	—	13	—	T	T	17
18	04	—	02	05	T	18	·07	83	—	—	·3	·3	18
19	09	—	06	06	—	03	T	03	T	—	T	T	19
20	—	·09	T	11	—	—	07	34	—	—	·05	·05	20
21	—	·01	T	—	12	—	T	T	—	—	·04	·04	21
22	·35	T	37	19	T	—	—	01	—	—	01	·01	22
23	·37	T	T	05	26	—	—	—	01	T	21	·21	23
24	01	T	T	·4	11	·26	21	45	—	—	01	—	24
25	·1	T	T	·4	12	—	06	—	—	T	02	—	25
26	—	T	—	·16	T	—	42	—	—	—	64	01	26
27	·15	·25	T	01	1·3	—	52	—	—	—	08	—	27
28	·1	12	T	·07	01	—	T	—	—	—	T	06	28
29	01	—	—	—	24	—	09	01	—	—	T	—	29
30	—	×	—	—	T	—	T	—	—	T	04	—	30
31	29	×	—	×	12	×	03	04	×	T	×	03	31
*TOTAL	2·059	1·59	1·1	3·02	3·03	1·58	3·27	29·1	1·5	0·51	4·27	·52	YEAR'S TOTAL 25·35
*Days with ·01 in. or more.	16	14	5	20	15	11	17	18	13	5	19	8	161
*Days with ·04 in. or more.	11	11	4	15	14	9	13	11	8	3	16	5	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Trevor. Tatham

[P.T.O.

678

*Section **A** for the entry of Da

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Edinburgh House School Lee on the Solent

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	02	T	07		·14	—	04	09	02	T	T	1
2	·28	03	T	·8		T	—	·3	35	—	T	02	2
3	·11	—	·46	05	07	T	T	03	46	—	·05	15	3
4	—	—	·19	T	04	T	·11	07	08	·05	·2	—	4
5	—	08	T	·18	—	·26	·02	T	02	07	·12	09	5
6	—	·1	T	·27	—	05	T	01	01	37	·18		6
7	—	T	T	T	·25	·2	—	29	T	06	·22	07	7
8	—	·11	—	·01	·08	·25	04	18	—	—	·12	07	8
9	—	·07	T	·01	—	·03	02	T	—	—	·49	02	9
10	—	·11	—	—	—	·13	02	T	—	—	·54	—	10
11	·12	·3	—	—	—	T	[illegible]	—	04	T	·65	—	11
12	·01	—	—	—	—	T	04	—	16	T	T	T	12
13	—	—	—	—	T	T	—	01	—	—	T	T	13
14	·01	19	—	—	T	T	·91	14	01	—	T	T	14
15	—	—	—	·02	·1	[illegible]	·41	11	01	—	T	T	15
16	04	—	—	·07	·05	05	T	02	13	—	T	T	16
17	[illegible]	·11	—	·1	16	[illegible]	·23	—	13	—	T	T	17
18	04	—	02	05	T	18	·07	83	—	—	·3	·3	18
19	09	—	06	06	—	03	T	03	T	—	T	T	19
20	—	·09	T	11	—	—	07	34	—	—	·05	·05	20
21	—	·01	T	—	12	—	T	T	—	—	·04	·04	21
22	035	T	37	19	T	—	—	01	—	—	01	·01	22
23	37	T	T	05	26	—	—	—	01	T	21	·21	23
24	01	T	T	·4	11	·26	21	45	—	—	01	—	24
25	·1	T	T	·4	12	—	06	—	—	T	02	—	25
26	—	T	—	·16	T	—	42	—	—	—	64	01	26
27	·15	·25	T	01	1·3	—	52	—	—	—	08	—	27
28	·1	12	T	·07	01	—	T	—	—	—	T	06	28
29	01	—	—	—	24	—	09	01	—	—	T	—	29
30	—	X	—	—	T	—	T	—	—	T	04	—	30
31	29	X	—	X	12	X	03	04	X	T	X	03	31
*TOTAL	2·059	1·59	1·1	3·02	3·03	1·58	3·27	29·1	1·5	0·51	4·27	·52	YEAR'S TOTAL 25·35
*Days with ·01 in. or more.	16	14	5	20	15	11	17	18	13	5	19	8	161
*Days with ·04 in. or more.	11	11	4	15	14	9	13	11	8	3	16	5	120

40-9999

(Signed) Trevor Tatham

P.T.O.

*See Instruction 2 (*f*) on other side.

678.

Section A for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Station No. 678

Kept at Edinburgh House School, Lee on the Solent

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	09	–	–	12	·86	–	–	04	–	T	T	T	1
2	T	–	–	28	·04	–	–	01	·12	–	T	·2	2
3	–	–	–	22	–	02	–	–	·28	02	T	·03	3
4	T	–	–	T	–	·19	–	–	–	–	T	T	4
5	·3	–	–	–	–	–	·06	–	·1	–	T	T	5
6	·43	–	–	13	–	–	–	–	·04	–	T	T	6
7	–	–	–	01	T	–	–	–	–	·2	T	–	7
8	–	–	31	–	21	–	–	–	·17	·3	T	–	8
9	·1	–	–	11	06	–	–	–	·18	–	02	–	9
10	·67	05	[illegible]	26	06	09	–	–	T	·11	01 T	–	10
11	27	–	T	04	04	T	–	T	·01	05	T	–	11
12	·28	–	–	04	~~04~~	–	–	03	·1	46	T	–	12
13	–	–	–	13	~~04~~	–	·27	T	–	85	T	·04	13
14	·27	–	–	02	94	–	–	14	–	02	·12	T	14
15	·02	T	–	02	95	–	·04	–	–	05	13	T	15
16	·06	–	–	13	01	–		–	–	02	T	–	16
17	01	·03	–	06	–	–	·05	–	·01	05	T	–	17
18	02	–	–	–	–	–		–	·02	T	12	–	18
19	02		T	T	06	–	·03	–	05	23	T	–	19
20	–	T	–	06	·21	–		63	T	1·08	16	–	20
21	–	T	27	09	1·01	–		–	T	·48	–	·12	21
22	01	T	T	T	04	–	·05	31	T	·3	–	–	22
23	02	T	–	06	52	–	·14	–	·72	·71	32	·14	23
24	–	–	–	T	T	–	51	–	26	06	T	–	24
25	T	–	–	–	–	–	·9	–	01	42	05	·01	25
26	–	–	12	04	–	–	·09	–	05	03	02	–	26
27	–	–	12	21	·12		01	–	T	65	–	T	27
28	–	–	T	03	02	02	·17	–	T	T	–	·02	28
29	–	–	21	08	04	02	–	15	·62	28	–	·1	29
30	–	×	11	·2	04	78	·06	–	·22	T	·58	·21	30
31	–	×	01	×	–	×	·12	–	×	–	×	·14	31
TOTAL	2·57	·08	1·15	2·34	4·37	1·12	2·50	1·31	2·96	6·37	1·53	1·01	YEAR'S TOTAL 27·31
*Days with ·01 in. or more.	15	2	7	22	18	6	14	7	17	21	10	10	149
*Days with ·04 in. or more.	9	1	6	18	16	3	12	5	13	17	7	7	114

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Trevor J Tatham

P.T.O.

678

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 678

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Edinburgh House School Lee on the Solent
in the County of Southampton

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 15' ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·1	53	·11	—	01	—	—	—	—	T	T	—	1
2	·19	~~13~~	·5	—	39	—	—	—	—	—	—	—	2
3	02	0·13	·25	—		—	—	—	—	—	—	—	3
4	28	03	—	—	34	—	—	—	—	T	01	—	4
5	·1	—	·35	—	—	—	—	—	—	07	—	—	5
6	—	19	T	—	21	—	—	—	—	15	07	—	6
7	15	02	·08	—	19	—	—	—	—		T	02	7
8	03	—	T	—	01	—	22	—	—	T	T	—	8
9	—	T	—	—	T	T	26	T	—	02	04	—	9
10	01	·2	—	—	09	—	3	—	—	21	01	—	10
11	·2	—	—	—	—	01	—	07	—	—	T	—	11
12	—	—	—	T	02	—	—	—	1·94	—	T	—	12
13	02	—	—	—	05	—	·2	13	05	·03	04	—	13
14	—	—	—	—	T	—	T	—	—	23	28	T	14
15	28	—	02	—	—	—	14	14	—	11	T	T	15
16	—	—	52	—	—	11	—	04	05	T	T	—	16
17	—	01	·3	—	—	02	—	—	06	—	T	—	17
18	·35	—	06	—	—	19	—	—	—	—	01	T	18
19	·01	—	13	T	—	—	—	T	·25	T	12	01	19
20	—	04	T	·01	—	·3	—	—	·66	—	T	T	20
21	—	—	—	—	T	T	—	·11	02	03	T	—	21
22	—	—	—	—	—	·1	—	·1	03	19	—	—	22
23	—	01	—	·37	—	·13	—	—	21	38	—	—	23
24	—	66	—	·16	—	T	—	—	04	01	—	—	24
25	—	1·01	—	·34	05	T	—	—	02	—	T	17	25
26	—	56	—	·08	—	15	T	—	12	T	T	01	26
27	—	—	—	—	42	—	T	—	01	19	—	3	27
28	—	—	—	01	—	—	·46	—	—	04	—	02	28
29	08	—	—	09	46	—	05	—	T	01	—	04	29
30	11	×	T	—	—	—	03	—	09	T	—	07	30
31	11	×	—	×	—	×	—	—	×	—	×	—	31
Total	2·04	3·39	2·32	1·06	2·24	1·01	1·41	0·59	3·55	1·67	0·58	0·64	YEAR'S TOTAL 20·50
*Days with ·01 in. or more.	16	12	10	7	12	8	8	6	14	14	8	8	123
*Days with .04 in. or more.	11	8	9	6	9	6	7	6	10	9	5	4	89

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Trevr. J Latham

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 678

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at EDINBURGH HOUSE SCHOOL LEE ON THE SOLENT

in the County of SOUTHAMPTON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	09	—	28	—	13	02	55		1
2	·2	—	08	08	·43	T	—	04	·87	19	T	38		2
3	—	T	—	06	T	—	—	—	—	25	T	23		3
4	·2	—	06	25	09	—	—	—	—	16	T	27		4
5	—	—	—	—	T	—	—	14	—	04	T	47		5
6	—	T	38	04	17	—	—	03	—	19	·28	68		6
7	T	—	—	—	—	—	—	31	—	26	T	21		7
8	—	—	—	—	·26	—	—	03	17	T	·89	02		8
9	01	—	08	—	—	—	—	—	—	T	·95	42		9
10		T	17	18	—	—	—	04	—	T	81	02		10
11	·58	T	43	24	—	—	—	45	—	T	T	32		11
12	·01	T	02	—	—	—	·3	24	—	T	05	25		12
13	27	—	04	06	—	—	·06	03	—	T	08	14		13
14	15	—	36	—	03	—	·17	—	—	06	12	72		14
15	11	—	—	—	·1	—	—	—	T	16	05	63		15
16	—	—	·3	T	—	—	—	—	T	T	T	2		16
17	07	T	—	01	—	—	—	—	09	02	—	24		17
18	04	T	08	29	—	—	·1	—	09	T	—	23		18
19	—	—	32	T	—	T	—	—	19	T	—	16		19
20	T	—	—	02	T	—	·14	T	T	01	—	—		20
21	T	—	—	25	—	·09	—	01	T	09	T	—		21
22	T	—	—	—	—		—	12	·25	02	—	2		22
23	T	—	—	·2	—	42	—	23	02	T	—	—		23
24	—	—	—	·1	—	T	16	01	1	T	—	—		24
25	18	T	07	08	—	T	—	—	T	11	T	55		25
26	T	—	—	14	—	·26	01	—	07	T	T	06		26
27	—	—	—	08	—	T	—	—	T	01	T	36		27
28	T	—	—	T	—	05	—	63	T	T	—	29		28
29	—	—	—	—	—	T	T	35	·12	—	—	01		29
30	04	×	—	—	—		—	02	04	—	T	29		30
31	01	×	—	×	—	×	T	—	×	T	×	09		31
TOTAL	1·87	—	2·38	2·08	1.08	·91	·94	2·96	2·01	1·69	3·25	7·99	Year's Total 27·16	
*Days with ·01 in. or more.	13	—	13	16	6	5	7	17	11	15	9	27	139	
*Days with ·04 in. or more.	10	—	12	14	5	5	6	11	10	11	8	24	116	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required

(*Signed*) Trevor J Tatham

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 678

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 19~~3~~35.

To: M O 7
WITH / ENCLOSURES
RECEIVED 21 JAN 1936
21 TIME 9.30

Kept at EDINBURGH HOUSE SCHOOL LEE ON THE SOLENT
in the County of SOUTHAMPTON

Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 15 ft.

See July 1st.

(Total for July 1st. probably not more than about ·10" short. accept 2·37" as correct. Still

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

* Bottle overflowed

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in. *	in.	in.	in.	in.	in.	†	
1	02	T	23	—	06	07	2·37	—	01	47	25	01		1
2	—	—	T	—	—	—	—	—	—	35	11	03		2
3	—	—	04	T	—	02	—	—	38	1·23	05	T		3
4	—	45	T	07	—	01	—	—	97	·28	3	·1		4
5	—	54	15	·1	—	16	—	—	44	05	05	01		5
6	—	01	08	—	—	06	—	—	—	—	24	T		6
7	—	—	T	18	04	71	—	—	—	—	1·24	·1		7
8	—	—	02	·3		02	T	—	—	·49	·59	—		8
9	12	—	T	28		T	—	—	27	·74	·05	—		9
10	24	—	21	·29		45	—	—	—	·06	38	—		10
11	31	02	05	—		04	—	—	—	·02	36	—		11
12	01	01	T	—		03	—	·11	05	—	68	—		12
13	04	14	T	·19	02	14	—	—	02	—	06	·1		13
14	T	—	T	02	05	05	—	—	02	T	01	·26		14
15	—	12	—	·43		03	—	—	·2	01	28	—		15
16	—	11	T	11		04	—	—	23	—	1.08	—		16
17	—	T	T	03	07	22	17	01	15	—	26	18		17
18	—	T	—	27	17	26	13	01	45	03	03	—		18
19	T	T	—	05	25	15	T	—	·1	07	22	—		19
20	T	35	—	04	02	03	—	—	02	—	68	—		20
21	T	39	—	03	T	— ~~04~~	—	—	01	06	T	—		21
22	T	05	01	—	T	— ~~29~~	—	07	11	—	T	—		22
23	T	03	03	—	02	— ~~36~~	—	44	T	41	T	24		23
24	02	·5	T	—	15	— ~~13~~	—	1·12	47	06	—	27		24
25	T	05	—	19	T	01~~03~~	—	T	T	—	—	16		25
26	02	27	T	—	—	—	—	15	04	—	—	32		26
27	T	63	T	—	T	—	—	34	—	—	05	40		27
28	T	17	—	—	15	—	—	01	·29	—	02	1		28
29	—	X	—	—	02	—	—	11	·31	—		38		29
30	04	X	—	08	—	—	T	1·1	01	14	39	55		30
31	T	X	—	X	—	X	—	T	X	34	X	13		31
TOTAL	0·82	3·84	0·82	2·66	1·02	2·50	2·67	3·47	4·55	4·81	4·28	3·34	Year's Total. 34·78	
* Days with .01 in. or more.	9	17	9	17	12	19	3	10	21	17	23	17	174	
* Days with .04 in. or more.	5	13	6	14	9	12	3	8	15	14	19	14	132	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Trevor. J. [illegible]

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 678

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at EDINBURGH HOUSE SCHOOL
LEE ON THE SOLENT
in the County of SOUTHAMPTON

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft ... in.
,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	15	14	06	15	—	34	29	T		—	·17	T		1
2	—	T	T	—	—	09	—	06	01	—	·01	—		2
3	—	—	T	23	—	02	04	T	·1	—	·64	—		3
4	T	—	—	—	—	07	01	—	·2	—	·24	T		4
5	47	—	·11	01	01	01	—	04	·18	—	09	—		5
6	62	—	—	—	—	04	—	T	·15	—	·69	—		6
7	13	—	07	—	—	—	—	—	T	—	27	09		7
8	31	—	13	—	—	—	02	—	—	—	·82	11		8
9	33	—	12	—	05	—	49	—	25	—	T	T		9
10	—	—	T	—	—	—	35	—	—	—	02	T		10
11	·2	T	—	11	—	01	34	T	·1	—	1·1	—		11
12	—	—	—	07	—	T	22	—	·42	—	21	T		12
13	T	—	—	—	—	·27	03	—	—	01	06	·4		13
14	—	·55	—	01	—	02	66	—	T	03	T	·6		14
15	T	—	—	—	—	06	—	—	02	—	08	31		15
16	13	31	—	—	T	04	06	—	01	—	09	2		16
17	—	60	—	—	—	27	02	03	T	01	·01	42		17
18	13	11	—	—	—	64	·2	—	04	—	T	07		18
19	18	—	—	03	—	4	—	04	—	T	—	T		19
20	18	03	15	21	—	06	—	—	·9	01	—	—		20
21		07		·5	—	07	·17	—	—	T	—	—		21
22	09	44	23	01	·02	—	14	—	T	—	—	07		22
23	12	—	·2	08	—	—	15	—	—	02	—			23
24	15	—	T	—	·01	—	—	—	—	27	01			24
25	06	—	15	21	—	—	T	—	—	08	—			25
26	15	09	T	03	—	—		—	·1	07	—	01		26
27	36	—	—	—	—	09		—	T	12	—			27
28	82	—	·2	—	—		1·2	—	—	01	01	09		28
29	T	—	T	—	—	04	05	—	—	09	17	05		29
30	·1	×	T	—	T	49		—	—	01	—	T		30
31	·1	×	·31	×	03	×	·2	—	×	T	×	38		31
TOTAL	4·68	2·34	1·73	1·65	0·12	3·02	4·44	0·17	2·48	0·73	4·69	2·80	Year's Total. 28·85	✓
* Days with .01 in. or more.	20	9	11	13	5	19	19	4	13	12	18	13	156	✓
* Days with .04 in. or more.	20	8	11	8	1	15	15	3	10	5	13	12	121	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column; no entries required.

(Signed) J Gathorne

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 678

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at EDINBURGH HOUSE SCHOOL LEE ON THE SOLENT
in the County of SOUTHAMPTON
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·75	T	T	13		–	–	–	–	–	·9	39		1
2	02	54	–	12	–	–	–	–	04	–	–	24		2
3	01	18	–	–	–	–	–	–	–	–	–	T		3
4	14	88	–	–	–	–	–	–	–	–	–	·3		4
5	13	04	·1	01	–	–	–	–	–	–	–	–		5
6	17	22	·61	1	05	–	26	–	–	02	–	86		6
7	–	65	–	04	16	–	03	–	T	14	–	2·35		7
8	–	T	–	–	24	–	–	–	–	–	–	T		8
9	–	–	–	·3	07	03	08	–	55	–	–	T		9
10	–	T	–	·07	1	35	[illegible]	–	–	–	–	·6		10
11	05	T	·5	T	1	04	18	–		–	–	·06		11
12	3	31	05	06	39	48	02	43	26	–	–	32		12
13	24	06	12	05	02	–	–	07	03	–	–	87		13
14	01	T	54	23	T	–	–	31	1	–	–	T		14
15	31	16	11	3	–		62	–	37	–	–	29		15
16	–	1	T	12	–	07	07	35	26	–	02	–		16
17	56	04	31	T	–	T	– T	–	12	T	1	–		17
18	24	08	03	–	–		–	–	05	–	2	15		18
19	21	09	03	12	–	07	–	–	01	T	T	T		19
20	37	–	35	2	–	3 5 ~~07~~	–	–		–	T	05		20
21	36	24	04	03	–	–	–	–	T	T	·01	07		21
22	47	06	04	–	12	–	12	–		1·0	·53	09		22
23	2	15	T	–	·28	–	12	–		·26	·2	T		23
24	32	46	T	–	01	–	T	–	01	56	T	02		24
25	18	35	[illegible]	–	96	–	–	–	03	59	T	02		25
26	T	36	–	–	–	–	–	–		15	–	–		26
27	T	13	–	06	–	–	–	–		32	–	–		27
28	1	–	–	–	–	–	–	–		06	–	–		28
29	03	×	–	–	–	–	–	–		05	01	–		29
30	43	×	–		–	–	–	–		17	12	–		30
31	53	×	–	×	–	×	–	–	×	22	×	–		31
TOTAL	6·28	5·10	3·69	1·94	2·50	1·33	1·44	1·16	1·83	3·54	2·09	5·82	Year's Total 36·72	
* Days with .01 in. or more.	24	20	14	16	12	7	9	4	12	12	9	16	155	
* Days with .04 in. or more.	20	20	12	14	10	6	6	4	8	11	6	14	131	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Trevor J. Tatham [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 678

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at EDINBURGH HOUSE SCHOOL ~~LEE~~ ON THE SOLENT

in the County of HANTS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—		—	09	09	02	—	19	04	·01	T		1
2	—	T	—	02	—	T	—	—	—	55	—	·04		2
3	—	T	—	—	07	—	—	—	—	72	·3	—		3
4	T	T	—	—	—	—	12	06	—	2	—	·11		4
5	—	—	06	—	—	—	25	17	—	32	·01	T		5
6	09	—	—	—	—	—	03	—	13	02	07			6
7	01	—	—	—	—	—	45	27	06	2	—	02		7
8	13	—	—	—	—	—	19	21	—	2	—	16		8
9	13	T	—	—	—	—	T	—	—	03	—	7		9
10	09	01	—	—	—	06	05	—	—	—		18		10
11	·2	—	—	—	—	—	T	—	—	—	·1	15		11
12	45	—	—	—	06	—	02	03	—	07	·01	·1		12
13	43	—	—	—	—	—		—	—	15	43	23		13
14	41	—	—	—	·11	—	06	—	—	—		T		14
15	2	02	—	—	T	—	37	—	—	·5	01	41		15
16	29	05	·03	—	—	—	T	03	—	T	T	05		16
17	12	12	·01	—	·11	—	T	—	22	25	15	—		17
18	—	—	—	—	·4	01	T	—	·3	04	51	—		18
19	T	—	—	—	—	—	—	06	02	—	5	02		19
20	—	—	—	—	—	—	—	47	11	—	48	01		20
21	02	—	—	—	—	—	—	—	14	—	05	24		21
22	—	—	—	T	—	—	—	24	—	—	25	11		22
23	T	—	T	—	—	03	—	—	—	—	06	—		23
24	T	—	·24	—	—	—	—	—	02	—	38	—		24
25	12	02	·15	—	04	—	72	—	02	03	·8	09		25
26	41	17	T	—	02	—	—	—	07	12	T	23		26
27	16	01	—	—	15	—	29	—	—	T	·3	—		27
28	08	01	T	—	2	23	—	43	02	—	T	04		28
29	02	✕	—	—	26	17	—	—	08	01	17	03		29
30	T	✕	—	—	06	—	—	—	05	02	41	—		30
31	18	✕	—	✕	12	✕	—	—	✕	·23	✕	28		31
TOTAL	3·54	0·41	0·44	0·02	1·69	0·59	1·87	1·82	1·43	3·70	5·04	3·20	Year's Total 23·75	✓
* Days with .01 in. or more.	19	8	5	1	13	5	12	10	14	19	20	20	146	✓
* Days with .04 in. or more.	16	3	2	—	12	4	9	7	10	14	16	16	109	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(Signed) Trevor J Tatham

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 678

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at EDINBURGH HOUSE SCHOOL LEE ON THE SOLENT

in the County of HANTS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01	–	05	–	07	–	·1	T	12	–	08	02		1
2	–	–	T	·26	–	–	T	59	44	–	05	03		2
3	39	–	05	08	–	–	–	08	01	–	36	59		3
4	–	T	35	47	03	–	34	29	05	69	08	01		4
5	–		02	12	19	–	03	03	–	12	55	15		5
6	36	T	15	23	T	–	38	02	–	01	50	–		6
7	T	·12	T 01	–	–	–	04	01	–	–	12	40		7
8	–	11	T 15	–	–	–	T	T	–	85	19	18		8
9	02	–	T	–	–	–	–	23	–	18	22	19		9
10	15	–	–	–	–	–	–	17	·2	33	11	–		10
11	–	–	19	–	–	09	–	–	–	56	02	–		11
12	01	–	–	–	–	–	–	–	–	05	–	–		12
13	–	–	–	05	–	03	·38	–	–	1·37	01	02		13
14	61	–	–	–	03	–	05	–	–	42	69	12		14
15	43	–	T	01	53	03	08	–	03	11	36	03		15
16	43	–	01	·1	02	43		–	02	1·05	31	–		16
17	07	02	T	–	08	15	13	–	–	1·76	05	–		17
18	12	T	T	–	03	31	66	–	–	01	62	02		18
19	29	–	02	–	–	–	21	–	02	02	–	03		19
20	4	–	02	–	–	31	01	–	–	–	–	T		20
21	09	15	07	–		12	05	–	01	–	–	–		21
22	28	25	05	–	T	09	02	–	–	–	09	–		22
23	01	–	02	16	–	T	11	–	–	01	82	–		23
24	42	T	03	06	–	13	04	–	–	–	01	–		24
25	59	18	04	16	–	T	27	–	–	08	31	–		25
26	T	–	T	–	–	–	–	T	–	07	39	T		26
27	–	06	05	05	–	05	–	–	–	–	14	–		27
28	T	25	02	–	–	05	01	–	–	–	18	20		28
29	T		01	04	–	02	14	–	–	13	02	–		29
30	–	✕	–	63	–	06	–	–	–	12	02	06		30
31	–	✕	–	✕	–	✕	–	01	✕	98	✕	–		31
TOTAL	4·68	1·14	1·29	2·42	0·98	1·87	3·07	1·43	0·90	8·92	6·3	2·05	Year's Total 35·05	
* Days with .01 in. or more.	18	8	18	14	8	14	~~19~~ 20	9	9	21	26	15	~~149~~	180
* Days with .04 in. or more.	14	7	10	13	4	11	~~15~~ 16	5	4	17	21	8	~~129~~	130

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.